

# Full wwPDB X-ray Structure Validation Report (i)

#### Nov 21, 2023 – 05:01 PM JST

PDB ID	:	7VYR
Title	:	Crystal structure of SARS-CoV-2 Spike RBD in complex with the D27 neu-
		tralizing antibody Fab fragment
Authors	:	Jeong, BS.; Oh, BH.
Deposited on	:	2021-11-15
Resolution	:	2.20 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org A user guide is available at https://www.wwpdb.org/validation/2017/XrayValidationReportHelp with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (1)) were used in the production of this report:

MolProbity	:	4.02b-467
Xtriage (Phenix)	:	1.13
EDS	:	2.36
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.36

# 1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure:  $X\text{-}RAY \, DIFFRACTION$ 

The reported resolution of this entry is 2.20 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	$egin{array}{c} { m Whole \ archive} \ (\#{ m Entries}) \end{array}$	${f Similar\ resolution}\ (\#{ m Entries,\ resolution\ range}({ m \AA}))$
$R_{free}$	130704	4898 (2.20-2.20)
Clashscore	141614	5594 (2.20-2.20)
Ramachandran outliers	138981	5503 (2.20-2.20)
Sidechain outliers	138945	5504 (2.20-2.20)
RSRZ outliers	127900	4800 (2.20-2.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain	
1	А	252	2% 83%	• 13%
1	Н	252	75%	10% • 13%
2	В	238	85%	• 10%
2	L	238	% <b>7</b> 9%	11% • 10%
3	С	262	12% 60% 11% •	29%
3	R	262	8% 60% 10% •	29%



### 7VYR

# 2 Entry composition (i)

There are 4 unique types of molecules in this entry. The entry contains 9940 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

• Molecule 1 is a protein called D27 heavy chain.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace	
1	Н	219	Total 1612	C 1003	N 272	O 330	${ m S} 7$	0	0	0
1	А	219	Total 1612	C 1003	N 272	O 330	${f S}7$	0	0	0

• Molecule 2 is a protein called D27 light chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
0	<u>о</u> т	214	Total	С	Ν	0	S	0	0	0
			1644	1024	279	336	5	0		
0	Р	914	Total	С	Ν	0	S	0	0	0
	214	1644	1024	279	336	5	0	U		

• Molecule 3 is a protein called Spike protein S1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	R	186	Total 1484	C 953	N 247	$\begin{array}{c} 0\\ 277 \end{array}$	S 7	0	0	0
3	С	186	Total 1484	953	247 N 247	$\frac{211}{0}$ $277$	$\frac{7}{S}$	0	0	0

There are 78 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
R	280	MET	-	initiating methionine	UNP P0DTC2
R	281	VAL	-	expression tag	UNP P0DTC2
R	282	LEU	-	expression tag	UNP P0DTC2
R	283	VAL	-	expression tag	UNP P0DTC2
R	284	ASN	-	expression tag	UNP P0DTC2
R	285	GLN	-	expression tag	UNP P0DTC2
R	286	SER	-	expression tag	UNP P0DTC2
R	287	HIS	-	expression tag	UNP P0DTC2



Chain	Residue	Modelled	Actual	Comment	Reference
R	288	GLN	-	expression tag	UNP P0DTC2
R	289	GLY	_	expression tag	UNP P0DTC2
R	290	PHE	_	expression tag	UNP P0DTC2
R	291	ASN	-	expression tag	UNP P0DTC2
R	292	LYS	_	expression tag	UNP P0DTC2
R	293	GLU	_	expression tag	UNP P0DTC2
R	294	HIS	_	expression tag	UNP P0DTC2
R	295	THR	-	expression tag	UNP P0DTC2
R	296	SER	-	expression tag	UNP P0DTC2
R	297	LYS	-	expression tag	UNP P0DTC2
R	298	MET	-	expression tag	UNP P0DTC2
R	299	VAL	-	expression tag	UNP P0DTC2
R	300	SER	-	expression tag	UNP P0DTC2
R	301	ALA	-	expression tag	UNP P0DTC2
R	302	ILE	-	expression tag	UNP P0DTC2
R	303	VAL	-	expression tag	UNP P0DTC2
R	304	LEU	-	expression tag	UNP P0DTC2
R	305	TYR	-	expression tag	UNP P0DTC2
R	306	VAL	_	expression tag	UNP P0DTC2
R	307	LEU	-	expression tag	UNP P0DTC2
R	308	LEU	-	expression tag	UNP P0DTC2
R	309	ALA	-	expression tag	UNP P0DTC2
R	310	ALA	-	expression tag	UNP P0DTC2
R	311	ALA	-	expression tag	UNP P0DTC2
R	312	ALA	-	expression tag	UNP P0DTC2
R	313	HIS	-	expression tag	UNP P0DTC2
R	314	SER	-	expression tag	UNP P0DTC2
R	315	ALA	-	expression tag	UNP P0DTC2
R	316	PHE	-	expression tag	UNP P0DTC2
R	317	ALA	-	expression tag	UNP P0DTC2
R	318	ALA	-	expression tag	UNP P0DTC2
C	280	MET	-	initiating methionine	UNP P0DTC2
С	281	VAL	-	expression tag	UNP P0DTC2
С	282	LEU	-	expression tag	UNP P0DTC2
С	283	VAL	-	expression tag	UNP P0DTC2
C	284	ASN	-	expression tag	UNP P0DTC2
С	285	GLN	-	expression tag	UNP P0DTC2
С	286	SER	-	expression tag	UNP P0DTC2
C	287	HIS	-	expression tag	UNP P0DTC2
С	288	GLN	-	expression tag	UNP P0DTC2
C	289	GLY	-	expression tag	UNP P0DTC2
С	290	PHE	-	expression tag	UNP P0DTC2



Chain	Residue	Modelled	Actual	Comment	Reference
С	291	ASN	-	expression tag	UNP P0DTC2
С	292	LYS	-	expression tag	UNP P0DTC2
С	293	GLU	-	expression tag	UNP P0DTC2
С	294	HIS	-	expression tag	UNP P0DTC2
С	295	THR	-	expression tag	UNP P0DTC2
С	296	SER	-	expression tag	UNP P0DTC2
С	297	LYS	-	expression tag	UNP P0DTC2
С	298	MET	-	expression tag	UNP P0DTC2
С	299	VAL	-	expression tag	UNP P0DTC2
С	300	SER	-	expression tag	UNP P0DTC2
С	301	ALA	-	expression tag	UNP P0DTC2
С	302	ILE	-	expression tag	UNP P0DTC2
С	303	VAL	-	expression tag	UNP P0DTC2
С	304	LEU	-	expression tag	UNP P0DTC2
С	305	TYR	-	expression tag	UNP P0DTC2
С	306	VAL	-	expression tag	UNP P0DTC2
С	307	LEU	-	expression tag	UNP P0DTC2
С	308	LEU	-	expression tag	UNP P0DTC2
С	309	ALA	-	expression tag	UNP P0DTC2
С	310	ALA	-	expression tag	UNP P0DTC2
С	311	ALA	-	expression tag	UNP P0DTC2
С	312	ALA	-	expression tag	UNP P0DTC2
С	313	HIS	-	expression tag	UNP P0DTC2
С	314	SER	-	expression tag	UNP P0DTC2
С	315	ALA	-	expression tag	UNP P0DTC2
С	316	PHE	-	expression tag	UNP P0DTC2
С	317	ALA	-	expression tag	UNP P0DTC2
С	318	ALA	-	expression tag	UNP P0DTC2

Continued from previous page...

• Molecule 4 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	Н	50	$\begin{array}{cc} {\rm Total} & {\rm O} \\ 50 & 50 \end{array}$	0	0
4	L	107	Total O 107 107	0	0
4	R	50	$\begin{array}{cc} \text{Total} & \text{O} \\ 50 & 50 \end{array}$	0	0
4	А	112	Total O 112 112	0	0
4	В	95	Total O 95 95	0	0



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	С	46	Total         O           46         46	0	0



# 3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.



• Molecule 1: D27 heavy chain







## 4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants	61.80Å 191.68Å 65.90Å	Depositor
a, b, c, $\alpha$ , $\beta$ , $\gamma$	$90.00^{\circ}$ $93.99^{\circ}$ $90.00^{\circ}$	Depositor
Bosolution (Å)	47.92 - 2.20	Depositor
Resolution (A)	47.92 - 1.89	EDS
% Data completeness	95.4 (47.92-2.20)	Depositor
(in resolution range)	90.8 (47.92-1.89)	EDS
$R_{merge}$	0.09	Depositor
R <sub>sym</sub>	(Not available)	Depositor
$< I/\sigma(I) > 1$	$1.36 (at 1.90 \text{\AA})$	Xtriage
Refinement program	PHENIX 1.18.2_3874	Depositor
B B.	0.192 , $0.235$	Depositor
$\mathbf{n}, \mathbf{n}_{free}$	0.192 , $0.235$	DCC
$R_{free}$ test set	2000 reflections $(1.77%)$	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	19.8	Xtriage
Anisotropy	0.312	Xtriage
Bulk solvent $k_{sol}(e/A^3), B_{sol}(A^2)$	0.34, $39.8$	EDS
L-test for $twinning^2$	$ < L >=0.48, < L^2>=0.31$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
$F_o, F_c$ correlation	0.94	EDS
Total number of atoms	9940	wwPDB-VP
Average B, all atoms $(Å^2)$	29.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: The largest off-origin peak in the Patterson function is 3.43% of the height of the origin peak. No significant pseudotranslation is detected.

<sup>&</sup>lt;sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



<sup>&</sup>lt;sup>1</sup>Intensities estimated from amplitudes.

# 5 Model quality (i)

## 5.1 Standard geometry (i)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
	Ullalli	RMSZ	# Z  > 5	RMSZ	# Z  > 5
1	А	0.44	0/1647	0.62	0/2241
1	Н	0.51	0/1647	0.73	1/2241~(0.0%)
2	В	0.52	2/1680~(0.1%)	0.66	1/2284~(0.0%)
2	L	0.53	0/1680	0.75	4/2284~(0.2%)
3	С	0.41	0/1527	0.70	2/2077~(0.1%)
3	R	0.41	0/1527	0.71	3/2077~(0.1%)
All	All	0.47	2/9708~(0.0%)	0.70	11/13204~(0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	А	0	1
1	Н	0	4
2	В	0	3
3	С	0	2
3	R	0	2
All	All	0	12

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	$\mathrm{Ideal}(\mathrm{\AA})$
2	В	82	GLU	CD-OE1	7.33	1.33	1.25
2	В	82	GLU	CD-OE2	5.26	1.31	1.25

All (11) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms		$Observed(^{o})$	$Ideal(^{o})$
2	L	169	LYS	CD-CE-NZ	-9.14	90.69	111.70
2	L	108	ARG	CG-CD-NE	-8.39	94.18	111.80
3	R	387	LEU	CA-CB-CG	7.35	132.20	115.30



Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
2	L	187	GLU	CA-CB-CG	7.34	129.55	113.40
2	В	108	ARG	CG-CD-NE	-6.88	97.35	111.80
3	С	377	PHE	CB-CG-CD2	-6.20	116.46	120.80
2	L	187	GLU	N-CA-CB	-6.00	99.80	110.60
3	С	441	LEU	CA-CB-CG	5.85	128.75	115.30
3	R	377	PHE	CB-CG-CD2	-5.78	116.76	120.80
1	Н	183	LEU	CA-CB-CG	5.74	128.51	115.30
3	R	518	LEU	CA-CB-CG	5.52	128.00	115.30

There are no chirality outliers.

Mol	Chain	Res	Type	Group
1	А	31	ASN	Peptide
2	В	58	PRO	Peptide
2	В	81	ASP	Peptide
2	В	82	GLU	Sidechain
3	С	377	PHE	Sidechain
3	С	392	PHE	Sidechain
1	Н	105	MET	Peptide
1	Н	135	SER	Peptide
1	Н	137	SER	Peptide
1	Н	152	PRO	Peptide
3	R	377	PHE	Sidechain
3	R	388	ASN	Peptide

All (12) planarity outliers are listed below:

## 5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	А	1612	0	1571	8	0
1	Н	1612	0	1573	15	0
2	В	1644	0	1580	7	0
2	L	1644	0	1580	15	0
3	С	1484	0	1402	24	0
3	R	1484	0	1402	20	0
4	А	112	0	0	0	0



Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
4	В	95	0	0	1	0
4	С	46	0	0	1	0
4	Н	50	0	0	0	0
4	L	107	0	0	0	0
4	R	50	0	0	0	0
All	All	9940	0	9108	82	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (82) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom 1	Atom 2	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
3:R:340:GLU:HA	3:R:343:ASN:HB2	1.56	0.87
3:R:346:ARG:NH1	3:R:451:TYR:OH	2.13	0.80
3:R:369:TYR:HA	3:R:377:PHE:CE2	2.26	0.71
2:L:198:HIS:ND1	2:L:199:GLN:O	2.26	0.68
3:C:386:LYS:O	3:C:390:LEU:HD22	1.94	0.67
1:H:52:ASP:HB3	1:H:55:ARG:HB3	1.78	0.65
2:B:108:ARG:HG2	2:B:109:THR:N	2.12	0.62
2:B:29:ARG:NH2	3:C:370:ASN:O	2.33	0.62
2:L:1:SER:HA	2:L:30:LYS:HE2	1.82	0.61
1:H:31:ASN:HB3	3:R:498:GLN:HE21	1.64	0.60
1:H:32:TRP:HZ3	1:H:34:ILE:HD11	1.67	0.59
3:C:392:PHE:N	3:C:392:PHE:CD1	2.71	0.58
3:R:377:PHE:HE1	3:R:432:CYS:HB3	1.68	0.58
3:R:377:PHE:CE1	3:R:432:CYS:HB3	2.42	0.55
2:B:79:ALA:O	2:B:82:GLU:OE1	2.24	0.54
3:C:377:PHE:HE1	3:C:432:CYS:HB3	1.71	0.54
1:A:64:PHE:HB3	1:A:68:VAL:CG2	2.38	0.53
3:R:386:LYS:O	3:R:387:LEU:HD23	2.08	0.53
3:R:441:LEU:HG	3:C:475:ALA:HB1	1.91	0.52
3:C:368:LEU:HA	3:C:371:SER:HB2	1.91	0.52
3:R:470:THR:HG21	1:A:85:SER:OG	2.09	0.52
1:H:219:LYS:HG2	1:H:220:SER:N	2.24	0.51
2:L:181:LEU:CD1	2:L:186:TYR:HB2	2.40	0.51
3:C:377:PHE:CE1	3:C:432:CYS:HB3	2.46	0.51
2:L:39:PRO:HG2	2:L:165:GLU:HG3	1.93	0.50
3:R:340:GLU:HG2	3:R:343:ASN:HB2	1.94	0.50
3:C:336:CYS:HB2	3:C:363:ALA:HB2	1.93	0.50
2:L:130:ALA:HB3	2:L:181:LEU:HD12	1.93	0.50



		Interatomic	Clash	
Atom-1	Atom-2	distance (Å)	overlap (Å)	
1:H:149:ASP:HB3	1:H:176:GLN:HE22	1.77	0.50	
1:H:132:SER:O	1:H:135:SER:HB3	2.13	0.49	
3:C:429:PHE:HE1	3:C:514:SER:HB3	1.78	0.49	
3:C:336:CYS:N	3:C:362:VAL:O	2.46	0.49	
3:C:392:PHE:N	3:C:392:PHE:HD1	2.11	0.48	
1:H:128:PRO:HD3	1:H:214:LYS:HE2	1.95	0.48	
1:H:25:SER:C	1:H:27:GLY:H	2.17	0.48	
3:C:391:CYS:C	3:C:392:PHE:CD1	2.87	0.48	
1:H:74:GLU:H	1:H:74:GLU:CD	2.16	0.47	
3:R:396:TYR:HB2	3:R:514:SER:OG	2.14	0.47	
3:C:520:ALA:N	3:C:521:PRO:HD3	2.29	0.47	
1:H:68:VAL:HG22	1:H:83:LEU:HD13	1.96	0.47	
2:B:53:ARG:HD3	2:B:61:PHE:O	2.14	0.47	
2:L:145:LYS:HB3	2:L:197:THR:HB	1.97	0.46	
1:A:103:GLY:HA2	4:B:335:HOH:O	2.16	0.46	
2:B:29:ARG:HH22	3:C:370:ASN:HB3	1.81	0.46	
3:R:383:SER:HB2	3:R:386:LYS:HB3	1.97	0.45	
2:B:29:ARG:HH12	3:C:370:ASN:HA	1.82	0.45	
3:C:457:ARG:NH1	3:C:459:SER:O	2.45	0.45	
2:L:122:ASP:O	2:L:126:LYS:HG3	2.17	0.45	
3:R:369:TYR:HA	3:R:377:PHE:CD2	2.50	0.45	
3:R:336:CYS:HB3	3:R:363:ALA:HB2	1.97	0.45	
3:R:448:ASN:OD1	3:R:450:ASN:ND2	2.40	0.45	
2:L:126:LYS:HE2	2:L:126:LYS:HB3	1.51	0.45	
3:C:369:TYR:HD1	3:C:377:PHE:CD2	2.35	0.44	
1:H:219:LYS:HG2	1:H:220:SER:H	1.82	0.44	
2:L:1:SER:OG	2:L:2:TYR:N	2.50	0.44	
2:L:108:ARG:HG2	2:L:109:THR:N	2.30	0.44	
3:C:358:ILE:HB	3:C:395:VAL:HG13	1.98	0.44	
3:R:342:PHE:HB3	3:C:486:PHE:CE1	2.52	0.44	
2:L:13:ALA:HB3	2:L:16:LYS:HD3	1.99	0.44	
1:H:145:CYS:SG	1:H:201:CYS:SG	3.15	0.43	
1:A:64:PHE:HB3	1:A:68:VAL:HG21	1.99	0.43	
2:B:33:HIS:CD2	2:B:48:TYR:HB2	2.54	0.43	
3:C:458:LYS:HG3	4:C:643:HOH:O	2.19	0.43	
1:A:64:PHE:HB3	1:A:68:VAL:HG23	2.00	0.43	
3:R:502:GLY:O	3:R:506:GLN:HG3	2.19	0.42	
1:A:68:VAL:HG22	1:A:83:LEU:HD13	2.01	0.42	
3:R:377:PHE:CD1	3:R:434:ILE:HG13	2.54	0.42	
3:R:383:SER:CB	3:R:386:LYS:HB3	2.49	0.42	
1:H:63:LYS:O	1:H:64:PHE:HB2	2.20	0.42	



Atom 1	Atom 2	Interatomic	Clash
Atom-1	Atom-2	distance $(\text{\AA})$	overlap (Å)
2:L:163:VAL:HG22	2:L:175:LEU:HD12	2.01	0.41
3:C:401:VAL:HG22	3:C:509:ARG:HG2	2.02	0.41
3:C:369:TYR:CD1	3:C:377:PHE:CE2	3.09	0.41
3:C:336:CYS:SG	3:C:363:ALA:HB2	2.61	0.41
3:R:353:TRP:CE2	3:R:466:ARG:HB2	2.56	0.41
1:A:4:LEU:HD23	1:A:24:ALA:HA	2.03	0.41
1:A:53:PRO:HB3	1:A:72:THR:HG21	2.02	0.41
1:H:152:PRO:HB2	1:H:153:GLU:H	1.77	0.40
2:L:108:ARG:CG	2:L:109:THR:N	2.84	0.40
2:L:201:LEU:HD13	2:L:205:VAL:HG12	2.04	0.40
1:H:106:ASP:HB3	1:H:107:VAL:H	1.70	0.40
2:L:4:LEU:HD11	2:L:89:VAL:HG22	2.03	0.40
3:C:470:THR:O	3:C:470:THR:HG23	2.22	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles (i)

#### 5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Perce	entiles
1	А	217/252~(86%)	214 (99%)	3 (1%)	0	100	100
1	Н	217/252~(86%)	209~(96%)	7 (3%)	1 (0%)	29	31
2	В	212/238~(89%)	204 (96%)	7(3%)	1 (0%)	29	31
2	L	212/238~(89%)	204 (96%)	6 (3%)	2 (1%)	17	16
3	С	184/262~(70%)	170 (92%)	12 (6%)	2 (1%)	14	12
3	R	184/262~(70%)	161 (88%)	19 (10%)	4 (2%)	6	4
All	All	1226/1504 (82%)	1162 (95%)	54 (4%)	10 (1%)	19	19

All (10) Ramachandran outliers are listed below:



Mol	Chain	Res	Type
3	R	337	PRO
3	R	518	LEU
2	В	59	GLU
3	R	339	GLY
3	С	385	THR
3	С	518	LEU
2	L	59	GLU
3	R	384	PRO
1	Н	149	ASP
2	L	2	TYR

#### 5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the side chain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	А	182/214~(85%)	182 (100%)	0	100 100
1	Н	182/214~(85%)	182 (100%)	0	100 100
2	В	186/207~(90%)	185 (100%)	1 (0%)	88 94
2	L	186/207~(90%)	186 (100%)	0	100 100
3	С	161/226~(71%)	160 (99%)	1 (1%)	86 93
3	R	161/226~(71%)	161 (100%)	0	100 100
All	All	1058/1294 (82%)	1056 (100%)	2 (0%)	93 97

All (2) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
2	В	82	GLU
3	С	392	PHE

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (5) such sidechains are listed below:

Mol	Chain	Res	Type
3	R	498	GLN
1	А	3	GLN



Continued from previous page...

Mol	Chain	Res	Type
1	А	43	GLN
2	В	33	HIS
2	В	199	GLN

#### 5.3.3 RNA (i)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates (i)

There are no monosaccharides in this entry.

## 5.6 Ligand geometry (i)

There are no ligands in this entry.

## 5.7 Other polymers (i)

There are no such residues in this entry.

## 5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



## 6 Fit of model and data (i)

## 6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled '#RSRZ> 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median,  $95^{th}$  percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	$\langle RSRZ \rangle$	#RSRZ>2	$OWAB(Å^2)$	Q < 0.9
1	А	219/252~(86%)	-0.51	4 (1%) 68 66	12, 20, 50, 87	0
1	Н	219/252~(86%)	-0.35	10 (4%) 32 31	12, 22, 55, 96	0
2	В	214/238~(89%)	-0.58	1 (0%) 91 90	12, 24, 42, 55	0
2	L	214/238~(89%)	-0.65	2 (0%) 84 83	11, 18, 31, 61	0
3	С	186/262~(70%)	0.43	31 (16%) 1 1	18, 32, 92, 123	0
3	R	186/262~(70%)	0.37	20 (10%) 5 5	17, 36, 83, 119	0
All	All	1238/1504~(82%)	-0.24	68 (5%) 25 24	11, 24, 70, 123	0

All (68) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
3	R	385	THR	15.0
1	Н	138	GLY	10.1
3	С	368	LEU	9.5
1	А	27	GLY	9.2
3	С	518	LEU	7.9
3	R	519	HIS	7.7
3	С	521	PRO	7.0
3	R	518	LEU	6.9
1	А	56	GLY	6.0
3	С	389	ASP	5.5
3	С	519	HIS	5.4
3	С	391	CYS	5.3
3	С	392	PHE	5.3
3	С	520	ALA	5.2
3	С	370	ASN	4.9
3	C	365	TYR	4.9
3	С	388	ASN	4.9
3	R	365	TYR	4.9
3	R	390	LEU	4.8



IVIR
------

Mol	Chain	Res	Type	RSRZ
2	L	214	CYS	4.5
3	R	359	SER	4.4
1	Н	134	LYS	4.2
3	С	361	CYS	4.2
3	R	517	LEU	4.2
1	Н	26	GLY	4.1
1	А	28	THR	4.0
3	R	485	GLY	4.0
3	R	361	CYS	3.9
1	Н	27	GLY	3.9
3	С	517	LEU	3.8
3	С	369	TYR	3.8
3	С	338	PHE	3.7
3	R	362	VAL	3.7
3	С	385	THR	3.7
3	С	387	LEU	3.6
1	Н	28	THR	3.6
3	R	520	ALA	3.5
3	R	387	LEU	3.4
3	С	360	ASN	3.4
3	R	382	VAL	3.3
3	С	362	VAL	3.3
3	С	383	SER	3.1
3	R	381	GLY	3.1
3	С	363	ALA	3.1
3	С	384	PRO	3.0
3	R	521	PRO	3.0
1	Н	55	ARG	3.0
1	Н	136	THR	3.0
3	R	391	CYS	2.8
3	R	392	PHE	2.8
3	C	359	SER	2.7
3	С	445	VAL	2.7
3	R	386	LYS	2.7
3	C	366	SER	2.7
3	R	340	GLU	2.7
3	С	364	ASP	2.5
3	C	390	LEU	2.4
3	R	389	ASP	2.4
1	Н	29	PHE	2.3
3	С	386	LYS	2.3
3	С	336	CYS	2.3



Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	В	214	CYS	2.2
1	А	29	PHE	2.1
3	С	358	ILE	2.1
3	С	515	PHE	2.1
1	Н	75	SER	2.1
2	L	1	SER	2.1
1	Н	135	SER	2.0

### 6.2 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates (i)

There are no monosaccharides in this entry.

## 6.4 Ligands (i)

There are no ligands in this entry.

## 6.5 Other polymers (i)

There are no such residues in this entry.

