



# Full wwPDB X-ray Structure Validation Report ⓘ

May 14, 2020 – 04:13 am BST

PDB ID : 2W58  
Title : Crystal Structure of the DnaI  
Authors : Tsai, K.L.; Lo, Y.H.; Sun, Y.J.; Hsiao, C.D.  
Deposited on : 2008-12-08  
Resolution : 2.50 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
Xtriage (Phenix) : 1.13  
EDS : 2.11  
buster-report : 1.1.7 (2018)  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.11


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	4661 (2.50-2.50)
Clashscore	141614	5346 (2.50-2.50)
Ramachandran outliers	138981	5231 (2.50-2.50)
Sidechain outliers	138945	5233 (2.50-2.50)
RSRZ outliers	127900	4559 (2.50-2.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	202	
1	B	202	


The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
4	PO4	B	2305	-	-	X	-



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	1	Total Mg 1 1	0	0

- Molecule 4 is PHOSPHATE ION (three-letter code: PO4) (formula: O<sub>4</sub>P).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	B	1	Total O P 5 4 1	0	0


- Molecule 5 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	75	Total O 75 75	0	0
5	B	91	Total O 91 91	0	0


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: PRIMOSOME COMPONENT (HELICASE LOADER)



- Molecule 1: PRIMOSOME COMPONENT (HELICASE LOADER)



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	54.63Å 59.53Å 115.64Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	29.77 – 2.50 29.76 – 2.50	Depositor EDS
% Data completeness (in resolution range)	83.9 (29.77-2.50) 93.9 (29.76-2.50)	Depositor EDS
$R_{merge}$	0.06	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	2.78 (at 2.51Å)	Xtrriage
Refinement program	CNS 1.2	Depositor
R, $R_{free}$	0.235 , 0.269 0.243 , 0.276	Depositor DCC
$R_{free}$ test set	1085 reflections (8.03%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	46.3	Xtrriage
Anisotropy	0.581	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.28 , 57.2	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.49$ , $\langle L^2 \rangle = 0.33$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
$F_o, F_c$ correlation	0.92	EDS
Total number of atoms	3276	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	63.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 6.01% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup> Intensities estimated from amplitudes.

<sup>2</sup> Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality i

### 5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: PO4, MG, ADP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.45	0/1568	0.88	4/2105 (0.2%)
1	B	0.53	0/1568	1.10	17/2110 (0.8%)
All	All	0.49	0/3136	0.99	21/4215 (0.5%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	B	1	4

There are no bond length outliers.

All (21) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed( $^{\circ}$ )	Ideal( $^{\circ}$ )
1	A	212	THR	N-CA-C	10.65	139.75	111.00
1	B	1138	ASP	CB-CG-OD2	-10.39	108.95	118.30
1	B	1140	GLY	N-CA-C	-9.29	89.87	113.10
1	B	1234	GLU	N-CA-C	8.55	134.08	111.00
1	B	1139	ASP	CB-CG-OD1	8.36	125.82	118.30
1	B	1211	GLN	O-C-N	-7.66	110.44	122.70
1	B	1211	GLN	N-CA-C	7.63	131.61	111.00
1	B	1235	ALA	N-CA-C	7.29	130.69	111.00
1	B	1237	SER	N-CA-C	6.64	128.94	111.00
1	A	274	LEU	CA-CB-CG	6.10	129.32	115.30
1	B	1213	MET	CA-CB-CG	5.77	123.11	113.30
1	B	1210	ASP	O-C-N	-5.69	113.59	122.70
1	B	1210	ASP	CB-CG-OD1	5.65	123.39	118.30
1	B	1238	SER	N-CA-C	5.47	125.78	111.00

*Continued on next page...*

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	1234	GLU	N-CA-CB	-5.46	100.77	110.60
1	B	1139	ASP	CB-CG-OD2	-5.44	113.41	118.30
1	A	284	LYS	CB-CA-C	5.31	121.03	110.40
1	A	211	GLN	CB-CA-C	5.30	120.99	110.40
1	B	1276	TYR	CB-CA-C	5.29	120.97	110.40
1	B	1289	ARG	CA-CB-CG	5.20	124.83	113.40
1	B	1210	ASP	CA-C-O	5.09	130.78	120.10

All (1) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
1	B	1211	GLN	CA

All (4) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	B	1138	ASP	Sidechain
1	B	1188	ARG	Mainchain
1	B	1211	GLN	Mainchain,Peptide

## 5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1539	0	1561	112	0
1	B	1538	0	1549	146	0
2	A	27	0	12	3	0
3	A	1	0	0	0	0
4	B	5	0	0	3	0
5	A	75	0	0	5	0
5	B	91	0	0	11	0
All	All	3276	0	3122	255	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 41.

All (255) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:211:GLN:OE1	5:A:2031:HOH:O	1.57	1.22
1:B:1116:LEU:HD23	1:B:1189:ASN:O	1.52	1.08
1:B:1284:LYS:HA	1:B:1284:LYS:HE3	1.13	1.07
1:B:1172:VAL:HG11	1:B:1303:ILE:HD13	1.37	1.04
1:B:1237:SER:HB3	5:B:2068:HOH:O	1.62	0.99
1:A:244:VAL:HB	5:A:2050:HOH:O	1.67	0.92
1:B:1284:LYS:HA	1:B:1284:LYS:CE	2.00	0.91
1:B:1239:TRP:O	1:B:1243:ASP:HB2	1.71	0.91
1:B:1284:LYS:CA	1:B:1284:LYS:HE3	1.99	0.90
1:B:1133:ASP:HB3	1:B:1176:TYR:OH	1.69	0.90
1:A:205:LYS:O	1:A:205:LYS:HD2	1.70	0.90
1:A:241:ARG:HA	5:A:2050:HOH:O	1.73	0.86
1:B:1156:GLU:O	1:B:1159:LYS:HB2	1.75	0.85
1:A:148:ALA:HB1	1:A:181:ILE:HD12	1.58	0.84
1:B:1134:VAL:HG12	1:B:1176:TYR:CE1	2.14	0.83
1:B:1174:LYS:HE3	4:B:2305:PO4:O4	1.80	0.81
1:B:1159:LYS:O	1:B:1160:LYS:HB3	1.81	0.80
1:B:1281:GLU:OE2	5:B:2079:HOH:O	1.99	0.80
1:B:1116:LEU:CD2	1:B:1189:ASN:O	2.30	0.80
1:A:148:ALA:HB1	1:A:181:ILE:CD1	2.13	0.78
1:B:1213:MET:O	1:B:1216:LYS:HB3	1.85	0.77
1:B:1216:LYS:O	1:B:1220:ILE:HG22	1.85	0.76
1:A:135:ASP:HB3	1:A:137:ASN:HD22	1.50	0.76
1:A:185:LEU:HB3	1:A:190:VAL:CG2	2.16	0.75
1:B:1134:VAL:HG12	1:B:1176:TYR:HE1	1.51	0.75
1:A:178:LEU:HD11	1:A:262:THR:HG23	1.69	0.75
1:A:205:LYS:O	1:A:205:LYS:CD	2.35	0.74
1:B:1141:ARG:O	1:B:1145:ILE:HD13	1.86	0.74
1:B:1131:LEU:HD12	1:B:1180:ALA:HB1	1.69	0.74
1:A:243:ASP:O	1:A:247:PRO:HG2	1.86	0.74
1:B:1205:LYS:HA	1:B:1205:LYS:HE2	1.70	0.74
1:B:1230:ASP:HA	1:B:1262:THR:O	1.87	0.74
4:B:2305:PO4:P	5:B:2048:HOH:O	2.45	0.74
1:A:213:MET:O	1:A:216:LYS:HG2	1.88	0.73
1:B:1124:ARG:O	1:B:1127:LEU:HG	1.88	0.73
1:B:1211:GLN:O	1:B:1214:ASN:OD1	2.07	0.73
1:B:1241:ARG:O	1:B:1245:PHE:HB3	1.89	0.73
1:A:238:SER:O	1:A:239:TRP:HB2	1.88	0.73
1:A:131:LEU:HD21	1:A:181:ILE:HD13	1.71	0.72
1:A:250:GLN:HB2	1:A:293:ARG:HH11	1.53	0.72
1:B:1172:VAL:CG1	1:B:1303:ILE:HD13	2.19	0.72
1:A:111:LYS:CD	1:A:112:ARG:HG2	2.21	0.71

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:241:ARG:HH11	1:A:241:ARG:HG2	1.56	0.71
1:B:1290:ILE:HD13	1:B:1290:ILE:O	1.92	0.70
1:A:233:ALA:O	1:A:234:GLU:HG2	1.92	0.70
1:A:250:GLN:HA	1:A:253:MET:HE2	1.74	0.70
1:A:136:LEU:HB3	1:A:142:ILE:HD11	1.74	0.69
1:A:202:ARG:NH2	1:A:234:GLU:OE1	2.25	0.69
1:B:1241:ARG:HH12	1:B:1283:GLU:CG	2.06	0.69
1:A:111:LYS:HD2	1:A:112:ARG:HG2	1.74	0.68
1:B:1303:ILE:O	1:B:1303:ILE:HD12	1.95	0.67
1:A:250:GLN:HB2	1:A:293:ARG:NH1	2.10	0.67
1:A:226:LEU:HD21	1:A:228:LEU:HD21	1.77	0.66
1:B:1112:ARG:NE	1:B:1112:ARG:HA	2.11	0.66
1:A:131:LEU:HD21	1:A:181:ILE:CD1	2.25	0.66
1:B:1241:ARG:HH12	1:B:1283:GLU:HG3	1.60	0.66
1:A:285:VAL:O	1:A:288:ALA:HB3	1.96	0.65
1:A:249:LEU:HD22	1:A:290:ILE:HD11	1.78	0.65
1:B:1299:TYR:HD2	1:B:1301:ILE:HD11	1.59	0.65
1:B:1168:GLY:HA3	1:B:1303:ILE:HD11	1.78	0.65
1:B:1232:GLY:O	1:B:1233:ALA:O	2.15	0.65
1:A:241:ARG:C	1:A:241:ARG:HD2	2.18	0.64
1:A:250:GLN:HA	1:A:253:MET:CE	2.28	0.64
1:A:136:LEU:HD12	1:A:136:LEU:H	1.63	0.64
1:B:1207:SER:OG	1:B:1213:MET:SD	2.55	0.64
1:A:130:SER:HA	5:A:2005:HOH:O	1.97	0.64
1:B:1240:VAL:HA	1:B:1244:VAL:HG23	1.78	0.63
1:B:1131:LEU:HD22	1:B:1184:GLU:HG3	1.79	0.63
1:A:206:HIS:O	1:B:1285:VAL:HG11	1.99	0.63
1:B:1168:GLY:HA3	1:B:1303:ILE:CD1	2.29	0.63
1:A:221:LYS:HG3	1:A:222:LYS:HG3	1.81	0.62
1:B:1113:GLN:HB2	1:B:1186:ALA:HB1	1.81	0.62
1:B:1117:ILE:HG13	1:B:1117:ILE:O	1.99	0.62
1:A:127:LEU:HD21	1:A:194:ILE:HD12	1.82	0.62
1:B:1117:ILE:HG22	5:B:2049:HOH:O	2.00	0.62
1:B:1285:VAL:O	1:B:1288:ALA:HB3	2.00	0.61
1:A:266:ASP:OD2	1:A:269:GLN:NE2	2.33	0.61
1:B:1207:SER:C	1:B:1209:GLN:H	2.04	0.61
1:B:1284:LYS:CA	1:B:1284:LYS:CE	2.70	0.61
1:A:304:THR:HG22	1:A:305:GLY:H	1.66	0.60
1:B:1202:ARG:HG3	5:B:2052:HOH:O	2.00	0.60
1:B:1207:SER:CB	1:B:1213:MET:SD	2.89	0.60
1:B:1276:TYR:HA	5:B:2077:HOH:O	2.01	0.60

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:1160:LYS:HG3	1:B:1160:LYS:O	2.02	0.60
1:A:304:THR:HG22	1:A:305:GLY:N	2.17	0.59
1:B:1249:LEU:HD21	1:B:1294:ILE:HD11	1.84	0.59
1:A:145:ILE:HD13	1:A:146:ARG:N	2.17	0.59
1:B:1139:ASP:OD2	5:B:2035:HOH:O	2.17	0.59
1:B:1156:GLU:HG2	1:B:1159:LYS:HG2	1.84	0.59
1:A:145:ILE:HD13	1:A:146:ARG:H	1.67	0.59
1:A:286:LYS:HA	1:A:289:ARG:HB2	1.85	0.59
1:B:1217:LEU:O	1:B:1220:ILE:HG23	2.03	0.59
1:B:1185:LEU:HD22	1:B:1190:VAL:HG21	1.84	0.59
1:A:126:ILE:O	1:A:126:ILE:HD12	2.03	0.59
1:B:1129:ALA:HB1	1:B:1176:TYR:CE2	2.38	0.58
1:B:1207:SER:HB2	1:B:1213:MET:SD	2.43	0.58
1:A:253:MET:CE	1:A:293:ARG:HD3	2.34	0.58
1:A:134:VAL:HA	2:A:1310:ADP:HN62	1.69	0.57
1:B:1145:ILE:N	1:B:1145:ILE:HD12	2.19	0.57
1:B:1269:GLN:O	1:B:1273:HIS:HB2	2.05	0.57
1:B:1145:ILE:CD1	1:B:1145:ILE:H	2.17	0.57
1:B:1113:GLN:HB2	1:B:1186:ALA:CB	2.35	0.57
1:B:1155:TYR:CE1	1:B:1190:VAL:HG11	2.39	0.57
1:B:1128:ARG:NH2	1:B:1128:ARG:HA	2.20	0.56
1:A:241:ARG:O	1:A:241:ARG:HD2	2.04	0.56
1:A:167:HIS:HA	1:A:263:SER:O	2.05	0.56
1:B:1146:ARG:NH2	1:B:1149:GLU:CD	2.59	0.56
1:A:136:LEU:HD12	1:A:136:LEU:N	2.20	0.55
1:B:1184:GLU:OE1	1:B:1187:LYS:HD2	2.06	0.55
1:A:111:LYS:HD2	1:A:112:ARG:CG	2.37	0.55
1:A:303:ILE:HD12	1:A:303:ILE:N	2.22	0.55
1:B:1204:LEU:HD21	1:B:1217:LEU:HD11	1.87	0.55
1:B:1197:VAL:CG2	1:B:1228:LEU:HB3	2.37	0.55
1:A:308:ARG:O	1:A:309:ARG:HG2	2.07	0.54
1:B:1113:GLN:NE2	1:B:1187:LYS:HA	2.22	0.54
1:B:1157:PRO:HG3	5:B:2038:HOH:O	2.06	0.54
1:B:1145:ILE:H	1:B:1145:ILE:HD12	1.72	0.54
1:B:1208:LEU:HD23	1:B:1208:LEU:H	1.72	0.54
1:A:249:LEU:O	1:A:253:MET:HG3	2.08	0.54
1:A:206:HIS:O	1:B:1285:VAL:CG1	2.55	0.54
1:A:253:MET:SD	1:A:293:ARG:HB3	2.48	0.54
1:B:1185:LEU:HB3	1:B:1190:VAL:HG23	1.89	0.54
1:B:1192:SER:HB2	5:B:2049:HOH:O	2.07	0.54
1:B:1112:ARG:NH1	1:B:1112:ARG:HG3	2.23	0.53

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:1243:ASP:O	1:B:1247:PRO:HG2	2.07	0.53
1:A:239:TRP:HB3	1:A:241:ARG:HG3	1.89	0.53
1:B:1131:LEU:HD13	1:B:1184:GLU:CG	2.39	0.53
1:B:1240:VAL:O	1:B:1244:VAL:HB	2.09	0.53
1:A:111:LYS:HD3	1:A:112:ARG:HG2	1.90	0.53
1:B:1112:ARG:HH11	1:B:1112:ARG:HG3	1.73	0.53
1:A:111:LYS:C	1:A:113:GLN:H	2.12	0.53
1:A:271:ALA:HB2	1:A:291:MET:HG3	1.91	0.52
1:B:1249:LEU:HD21	1:B:1294:ILE:CD1	2.39	0.52
1:A:177:LEU:O	1:A:181:ILE:HG12	2.08	0.52
1:A:131:LEU:HD11	1:A:181:ILE:HD13	1.91	0.52
1:B:1203:GLU:HG2	1:B:1213:MET:CE	2.39	0.52
1:A:185:LEU:HB3	1:A:190:VAL:HG22	1.92	0.52
1:B:1245:PHE:HA	1:B:1248:ILE:HD12	1.92	0.51
1:B:1268:GLN:NE2	1:B:1268:GLN:H	2.08	0.51
1:B:1223:VAL:O	1:B:1252:ARG:NH2	2.43	0.51
1:B:1197:VAL:HG21	1:B:1228:LEU:HB3	1.92	0.51
1:A:228:LEU:HD12	1:A:261:PHE:CE2	2.46	0.50
1:B:1252:ARG:NH1	1:B:1257:LEU:O	2.45	0.50
1:B:1233:ALA:O	1:B:1234:GLU:HB2	2.12	0.50
1:A:253:MET:HE2	1:A:293:ARG:HD3	1.92	0.50
1:A:136:LEU:H	1:A:136:LEU:CD1	2.24	0.50
1:A:185:LEU:HD22	1:A:190:VAL:HG21	1.93	0.50
1:A:241:ARG:HH11	1:A:241:ARG:CG	2.23	0.50
1:A:166:LEU:HB3	1:A:303:ILE:CD1	2.42	0.50
1:B:1150:ARG:C	1:B:1150:ARG:HD2	2.31	0.50
1:B:1186:ALA:O	1:B:1188:ARG:O	2.28	0.50
1:A:234:GLU:OE2	1:B:1296:TYR:CD2	2.65	0.49
1:A:170:PHE:HZ	1:B:1156:GLU:CD	2.16	0.49
1:A:287:ALA:O	1:A:290:ILE:HG23	2.13	0.49
2:A:1310:ADP:O2B	2:A:1310:ADP:O2A	2.29	0.49
1:B:1212:THR:O	1:B:1213:MET:C	2.48	0.49
1:B:1128:ARG:HA	1:B:1128:ARG:CZ	2.43	0.49
1:A:167:HIS:ND1	1:A:266:ASP:HB3	2.28	0.48
1:A:152:VAL:O	1:A:188:ARG:HD2	2.13	0.48
1:A:118:GLN:HG2	1:A:219:TYR:OH	2.13	0.48
1:B:1145:ILE:CD1	1:B:1145:ILE:N	2.77	0.48
1:B:1120:MET:CB	1:B:1195:VAL:HG13	2.43	0.48
1:B:1142:ILE:HG23	1:B:1143:LYS:N	2.29	0.48
1:A:287:ALA:O	1:A:290:ILE:CG2	2.63	0.47
1:B:1197:VAL:HB	1:B:1198:PRO:HD3	1.95	0.47

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:1287:ALA:O	1:B:1291:MET:HB2	2.15	0.47
4:B:2305:PO4:O2	5:B:2048:HOH:O	2.20	0.47
1:B:1241:ARG:HH22	1:B:1283:GLU:HG2	1.79	0.47
1:B:1188:ARG:O	1:B:1189:ASN:C	2.50	0.47
1:B:1207:SER:C	1:B:1209:GLN:N	2.65	0.47
1:B:1227:MET:HG2	1:B:1260:PHE:HB2	1.95	0.47
1:A:184:GLU:O	1:A:187:LYS:HB3	2.14	0.47
1:B:1120:MET:HB2	1:B:1195:VAL:HG13	1.97	0.47
1:B:1231:LEU:HD11	1:B:1245:PHE:HZ	1.80	0.47
1:A:309:ARG:HB2	1:B:1157:PRO:HB2	1.95	0.47
1:A:239:TRP:HB2	1:A:275:THR:HG21	1.97	0.47
1:A:245:PHE:CD1	1:A:290:ILE:HD11	2.51	0.46
1:A:148:ALA:CB	1:A:181:ILE:HD11	2.45	0.46
1:A:173:GLY:O	1:A:177:LEU:HG	2.15	0.46
1:B:1146:ARG:HD2	1:B:1146:ARG:HA	1.62	0.46
1:B:1131:LEU:HD13	1:B:1184:GLU:HG2	1.97	0.46
1:B:1270:LEU:HB3	1:B:1291:MET:HE1	1.96	0.46
1:B:1293:ARG:HH11	1:B:1293:ARG:HG2	1.80	0.46
1:A:114:GLU:O	1:A:124:ARG:NH2	2.48	0.46
1:B:1287:ALA:HA	1:B:1290:ILE:HG22	1.97	0.46
1:B:1299:TYR:CD2	1:B:1301:ILE:HD11	2.45	0.46
1:B:1146:ARG:HD2	1:B:1149:GLU:OE2	2.16	0.46
1:B:1282:GLU:HA	1:B:1282:GLU:OE2	2.15	0.45
1:A:147:PHE:CE1	1:A:164:LEU:HD13	2.52	0.45
1:A:166:LEU:O	1:A:262:THR:HA	2.15	0.45
1:A:249:LEU:HD22	1:A:290:ILE:CD1	2.45	0.45
1:B:1299:TYR:O	1:B:1301:ILE:HD12	2.16	0.45
1:A:241:ARG:CG	1:A:241:ARG:NH1	2.78	0.45
1:A:134:VAL:HG12	2:A:1310:ADP:N6	2.32	0.45
1:A:250:GLN:CB	1:A:293:ARG:NH1	2.79	0.44
1:B:1261:PHE:CE2	1:B:1294:ILE:HD12	2.52	0.44
1:A:206:HIS:O	1:A:207:SER:C	2.56	0.44
1:B:1265:PHE:HB3	1:B:1269:GLN:HB3	2.00	0.44
1:B:1140:GLY:HA2	5:B:2003:HOH:O	2.17	0.44
1:B:1241:ARG:HG2	1:B:1242:ASP:N	2.33	0.44
1:B:1252:ARG:NH1	1:B:1259:THR:OG1	2.50	0.44
1:B:1289:ARG:O	1:B:1293:ARG:HG3	2.17	0.44
1:A:174:LYS:O	1:A:177:LEU:HB2	2.18	0.44
1:B:1123:PRO:O	1:B:1126:ILE:HG12	2.17	0.44
1:B:1156:GLU:HG2	1:B:1159:LYS:CG	2.48	0.44
1:A:266:ASP:CG	1:A:269:GLN:NE2	2.72	0.43

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:185:LEU:O	1:A:190:VAL:HG22	2.17	0.43
1:A:166:LEU:HD13	1:A:177:LEU:HD12	2.00	0.43
1:A:131:LEU:HD11	1:A:181:ILE:CD1	2.49	0.43
1:A:142:ILE:O	1:A:146:ARG:HB2	2.18	0.43
1:A:166:LEU:HB3	1:A:303:ILE:HD11	2.00	0.43
1:B:1136:LEU:HD11	1:B:1145:ILE:HD13	1.99	0.43
1:A:213:MET:O	1:A:216:LYS:CG	2.62	0.43
1:A:251:TYR:CE1	1:A:255:GLU:HG3	2.54	0.43
1:B:1281:GLU:O	1:B:1282:GLU:HB2	2.19	0.43
1:B:1204:LEU:O	1:B:1205:LYS:C	2.57	0.43
1:A:250:GLN:CB	1:A:293:ARG:HH11	2.26	0.42
1:B:1209:GLN:O	1:B:1210:ASP:C	2.57	0.42
1:A:128:ARG:HB2	1:A:128:ARG:HH11	1.84	0.42
1:B:1282:GLU:O	1:B:1286:LYS:HG2	2.18	0.42
1:A:221:LYS:NZ	1:A:221:LYS:CB	2.82	0.42
1:B:1135:ASP:O	1:B:1137:ASN:N	2.46	0.42
1:B:1155:TYR:CD1	1:B:1190:VAL:HG11	2.55	0.42
1:A:221:LYS:NZ	1:A:221:LYS:HB3	2.34	0.42
1:B:1207:SER:N	1:B:1209:GLN:OE1	2.53	0.42
1:A:308:ARG:O	1:A:309:ARG:CG	2.68	0.42
1:B:1154:GLU:O	1:B:1161:MET:HE3	2.20	0.42
1:B:1160:LYS:HB2	1:B:1256:ASN:CG	2.40	0.42
1:A:284:LYS:HG3	1:A:285:VAL:N	2.35	0.41
1:B:1177:LEU:O	1:B:1181:ILE:HD13	2.19	0.41
1:A:205:LYS:HD2	1:A:205:LYS:C	2.35	0.41
1:A:267:MET:HE3	1:A:291:MET:HE1	2.02	0.41
1:B:1165:TYR:O	1:B:1300:PRO:HA	2.20	0.41
1:B:1231:LEU:HD11	1:B:1245:PHE:CZ	2.55	0.41
1:A:234:GLU:OE2	1:B:1296:TYR:CE2	2.74	0.41
1:A:136:LEU:CB	1:A:142:ILE:HD11	2.45	0.41
1:B:1186:ALA:C	1:B:1188:ARG:O	2.59	0.41
1:B:1113:GLN:NE2	1:B:1187:LYS:HG2	2.36	0.41
1:A:162:LYS:HG3	5:A:2015:HOH:O	2.19	0.41
1:B:1159:LYS:HB3	1:B:1161:MET:HG2	2.03	0.41
1:B:1193:LEU:HD22	1:B:1223:VAL:HG11	2.03	0.41
1:A:125:GLU:H	1:A:125:GLU:CD	2.23	0.41
1:B:1287:ALA:O	1:B:1290:ILE:HG22	2.21	0.41
1:B:1303:ILE:O	1:B:1304:THR:HG23	2.20	0.41
1:B:1174:LYS:HB3	1:B:1262:THR:HB	2.02	0.41
1:B:1219:TYR:O	1:B:1223:VAL:HG13	2.21	0.41
1:A:136:LEU:O	1:A:138:ASP:N	2.54	0.41

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:1117:ILE:HG21	1:B:1182:ALA:O	2.21	0.41
1:B:1240:VAL:HA	1:B:1244:VAL:CG2	2.47	0.40
1:A:111:LYS:CG	1:A:112:ARG:H	2.33	0.40
1:A:187:LYS:HE3	1:A:187:LYS:HB2	1.91	0.40
1:B:1142:ILE:CG2	1:B:1143:LYS:N	2.85	0.40
1:A:197:VAL:HG21	1:A:228:LEU:HB3	2.03	0.40
1:A:167:HIS:CE1	1:A:266:ASP:HB3	2.56	0.40
1:B:1265:PHE:N	1:B:1265:PHE:CD1	2.90	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	180/202 (89%)	165 (92%)	11 (6%)	4 (2%)	6	10
1	B	184/202 (91%)	161 (88%)	13 (7%)	10 (5%)	2	2
All	All	364/404 (90%)	326 (90%)	24 (7%)	14 (4%)	3	4

All (14) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	137	ASN
1	B	1211	GLN
1	B	1282	GLU
1	A	275	THR
1	B	1136	LEU
1	B	1207	SER
1	A	239	TRP
1	B	1137	ASN
1	B	1230	ASP
1	B	1160	LYS

Continued on next page...

*Continued from previous page...*

Mol	Chain	Res	Type
1	B	1205	LYS
1	B	1233	ALA
1	B	1173	GLY
1	A	285	VAL

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	165/178 (93%)	141 (86%)	24 (14%)	3	6
1	B	166/178 (93%)	142 (86%)	24 (14%)	3	6
All	All	331/356 (93%)	283 (86%)	48 (14%)	3	6

All (48) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	111	LYS
1	A	126	ILE
1	A	128	ARG
1	A	136	LEU
1	A	141	ARG
1	A	145	ILE
1	A	160	LYS
1	A	164	LEU
1	A	188	ARG
1	A	205	LYS
1	A	213	MET
1	A	214	ASN
1	A	216	LYS
1	A	217	LEU
1	A	221	LYS
1	A	223	VAL
1	A	231	LEU
1	A	241	ARG
1	A	250	GLN

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	264	ASN
1	A	267	MET
1	A	272	HIS
1	A	274	LEU
1	A	290	ILE
1	B	1112	ARG
1	B	1113	GLN
1	B	1139	ASP
1	B	1145	ILE
1	B	1161	MET
1	B	1199	GLU
1	B	1203	GLU
1	B	1204	LEU
1	B	1208	LEU
1	B	1210	ASP
1	B	1212	THR
1	B	1213	MET
1	B	1220	ILE
1	B	1231	LEU
1	B	1237	SER
1	B	1238	SER
1	B	1242	ASP
1	B	1265	PHE
1	B	1268	GLN
1	B	1284	LYS
1	B	1289	ARG
1	B	1290	ILE
1	B	1292	GLU
1	B	1304	THR

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (9) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	113	GLN
1	A	211	GLN
1	A	250	GLN
1	A	278	GLN
1	A	307	ASN
1	B	1113	GLN
1	B	1211	GLN
1	B	1214	ASN
1	B	1268	GLN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 5.6 Ligand geometry [i](#)

Of 3 ligands modelled in this entry, 1 is monoatomic - leaving 2 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
4	PO4	B	2305	-	4,4,4	1.81	1 (25%)	6,6,6	0.42	0
2	ADP	A	1310	-	24,29,29	1.41	4 (16%)	29,45,45	2.99	12 (41%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	ADP	A	1310	-	-	0/12/32/32	0/3/3/3

All (5) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	1310	ADP	PB-O1B	3.23	1.61	1.50
2	A	1310	ADP	C2'-C1'	2.99	1.58	1.53

*Continued on next page...*

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	1310	ADP	PB-O2B	2.87	1.65	1.54
2	A	1310	ADP	C8-N7	-2.61	1.30	1.34
4	B	2305	PO4	P-O3	-2.32	1.47	1.54

All (12) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	1310	ADP	O2B-PB-O3A	-7.24	80.36	104.64
2	A	1310	ADP	O3B-PB-O3A	-6.09	84.23	104.64
2	A	1310	ADP	O3A-PB-O1B	-5.61	80.08	111.19
2	A	1310	ADP	O3B-PB-O2B	5.15	127.32	107.64
2	A	1310	ADP	PA-O3A-PB	-5.07	115.43	132.83
2	A	1310	ADP	N3-C2-N1	-4.46	121.72	128.68
2	A	1310	ADP	O4'-C4'-C3'	3.59	112.22	105.11
2	A	1310	ADP	C3'-C2'-C1'	3.43	106.15	100.98
2	A	1310	ADP	PA-O5'-C5'	-3.05	103.81	121.68
2	A	1310	ADP	O5'-C5'-C4'	2.79	118.58	108.99
2	A	1310	ADP	C5'-C4'-C3'	-2.52	105.74	115.18
2	A	1310	ADP	O4'-C4'-C5'	2.15	116.45	109.37

There are no chirality outliers.


There are no torsion outliers.

There are no ring outliers.

2 monomers are involved in 6 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	B	2305	PO4	3	0
2	A	1310	ADP	3	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

In the following table, the column labelled '#RSRZ > 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q < 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	188/202 (93%)	0.22	11 (5%) 22 23	23, 48, 103, 133	0
1	B	188/202 (93%)	0.76	25 (13%) 3 2	30, 66, 119, 127	0
All	All	376/404 (93%)	0.49	36 (9%) 8 7	23, 56, 112, 133	0

All (36) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	1210	ASP	8.4
1	A	276	TYR	6.1
1	B	1189	ASN	5.5
1	B	1134	VAL	5.5
1	B	1272	HIS	5.3
1	B	1170	PHE	4.6
1	A	238	SER	4.5
1	B	1276	TYR	4.5
1	A	206	HIS	4.1
1	B	1140	GLY	3.7
1	B	1303	ILE	3.6
1	A	243	ASP	3.6
1	B	1275	THR	3.6
1	A	277	SER	3.5
1	A	275	THR	3.5
1	B	1113	GLN	3.5
1	B	1116	LEU	3.4
1	A	272	HIS	3.1
1	B	1176	TYR	3.1
1	B	1171	GLY	3.0
1	B	1211	GLN	3.0
1	B	1133	ASP	2.9
1	B	1137	ASN	2.8
1	B	1128	ARG	2.6

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	A	211	GLN	2.6
1	B	1139	ASP	2.6
1	B	1131	LEU	2.5
1	B	1281	GLU	2.4
1	B	1206	HIS	2.4
1	B	1212	THR	2.4
1	B	1136	LEU	2.3
1	B	1138	ASP	2.2
1	B	1282	GLU	2.1
1	A	308	ARG	2.1
1	A	278	GLN	2.0
1	A	214	ASN	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)


There are no carbohydrates in this entry.

## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
3	MG	A	1311	1/1	0.79	0.38	41,41,41,41	0
2	ADP	A	1310	27/27	0.95	0.16	33,57,69,76	0
4	PO4	B	2305	5/5	0.96	0.14	74,78,83,86	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.



## 6.5 Other polymers [i](#)

There are no such residues in this entry.