



Full wwPDB X-ray Structure Validation Report ⓘ

Nov 22, 2023 – 12:37 PM JST

PDB ID : 7W9U
Title : Crystal Structure of Zn bound human Focal Adhesion Targeting (FAT) domain of the Focal Adhesion Kinase
Authors : Momin, A.A.; Sandholu, A.S.; Arold, S.T.
Deposited on : 2021-12-10
Resolution : 2.16 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Xtriage (Phenix) : 1.13
EDS : 2.36
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.36


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.16 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	1479 (2.16-2.16)
Clashscore	141614	1585 (2.16-2.16)
Ramachandran outliers	138981	1560 (2.16-2.16)
Sidechain outliers	138945	1559 (2.16-2.16)
RSRZ outliers	127900	1456 (2.16-2.16)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	164	
1	B	164	
1	C	164	
1	D	164	

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 4209 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Isoform 5 of Focal adhesion kinase 1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	132	1029	652	175	195	7	0	0	0
1	B	132	1027	650	175	195	7	0	0	0
1	C	131	1022	648	174	193	7	0	0	0
1	D	132	1027	650	175	195	7	0	0	0

- Molecule 2 is ZINC ION (three-letter code: ZN) (formula: Zn) (labeled as "Ligand of Interest" by depositor).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	2	Total 2	Zn 2	0	0
2	B	1	Total 1	Zn 1	0	0
2	C	3	Total 3	Zn 3	0	0
2	D	2	Total 2	Zn 2	0	0


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	21	Total 21	O 21	0	0
3	B	22	Total 22	O 22	0	0
3	C	26	Total 26	O 26	0	0
3	D	27	Total 27	O 27	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Isoform 5 of Focal adhesion kinase 1




- Molecule 1: Isoform 5 of Focal adhesion kinase 1




- Molecule 1: Isoform 5 of Focal adhesion kinase 1



- Molecule 1: Isoform 5 of Focal adhesion kinase 1





4 Data and refinement statistics i

Property	Value	Source
Space group	P 1	Depositor
Cell constants a, b, c, α , β , γ	49.20Å 52.45Å 53.37Å 90.02° 90.00° 90.00°	Depositor
Resolution (Å)	49.20 – 2.16 49.20 – 2.16	Depositor EDS
% Data completeness (in resolution range)	97.3 (49.20-2.16) 97.3 (49.20-2.16)	Depositor EDS
R_{merge}	0.15	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.09 (at 2.16Å)	Xtrriage
Refinement program	REFMAC 5.8.0267	Depositor
R, R_{free}	0.215 , 0.275 0.215 , 0.274	Depositor DCC
R_{free} test set	1388 reflections (5.00%)	wwPDB-VP
Wilson B-factor (Å ²)	40.6	Xtrriage
Anisotropy	0.237	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 31.5	EDS
L-test for twinning ²	$\langle L \rangle = 0.53$, $\langle L^2 \rangle = 0.37$	Xtrriage
Estimated twinning fraction	0.000 for h,l,-k 0.000 for h,-l,k 0.439 for h,-k,-l 0.438 for -h,k,-l 0.437 for -h,-k,l 0.004 for -h,l,k 0.005 for -h,-l,-k	Xtrriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	4209	wwPDB-VP
Average B, all atoms (Å ²)	50.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 8.73% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section:
ZN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.38	0/1042	0.79	0/1410
1	B	0.39	0/1039	0.83	0/1405
1	C	0.40	0/1034	0.79	0/1397
1	D	0.39	0/1039	0.83	0/1405
All	All	0.39	0/4154	0.81	0/5617

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1029	0	1081	25	0
1	B	1027	0	1075	26	0
1	C	1022	0	1073	24	0
1	D	1027	0	1075	25	0
2	A	2	0	0	0	0
2	B	1	0	0	0	0
2	C	3	0	0	0	0
2	D	2	0	0	0	0
3	A	21	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	B	22	0	0	1	0
3	C	26	0	0	0	0
3	D	27	0	0	1	0
All	All	4209	0	4304	99	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 12.

All (99) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:950:PRO:HA	1:A:953:TYR:CE1	1.90	1.06
1:B:950:PRO:HA	1:B:953:TYR:CE1	1.98	0.98
1:A:945:ILE:HG21	1:A:1024:LEU:HD21	1.49	0.91
1:A:945:ILE:HG21	1:A:1024:LEU:CD2	2.02	0.89
1:C:945:ILE:HG21	1:C:1024:LEU:HD21	1.60	0.83
1:A:945:ILE:CG2	1:A:1024:LEU:HD21	2.13	0.79
1:A:950:PRO:HA	1:A:953:TYR:CD1	2.19	0.77
1:C:945:ILE:HG21	1:C:1024:LEU:CD2	2.13	0.77
1:D:1011:VAL:HG22	1:D:1012:MET:HG2	1.67	0.77
1:B:962:LEU:HD23	1:B:965:ARG:HE	1.53	0.74
1:B:946:GLN:HB2	1:B:947:PRO:HD3	1.75	0.69
1:D:945:ILE:HD11	1:D:1023:MET:CE	2.23	0.68
1:D:945:ILE:HG21	1:D:1024:LEU:HD23	1.76	0.67
1:B:945:ILE:HG21	1:B:1024:LEU:CD2	2.24	0.67
1:B:945:ILE:HG21	1:B:1024:LEU:HD23	1.78	0.66
1:C:946:GLN:HB3	1:C:947:PRO:HD3	1.78	0.66
1:B:950:PRO:HA	1:B:953:TYR:CD1	2.31	0.66
1:A:996:ASP:HB2	1:A:1030:LEU:HD13	1.78	0.65
1:A:944:LYS:HE3	1:A:956:MET:HE2	1.79	0.65
1:A:1011:VAL:HA	1:A:1016:GLN:OE1	1.97	0.64
1:C:984:ARG:HH21	1:C:988:MET:HG3	1.61	0.64
1:C:945:ILE:CG2	1:C:1024:LEU:HD21	2.28	0.63
1:D:945:ILE:CD1	1:D:1023:MET:CE	2.78	0.61
1:B:926:LYS:HG2	1:B:970:THR:CG2	2.30	0.61
1:D:945:ILE:CD1	1:D:1023:MET:HE2	2.33	0.58
1:B:946:GLN:HB2	1:B:947:PRO:CD	2.34	0.57
1:C:954:VAL:HB	1:C:955:PRO:HD3	1.86	0.57
1:B:1012:MET:HG2	1:B:1012:MET:O	2.04	0.57
1:C:1054:PRO:O	1:C:1055:HIS:HB2	2.05	0.57
1:B:954:VAL:HB	1:B:955:PRO:HD3	1.87	0.56

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:945:ILE:HG21	1:A:1024:LEU:HD23	1.87	0.55
1:A:946:GLN:CB	1:A:947:PRO:HD3	2.37	0.55
1:A:950:PRO:HA	1:A:953:TYR:HE1	1.60	0.54
1:A:933:GLY:O	1:A:936:LYS:HE3	2.08	0.54
1:C:996:ASP:OD2	1:C:1033:ASP:OD2	2.25	0.53
1:B:969:ALA:O	1:B:973:GLU:HG3	2.09	0.53
1:C:926:LYS:HG2	1:C:970:THR:HG21	1.90	0.53
1:B:926:LYS:HG2	1:B:970:THR:HG21	1.90	0.52
1:D:936:LYS:NZ	1:D:940:GLU:OE2	2.42	0.52
3:B:1209:HOH:O	1:D:1024:LEU:HD12	2.09	0.52
1:C:945:ILE:HG21	1:C:1024:LEU:HD23	1.93	0.51
1:A:1017:GLN:HB3	1:A:1021:LYS:HE3	1.92	0.51
1:C:977:LEU:O	1:C:1048:MET:CE	2.58	0.51
1:A:946:GLN:CB	1:A:947:PRO:CD	2.89	0.51
1:C:1053:ARG:HD3	1:C:1054:PRO:HD2	1.93	0.51
1:A:1003:LYS:N	1:A:1003:LYS:HD2	2.26	0.50
1:D:996:ASP:OD2	1:D:1033:ASP:OD2	2.30	0.50
1:B:975:ILE:N	1:B:976:PRO:CD	2.75	0.50
1:B:945:ILE:HG21	1:B:1024:LEU:HD21	1.94	0.49
1:A:954:VAL:HB	1:A:955:PRO:HD3	1.95	0.49
1:B:935:VAL:HG12	1:B:939:ILE:HD12	1.95	0.49
1:B:938:VAL:HG13	1:B:1027:ALA:HB1	1.95	0.48
1:A:958:LYS:NZ	1:A:962:LEU:HD21	2.27	0.48
1:A:946:GLN:HB3	1:A:947:PRO:HD3	1.96	0.48
1:B:926:LYS:HG2	1:B:970:THR:HG23	1.95	0.47
1:D:945:ILE:HG21	1:D:1024:LEU:CD2	2.43	0.47
1:D:950:PRO:HA	1:D:953:TYR:CZ	2.50	0.47
1:C:938:VAL:HG13	1:C:1027:ALA:HB1	1.95	0.47
1:A:1010:TYR:CD1	1:A:1015:LEU:HD12	2.50	0.46
1:D:945:ILE:O	1:D:1020:LYS:HE2	2.15	0.46
1:D:945:ILE:HD12	1:D:1023:MET:HE2	1.97	0.46
1:D:945:ILE:HD11	1:D:1023:MET:SD	2.55	0.46
1:C:950:PRO:HB3	1:C:1008:GLN:HG2	1.97	0.46
1:B:982:THR:HG22	1:B:1047:LYS:HE3	1.98	0.46
1:B:971:VAL:HG21	1:B:1037:LEU:HD21	1.98	0.46
1:C:926:LYS:HG2	1:C:970:THR:CG2	2.47	0.45
1:B:993:LEU:HD21	1:B:1034:ALA:N	2.32	0.44
1:B:931:VAL:HG21	1:B:1038:LEU:HB2	1.99	0.44
1:C:945:ILE:HD11	1:C:1023:MET:SD	2.57	0.44
1:D:925:ASP:CG	1:D:1045:ARG:HH12	2.21	0.44
1:D:938:VAL:HG13	1:D:1027:ALA:HB1	1.99	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:1003:LYS:HA	1:D:1003:LYS:HD3	1.71	0.43
1:A:936:LYS:HD2	1:A:937:ALA:N	2.32	0.43
1:D:940:GLU:O	1:D:944:LYS:HG2	2.18	0.43
1:D:1011:VAL:HA	1:D:1016:GLN:CD	2.38	0.43
1:C:993:LEU:HD21	1:C:1034:ALA:N	2.33	0.43
1:B:1024:LEU:HD22	1:B:1024:LEU:HA	1.76	0.43
1:D:975:ILE:N	1:D:976:PRO:CD	2.81	0.43
1:C:977:LEU:O	1:C:1048:MET:HE2	2.18	0.43
1:D:984:ARG:HG2	3:D:1222:HOH:O	2.17	0.43
1:C:975:ILE:N	1:C:976:PRO:CD	2.82	0.42
1:B:1053:ARG:HG2	1:D:928:TYR:CE1	2.55	0.42
1:D:945:ILE:CG2	1:D:1024:LEU:HD23	2.47	0.41
1:B:964:LEU:HD23	1:B:997:LEU:HD22	2.02	0.41
1:B:996:ASP:OD2	1:B:1033:ASP:OD2	2.37	0.41
1:A:993:LEU:HD21	1:A:1034:ALA:N	2.35	0.41
1:B:1005:LYS:HB3	1:B:1005:LYS:HE3	1.96	0.41
1:C:964:LEU:HD23	1:C:997:LEU:HD22	2.02	0.41
1:C:1009:GLN:HG2	1:C:1010:TYR:CD2	2.56	0.41
1:A:996:ASP:OD2	1:A:1033:ASP:OD2	2.38	0.41
1:C:952:GLU:O	1:C:956:MET:HG3	2.21	0.41
1:A:971:VAL:HG21	1:A:1037:LEU:HD21	2.02	0.41
1:C:971:VAL:HG21	1:C:1037:LEU:HD21	2.02	0.41
1:D:945:ILE:HD11	1:D:1023:MET:HE1	2.00	0.41
1:D:1016:GLN:HG2	1:D:1020:LYS:HD2	2.03	0.40
1:D:931:VAL:O	1:D:935:VAL:HG23	2.21	0.40
1:A:1006:LEU:HD13	1:A:1019:TYR:CE1	2.56	0.40
1:C:999:GLU:O	1:C:1003:LYS:HG2	2.21	0.40
1:A:1010:TYR:CE1	1:A:1015:LEU:HD12	2.57	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [\(i\)](#)

5.3.1 Protein backbone [\(i\)](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	130/164 (79%)	127 (98%)	3 (2%)	0	100	100
1	B	130/164 (79%)	125 (96%)	4 (3%)	1 (1%)	19	12
1	C	127/164 (77%)	125 (98%)	2 (2%)	0	100	100
1	D	130/164 (79%)	127 (98%)	3 (2%)	0	100	100
All	All	517/656 (79%)	504 (98%)	12 (2%)	1 (0%)	47	46

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	1052	THR

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	115/144 (80%)	109 (95%)	6 (5%)	23	19
1	B	114/144 (79%)	105 (92%)	9 (8%)	12	7
1	C	114/144 (79%)	110 (96%)	4 (4%)	36	34
1	D	114/144 (79%)	110 (96%)	4 (4%)	36	34
All	All	457/576 (79%)	434 (95%)	23 (5%)	24	21

All (23) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	936	LYS
1	A	953	TYR
1	A	1003	LYS
1	A	1024	LEU
1	A	1053	ARG
1	A	1055	HIS
1	B	925	ASP
1	B	953	TYR
1	B	991	LYS
1	B	999	GLU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	1012	MET
1	B	1013	THR
1	B	1024	LEU
1	B	1047	LYS
1	B	1055	HIS
1	C	942	SER
1	C	953	TYR
1	C	1024	LEU
1	C	1053	ARG
1	D	924	ASN
1	D	925	ASP
1	D	952	GLU
1	D	1024	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (9) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	1028	HIS
1	B	946	GLN
1	B	1002	ASN
1	B	1028	HIS
1	C	924	ASN
1	D	924	ASN
1	D	1008	GLN
1	D	1016	GLN
1	D	1043	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry

Of 8 ligands modelled in this entry, 8 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	132/164 (80%)	0.21	7 (5%) 26 35	26, 42, 85, 132	0
1	B	132/164 (80%)	0.16	5 (3%) 40 49	27, 43, 91, 126	0
1	C	131/164 (79%)	0.04	4 (3%) 49 58	29, 43, 88, 126	0
1	D	132/164 (80%)	0.11	1 (0%) 86 89	28, 44, 83, 119	0
All	All	527/656 (80%)	0.13	17 (3%) 47 56	26, 43, 90, 132	0

All (17) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	1052	THR	4.6
1	C	1053	ARG	3.7
1	A	1055	HIS	3.4
1	C	1012	MET	3.3
1	B	1014	SER	3.3
1	A	1015	LEU	2.9
1	C	1054	PRO	2.8
1	A	1038	LEU	2.7
1	C	1055	HIS	2.6
1	B	1016	GLN	2.6
1	A	953	TYR	2.6
1	A	924	ASN	2.5
1	B	1053	ARG	2.4
1	A	1054	PRO	2.4
1	B	1054	PRO	2.3
1	A	945	ILE	2.2
1	D	1054	PRO	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates

There are no monosaccharides in this entry.

6.4 Ligands




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
2	ZN	C	1101	1/1	0.98	0.10	45,45,45,45	0
2	ZN	B	1101	1/1	0.99	0.08	42,42,42,42	0
2	ZN	A	1101	1/1	0.99	0.10	44,44,44,44	0
2	ZN	D	1101	1/1	0.99	0.07	43,43,43,43	0
2	ZN	C	1102	1/1	1.00	0.08	36,36,36,36	0
2	ZN	C	1103	1/1	1.00	0.07	38,38,38,38	0
2	ZN	A	1102	1/1	1.00	0.04	39,39,39,39	0
2	ZN	D	1102	1/1	1.00	0.08	39,39,39,39	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around ZN C 1101:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around ZN B 1101:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around ZN A 1101:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around ZN D 1101:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around ZN C 1102:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around ZN C 1103:


$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around ZN A 1102:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers [i](#)

There are no such residues in this entry.