



# Full wwPDB X-ray Structure Validation Report ⓘ

Sep 15, 2020 – 12:33 PM EDT

PDB ID : 5WFN  
Title : Revised model of leiomodin 2-mediated actin regulation (alternate refinement of PDB 4RWT)  
Authors : Yurtsever, Z.; Eck, M.J.; Dominguez, R.  
Deposited on : 2017-07-12  
Resolution : 3.00 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
Xtriage (Phenix) : 1.13  
EDS : 2.14.4  
buster-report : 1.1.7 (2018)  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.14.4


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 3.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	2092 (3.00-3.00)
Clashscore	141614	2416 (3.00-3.00)
Ramachandran outliers	138981	2333 (3.00-3.00)
Sidechain outliers	138945	2336 (3.00-3.00)
RSRZ outliers	127900	1990 (3.00-3.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	384	 83% 13%
1	B	384	 84% 12%
2	C	506	 31% 7% 62%
2	D	506	 31% 7% 62%

## 2 Entry composition [i](#)

There are 4 unique types of molecules in this entry. The entry contains 17784 atoms, of which 8878 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Actin-5C.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
			Total	C	H	N	O	S			
1	A	370	5740	1827	2855	486	551	21	0	0	0
1	B	370	5740	1827	2855	486	551	21	0	0	0

There are 20 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	291	GLU	LYS	engineered mutation	UNP P10987
A	322	LYS	PRO	engineered mutation	UNP P10987
A	376	ALA	-	expression tag	UNP P10987
A	377	SER	-	expression tag	UNP P10987
A	378	HIS	-	expression tag	UNP P10987
A	379	HIS	-	expression tag	UNP P10987
A	380	HIS	-	expression tag	UNP P10987
A	381	HIS	-	expression tag	UNP P10987
A	382	HIS	-	expression tag	UNP P10987
A	383	HIS	-	expression tag	UNP P10987
B	291	GLU	LYS	engineered mutation	UNP P10987
B	322	LYS	PRO	engineered mutation	UNP P10987
B	376	ALA	-	expression tag	UNP P10987
B	377	SER	-	expression tag	UNP P10987
B	378	HIS	-	expression tag	UNP P10987
B	379	HIS	-	expression tag	UNP P10987
B	380	HIS	-	expression tag	UNP P10987
B	381	HIS	-	expression tag	UNP P10987
B	382	HIS	-	expression tag	UNP P10987
B	383	HIS	-	expression tag	UNP P10987

- Molecule 2 is a protein called Leiomodin-2.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
2	C	193	Total	C	H	N	O	S	0	0	0
			3108	949	1572	282	296	9			
2	D	193	Total	C	H	N	O	S	0	0	0
			3108	949	1572	282	296	9			

There are 38 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
C	22	MET	-	expression tag	UNP Q6P5Q4
C	23	ALA	-	expression tag	UNP Q6P5Q4
C	24	HIS	-	expression tag	UNP Q6P5Q4
C	25	HIS	-	expression tag	UNP Q6P5Q4
C	26	HIS	-	expression tag	UNP Q6P5Q4
C	27	HIS	-	expression tag	UNP Q6P5Q4
C	28	HIS	-	expression tag	UNP Q6P5Q4
C	29	HIS	-	expression tag	UNP Q6P5Q4
C	30	VAL	-	expression tag	UNP Q6P5Q4
C	31	GLY	-	expression tag	UNP Q6P5Q4
C	32	THR	-	expression tag	UNP Q6P5Q4
C	478	GLY	LYS	engineered mutation	UNP Q6P5Q4
C	479	SER	LYS	engineered mutation	UNP Q6P5Q4
C	480	GLY	LYS	engineered mutation	UNP Q6P5Q4
C	481	SER	LYS	engineered mutation	UNP Q6P5Q4
C	483	GLY	LYS	engineered mutation	UNP Q6P5Q4
C	484	SER	LYS	engineered mutation	UNP Q6P5Q4
C	486	GLY	LYS	engineered mutation	UNP Q6P5Q4
C	487	SER	LYS	engineered mutation	UNP Q6P5Q4
D	22	MET	-	expression tag	UNP Q6P5Q4
D	23	ALA	-	expression tag	UNP Q6P5Q4
D	24	HIS	-	expression tag	UNP Q6P5Q4
D	25	HIS	-	expression tag	UNP Q6P5Q4
D	26	HIS	-	expression tag	UNP Q6P5Q4
D	27	HIS	-	expression tag	UNP Q6P5Q4
D	28	HIS	-	expression tag	UNP Q6P5Q4
D	29	HIS	-	expression tag	UNP Q6P5Q4
D	30	VAL	-	expression tag	UNP Q6P5Q4
D	31	GLY	-	expression tag	UNP Q6P5Q4
D	32	THR	-	expression tag	UNP Q6P5Q4
D	478	GLY	LYS	engineered mutation	UNP Q6P5Q4
D	479	SER	LYS	engineered mutation	UNP Q6P5Q4
D	480	GLY	LYS	engineered mutation	UNP Q6P5Q4
D	481	SER	LYS	engineered mutation	UNP Q6P5Q4
D	483	GLY	LYS	engineered mutation	UNP Q6P5Q4

*Continued on next page...*

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
D	484	SER	LYS	engineered mutation	UNP Q6P5Q4
D	486	GLY	LYS	engineered mutation	UNP Q6P5Q4
D	487	SER	LYS	engineered mutation	UNP Q6P5Q4

- Molecule 3 is PHOSPHOAMINOPHOSPHONIC ACID-ADENYLATE ESTER (three-letter code: ANP) (formula: C<sub>10</sub>H<sub>17</sub>N<sub>6</sub>O<sub>12</sub>P<sub>3</sub>).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	
			Total	C	H	N	O			P
3	A	1	Total	C	H	N	O	P	0	0
			43	10	12	6	12	3		
3	B	1	Total	C	H	N	O	P	0	0
			43	10	12	6	12	3		

- Molecule 4 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	B	1	Total	Mg	0	0
			1	1		
4	A	1	Total	Mg	0	0
			1	1		





## 4 Data and refinement statistics

Property	Value	Source
Space group	P 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	65.35Å 65.65Å 81.92Å 101.29° 90.94° 107.97°	Depositor
Resolution (Å)	44.24 – 3.00 47.15 – 2.98	Depositor EDS
% Data completeness (in resolution range)	97.4 (44.24-3.00) 97.5 (47.15-2.98)	Depositor EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	1.77 (at 2.96Å)	Xtrriage
Refinement program	PHENIX (1.11.1_2575: ???)	Depositor
R, $R_{free}$	0.208 , 0.246 0.210 , 0.249	Depositor DCC
$R_{free}$ test set	1288 reflections (5.11%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	54.0	Xtrriage
Anisotropy	0.157	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.39 , 64.8	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.48$ , $\langle L^2 \rangle = 0.31$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
$F_o, F_c$ correlation	0.91	EDS
Total number of atoms	17784	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	62.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 16.29% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: MG, ANP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.52	0/2947	0.60	0/3991
1	B	0.51	0/2947	0.61	0/3991
2	C	0.40	0/1551	0.53	0/2086
2	D	0.39	0/1551	0.53	0/2086
All	All	0.48	0/8996	0.58	0/12154

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2885	2855	2855	26	1
1	B	2885	2855	2855	25	1
2	C	1536	1572	1572	23	0
2	D	1536	1572	1572	23	0
3	A	31	12	13	1	0
3	B	31	12	13	0	0
4	A	1	0	0	0	0
4	B	1	0	0	0	0
All	All	8906	8878	8880	89	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (89) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:C:539:ARG:NH1	2:C:541:GLU:OE2	2.00	0.94
2:D:539:ARG:NH1	2:D:541:GLU:OE2	2.00	0.94
1:A:196:ARG:O	1:B:290:ARG:NH2	2.01	0.94
2:C:247:LEU:HD12	2:C:247:LEU:O	1.82	0.80
2:D:247:LEU:HD12	2:D:247:LEU:O	1.82	0.79
1:A:38:PRO:O	2:C:305:ASN:ND2	2.24	0.68
1:A:232:SER:OG	1:B:177:ARG:NH2	2.26	0.68
1:A:363:ASP:OD1	2:C:359:ARG:NH2	2.30	0.65
1:B:363:ASP:OD1	2:D:359:ARG:NH2	2.30	0.62
2:C:223:ASN:OD1	2:C:224:ILE:N	2.32	0.62
2:D:223:ASN:OD1	2:D:224:ILE:N	2.32	0.61
1:A:43:VAL:HG13	1:A:43:VAL:O	2.00	0.61
1:B:43:VAL:HG13	1:B:43:VAL:O	1.99	0.61
1:B:242:LEU:HB3	1:B:243:PRO:HD2	1.85	0.59
2:C:239:ASN:OD1	2:C:240:THR:N	2.36	0.58
2:D:239:ASN:OD1	2:D:240:THR:N	2.36	0.58
2:C:251:HIS:O	2:C:251:HIS:ND1	2.37	0.57
1:A:242:LEU:HB3	1:A:243:PRO:HD2	1.85	0.57
2:D:251:HIS:ND1	2:D:251:HIS:O	2.37	0.55
2:C:290:ARG:O	2:C:293:GLN:HB2	2.08	0.53
2:C:350:ARG:NH1	2:C:351:ASN:OD1	2.42	0.53
2:D:350:ARG:NH1	2:D:351:ASN:OD1	2.42	0.52
2:D:290:ARG:O	2:D:293:GLN:HB2	2.08	0.52
1:A:194:THR:HA	1:A:198:TYR:O	2.09	0.52
2:D:224:ILE:O	2:D:224:ILE:HG12	2.10	0.51
2:C:224:ILE:HG12	2:C:224:ILE:O	2.10	0.51
2:C:360:LEU:O	2:C:364:LYS:HG3	2.13	0.49
2:D:360:LEU:O	2:D:364:LYS:HG3	2.13	0.49
1:A:332:PRO:O	1:A:335:ARG:HG3	2.13	0.48
1:B:332:PRO:O	1:B:335:ARG:HG3	2.13	0.48
1:A:183:ARG:HH11	1:A:183:ARG:HG3	1.79	0.48
1:A:39:ARG:O	1:A:40:HIS:HB3	2.14	0.48
2:C:323:LYS:O	2:C:350:ARG:NH2	2.47	0.48
1:B:39:ARG:O	1:B:40:HIS:HB3	2.14	0.48
2:D:323:LYS:O	2:D:350:ARG:NH2	2.47	0.47
1:A:140:LEU:O	1:A:342:GLY:HA3	2.13	0.47
1:B:183:ARG:HH11	1:B:183:ARG:HG3	1.79	0.47

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:140:LEU:O	1:B:342:GLY:HA3	2.13	0.47
1:B:38:PRO:O	2:D:305:ASN:ND2	2.39	0.47
2:C:526:MET:HE2	2:C:529:ILE:HD12	1.97	0.47
2:C:247:LEU:HD12	2:C:278:ASN:HD21	1.81	0.46
1:A:303:THR:O	1:A:303:THR:HG22	2.16	0.46
1:A:211:ASP:OD2	1:A:240:TYR:OH	2.25	0.46
1:B:303:THR:HG22	1:B:303:THR:O	2.16	0.46
1:A:306:TYR:CE1	3:A:401:ANP:H2	2.51	0.46
2:D:247:LEU:HD12	2:D:278:ASN:HD21	1.81	0.45
1:B:198:TYR:CD1	1:B:198:TYR:N	2.84	0.45
1:A:372:ARG:C	1:A:374:CYS:H	2.20	0.45
2:D:342:MET:HA	2:D:345:THR:HG22	1.99	0.45
1:A:159:VAL:HG22	1:A:160:SER:N	2.32	0.45
1:B:159:VAL:HG22	1:B:160:SER:N	2.32	0.45
1:B:198:TYR:CE1	1:B:248:ILE:HD12	2.52	0.45
2:C:335:PHE:O	2:C:341:ARG:NH1	2.50	0.44
2:D:335:PHE:O	2:D:341:ARG:NH1	2.50	0.44
1:A:187:ASP:OD1	1:A:206:ARG:NH1	2.51	0.44
2:D:237:LYS:HE2	2:D:263:MET:HB2	2.00	0.44
1:B:170:ALA:O	1:B:172:PRO:HD3	2.18	0.44
2:C:237:LYS:HE2	2:C:263:MET:HB2	2.00	0.44
1:A:170:ALA:O	1:A:172:PRO:HD3	2.18	0.43
1:B:187:ASP:OD1	1:B:206:ARG:NH1	2.51	0.43
1:A:193:LEU:HD21	1:A:250:ILE:HG21	2.00	0.43
1:B:193:LEU:HD21	1:B:250:ILE:HG21	2.00	0.43
1:B:372:ARG:C	1:B:374:CYS:H	2.20	0.43
2:C:218:LEU:O	2:C:221:ILE:HG12	2.19	0.43
1:B:220:ALA:O	1:B:312:ARG:HD2	2.19	0.42
2:D:222:GLU:O	2:D:222:GLU:CD	2.58	0.42
2:C:342:MET:HA	2:C:345:THR:HG22	1.99	0.42
2:D:218:LEU:O	2:D:221:ILE:HG12	2.19	0.42
1:B:52:SER:OG	1:B:84:LYS:NZ	2.53	0.42
1:A:239:SER:HA	1:A:248:ILE:O	2.19	0.42
2:C:247:LEU:O	2:C:247:LEU:CD1	2.62	0.42
1:A:52:SER:OG	1:A:84:LYS:NZ	2.53	0.42
1:A:42:GLY:O	2:C:249:ASN:OD1	2.38	0.42
1:B:101:HIS:O	1:B:130:PRO:HD2	2.21	0.41
2:C:254:ASP:O	2:C:258:MET:HG2	2.20	0.41
1:B:239:SER:HA	1:B:248:ILE:O	2.20	0.41
1:A:220:ALA:O	1:A:312:ARG:HD2	2.19	0.41
2:D:247:LEU:CD1	2:D:247:LEU:O	2.62	0.41

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:D:254:ASP:O	2:D:258:MET:HG2	2.20	0.41
2:C:222:GLU:O	2:C:222:GLU:CD	2.58	0.41
1:B:211:ASP:OD2	1:B:240:TYR:OH	2.25	0.41
1:A:187:ASP:O	1:A:190:MET:HB2	2.21	0.40
1:B:187:ASP:O	1:B:190:MET:HB2	2.21	0.40
2:D:296:THR:O	2:D:296:THR:HG22	2.21	0.40
1:A:194:THR:O	1:A:195:GLU:C	2.59	0.40
1:A:101:HIS:O	1:A:130:PRO:HD2	2.21	0.40
2:D:285:ILE:O	2:D:289:MET:HG2	2.21	0.40
1:B:148:THR:CG2	2:D:526:MET:SD	3.10	0.40
2:C:296:THR:O	2:C:296:THR:HG22	2.21	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:290:ARG:NH2	1:B:196:ARG:O[1_445]	1.88	0.32

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	368/384 (96%)	341 (93%)	24 (6%)	3 (1%)	19	57
1	B	368/384 (96%)	341 (93%)	24 (6%)	3 (1%)	19	57
2	C	189/506 (37%)	177 (94%)	12 (6%)	0	100	100
2	D	189/506 (37%)	177 (94%)	12 (6%)	0	100	100
All	All	1114/1780 (63%)	1036 (93%)	72 (6%)	6 (0%)	29	68

All (6) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	197	GLY
1	B	197	GLY
1	A	39	ARG
1	B	39	ARG
1	A	251	GLY
1	B	251	GLY

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	312/325 (96%)	306 (98%)	6 (2%)	57	84
1	B	312/325 (96%)	306 (98%)	6 (2%)	57	84
2	C	174/451 (39%)	169 (97%)	5 (3%)	42	76
2	D	174/451 (39%)	169 (97%)	5 (3%)	42	76
All	All	972/1552 (63%)	950 (98%)	22 (2%)	50	80

All (22) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	44	MET
1	A	66	THR
1	A	120	THR
1	A	179	ASP
1	A	201	THR
1	A	210	ARG
2	C	225	THR
2	C	263	MET
2	C	299	THR
2	C	365	GLN
2	C	520	SER
1	B	44	MET
1	B	66	THR
1	B	120	THR
1	B	179	ASP
1	B	201	THR

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	B	210	ARG
2	D	225	THR
2	D	263	MET
2	D	299	THR
2	D	365	GLN
2	D	520	SER

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 5.6 Ligand geometry [i](#)

Of 4 ligands modelled in this entry, 2 are monoatomic - leaving 2 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
3	ANP	A	401	4	29,33,33	2.34	5 (17%)	31,52,52	1.22	4 (12%)
3	ANP	B	401	4	29,33,33	1.20	3 (10%)	31,52,52	1.36	4 (12%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral

centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '2' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	ANP	A	401	4	-	8/14/38/38	0/3/3/3
3	ANP	B	401	4	-	6/14/38/38	0/3/3/3

All (8) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	401	ANP	PG-O1G	8.15	1.59	1.46
3	A	401	ANP	PB-O1B	7.57	1.58	1.46
3	B	401	ANP	PG-O1G	3.03	1.51	1.46
3	B	401	ANP	PB-O1B	2.99	1.50	1.46
3	A	401	ANP	PG-N3B	2.98	1.71	1.63
3	A	401	ANP	PB-O2B	-2.71	1.49	1.56
3	B	401	ANP	PG-N3B	2.69	1.70	1.63
3	A	401	ANP	PB-N3B	2.13	1.68	1.63

All (8) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	B	401	ANP	O1G-PG-N3B	-4.80	104.70	111.77
3	A	401	ANP	O1B-PB-N3B	-3.56	106.53	111.77
3	B	401	ANP	PA-O3A-PB	-2.72	123.05	132.62
3	A	401	ANP	O2G-PG-O1G	-2.61	106.90	113.45
3	A	401	ANP	PA-O3A-PB	-2.52	123.75	132.62
3	B	401	ANP	O2B-PB-O3A	2.47	112.89	104.64
3	B	401	ANP	C5-C6-N6	2.37	123.95	120.35
3	A	401	ANP	C5-C6-N6	2.30	123.85	120.35

There are no chirality outliers.

All (14) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	A	401	ANP	PB-N3B-PG-O1G
3	A	401	ANP	C5'-O5'-PA-O1A
3	A	401	ANP	C5'-O5'-PA-O2A
3	B	401	ANP	PB-N3B-PG-O1G
3	B	401	ANP	C5'-O5'-PA-O1A
3	B	401	ANP	C5'-O5'-PA-O2A
3	A	401	ANP	C3'-C4'-C5'-O5'

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms
3	B	401	ANP	C3'-C4'-C5'-O5'
3	A	401	ANP	O4'-C4'-C5'-O5'
3	A	401	ANP	PG-N3B-PB-O3A
3	B	401	ANP	PG-N3B-PB-O3A
3	A	401	ANP	PB-O3A-PA-O2A
3	A	401	ANP	C5'-O5'-PA-O3A
3	B	401	ANP	C5'-O5'-PA-O3A


There are no ring outliers.


1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	401	ANP	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.







## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data [i](#)

### 6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	370/384 (96%)	-0.33	3 (0%) 86 65	25, 46, 81, 131	0
1	B	370/384 (96%)	-0.25	4 (1%) 80 56	26, 46, 80, 127	0
2	C	193/506 (38%)	0.07	5 (2%) 56 27	42, 68, 102, 123	0
2	D	193/506 (38%)	-0.07	3 (1%) 72 44	39, 64, 98, 119	0
All	All	1126/1780 (63%)	-0.19	15 (1%) 77 51	25, 53, 94, 131	0

All (15) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	42	GLY	5.1
1	A	46	GLY	4.4
1	B	46	GLY	3.9
2	C	541	GLU	3.6
1	B	42	GLY	2.9
2	D	200	GLU	2.8
1	B	41	GLN	2.6
1	A	43	VAL	2.6
2	D	224	ILE	2.5
2	C	224	ILE	2.5
2	C	213	THR	2.5
2	C	520	SER	2.3
1	B	198	TYR	2.3
2	C	253	ASP	2.3
2	D	204	ASP	2.3

### 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 6.3 Carbohydrates [i](#)


There are no monosaccharides in this entry.


### 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
4	MG	B	402	1/1	0.88	0.42	59,59,59,59	0
3	ANP	A	401	31/31	0.91	0.18	37,70,101,109	0
4	MG	A	402	1/1	0.91	0.44	50,50,50,50	0
3	ANP	B	401	31/31	0.91	0.20	34,61,94,108	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.





## 6.5 Other polymers [i](#)

There are no such residues in this entry.