



# Full wwPDB X-ray Structure Validation Report ⓘ

Aug 17, 2022 – 08:35 PM EDT

PDB ID : 3WJ9  
Title : Crystal structure of the eukaryotic initiation factor  
Authors : Kashiwagi, K.; Ito, T.; Yokoyama, S.  
Deposited on : 2013-10-07  
Resolution : 2.51 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at <http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
Xtriage (Phenix) : 1.13  
EDS : 2.29  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.29


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*



The reported resolution of this entry is 2.51 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	4661 (2.50-2.50)
Clashscore	141614	5346 (2.50-2.50)
Ramachandran outliers	138981	5231 (2.50-2.50)
Sidechain outliers	138945	5233 (2.50-2.50)
RSRZ outliers	127900	4559 (2.50-2.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	412	 2% 66% 28% ..
1	B	412	 2% 66% 31% ..

## 2 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 6338 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Eukaryotic translation initiation factor 2A.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
			Total	C	N	O	S	Se			
1	A	396	3116	1989	527	590	5	5	0	0	0
1	B	402	3161	2015	535	600	6	5	0	0	0

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	1	SER	-	expression tag	UNP O74965
B	1	SER	-	expression tag	UNP O74965


- Molecule 2 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	25	Total	O	0	0
			25	25		
2	B	36	Total	O	0	0
			36	36		


### 3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Eukaryotic translation initiation factor 2A



- Molecule 1: Eukaryotic translation initiation factor 2A



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 31 2 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	93.44Å 93.44Å 269.39Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	46.72 – 2.51 46.72 – 2.51	Depositor EDS
% Data completeness (in resolution range)	99.7 (46.72-2.51) 99.7 (46.72-2.51)	Depositor EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	0.09	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	5.48 (at 2.51Å)	Xtrriage
Refinement program	PHENIX (phenix.refine: 1.8.4_1496)	Depositor
R, $R_{free}$	0.238 , 0.258 0.240 , 0.250	Depositor DCC
$R_{free}$ test set	2412 reflections (5.05%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	54.7	Xtrriage
Anisotropy	0.442	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.31 , 33.6	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.50$ , $\langle L^2 \rangle = 0.34$	Xtrriage
Estimated twinning fraction	0.489 for -h,-k,l	Xtrriage
$F_o, F_c$ correlation	0.94	EDS
Total number of atoms	6338	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	60.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.78% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.28	0/3191	0.48	1/4327 (0.0%)
1	B	0.28	0/3237	0.54	2/4392 (0.0%)
All	All	0.28	0/6428	0.51	3/8719 (0.0%)

There are no bond length outliers.

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	245	TYR	CB-CA-C	-6.39	97.62	110.40
1	B	245	TYR	N-CA-C	5.42	125.64	111.00
1	A	298	ASP	CB-CA-C	5.24	120.87	110.40

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3116	0	3030	99	0
1	B	3161	0	3077	127	0
2	A	25	0	0	0	0
2	B	36	0	0	1	0
All	All	6338	0	6107	225	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 18.

All (225) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:244:TYR:CB	1:B:261:CYS:HA	1.57	1.34
1:B:324:ILE:CD1	1:B:345:MSE:HE1	1.57	1.33
1:B:324:ILE:HD12	1:B:345:MSE:CE	1.61	1.31
1:B:244:TYR:CG	1:B:261:CYS:HA	1.84	1.11
1:B:244:TYR:HB3	1:B:261:CYS:HA	1.26	1.09
1:B:244:TYR:CE2	1:B:263:VAL:HG23	1.87	1.08
1:B:338:ILE:HB	1:B:349:THR:HG22	1.32	1.07
1:B:244:TYR:CB	1:B:261:CYS:CA	2.36	1.03
1:A:367:PHE:CD1	1:A:393:MSE:HE1	1.94	1.01
1:B:338:ILE:HB	1:B:349:THR:CG2	1.90	1.01
1:B:244:TYR:CD2	1:B:261:CYS:HA	1.94	1.01
1:A:324:ILE:HD12	1:A:345:MSE:HE1	1.47	0.95
1:B:244:TYR:CZ	1:B:263:VAL:HG23	2.03	0.93
1:B:258:GLN:HE21	1:B:260:ASP:CB	1.82	0.92
1:B:290:MSE:HG3	1:B:291:PRO:HA	1.54	0.90
1:B:366:GLN:HA	1:B:388:ILE:HD11	1.54	0.89
1:B:244:TYR:HB3	1:B:261:CYS:CA	2.01	0.88
1:B:258:GLN:HE21	1:B:260:ASP:HB3	1.39	0.85
1:B:80:GLY:O	1:B:88:LEU:HD12	1.77	0.83
1:A:387:HIS:CD2	1:A:393:MSE:HE2	2.14	0.83
1:B:258:GLN:NE2	1:B:260:ASP:CB	2.42	0.82
1:B:244:TYR:CG	1:B:262:ARG:N	2.48	0.82
1:A:256:THR:HG22	1:A:256:THR:O	1.80	0.80
1:B:244:TYR:CE2	1:B:263:VAL:CG2	2.64	0.80
1:B:244:TYR:CD2	1:B:261:CYS:CA	2.65	0.79
1:A:387:HIS:CG	1:A:393:MSE:HE2	2.19	0.77
1:A:298:ASP:OD1	1:A:299:ASN:N	2.16	0.75
1:B:244:TYR:CG	1:B:261:CYS:CA	2.69	0.74
1:A:324:ILE:CD1	1:A:345:MSE:HE1	2.18	0.73
1:B:244:TYR:HB2	1:B:261:CYS:HB2	1.70	0.73
1:B:258:GLN:NE2	1:B:260:ASP:HB3	2.01	0.73
1:A:118:PHE:HD1	1:A:155:MSE:HG3	1.52	0.72
1:B:244:TYR:HB2	1:B:261:CYS:CB	2.19	0.71
1:B:258:GLN:HE21	1:B:260:ASP:HB2	1.53	0.71
1:A:210:LYS:CE	1:A:257:GLY:HA2	2.20	0.71
1:B:244:TYR:HB2	1:B:261:CYS:CA	2.19	0.71
1:A:223:ASN:HD22	1:A:280:SER:HB3	1.54	0.71
1:B:245:TYR:CD1	1:B:245:TYR:C	2.60	0.70
1:B:338:ILE:HD12	1:B:349:THR:HG21	1.73	0.70
1:A:118:PHE:HD2	1:A:119:SER:H	1.37	0.70

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:260:ASP:OD1	1:B:261:CYS:N	2.25	0.70
1:B:245:TYR:HD2	1:B:301:ALA:HB2	1.57	0.70
1:A:107:LYS:HB3	1:A:116:LEU:HD11	1.75	0.69
1:B:168:ILE:HA	1:B:185:ILE:HG12	1.75	0.69
1:B:258:GLN:NE2	1:B:260:ASP:HB2	2.08	0.68
1:A:210:LYS:HE2	1:A:257:GLY:HA2	1.76	0.68
1:B:78:GLU:HB2	1:B:91:TRP:HB3	1.76	0.68
1:B:232:LEU:HD12	1:B:243:ASN:HB2	1.74	0.67
1:A:294:THR:HB	1:A:307:ILE:HB	1.77	0.66
1:A:56:GLN:HB3	1:A:70:GLN:NE2	2.10	0.66
1:A:367:PHE:CE1	1:A:393:MSE:HE1	2.30	0.66
1:B:223:ASN:ND2	1:B:227:THR:OG1	2.29	0.65
1:B:244:TYR:CB	1:B:261:CYS:CB	2.73	0.65
1:A:169:SER:O	1:A:170:ASP:OD1	2.14	0.65
1:B:188:LYS:HE2	1:B:189:LYS:HD3	1.78	0.64
1:B:4:LYS:HA	1:B:21:SER:HB2	1.80	0.64
1:B:80:GLY:O	1:B:89:SER:N	2.26	0.64
1:A:357:THR:HB	1:A:376:ARG:HD3	1.78	0.64
1:A:97:GLU:N	1:A:101:THR:O	2.21	0.63
1:B:294:THR:HB	1:B:307:ILE:HB	1.79	0.63
1:A:21:SER:O	1:B:13:LYS:NZ	2.30	0.63
1:A:55:THR:HG22	1:A:56:GLN:HG3	1.81	0.62
1:B:244:TYR:HE2	1:B:263:VAL:CG2	2.10	0.62
1:B:149:PHE:HB2	1:B:161:ALA:HB3	1.81	0.61
1:A:145:ASN:OD1	1:A:167:GLY:HA2	2.00	0.61
1:B:5:SER:HB2	1:B:20:ALA:HB3	1.82	0.61
1:A:118:PHE:CD1	1:A:155:MSE:HG3	2.35	0.61
1:B:338:ILE:CB	1:B:349:THR:CG2	2.73	0.61
1:A:120:PHE:HE2	1:A:130:LEU:HD21	1.65	0.60
1:B:378:ARG:HA	1:B:381:ASN:HD21	1.66	0.60
1:A:35:GLU:HB2	1:A:53:THR:HB	1.84	0.60
1:B:267:ARG:H	1:B:287:TYR:HE2	1.50	0.60
1:A:58:VAL:HG22	1:A:67:LYS:HE3	1.84	0.59
1:B:224:ALA:HB3	1:B:280:SER:HB2	1.84	0.59
1:B:244:TYR:OH	1:B:263:VAL:HG23	2.01	0.59
1:A:248:THR:HG22	1:A:256:THR:N	2.17	0.59
1:A:145:ASN:O	1:A:146:GLU:HB2	2.02	0.58
1:A:305:SER:OG	1:A:345:MSE:HG2	2.03	0.58
1:B:255:ILE:HG22	1:B:256:THR:H	1.68	0.58
1:A:335:SER:HA	1:A:352:GLU:HA	1.83	0.58
1:B:33:ILE:HD11	1:B:53:THR:HG21	1.86	0.58

*Continued on next page...*



*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:219:GLN:HB3	1:A:232:LEU:HB3	1.85	0.58
1:B:198:TYR:CZ	1:B:206:PRO:HG3	2.38	0.58
1:B:262:ARG:HG2	1:B:262:ARG:O	2.03	0.58
1:A:378:ARG:NH2	1:A:400:GLU:OE2	2.36	0.58
1:A:56:GLN:HB3	1:A:70:GLN:HE22	1.69	0.57
1:A:120:PHE:CE2	1:A:130:LEU:HD21	2.39	0.57
1:B:213:PHE:O	1:B:242:LYS:HE2	2.04	0.57
1:A:343:ASN:O	1:A:346:LYS:HG2	2.06	0.56
1:B:245:TYR:C	1:B:245:TYR:HD1	2.07	0.56
1:B:228:SER:OG	1:B:229:LEU:N	2.38	0.56
1:B:258:GLN:HG2	1:B:259:PHE:N	2.21	0.56
1:B:78:GLU:OE2	1:B:125:GLN:NE2	2.35	0.56
1:B:143:VAL:HG23	1:B:146:GLU:HG3	1.87	0.56
1:A:358:TYR:OH	1:A:360:GLU:OE1	2.21	0.56
1:A:105:ASN:OD1	1:A:122:GLN:O	2.24	0.55
1:B:104:GLN:HA	1:B:121:VAL:HG22	1.87	0.55
1:B:336:ILE:HB	1:B:351:VAL:HG22	1.89	0.55
1:B:45:ASN:O	1:B:409:ARG:NH1	2.40	0.54
1:B:169:SER:HB2	1:B:184:PHE:HD2	1.73	0.53
1:B:223:ASN:ND2	1:B:280:SER:OG	2.40	0.53
1:B:206:PRO:HG2	1:B:209:GLN:OE1	2.09	0.53
1:B:178:ASN:HD21	1:B:226:GLY:HA3	1.74	0.52
1:B:322:ARG:NH2	1:B:340:ASP:OD2	2.42	0.52
1:A:298:ASP:O	1:A:300:ARG:O	2.28	0.52
1:B:384:LYS:HD2	1:B:386:TRP:CZ2	2.44	0.52
1:A:272:HIS:CE1	1:A:290:MSE:HE2	2.44	0.52
1:B:267:ARG:HB3	1:B:288:GLY:HA3	1.91	0.52
1:A:247:GLU:O	1:A:256:THR:HB	2.10	0.52
1:A:77:TYR:HB2	1:A:91:TRP:CE3	2.45	0.52
1:A:209:GLN:C	1:A:210:LYS:HD3	2.30	0.51
1:B:179:HIS:HB3	1:B:200:ILE:HD12	1.92	0.51
1:A:135:ASP:OD2	1:A:179:HIS:NE2	2.42	0.51
1:A:324:ILE:HD12	1:A:345:MSE:CE	2.30	0.51
1:A:152:THR:HA	1:A:155:MSE:HE2	1.92	0.51
1:A:147:VAL:HG23	1:A:168:ILE:HD13	1.93	0.50
1:A:97:GLU:HG2	1:A:103:LYS:HG2	1.93	0.50
1:B:244:TYR:HB3	1:B:260:ASP:O	2.11	0.50
1:B:244:TYR:CD2	1:B:261:CYS:C	2.85	0.50
1:B:23:ASN:C	1:B:24:TYR:CD2	2.86	0.50
1:A:129:ASN:OD1	1:A:130:LEU:N	2.45	0.49
1:B:244:TYR:HB3	1:B:261:CYS:CB	2.41	0.49

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:312:ARG:NE	1:B:337:ASP:OD2	2.42	0.49
1:B:81:PHE:HB2	2:B:510:HOH:O	2.11	0.49
1:A:52:ALA:HB2	1:A:79:LEU:HD11	1.94	0.49
1:A:33:ILE:HG13	1:A:51:TYR:CE2	2.48	0.49
1:A:336:ILE:N	1:A:351:VAL:O	2.40	0.49
1:A:210:LYS:HG3	1:A:259:PHE:CE1	2.48	0.48
1:A:169:SER:HB2	1:A:186:PRO:HG3	1.96	0.48
1:B:80:GLY:O	1:B:88:LEU:HA	2.14	0.48
1:A:94:PRO:HA	1:A:105:ASN:ND2	2.29	0.48
1:A:221:LYS:O	1:A:276:TRP:NE1	2.41	0.48
1:B:243:ASN:O	1:B:244:TYR:HB2	2.13	0.48
1:A:322:ARG:NH1	1:A:323:TYR:OH	2.47	0.48
1:A:16:GLY:HA2	1:A:30:PHE:CE2	2.49	0.47
1:B:183:VAL:O	1:B:195:VAL:HA	2.13	0.47
1:B:54:ALA:O	1:B:75:ASN:N	2.42	0.47
1:B:39:ASN:HA	1:B:403:GLN:HE22	1.80	0.47
1:B:112:GLU:O	1:B:112:GLU:HG2	2.15	0.47
1:A:387:HIS:CE1	1:A:393:MSE:HE2	2.49	0.47
1:B:233:THR:OG1	1:B:242:LYS:HE3	2.13	0.47
1:B:370:THR:HG1	1:B:386:TRP:HZ3	1.59	0.47
1:A:196:ARG:HD3	1:A:209:GLN:HA	1.96	0.47
1:B:57:VAL:HG11	1:B:88:LEU:HD21	1.96	0.47
1:A:44:PRO:HG2	1:A:83:PRO:HA	1.96	0.47
1:B:106:MSE:HE1	1:B:130:LEU:HD21	1.96	0.47
1:B:172:ALA:O	1:B:222:TRP:NE1	2.48	0.47
1:B:216:ASP:N	1:B:234:GLN:O	2.29	0.47
1:A:313:ASN:ND2	1:A:329:PHE:O	2.39	0.47
1:B:23:ASN:C	1:B:24:TYR:HD2	2.19	0.46
1:A:106:MSE:HE1	1:A:130:LEU:HG	1.97	0.46
1:A:367:PHE:CD1	1:A:393:MSE:CE	2.84	0.46
1:B:24:TYR:CD2	1:B:24:TYR:N	2.84	0.46
1:A:97:GLU:O	1:A:100:GLY:N	2.49	0.46
1:A:193:ALA:N	1:A:212:PHE:O	2.48	0.46
1:A:355:ASN:HB3	1:A:377:LEU:HD22	1.96	0.46
1:B:246:GLY:HA3	1:B:247:GLU:HA	1.72	0.46
1:B:262:ARG:HG3	1:B:265:LEU:HD22	1.98	0.46
1:A:210:LYS:NZ	1:A:257:GLY:HA2	2.31	0.45
1:B:143:VAL:HG21	1:B:148:HIS:NE2	2.31	0.45
1:B:378:ARG:HA	1:B:381:ASN:ND2	2.29	0.45
1:A:45:ASN:OD1	1:A:45:ASN:N	2.48	0.45
1:A:223:ASN:HB3	1:A:276:TRP:CD2	2.51	0.45

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:244:TYR:CD2	1:B:262:ARG:N	2.85	0.45
1:B:344:ASN:O	1:B:345:MSE:CB	2.64	0.45
1:A:169:SER:CB	1:A:186:PRO:HD3	2.46	0.44
1:B:290:MSE:HA	1:B:291:PRO:C	2.38	0.44
1:B:358:TYR:O	1:B:370:THR:HA	2.18	0.44
1:B:97:GLU:HG2	1:B:98:ALA:H	1.82	0.44
1:B:245:TYR:HD1	1:B:246:GLY:N	2.15	0.44
1:A:33:ILE:HD11	1:A:58:VAL:HG23	2.00	0.44
1:A:272:HIS:N	1:A:286:VAL:O	2.39	0.44
1:A:22:GLU:O	1:A:23:ASN:HB2	2.17	0.44
1:A:103:LYS:HB3	1:A:103:LYS:HE2	1.73	0.44
1:B:16:GLY:HA2	1:B:30:PHE:CE2	2.52	0.44
1:A:167:GLY:O	1:A:185:ILE:HG23	2.17	0.43
1:A:210:LYS:HG3	1:A:259:PHE:CZ	2.53	0.43
1:B:82:SER:HB3	1:B:87:TYR:HB2	2.00	0.43
1:B:244:TYR:HD2	1:B:261:CYS:HA	1.69	0.43
1:A:256:THR:O	1:A:256:THR:CG2	2.53	0.43
1:B:244:TYR:CG	1:B:261:CYS:C	2.92	0.43
1:B:263:VAL:HG21	1:B:301:ALA:O	2.18	0.43
1:B:384:LYS:HG3	1:B:395:TYR:HD1	1.82	0.43
1:B:223:ASN:HB3	1:B:276:TRP:CE2	2.54	0.43
1:B:245:TYR:CD2	1:B:301:ALA:HB2	2.44	0.43
1:B:244:TYR:HD2	1:B:261:CYS:CA	2.28	0.43
1:B:378:ARG:HH22	1:B:400:GLU:CD	2.22	0.43
1:A:106:MSE:HE3	1:A:120:PHE:CD2	2.53	0.43
1:B:197:THR:O	1:B:207:LEU:N	2.34	0.43
1:A:194:SER:HA	1:A:211:THR:HA	2.01	0.43
1:B:244:TYR:OH	1:B:301:ALA:HB1	2.19	0.43
1:A:191:ALA:HA	1:A:192:PRO:HD3	1.87	0.42
1:A:33:ILE:HG13	1:A:51:TYR:HE2	1.84	0.42
1:A:35:GLU:OE1	1:A:55:THR:OG1	2.38	0.42
1:A:387:HIS:NE2	1:A:393:MSE:HE2	2.33	0.42
1:A:408:PRO:O	1:A:409:ARG:HD2	2.20	0.42
1:B:104:GLN:OE1	1:B:119:SER:OG	2.32	0.42
1:A:387:HIS:ND1	1:A:391:ALA:O	2.38	0.42
1:B:264:ASP:HB2	1:B:303:VAL:HG22	2.02	0.42
1:A:4:LYS:HD3	1:A:19:ASN:OD1	2.19	0.42
1:A:90:THR:O	1:A:106:MSE:HA	2.20	0.42
1:A:97:GLU:HB2	1:A:101:THR:HB	2.01	0.42
1:A:167:GLY:O	1:A:186:PRO:HD2	2.19	0.42
1:A:199:SER:O	1:A:202:ASN:O	2.37	0.41

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:222:TRP:CD1	1:A:229:LEU:HD13	2.55	0.41
1:A:271:ILE:HA	1:A:287:TYR:HA	2.02	0.41
1:B:223:ASN:HB3	1:B:276:TRP:CZ2	2.55	0.41
1:B:218:VAL:HA	1:B:232:LEU:O	2.20	0.41
1:B:290:MSE:HA	1:B:292:ALA:N	2.35	0.41
1:B:255:ILE:HG22	1:B:256:THR:N	2.34	0.41
1:B:106:MSE:HE3	1:B:120:PHE:HB2	2.01	0.41
1:B:103:LYS:HA	1:B:103:LYS:HD2	1.91	0.41
1:A:107:LYS:HA	1:A:119:SER:HA	2.03	0.41
1:A:334:GLY:H	1:A:354:ALA:HA	1.86	0.41
1:A:318:SER:HB3	1:A:323:TYR:HB2	2.04	0.40
1:A:359:CYS:SG	1:A:368:LEU:HD11	2.61	0.40
1:A:122:GLN:HE21	1:A:122:GLN:HB2	1.61	0.40
1:B:118:PHE:CE1	1:B:156:SER:HA	2.56	0.40
1:B:338:ILE:CG1	1:B:349:THR:CG2	2.99	0.40
1:B:310:ALA:HA	1:B:311:PRO:HD3	1.89	0.40
1:A:107:LYS:HD2	1:A:109:TRP:CZ2	2.57	0.40
1:A:154:ASN:ND2	1:A:157:LYS:HD3	2.37	0.40
1:B:91:TRP:HB2	1:B:128:TRP:CE3	2.57	0.40
1:B:279:ASP:O	1:B:281:LYS:HG3	2.21	0.40
1:B:293:LYS:HE2	1:B:293:LYS:HB2	1.94	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	388/412 (94%)	378 (97%)	10 (3%)	0	100	100
1	B	396/412 (96%)	380 (96%)	16 (4%)	0	100	100
All	All	784/824 (95%)	758 (97%)	26 (3%)	0	100	100

There are no Ramachandran outliers to report.

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	336/346 (97%)	328 (98%)	8 (2%)	49	74
1	B	342/346 (99%)	333 (97%)	9 (3%)	46	72
All	All	678/692 (98%)	661 (98%)	17 (2%)	47	73

All (17) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	105	ASN
1	A	106	MSE
1	A	118	PHE
1	A	122	GLN
1	A	123	ARG
1	A	202	ASN
1	A	204	ASN
1	A	393	MSE
1	B	22	GLU
1	B	29	LYS
1	B	81	PHE
1	B	143	VAL
1	B	166	GLU
1	B	244	TYR
1	B	245	TYR
1	B	345	MSE
1	B	366	GLN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (7) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	70	GLN
1	A	122	GLN

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	148	HIS
1	B	56	GLN
1	B	258	GLN
1	B	381	ASN
1	B	403	GLN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

### 5.6 Ligand geometry [i](#)

There are no ligands in this entry.

### 5.7 Other polymers [i](#)

There are no such residues in this entry.

### 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data [i](#)

### 6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	391/412 (94%)	0.23	9 (2%) 60 63	32, 59, 91, 110	0
1	B	397/412 (96%)	0.22	9 (2%) 60 63	26, 57, 95, 117	0
All	All	788/824 (95%)	0.22	18 (2%) 60 63	26, 57, 92, 117	0

All (18) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	234	GLN	5.9
1	B	247	GLU	4.6
1	B	246	GLY	4.5
1	A	257	GLY	4.3
1	B	245	TYR	3.8
1	B	244	TYR	2.9
1	B	1	SER	2.8
1	B	123	ARG	2.8
1	A	212	PHE	2.7
1	A	412	ASN	2.6
1	B	242	LYS	2.6
1	A	245	TYR	2.5
1	B	164	ARG	2.5
1	A	120	PHE	2.5
1	B	168	ILE	2.2
1	A	201	PRO	2.2
1	A	259	PHE	2.1
1	A	186	PRO	2.0

### 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

### 6.4 Ligands [i](#)

There are no ligands in this entry.

### 6.5 Other polymers [i](#)

There are no such residues in this entry.