

# Full wwPDB X-ray Structure Validation Report (i)

Jun 15, 2020 - 08:09 am BST

PDB ID	:	4WKG
Title	:	The crystal structure of apo ArnA features an unexpected central binding
		pocket and provides an explanation for enzymatic coop-erativity
Authors	:	Grimm, C.
Deposited on	:	2014-10-02
Resolution	:	2.70  Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org A user guide is available at https://www.wwpdb.org/validation/2017/XrayValidationReportHelp with specific help available everywhere you see the (i) symbol.

The following versions of software and data (see references (1)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.8.5 (274361), CSD as 541 be (2020)
Xtriage (Phenix)	:	1.13
$\mathrm{EDS}$	:	2.11
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
$\operatorname{Refmac}$	:	5.8.0158
$\operatorname{CCP4}$	:	7.0.044  (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.11

# 1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure: X-RAY DIFFRACTION

The reported resolution of this entry is 2.70 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	$egin{array}{c} { m Whole \ archive} \ (\#{ m Entries}) \end{array}$	${f Similar\ resolution}\ (\#{ m Entries,\ resolution\ range}({ m \AA}))$
$R_{free}$	130704	$2808 \ (2.70-2.70)$
Clashscore	141614	3122(2.70-2.70)
Ramachandran outliers	138981	3069(2.70-2.70)
Sidechain outliers	138945	3069(2.70-2.70)
RSRZ outliers	127900	2737 (2.70-2.70)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain	
			4%	
1	A	660	90%	6% • •
			6%	
1	В	660	90%	7% •
			3%	
1	C	660	87%	9% •
			18%	
1	D	660	87%	10% •
			5%	
1	E	660	88%	8% • •
			5%	
1	F	660	87%	9% • •



# 2 Entry composition (i)

There are 4 unique types of molecules in this entry. The entry contains 60000 atoms, of which 29761 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

Mol	Chain	Residues			Atom	S			ZeroOcc	AltConf	Trace
1	Δ	626	Total	С	Η	Ν	0	S	0	0	0
	А	050	9951	3195	4945	889	903	19	0	0	0
1	В	643	Total	С	Η	Ν	Ο	S	0	0	0
	D	045	10036	3234	4972	897	914	19	0	0	0
1	С	637	Total	С	Η	Ν	0	S	0	0	0
	U	037	9963	3203	4947	888	906	19			0
1	П	641	Total	С	Η	Ν	0	S	0	0	0
L	D	041	9973	3218	4936	889	911	19	0	0	0
1	F	643	Total	С	Η	Ν	Ο	S	0	0	0
1		045	10032	3231	4974	894	914	19	0	0	0
1	F	637	Total	С	Η	Ν	0	S	0	0	0
	Ľ	007	9950	3197	4941	888	905	19	0	0	

• Molecule 1 is a protein called Bifunctional polymyxin resistance protein ArnA.

• Molecule 2 is 2,3-DIHYDROXY-1,4-DITHIOBUTANE (three-letter code: DTT) (formula:  $C_4H_{10}O_2S_2$ ).





Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	
0	Δ	1	Total	С	Η	Ο	S	0	1
	Z A	L	36	8	20	4	4	0	
0	п	1	Total	С	Η	Ο	S	0	1
	D	L	36	8	20	4	4	0	L

• Molecule 3 is ACETATE ION (three-letter code: ACT) (formula:  $C_2H_3O_2$ ).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	А	1	Total 7	$\begin{array}{c} \mathrm{C} \\ 2 \end{array}$	$\mathrm{H}$	O 2	0	0
3	F	1	Total 7	С 2	Н 3	O 2	0	0

• Molecule 4 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	А	1	Total O 1 1	0	0
4	В	2	Total O 2 2	0	0
4	С	2	Total O 2 2	0	0
4	D	1	Total O 1 1	0	0
4	Ε	2	Total O 2 2	0	0
4	F	1	Total O 1 1	0	0



## 3 Residue-property plots (i)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Bifunctional polymyxin resistance protein ArnA



• Molecule 1: Bifunctional polymyxin resistance protein ArnA



• Molecule 1: Bifunctional polymyxin resistance protein ArnA





#### F198 F199 F200 F203 F203 F203 F203 F203 F203 F204 F204



• Molecule 1: Bifunctional polymyxin resistance protein ArnA



• Molecule 1: Bifunctional polymyxin resistance protein ArnA

AL VS GL







## 4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 1	Depositor
Cell constants	106.72Å $112.82$ Å $113.61$ Å	Deperitor
$\mathrm{a,b,c,\alpha,\beta,\gamma}$	$81.92^{\circ}$ $82.96^{\circ}$ $83.80^{\circ}$	Depositor
$\mathbf{P}_{\text{assolution}}(\hat{\mathbf{A}})$	48.16 - 2.70	Depositor
Resolution (A)	48.16 - 2.70	EDS
% Data completeness	97.4 (48.16-2.70)	Depositor
(in resolution range)	$90.0 \ (48.16-2.70)$	EDS
$R_{merge}$	0.05	Depositor
$R_{sym}$	(Not available)	Depositor
$< I/\sigma(I) > 1$	$1.08 (at 2.69 \text{\AA})$	Xtriage
Refinement program	PHENIX (phenix.refine: 1.8.2_1309)	Depositor
D D.	0.205 , $0.232$	Depositor
$\mathbf{n}, \mathbf{n}_{free}$	0.208 , $0.235$	DCC
$R_{free}$ test set	6967 reflections $(5.02%)$	wwPDB-VP
Wilson B-factor $(Å^2)$	69.0	Xtriage
Anisotropy	0.218	Xtriage
Bulk solvent $k_{sol}(e/Å^3), B_{sol}(Å^2)$	0.35 , $37.6$	EDS
L-test for twinning <sup>2</sup>	$< L >=0.48, < L^2>=0.31$	Xtriage
Estimated twinning fraction	0.014 for -h,-l,-k	Xtriage
$F_o, F_c$ correlation	0.94	EDS
Total number of atoms	60000	wwPDB-VP
Average B, all atoms $(Å^2)$	63.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: The largest off-origin peak in the Patterson function is 3.50% of the height of the origin peak. No significant pseudotranslation is detected.

<sup>&</sup>lt;sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



 $<sup>^1 {\</sup>rm Intensities}$  estimated from amplitudes.

# 5 Model quality (i)

## 5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: ACT, DTT

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Chain	Bond	lengths	Bond angles		
	Chain	RMSZ	# Z  > 5	RMSZ	# Z  > 5	
1	А	0.29	0/5126	0.52	1/6965~(0.0%)	
1	В	0.30	0/5188	0.54	1/7051~(0.0%)	
1	С	0.27	0/5137	0.51	1/6981~(0.0%)	
1	D	0.29	0/5160	0.53	0/7013	
1	Е	0.29	0/5182	0.53	2/7044~(0.0%)	
1	F	0.29	0/5129	0.52	0/6970	
All	All	0.29	0/30922	0.53	5/42024~(0.0%)	

There are no bond length outliers.

All	(5)	bond	angle	out	liers	are	listed	below:	

Mol	Chain	Res	Type	Atoms		$Observed(^{o})$	$Ideal(^{o})$
1	Е	301	GLY	C-N-CA	6.51	137.98	121.70
1	В	507	GLY	N-CA-C	5.87	127.77	113.10
1	Е	507	GLY	N-CA-C	5.35	126.47	113.10
1	А	577	LEU	CB-CG-CD2	-5.18	102.19	111.00
1	С	507	GLY	N-CA-C	5.10	125.85	113.10

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.



Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	А	5006	4945	4933	20	0
1	В	5064	4972	4977	23	0
1	С	5016	4947	4937	26	0
1	D	5037	4936	4936	33	0
1	Е	5058	4974	4966	25	0
1	F	5009	4941	4930	29	0
2	А	16	20	20	0	0
2	D	16	20	20	1	0
3	А	4	3	3	0	0
3	F	4	3	3	1	0
4	А	1	0	0	0	0
4	В	2	0	0	0	0
4	С	2	0	0	0	0
4	D	1	0	0	0	0
4	Е	2	0	0	0	0
4	F	1	0	0	0	0
All	All	30239	29761	29725	150	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 2.

All (150) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom 1	Atom 2	Interatomic	Clash
Atom-1	Atom-2	${ m distance}~({ m \AA})$	overlap (Å)
1:D:434:GLU:OE1	1:D:460:ARG:NH2	2.16	0.77
1:A:382:LYS:NZ	1:B:366:GLU:OE2	2.19	0.76
1:B:434:GLU:HG2	1:B:619:ARG:HH22	1.50	0.75
1:F:500:ASN:ND2	1:F:502:ASN:OD1	2.21	0.74
1:F:415:ARG:NH2	1:F:419:TYR:OH	2.21	0.73
1:F:434:GLU:OE1	1:F:460:ARG:NH2	2.22	0.73
1:D:329:ASN:OD1	1:D:355:ARG:NH2	2.21	0.73
1:A:381:LYS:NZ	1:B:368:ASP:OD2	2.22	0.71
1:E:412:GLU:OE1	1:E:415:ARG:NH1	2.23	0.71
1:D:151:ALA:O	1:D:164:LYS:NZ	2.19	0.68
1:F:329:ASN:ND2	1:F:352:ALA:O	2.26	0.67
1:C:383:CYS:O	1:C:425:LYS:NZ	2.25	0.65
1:A:541:ARG:NH2	1:A:644:GLU:OE1	2.28	0.65
1:A:655:LEU:O	1:A:656:THR:OG1	2.08	0.65
1:C:381:LYS:O	1:C:425:LYS:NZ	2.29	0.63
1:C:334:ARG:NH1	1:C:338:GLU:OE2	2.33	0.61
1:D:128:THR:OG1	1:D:129:GLY:N	2.34	0.60
1:F:529:ASP:OD2	1:F:605:SER:OG	2.18	0.60



	, ac pagem	Interatomic	Clash
Atom-1	Atom-2	distance $(\text{\AA})$	overlap (Å)
1:B:334:ARG:NH1	1:B:338:GLU:OE2	2.35	0.59
1:B:529:ASP:OD2	1:B:605:SER:OG	2.20	0.59
1:C:134:ARG:NH2	1:C:187:GLU:OE2	2.36	0.58
1:D:501:LEU:O	1:D:510:ARG:NH1	2.33	0.58
1:F:351:ASP:OD1	1:F:352:ALA:N	2.38	0.57
1:B:434:GLU:OE1	1:B:460:ARG:NH2	2.39	0.56
1:F:112:ARG:NH1	1:F:190:GLN:OE1	2.38	0.56
1:D:107:LEU:HD13	1:D:129:GLY:HA3	1.89	0.55
1:D:102:ASN:HB2	1:D:135:MET:SD	2.47	0.55
1:E:512:ILE:HG22	1:E:577:LEU:HD21	1.89	0.55
1:F:64:HIS:HD2	1:F:65:PRO:HD2	1.71	0.55
1:A:3:THR:HG22	1:A:78:VAL:HG13	1.89	0.54
1:C:501:LEU:O	1:C:510:ARG:NH1	2.37	0.54
1:F:3:THR:HG22	1:F:78:VAL:HG13	1.88	0.54
1:E:541:ARG:NH1	1:E:640:GLU:OE2	2.41	0.53
1:D:135:MET:O	1:D:136:VAL:HG22	2.08	0.53
1:C:373:SER:HB3	1:C:375:TRP:CZ3	2.44	0.53
1:E:334:ARG:NH1	1:E:338:GLU:OE2	2.41	0.52
1:C:434:GLU:OE1	1:C:460:ARG:NH2	2.43	0.52
1:F:512:ILE:HG22	1:F:577:LEU:HD21	1.92	0.52
1:C:3:THR:HG22	1:C:78:VAL:HG13	1.92	0.51
1:E:329:ASN:ND2	1:E:352:ALA:O	2.43	0.51
1:E:460:ARG:NH1	1:E:614:GLN:O	2.44	0.51
1:E:63:ASN:HB3	1:E:89:TYR:CZ	2.47	0.51
1:C:512:ILE:HG22	1:C:577:LEU:HD21	1.94	0.50
1:F:372:HIS:NE2	1:F:412:GLU:OE1	2.43	0.50
1:E:329:ASN:OD1	1:E:355:ARG:NH2	2.42	0.50
1:D:142:GLY:O	1:D:190:GLN:NE2	2.41	0.50
1:F:257:GLY:O	1:F:304:LEU:HD12	2.12	0.50
1:B:150:ILE:HD12	1:B:164:LYS:HB3	1.94	0.49
1:D:156:ASP:O	1:D:222:ARG:NH1	2.42	0.49
1:C:63:ASN:HB3	1:C:89:TYR:CZ	2.47	0.49
1:D:150:ILE:HD13	1:D:165:LEU:HD21	1.95	0.49
1:A:9:HIS:CE1	1:A:42:TYR:CB	2.96	0.48
1:A:378:TYR:OH	1:B:366:GLU:HG3	2.14	0.48
1:E:515:LEU:HD22	1:E:525:ILE:HG23	1.94	0.48
1:B:128:THR:O	1:B:150:ILE:HG22	2.14	0.47
1:B:3:THR:HG22	1:B:78:VAL:HG13	1.96	0.47
1:C:397:GLU:OE2	1:C:400:ARG:NH1	2.48	0.47
1:F:63:ASN:HB3	1:F:89:TYR:CZ	2.49	0.47
1:A:381:LYS:HD2	1:A:423:TYR:CE1	2.50	0.47



	• • • • • • •	Interatomic	Clash
Atom-1	Atom-2	distance $(\text{\AA})$	overlap (Å)
1:F:142:GLY:O	1:F:190:GLN:NE2	2.46	0.47
1:D:315:ARG:CZ	1:D:339:ASP:O	2.62	0.47
1:B:107:LEU:HD13	1:B:129:GLY:HA3	1.96	0.47
1:F:114:ARG:HD2	1:F:200:ARG:CB	2.45	0.47
1:A:173:LEU:O	1:A:177:LEU:HB2	2.15	0.47
1:A:512:ILE:HD11	1:A:577:LEU:HD11	1.96	0.47
1:D:495:GLY:O	1:D:498:LEU:CD1	2.63	0.46
1:D:330:HIS:HB3	1:D:544:ILE:HG13	1.96	0.46
1:D:382:LYS:NZ	1:F:366:GLU:OE1	2.42	0.46
1:B:150:ILE:CD1	1:B:164:LYS:HB3	2.45	0.46
1:C:541:ARG:NH2	1:C:644:GLU:OE2	2.48	0.46
1:F:83:TYR:OH	3:F:701:ACT:H3	2.15	0.46
1:C:114:ARG:HD2	1:C:200:ARG:HA	1.98	0.46
1:D:120:VAL:HG21	1:D:128:THR:HG21	1.98	0.46
1:D:133:HIS:NE2	1:D:140:ASP:HA	2.30	0.46
1:B:63:ASN:HB3	1:B:89:TYR:CZ	2.50	0.46
1:C:64:HIS:HD2	1:C:65:PRO:HD2	1.81	0.46
1:F:330:HIS:HB3	1:F:544:ILE:HG13	1.98	0.46
1:B:193:ASN:N	1:B:193:ASN:OD1	2.48	0.45
1:D:601:ARG:NH2	1:E:294:GLN:HB3	2.30	0.45
1:E:528:ILE:HD13	1:E:609:TYR:CE2	2.51	0.45
1:F:9:HIS:CD2	1:F:42:TYR:CB	2.99	0.45
1:A:334:ARG:NH1	1:A:338:GLU:OE2	2.49	0.45
1:E:107:LEU:HD21	1:E:149:ARG:HG2	1.97	0.45
1:A:315:ARG:CZ	1:A:361:HIS:CE1	3.00	0.45
1:F:334:ARG:NH1	1:F:338:GLU:OE2	2.49	0.45
1:E:141:ALA:HA	1:E:190:GLN:HE22	1.82	0.45
1:B:64:HIS:NE2	1:E:529:ASP:OD1	2.50	0.45
1:C:114:ARG:HD2	1:C:200:ARG:CA	2.46	0.45
1:E:173:LEU:O	1:E:177:LEU:HB2	2.17	0.45
1:D:144:ILE:HG13	1:D:190:GLN:HG3	1.99	0.45
1:D:148:LEU:HB2	1:D:172:LEU:HD12	1.97	0.45
1:D:515:LEU:HD22	1:D:525:ILE:HG23	1.99	0.45
1:A:135:MET:O	1:A:136:VAL:HG13	2.17	0.44
1:B:175:GLN:HG3	1:B:176:THR:HG23	1.99	0.44
1:B:421:VAL:O	1:B:424:ARG:NH1	2.49	0.44
1:A:134:ARG:NH2	1:A:187:GLU:OE2	2.40	0.44
1:C:113:GLY:HA3	1:C:198:PHE:H	1.83	0.44
1:B:655:LEU:O	1:B:656:THR:CB	2.66	0.44
1:F:512:ILE:HG13	1:F:513:THR:N	2.33	0.44
1:C:228:TRP:HB3	1:C:229:PRO:HD2	2.00	0.44



	<b>A</b>   <b>O</b>	Interatomic	Clash
Atom-1	Atom-2	distance $(\text{\AA})$	overlap (Å)
1:D:1:MET:SD	1:D:181:LYS:HA	2.57	0.44
1:D:314:ARG:NH2	1:D:317:ARG:CZ	2.81	0.43
1:A:412:GLU:OE1	1:A:415:ARG:NH1	2.44	0.43
1:C:175:GLN:HG2	1:C:176:THR:HG23	2.00	0.43
1:D:114:ARG:HD2	1:D:200:ARG:CB	2.49	0.43
1:C:112:ARG:NH2	1:C:190:GLN:OE1	2.51	0.43
1:E:394:THR:HG22	1:E:396:ILE:HG22	1.99	0.43
1:C:134:ARG:O	1:C:142:GLY:HA3	2.18	0.43
1:A:391:ALA:HB3	1:A:506:ILE:HD11	2.01	0.43
1:C:330:HIS:HB3	1:C:544:ILE:HG13	2.00	0.43
1:E:196:THR:CG2	1:E:198:PHE:CE1	3.02	0.43
1:C:314:ARG:NH2	1:C:317:ARG:CZ	2.81	0.42
1:D:19:LEU:HD13	1:D:177:LEU:HD21	2.01	0.42
1:E:127:GLU:OE2	1:E:149:ARG:NH1	2.52	0.42
1:C:64:HIS:CD2	1:C:65:PRO:HD2	2.54	0.42
1:D:438:MET:SD	1:D:614:GLN:NE2	2.93	0.42
1:E:330:HIS:HB3	1:E:544:ILE:HG13	2.01	0.42
1:F:315:ARG:NH2	1:F:339:ASP:O	2.53	0.42
1:A:134:ARG:O	1:A:142:GLY:HA3	2.20	0.42
1:C:104:HIS:CD2	1:C:108:LEU:HD21	2.55	0.42
1:D:387:LEU:HD12	1:D:428:ILE:HB	2.01	0.42
1:D:14:LEU:HD21	1:D:166:CYS:HA	2.01	0.42
1:C:173:LEU:O	1:C:177:LEU:HB2	2.19	0.42
1:B:93:LEU:HD12	1:B:100:ALA:HB3	2.02	0.41
1:E:434:GLU:OE1	1:E:460:ARG:NH2	2.53	0.41
1:E:138:ARG:HB2	1:E:141:ALA:HB3	2.01	0.41
1:F:90:ASP:HA	1:F:93:LEU:HB2	2.02	0.41
1:B:434:GLU:HG2	1:B:619:ARG:NH2	2.26	0.41
1:E:300:GLN:HA	1:E:301:GLY:HA2	1.90	0.41
1:E:8:TYR:CE2	1:E:9:HIS:CE1	3.09	0.41
1:F:549:ARG:NH1	1:F:631:ASP:O	2.50	0.41
1:A:381:LYS:HD2	1:A:423:TYR:CD1	2.54	0.41
1:A:6:PHE:CZ	1:A:92:ILE:HD11	2.56	0.41
1:D:246:ARG:HB3	1:D:275:GLU:HB3	2.02	0.41
1:B:146:ALA:CB	1:B:176:THR:HG21	2.50	0.41
1:E:512:ILE:HG13	1:E:513:THR:N	2.36	0.41
1:F:491:PHE:CZ	1:F:621:PRO:HB3	2.55	0.41
1:D:315:ARG:NH2	1:D:339:ASP:O	2.54	0.41
1:F:59:PRO:HG2	1:F:62:VAL:HG22	2.03	0.41
1:D:173:LEU:CD2	1:D:177:LEU:HD22	2.50	0.41
1:D:9:HIS:CE1	1:D:42:TYR:CB	3.05	0.41



Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:257:GLY:O	1:E:304:LEU:HD12	2.21	0.41
1:B:616:VAL:HG21	1:B:619:ARG:HH21	1.86	0.40
1:F:373:SER:HB2	1:F:375:TRP:CD2	2.56	0.40
1:F:373:SER:HB3	1:F:375:TRP:CH2	2.56	0.40
1:B:114:ARG:HH11	1:B:200:ARG:HH11	1.70	0.40
1:A:110:LYS:NZ	1:A:194:GLU:O	2.54	0.40
1:D:648:PHE:O	1:D:652:THR:HG23	2.21	0.40
2:D:701[B]:DTT:H41	1:F:375:TRP:HB3	2.04	0.40
1:C:292:LEU:HD13	1:C:296:LEU:HD12	2.04	0.40

There are no symmetry-related clashes.

#### 5.3 Torsion angles (i)

#### 5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Perce	$\mathbf{ntiles}$
1	А	628/660~(95%)	613~(98%)	14 (2%)	1 (0%)	47	73
1	В	637/660~(96%)	623~(98%)	13 (2%)	1 (0%)	47	73
1	С	629/660~(95%)	617~(98%)	12 (2%)	0	100	100
1	D	633/660~(96%)	619 (98%)	14 (2%)	0	100	100
1	Е	637/660~(96%)	$619 \ (97\%)$	17 (3%)	1 (0%)	47	73
1	F	629/660~(95%)	618~(98%)	11 (2%)	0	100	100
All	All	3793/3960~(96%)	3709~(98%)	81 (2%)	3~(0%)	51	78

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	А	136	VAL
1	Е	136	VAL
1	В	136	VAL



#### 5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Perce	ntiles
1	А	528/559~(94%)	515~(98%)	13~(2%)	47	76
1	В	532/559~(95%)	517 (97%)	15 (3%)	43	73
1	С	529/559~(95%)	513~(97%)	16 (3%)	41	70
1	D	528/559~(94%)	514 (97%)	14 (3%)	44	74
1	Ε	531/559~(95%)	513~(97%)	18 (3%)	37	66
1	F	528/559~(94%)	507~(96%)	21 (4%)	31	60
All	All	3176/3354~(95%)	3079 (97%)	97(3%)	40	69

All (97) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	А	9	HIS
1	А	47	ARG
1	А	91	GLU
1	А	92	ILE
1	А	93	LEU
1	А	107	LEU
1	А	121	LEU
1	А	196	THR
1	А	292	LEU
1	А	365	VAL
1	А	387	LEU
1	А	501	LEU
1	А	637	ASP
1	В	9	HIS
1	В	35	ASN
1	В	91	GLU
1	В	103	LEU
1	В	107	LEU
1	В	193	ASN
1	В	247	VAL
1	В	298	LEU
1	В	366	GLU



Mol	Chain	Res	Type
1	В	396	ILE
1	В	435	VAL
1	В	512	ILE
1	В	517	LEU
1	В	618	HIS
1	В	634	PRO
1	С	91	GLU
1	С	92	ILE
1	С	93	LEU
1	С	103	LEU
1	С	107	LEU
1	С	121	LEU
1	С	164	LYS
1	С	175	GLN
1	С	271	ASP
1	С	292	LEU
1	С	298	LEU
1	С	365	VAL
1	С	373	SER
1	С	387	LEU
1	С	634	PRO
1	С	656	THR
1	D	3	THR
1	D	4	VAL
1	D	9	HIS
1	D	91	GLU
1	D	128	THR
1	D	173	LEU
1	D	220	MET
1	D	247	VAL
1	D	266	LEU
1	D	292	LEU
1	D	365	VAL
1	D	401	ASN
1	D	604	GLU
1	D	634	PRO
1	Е	3	THR
1	Е	91	GLU
1	E	103	LEU
1	Е	107	LEU
1	Е	112	ARG
1	Е	186	LEU



Mol	Chain	Res	Type
1	Е	205	ASP
1	Е	209	GLU
1	Е	266	LEU
1	Е	292	LEU
1	Е	298	LEU
1	Е	314	ARG
1	Е	315	ARG
1	Е	415	ARG
1	Е	434	GLU
1	Е	517	LEU
1	Е	634	PRO
1	Е	656	THR
1	F	9	HIS
1	F	33	THR
1	F	91	GLU
1	F	103	LEU
1	F	107	LEU
1	F	112	ARG
1	F	126	THR
1	F	149	ARG
1	F	176	THR
1	F	247	VAL
1	F	292	LEU
1	F	298	LEU
1	F	366	GLU
1	F	373	SER
1	F	396	ILE
1	F	401	ASN
1	F	604	GLU
1	F	618	HIS
1	F	619	ARG
1	F	644	GLU
1	F	656	THR

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (12) such sidechains are listed below:

Mol	Chain	Res	Type
1	А	248	HIS
1	В	9	HIS
1	В	588	HIS
1	С	64	HIS
1	D	104	HIS



Continued from previous page...

Mol	Chain	$\mathbf{Res}$	Type
1	D	118	ASN
1	Е	190	GLN
1	Е	372	HIS
1	F	9	HIS
1	F	64	HIS
1	F	248	HIS
1	F	363	HIS

#### 5.3.3 RNA (i)

There are no RNA molecules in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates (i)

There are no carbohydrates in this entry.

### 5.6 Ligand geometry (i)

6 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Tune	Chain	Dec	Tink	B	ond leng	$\mathbf{gths}$	E	Bond ang	gles
	туре	Chain	nes	LINK	Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z >2
2	DTT	D	701[B]	-	7,7,7	0.57	0	4,8,8	0.29	0
3	ACT	F	701	-	$1,\!3,\!3$	0.48	0	0,3,3	0.00	-
3	ACT	А	702	-	$1,\!3,\!3$	1.51	0	0,3,3	0.00	-
2	DTT	А	701[A]	-	7,7,7	0.72	0	4,8,8	0.53	0
2	DTT	А	701[B]	-	7,7,7	0.61	0	4,8,8	0.35	0
2	DTT	D	701[A]	-	7,7,7	0.60	0	4,8,8	0.32	0



In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	DTT	D	701[B]	-	-	1/8/8/8	-
2	DTT	А	701[A]	-	-	2/8/8/8	-
2	DTT	А	701[B]	-	-	4/8/8/8	-
2	DTT	D	701[A]	-	-	1/8/8/8	-

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (8) torsion outliers are listed below:

Mol	Chain	$\mathbf{Res}$	Type	Atoms
2	D	701[B]	DTT	S1-C1-C2-O2
2	А	701[A]	DTT	S1-C1-C2-O2
2	А	701[A]	DTT	S1-C1-C2-C3
2	А	701[B]	DTT	S1-C1-C2-O2
2	А	701[B]	DTT	S1-C1-C2-C3
2	А	701[B]	DTT	O3-C3-C4-S4
2	А	701[B]	DTT	C2-C3-C4-S4
2	D	701[A]	DTT	C2-C3-C4-S4

There are no ring outliers.

2 monomers are involved in 2 short contacts:

Mol	Chain	$\mathbf{Res}$	Type	Clashes	Symm-Clashes
2	D	701[B]	DTT	1	0
3	F	701	ACT	1	0

#### 5.7 Other polymers (i)

There are no such residues in this entry.

### 5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



# 6 Fit of model and data (i)

## 6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled '#RSRZ> 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	< <b>RSRZ</b> >	#RSRZ>2	$OWAB(Å^2)$	Q<0.9
1	А	636/660~(96%)	0.43	26 (4%) 37 36	19, 51, 96, 152	0
1	В	643/660~(97%)	0.50	39 (6%) 21 20	20, 56, 105, 170	0
1	C	637/660~(96%)	0.43	23 (3%) 42 42	27, 55, 103, 158	0
1	D	641/660~(97%)	0.98	116 (18%) 1 1	20, 71, 157, 204	0
1	Е	643/660~(97%)	0.41	30 (4%) 31 30	16, 49, 98, 147	0
1	F	637/660~(96%)	0.47	32 (5%) 28 27	30, 60, 100, 146	0
All	All	3837/3960~(96%)	0.54	266 (6%) 16 15	16, 55, 121, 204	0

All (266) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	D	79	ILE	12.9
1	D	100	ALA	12.2
1	D	101	PHE	8.7
1	D	136	VAL	8.0
1	Ε	608	TYR	7.8
1	D	180	ILE	7.6
1	В	609	TYR	6.9
1	D	24	TYR	6.5
1	D	135	MET	6.4
1	D	92	ILE	6.0
1	D	254	ALA	5.8
1	В	608	TYR	5.8
1	D	189	ALA	5.8
1	D	99	GLY	5.7
1	D	209	GLU	5.6
1	A	655	LEU	5.4
1	D	193	ASN	5.4
1	D	195	ALA	5.0
1	D	161	LEU	4.9



Mol	Chain	Res	Type	RSRZ
1	D	148	LEU	4.9
1	Е	611	LYS	4.9
1	D	95	LEU	4.8
1	D	191	ARG	4.8
1	D	74	LEU	4.8
1	D	145	VAL	4.6
1	D	247	VAL	4.6
1	D	80	PHE	4.6
1	Е	612	GLY	4.6
1	D	97	PRO	4.6
1	С	656	THR	4.5
1	С	655	LEU	4.4
1	D	251	ALA	4.4
1	D	111	TYR	4.4
1	F	574	ILE	4.4
1	D	108	LEU	4.3
1	Е	613	TYR	4.3
1	D	173	LEU	4.2
1	D	274	LEU	4.2
1	D	220	MET	4.2
1	С	36	PRO	4.2
1	D	267	ILE	4.2
1	D	94	GLN	4.1
1	D	16	ILE	4.1
1	D	109	PRO	4.1
1	D	88	ILE	4.1
1	В	249	PRO	4.1
1	D	149	ARG	4.1
1	D	190	GLN	4.0
1	D	139	ALA	4.0
1	E	607	SER	4.0
1	D	177	LEU	4.0
1	F	630	LEU	4.0
1	В	211	HIS	4.0
1	D	143	ALA	4.0
1	E	609	TYR	3.9
1	D	112	ARG	3.9
1	D	131	THR	3.9
1	A	656	THR	3.9
1	A	208	LEU	3.8
1	D	19	LEU	3.8
1	D	172	LEU	3.8



Mol	Chain	Res	Type	RSRZ
1	D	117	LEU	3.8
1	D	165	LEU	3.8
1	D	296	LEU	3.8
1	В	612	GLY	3.7
1	D	301	GLY	3.7
1	D	144	ILE	3.7
1	D	141	ALA	3.7
1	D	170	ARG	3.7
1	D	134	ARG	3.6
1	В	617	GLU	3.6
1	Е	614	GLN	3.6
1	D	266	LEU	3.6
1	D	176	THR	3.6
1	D	87	LEU	3.6
1	D	216	VAL	3.6
1	D	207	PHE	3.6
1	F	97	PRO	3.5
1	D	4	VAL	3.5
1	В	184	ASN	3.5
1	С	71	ILE	3.5
1	D	228	TRP	3.5
1	F	656	THR	3.5
1	D	196	THR	3.4
1	В	424	ARG	3.4
1	С	608	TYR	3.4
1	А	217	LEU	3.4
1	D	78	VAL	3.4
1	F	66	LEU	3.4
1	В	512	ILE	3.4
1	С	203	PRO	3.3
1	D	248	HIS	3.3
1	D	276	ILE	3.3
1	В	138	ARG	3.3
1	А	299	VAL	3.3
1	С	285	ILE	3.3
1	D	261	SER	3.3
1	Е	601	ARG	3.3
1	В	79	ILE	3.3
1	D	6	PHE	3.3
1	В	88	ILE	3.2
1	С	250	HIS	3.2
1	С	89	TYR	3.2



Mol	Chain	Res	Type	RSRZ
1	D	250	HIS	3.2
1	D	292	LEU	3.2
1	D	62	VAL	3.1
1	В	656	THR	3.1
1	А	92	ILE	3.1
1	F	64	HIS	3.1
1	D	259	VAL	3.1
1	D	123	ASN	3.1
1	D	260	ILE	3.1
1	D	118	ASN	3.1
1	В	614	GLN	3.1
1	D	107	LEU	3.0
1	D	133	HIS	3.0
1	F	303	ARG	3.0
1	D	132	LEU	3.0
1	С	92	ILE	2.9
1	F	387	LEU	2.9
1	В	94	GLN	2.9
1	Е	247	VAL	2.9
1	А	654	ASP	2.9
1	Е	95	LEU	2.9
1	D	146	ALA	2.9
1	F	340	HIS	2.9
1	А	95	LEU	2.9
1	D	203	PRO	2.9
1	F	655	LEU	2.9
1	В	132	LEU	2.9
1	Е	656	THR	2.9
1	А	1	MET	2.9
1	D	252	SER	2.8
1	С	88	ILE	2.8
1	D	90	ASP	2.8
1	D	249	PRO	2.8
1	D	223	ALA	2.8
1	D	130	VAL	2.8
1	F	203	PRO	2.8
1	А	528	ILE	2.8
1	D	505	ARG	2.8
1	С	299	VAL	2.7
1	А	220	MET	2.7
1	А	607	SER	2.7
1	Е	606	SER	2.7



4W	$\operatorname{KG}$
----	---------------------

Mol	Chain	Res	Type	RSRZ
1	Е	512	ILE	2.7
1	D	221	VAL	2.7
1	F	537	PHE	2.7
1	D	227	PRO	2.7
1	Е	57	TYR	2.7
1	С	581	LEU	2.7
1	Е	180	ILE	2.7
1	F	343	VAL	2.7
1	В	528	ILE	2.7
1	D	72	ALA	2.6
1	В	602	VAL	2.6
1	D	91	GLU	2.6
1	D	337	ARG	2.6
1	А	534	LYS	2.6
1	В	642	ILE	2.6
1	D	211	HIS	2.6
1	А	512	ILE	2.6
1	В	246	ARG	2.6
1	А	89	TYR	2.6
1	F	616	VAL	2.6
1	В	527	LEU	2.6
1	С	619	ARG	2.6
1	D	147	GLN	2.6
1	Е	6	PHE	2.6
1	В	150	ILE	2.5
1	В	511	ALA	2.5
1	Е	208	LEU	2.5
1	А	237	ASN	2.5
1	А	159	ILE	2.5
1	D	120	VAL	2.5
1	В	60	ASP	2.5
1	В	619	ARG	2.5
1	В	100	ALA	2.5
1	E	516	ILE	2.5
1	В	616	VAL	2.5
1	В	90	ASP	2.5
1	F	301	GLY	2.4
1	D	119	TRP	2.4
1	Е	210	TRP	2.4
1	D	246	ARG	2.4
1	F	90	ASP	2.4
1	В	255	GLN	2.4



Mol	Chain	Res	Type	RSRZ	
1	F	182	HIS	2.4	
1	D	298	LEU	2.4	
1	А	64	HIS	2.4	
1	В	601	ARG	2.4	
1	В	613	TYR	2.4	
1	D	581	LEU	2.4	
1	С	35	ASN	2.4	
1	Е	89	TYR	2.4	
1	D	121	LEU	2.4	
1	Е	66	LEU	2.4	
1	F	607	SER	2.4	
1	D	185	ILE	2.4	
1	С	304	LEU	2.3	
1	D	169	ALA	2.3	
1	E	266	LEU	2.3	
1	В	62	VAL	2.3	
1	D	577	LEU	2.3	
1	D	224	VAL	2.3	
1	F	36	PRO	2.3	
1	F	89	TYR	2.3	
1	В	603	VAL	2.3	
1	F	385	VAL	2.3	
1	А	519	LEU	2.3	
1	D	257	GLY	2.3	
1	D	11	MET	2.3	
1	D	27	SER	2.3	
1	F	577	LEU	2.3	
1	D	93	LEU	2.3	
1	Е	74	LEU	2.3	
1	F	590	LEU	2.3	
1	В	89	TYR	2.3	
1	A	262	VAL	2.3	
1	D	208	LEU	2.2	
1	Е	565	ILE	2.2	
1	E	590	LEU	2.2	
1	F	460	ARG	2.2	
1	D	192	GLU	2.2	
1	F	642	ILE	2.2	
1	В	607	SER	2.2	
1	E	335	LEU	2.2	
1	F	191	ARG	2.2	
1	F	654	ASP	2.2	



4WKG

Mol	Chain	Res	Type	RSRZ
1	D	565	ILE	2.2
1	С	256	PRO	2.2
1	F	615	ASP	2.2
1	Е	619	ARG	2.2
1	А	255	GLN	2.2
1	В	611	LYS	2.2
1	А	574	ILE	2.2
1	D	96	ALA	2.2
1	Е	88	ILE	2.1
1	А	507	GLY	2.1
1	D	610	GLY	2.1
1	А	371	ILE	2.1
1	F	506	ILE	2.1
1	D	128	THR	2.1
1	Е	396	ILE	2.1
1	А	186	LEU	2.1
1	D	89	TYR	2.1
1	С	96	ALA	2.1
1	С	95	LEU	2.1
1	F	650	LEU	2.1
1	С	85	ARG	2.1
1	D	23	GLY	2.1
1	А	506	ILE	2.1
1	В	16	ILE	2.1
1	F	653	VAL	2.1
1	F	578	GLY	2.1
1	С	292	LEU	2.0
1	D	65	PRO	2.0
1	Е	600	PHE	2.0
1	D	20	LEU	2.0
1	В	136	VAL	2.0
1	С	380	VAL	2.0
1	D	182	HIS	2.0
1	В	141	ALA	2.0
1	С	220	MET	2.0
1	D	517	LEU	2.0
1	D	232	PHE	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.



## 6.3 Carbohydrates (i)

There are no carbohydrates in this entry.

#### 6.4 Ligands (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median,  $95^{th}$  percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	$\mathbf{B} extsf{-}\mathbf{B} extsf{-}\mathbf{factors}(\mathbf{A}^2)$	Q<0.9
2	DTT	А	701[A]	8/8	0.80	0.35	$32,\!55,\!55,\!55$	18
2	DTT	А	701[B]	8/8	0.80	0.35	55, 55, 55, 55	18
2	DTT	D	701[B]	8/8	0.81	0.28	46,64,64,64	18
2	DTT	D	701[A]	8/8	0.81	0.28	35,64,64,64	18
3	ACT	F	701	4/4	0.86	0.28	20, 20, 58, 58	0
3	ACT	А	702	4/4	0.95	0.42	20,20,44,44	0

#### 6.5 Other polymers (i)

There are no such residues in this entry.

