



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2024 – 12:30 AM EST

PDB ID : 1WW1
Title : Crystal structure of tRNase Z from *Thermotoga maritima*
Authors : Ishii, R.; Yokoyama, S.; RIKEN Structural Genomics/Proteomics Initiative (RSGI)
Deposited on : 2004-12-30
Resolution : 2.60 Å (reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Xtriage (Phenix) : 1.13
EDS : 2.36
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.36


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.60 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	3163 (2.60-2.60)
Clashscore	141614	3518 (2.60-2.60)
Ramachandran outliers	138981	3455 (2.60-2.60)
Sidechain outliers	138945	3455 (2.60-2.60)
RSRZ outliers	127900	3104 (2.60-2.60)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	280	 4% 51% 35% 11%
1	B	280	 7% 47% 35% 15%

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 4055 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called tRNase Z.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	250	Total 2054	C 1325	N 353	O 369	S 7	0	0	0
1	B	238	Total 1950	C 1260	N 334	O 349	S 7	0	0	0

- Molecule 2 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	1	Total 1	Zn 1	0	0
2	B	1	Total 1	Zn 1	0	0

- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	35	Total 35	O 35	0	0
3	B	14	Total 14	O 14	0	0

4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 2	Depositor
Cell constants a, b, c, α , β , γ	111.90Å 73.64Å 91.99Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	47.80 – 2.60 47.80 – 2.40	Depositor EDS
% Data completeness (in resolution range)	98.9 (47.80-2.60) 98.4 (47.80-2.40)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.05 (at 2.39Å)	Xtrriage
Refinement program	CNS 1.1	Depositor
R, R_{free}	0.225 , 0.279 0.224 , 0.280	Depositor DCC
R_{free} test set	1442 reflections (4.82%)	wwPDB-VP
Wilson B-factor (Å ²)	54.7	Xtrriage
Anisotropy	0.108	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 60.2	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.32$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	4055	wwPDB-VP
Average B, all atoms (Å ²)	68.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 30.93 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 1.2041e-03. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section:
ZN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.46	0/2102	0.71	1/2827 (0.0%)
1	B	0.42	0/1995	0.64	0/2684
All	All	0.44	0/4097	0.68	1/5511 (0.0%)

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	142	GLY	N-CA-C	-6.20	97.59	113.10

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2054	0	2039	100	1
1	B	1950	0	1947	94	0
2	A	1	0	0	0	0
2	B	1	0	0	0	0
3	A	35	0	0	1	0
3	B	14	0	0	1	0
All	All	4055	0	3986	187	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 23.

All (187) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:150:ARG:HD2	1:A:177:THR:HG21	1.31	1.09
1:A:90:THR:HG21	1:A:106:VAL:HG11	1.54	0.90
1:A:232:VAL:HG13	1:A:237:VAL:CG2	2.02	0.89
1:A:232:VAL:HG13	1:A:237:VAL:HG23	1.57	0.85
1:B:192:LEU:HA	1:B:223:ALA:HB2	1.59	0.83
1:B:205:LEU:HB3	1:B:240:VAL:HG12	1.61	0.81
1:B:194:LEU:HB2	1:B:199:ILE:HD11	1.62	0.81
1:A:250:ILE:HG22	1:A:251:ARG:N	1.98	0.77
1:A:44:VAL:CG1	1:A:77:VAL:HG22	2.16	0.76
1:A:250:ILE:HD11	1:A:274:PRO:HD2	1.68	0.76
1:A:175:PHE:CE1	1:A:177:THR:HA	2.21	0.75
1:A:44:VAL:HG13	1:A:77:VAL:HG22	1.69	0.74
1:A:150:ARG:HD2	1:A:177:THR:CG2	2.14	0.74
1:A:73:LYS:HD2	1:A:73:LYS:O	1.88	0.73
1:B:251:ARG:HD3	1:B:254:LYS:NZ	2.04	0.72
1:B:1:MET:HB2	1:B:19:PRO:HG3	1.71	0.71
1:B:250:ILE:HD12	1:B:275:ARG:NH1	2.06	0.71
1:B:226:ASP:O	1:B:230:GLU:HG2	1.90	0.70
1:A:90:THR:HG21	1:A:106:VAL:CG1	2.22	0.70
1:B:255:SER:HA	1:B:258:LYS:HD2	1.72	0.70
1:A:185:LEU:HD23	1:A:186:THR:N	2.07	0.69
1:A:83:ASN:HD22	1:A:86:VAL:H	1.39	0.69
1:A:247:THR:O	1:A:250:ILE:HG12	1.94	0.68
1:A:254:LYS:O	1:A:254:LYS:HD3	1.94	0.67
1:A:30:VAL:HG13	1:A:31:SER:H	1.60	0.66
1:B:151:LYS:HE3	1:B:176:VAL:HG21	1.75	0.66
1:B:185:LEU:HD23	1:B:186:THR:N	2.11	0.66
1:A:186:THR:HB	1:A:202:THR:HG21	1.77	0.66
1:A:185:LEU:HD23	1:A:185:LEU:C	2.17	0.65
1:A:207:HIS:HD2	1:A:208:GLU:O	1.80	0.64
1:B:125:ARG:HG3	1:B:147:GLU:HB3	1.79	0.63
1:B:254:LYS:HB3	1:B:258:LYS:HZ3	1.64	0.62
1:A:192:LEU:CD2	1:A:215:ARG:HH12	2.12	0.62
1:B:52:ASP:HA	3:B:307:HOH:O	1.98	0.61
1:B:114:ARG:NH2	1:B:126:TYR:CE2	2.68	0.61
1:A:252:GLN:O	1:A:256:VAL:HG23	2.01	0.61
1:A:48:HIS:CD2	1:A:49:GLY:H	2.19	0.60

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:126:TYR:HB2	1:A:146:PHE:CE1	2.37	0.60
1:B:79:TYR:CE2	1:B:106:VAL:HG22	2.36	0.60
1:B:239:LYS:HG3	1:B:268:GLU:HB3	1.84	0.59
1:B:250:ILE:HG13	1:B:251:ARG:N	2.17	0.59
1:A:51:VAL:HG13	1:B:58:TRP:CE2	2.37	0.59
1:B:254:LYS:HB3	1:B:258:LYS:NZ	2.18	0.58
1:B:70:ASP:C	1:B:72:GLU:H	2.06	0.58
1:A:259:LYS:HG2	1:A:263:GLU:OE2	2.04	0.58
1:A:30:VAL:HG13	1:A:31:SER:N	2.19	0.58
1:B:48:HIS:CG	1:B:49:GLY:H	2.22	0.58
1:A:1:MET:HG2	3:A:325:HOH:O	2.02	0.58
1:A:90:THR:CG2	1:A:106:VAL:HG11	2.32	0.58
1:A:211:PHE:CD1	1:A:215:ARG:HG3	2.39	0.58
1:B:251:ARG:HD3	1:B:254:LYS:HZ3	1.66	0.57
1:A:51:VAL:HG13	1:B:58:TRP:CD2	2.39	0.57
1:B:132:THR:HB	1:B:191:SER:HB2	1.86	0.57
1:B:194:LEU:HB2	1:B:199:ILE:CD1	2.34	0.57
1:B:15:ILE:HD12	1:B:187:ILE:HD11	1.86	0.57
1:A:28:GLU:HB2	1:B:28:GLU:HB2	1.86	0.56
1:B:245:ILE:HD13	1:B:253:LEU:CD2	2.34	0.56
1:A:251:ARG:HH11	1:A:251:ARG:HG2	1.70	0.56
1:B:69:GLY:O	1:B:72:GLU:HB2	2.06	0.56
1:A:58:TRP:CD2	1:B:51:VAL:HG13	2.40	0.56
1:A:83:ASN:ND2	1:A:86:VAL:HG23	2.20	0.55
1:A:211:PHE:O	1:A:224:ALA:HA	2.07	0.54
1:B:259:LYS:HE3	1:B:263:GLU:OE1	2.07	0.54
1:B:119:ASN:HD22	1:B:124:LYS:HG2	1.72	0.54
1:A:177:THR:O	1:A:178:GLU:HB3	2.07	0.54
1:B:151:LYS:HB2	1:B:151:LYS:NZ	2.23	0.54
1:B:224:ALA:O	1:B:227:GLU:HB2	2.08	0.54
1:A:211:PHE:HA	1:A:249:TYR:HE2	1.73	0.54
1:B:35:GLY:O	1:B:38:VAL:HG22	2.09	0.54
1:A:209:CYS:O	1:A:245:ILE:HD13	2.08	0.53
1:B:48:HIS:CD2	1:B:49:GLY:H	2.26	0.53
1:B:250:ILE:HD12	1:B:275:ARG:HH11	1.74	0.53
1:A:176:VAL:O	1:A:177:THR:HB	2.08	0.53
1:B:87:GLU:O	1:B:91:GLU:HG3	2.08	0.53
1:A:113:GLU:O	1:A:129:PRO:HD2	2.08	0.52
1:A:232:VAL:HG13	1:A:237:VAL:HG22	1.85	0.52
1:B:194:LEU:HG	1:B:207:HIS:HE1	1.73	0.52
1:A:177:THR:HG23	1:A:178:GLU:N	2.24	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:192:LEU:HA	1:A:223:ALA:HB2	1.91	0.52
1:B:209:CYS:HB2	1:B:242:LEU:HD22	1.91	0.52
1:A:256:VAL:O	1:A:259:LYS:HB3	2.10	0.52
1:B:17:TYR:CE2	1:B:19:PRO:HB2	2.45	0.52
1:A:97:ASN:HB2	1:A:100:LEU:HD22	1.92	0.51
1:B:140:SER:O	1:B:141:PHE:HD2	1.93	0.51
1:A:254:LYS:HE3	1:A:258:LYS:HE2	1.93	0.51
1:B:70:ASP:C	1:B:72:GLU:N	2.64	0.51
1:A:229:MET:SD	1:A:264:MET:HE1	2.51	0.51
1:A:21:ARG:HD3	1:A:40:ALA:O	2.10	0.50
1:B:126:TYR:HB2	1:B:146:PHE:CE1	2.46	0.50
1:B:256:VAL:O	1:B:260:TYR:HD1	1.95	0.50
1:A:212:LEU:CD1	1:A:249:TYR:HB3	2.41	0.50
1:A:229:MET:HE2	1:A:232:VAL:HG21	1.93	0.50
1:A:211:PHE:HA	1:A:249:TYR:CE2	2.47	0.49
1:B:182:LYS:HE2	1:B:203:GLU:OE2	2.11	0.49
1:A:251:ARG:HG2	1:A:251:ARG:NH1	2.28	0.49
1:B:249:TYR:O	1:B:253:LEU:HB2	2.12	0.48
1:A:194:LEU:H	1:A:207:HIS:HE1	1.59	0.48
1:A:132:THR:HB	1:A:191:SER:HB2	1.94	0.48
1:B:146:PHE:HA	1:B:182:LYS:O	2.14	0.48
1:A:34:LEU:O	1:A:35:GLY:C	2.50	0.48
1:B:123:PHE:CD2	1:B:149:ARG:HG2	2.49	0.48
1:A:177:THR:O	1:A:178:GLU:CB	2.61	0.48
1:A:80:PRO:HB3	1:A:141:PHE:CE1	2.48	0.48
1:B:71:ARG:O	1:B:72:GLU:C	2.52	0.47
1:A:191:SER:OG	1:A:192:LEU:N	2.47	0.47
1:B:147:GLU:OE1	1:B:182:LYS:HD3	2.15	0.47
1:B:251:ARG:HD3	1:B:254:LYS:HZ1	1.76	0.47
1:B:259:LYS:HD2	1:B:259:LYS:C	2.35	0.47
1:A:35:GLY:O	1:A:38:VAL:HG22	2.14	0.47
1:A:199:ILE:HD13	1:A:205:LEU:HD22	1.97	0.47
1:B:61:VAL:HG11	1:B:104:PHE:CE2	2.50	0.47
1:A:190:ASP:HA	1:A:208:GLU:OE1	2.15	0.47
1:B:83:ASN:HD22	1:B:83:ASN:N	2.12	0.47
1:B:199:ILE:HG22	1:B:199:ILE:O	2.13	0.47
1:A:226:ASP:OD2	1:A:226:ASP:N	2.41	0.46
1:B:61:VAL:HG11	1:B:104:PHE:CD2	2.51	0.46
1:A:133:LYS:HG3	1:A:192:LEU:HB2	1.96	0.46
1:A:250:ILE:CG2	1:A:251:ARG:N	2.69	0.46
1:B:2:ASN:HA	1:B:280:MET:O	2.14	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:2:ASN:HB3	1:B:18:SER:HB3	1.98	0.46
1:A:24:PHE:O	1:A:25:ASP:HB2	2.16	0.46
1:A:34:LEU:HB3	1:A:37:LYS:HB2	1.98	0.46
1:B:70:ASP:O	1:B:72:GLU:N	2.49	0.46
1:A:11:PHE:CE2	1:B:63:ILE:HG13	2.52	0.45
1:B:23:LEU:HB3	1:B:44:VAL:HG22	1.98	0.45
1:A:212:LEU:HB2	1:A:249:TYR:CE1	2.51	0.45
1:A:245:ILE:HB	1:A:274:PRO:HG3	1.99	0.45
1:B:119:ASN:HD22	1:B:124:LYS:CG	2.29	0.45
1:B:264:MET:O	1:B:266:ASP:N	2.49	0.45
1:B:251:ARG:HA	1:B:254:LYS:NZ	2.32	0.45
1:B:132:THR:HB	1:B:191:SER:CB	2.47	0.45
1:B:258:LYS:O	1:B:262:GLU:HG3	2.16	0.45
1:A:79:TYR:OH	1:A:108:PRO:HG3	2.18	0.44
1:A:175:PHE:CD1	1:A:175:PHE:O	2.70	0.44
1:B:259:LYS:HD2	1:B:259:LYS:O	2.16	0.44
1:B:260:TYR:C	1:B:262:GLU:H	2.19	0.44
1:A:101:ARG:HG3	1:A:101:ARG:HH11	1.80	0.44
1:A:258:LYS:O	1:A:262:GLU:HG3	2.17	0.44
1:B:253:LEU:O	1:B:254:LYS:C	2.56	0.44
1:A:72:GLU:O	1:A:72:GLU:HG3	2.18	0.44
1:A:116:PHE:HB2	1:A:126:TYR:CE2	2.52	0.44
1:B:248:ARG:NH2	1:B:249:TYR:OH	2.47	0.44
1:A:80:PRO:HB3	1:A:141:PHE:CD1	2.52	0.44
1:B:206:ILE:HG22	1:B:243:TYR:CE2	2.53	0.44
1:B:250:ILE:HG13	1:B:251:ARG:HG2	1.99	0.43
1:B:79:TYR:HE2	1:B:106:VAL:HG22	1.81	0.43
1:B:250:ILE:HG13	1:B:251:ARG:H	1.82	0.43
1:B:30:VAL:HG13	1:B:31:SER:N	2.32	0.43
1:A:28:GLU:CD	1:B:29:GLY:H	2.21	0.43
1:A:49:GLY:HA3	1:A:83:ASN:HD21	1.84	0.43
1:A:84:ARG:O	1:A:88:GLU:HG3	2.19	0.43
1:A:92:PHE:CE1	1:A:96:ALA:HB2	2.54	0.43
1:A:20:GLU:OE1	1:A:125:ARG:HG2	2.19	0.43
1:B:241:ILE:HA	1:B:270:LEU:O	2.19	0.43
1:B:257:ILE:HD12	1:B:269:ILE:HG21	2.01	0.43
1:A:58:TRP:CE2	1:B:51:VAL:HG22	2.54	0.42
1:B:144:HIS:CE1	1:B:198:GLU:O	2.72	0.42
1:A:39:TYR:OH	1:A:67:GLY:HA3	2.19	0.42
1:B:230:GLU:OE2	1:B:230:GLU:HA	2.19	0.42
1:B:45:PHE:CE2	1:B:127:VAL:HG11	2.54	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:116:PHE:HB2	1:B:126:TYR:CE2	2.54	0.42
1:A:272:MET:HG2	1:A:278:PHE:CG	2.54	0.42
1:B:48:HIS:CG	1:B:49:GLY:N	2.87	0.42
1:B:149:ARG:HB2	1:B:180:TYR:CE2	2.55	0.42
1:A:68:MET:HE1	1:A:73:LYS:HE2	2.02	0.42
1:A:117:LEU:HD21	1:A:127:VAL:HG23	2.02	0.42
1:B:246:SER:OG	1:B:248:ARG:HD3	2.20	0.42
1:A:110:LYS:O	1:A:113:GLU:HB3	2.20	0.42
1:A:129:PRO:HB3	1:A:143:TYR:CE2	2.55	0.42
1:A:212:LEU:HD12	1:A:249:TYR:HB3	2.00	0.42
1:B:15:ILE:HD12	1:B:187:ILE:CD1	2.50	0.41
1:B:149:ARG:NH1	1:B:182:LYS:NZ	2.69	0.41
1:B:255:SER:O	1:B:258:LYS:HB2	2.20	0.41
1:A:212:LEU:HB2	1:A:249:TYR:CD1	2.56	0.41
1:A:215:ARG:NH1	1:A:222:HIS:O	2.50	0.41
1:B:146:PHE:C	1:B:146:PHE:CD1	2.94	0.41
1:A:206:ILE:HG22	1:A:243:TYR:CD2	2.55	0.41
1:B:207:HIS:HD2	1:B:208:GLU:O	2.03	0.41
1:A:83:ASN:O	1:A:87:GLU:HG3	2.20	0.41
1:A:215:ARG:HG2	1:A:215:ARG:HH11	1.86	0.41
1:B:185:LEU:HD23	1:B:185:LEU:C	2.41	0.40
1:B:228:VAL:O	1:B:232:VAL:HG23	2.21	0.40
1:A:248:ARG:C	1:A:250:ILE:H	2.25	0.40
1:A:250:ILE:CD1	1:A:274:PRO:HD2	2.46	0.40
1:A:149:ARG:O	1:A:179:GLU:HA	2.21	0.40
1:A:199:ILE:HD13	1:A:205:LEU:CD2	2.51	0.40
1:A:199:ILE:O	1:A:202:THR:OG1	2.39	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:1:MET:SD	1:A:1:MET:SD[2_655]	1.96	0.24

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries

of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	242/280 (86%)	216 (89%)	20 (8%)	6 (2%)	5	9
1	B	230/280 (82%)	204 (89%)	20 (9%)	6 (3%)	5	9
All	All	472/560 (84%)	420 (89%)	40 (8%)	12 (2%)	5	9

All (12) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	9	ALA
1	A	177	THR
1	A	250	ILE
1	B	69	GLY
1	B	72	GLU
1	A	178	GLU
1	A	213	ASP
1	A	249	TYR
1	B	71	ARG
1	B	190	ASP
1	B	254	LYS
1	B	265	PRO

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	220/248 (89%)	212 (96%)	8 (4%)	35	61
1	B	209/248 (84%)	201 (96%)	8 (4%)	33	59
All	All	429/496 (86%)	413 (96%)	16 (4%)	34	60

All (16) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	44	VAL
1	A	73	LYS
1	A	118	ARG
1	A	194	LEU
1	A	202	THR
1	A	204	LEU
1	A	226	ASP
1	A	242	LEU
1	B	73	LYS
1	B	83	ASN
1	B	139	VAL
1	B	151	LYS
1	B	204	LEU
1	B	208	GLU
1	B	225	ILE
1	B	259	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (11) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	48	HIS
1	A	83	ASN
1	A	97	ASN
1	A	107	HIS
1	A	207	HIS
1	B	48	HIS
1	B	83	ASN
1	B	107	HIS
1	B	119	ASN
1	B	128	GLN
1	B	207	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 2 ligands modelled in this entry, 2 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	250/280 (89%)	0.03	12 (4%) 30 24	33, 58, 101, 122	0
1	B	238/280 (85%)	0.20	20 (8%) 11 7	36, 69, 126, 138	0
All	All	488/560 (87%)	0.11	32 (6%) 18 13	33, 62, 113, 138	0

All (32) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	223	ALA	6.4
1	B	192	LEU	5.2
1	A	215	ARG	4.9
1	B	71	ARG	4.3
1	B	250	ILE	4.3
1	A	222	HIS	4.0
1	A	71	ARG	3.9
1	B	227	GLU	3.8
1	B	190	ASP	3.6
1	A	252	GLN	3.6
1	B	178	GLU	3.3
1	A	221	ASN	3.2
1	A	212	LEU	3.2
1	B	249	TYR	2.9
1	A	216	ASP	2.9
1	A	133	LYS	2.8
1	A	175	PHE	2.6
1	B	122	GLY	2.6
1	B	262	GLU	2.6
1	A	70	ASP	2.5
1	B	189	GLY	2.5
1	A	249	TYR	2.5
1	B	253	LEU	2.3
1	B	126	TYR	2.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	70	ASP	2.3
1	B	191	SER	2.3
1	B	251	ARG	2.2
1	B	255	SER	2.2
1	B	252	GLN	2.2
1	B	257	ILE	2.1
1	A	69	GLY	2.1
1	B	195	ASP	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q < 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q < 0.9
2	ZN	B	302	1/1	0.77	0.07	117,117,117,117	0
2	ZN	A	301	1/1	0.90	0.08	100,100,100,100	0

6.5 Other polymers [i](#)

There are no such residues in this entry.