Full wwPDB X-ray Structure Validation Report (i)

Apr 30, 2024 – 08:55 pm BST

PDB ID	:	2XCO
Title	:	The 3.1A crystal structure of the catalytic core (B'A' region) of Staphylococcus aureus DNA Gyrase
Authors	:	Bax, B.D.; Chan, P.F.; Eggleston, D.S.; Fosberry, A.; Gentry, D.R.; Gorrec, F.; Giordano, I.; Hann, M.M.; Hennessy, A.; Hibbs, M.; Huang, J.; Jones, E.; Jones, J.; Brown, K.K.; Lewis, C.J.; May, E.W.; Singh, O.; Spitzfaden, C.; Shen, C.; Shillings, A.; Theobald, A.F.; Wohlkonig, A.; Pearson, N.D.; Gwynn, M.N.
Deposited on	:	2010-04-24
Resolution	:	3.10 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org*
A user guide is available at
https://www.wwpdb.org/validation/2017/XrayValidationReportHelp
with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at
http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (i)) were used in the production of this report:

MolProbity	:	4.02b-467
Xtriage (Phenix)	:	1.13
EDS	:	2.36.2
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure:
X-RAY DIFFRACTION

The reported resolution of this entry is 3.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	1094 (3.10-3.10)
Clashscore	141614	1184 (3.10-3.10)
Ramachandran outliers	138981	1141 (3.10-3.10)
Sidechain outliers	138945	1141 (3.10-3.10)
RSRZ outliers	127900	1067 (3.10-3.10)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	726	2% 55% 29% • 12%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Validation Pipeline (wwPDB-VP) : 2.36.2

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	CA	A	1500	-	-	-	X

2 Entry composition (i)

There are 3 unique types of molecules in this entry. The entry contains 4943 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called DNA GYRASE SUBUNIT B, DNA GYRASE SUBUNIT A.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	638	4941	3081	892	947	21	0	0	2

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	409	MET	-	expression tag	UNP P66937

- Molecule 2 is CALCIUM ION (three-letter code: CA) (formula: Ca).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
			Total	Ca		
2	A	1	1	1	0	0

- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
			Total	O		
3	A	1	1	1	0	0

3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: DNA GYRASE SUBUNIT B, DNA GYRASE SUBUNIT A

Chain A: 2% 55% 29% • 12%



4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 61 2 2	Depositor
Cell constants a, b, c, α, β, γ	89.92Å 89.92Å 410.58Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	24.73 – 3.10 24.73 – 3.10	Depositor EDS
% Data completeness (in resolution range)	91.2 (24.73-3.10) 91.3 (24.73-3.10)	Depositor EDS
R_{merge}	0.14	Depositor
R_{sym}	(Not available)	Depositor
$< I/\sigma(I) >$ [1]	2.49 (at 3.11Å)	Xtriage
Refinement program	PHENIX (PHENIX.REFINE)	Depositor
R, R_{free}	0.217 , 0.285 0.215 , 0.279	Depositor DCC
R_{free} test set	880 reflections (5.10%)	wwPDB-VP
Wilson B-factor (Å^2)	61.5	Xtriage
Anisotropy	0.318	Xtriage
Bulk solvent k_{sol}(e/Å^3), B_{sol}(Å^2)	0.33 , 45.4	EDS
L-test for twinning[2]	$< \|L\| > = 0.48$, $< L^2 > = 0.31$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o,F_c correlation	0.91	EDS
Total number of atoms	4943	wwPDB-VP
Average B, all atoms (Å^2)	61.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.52% of the height of the origin peak. No significant pseudotranslation is detected.*

[1] Intensities estimated from amplitudes.

[2] Theoretical values of $< |L| >$, $< L^2 >$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality (i)

5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: CA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\#\|Z\| >5$	RMSZ	$\#\|Z\| >5$
1	A	0.27	1/5005 (0.0%)	0.46	0/6754

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	1490	LEU	C-N	-5.39	1.23	1.33

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4941	0	4900	192	0
2	A	1	0	0	0	0
3	A	1	0	0	0	0
All	All	4943	0	4900	192	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 20.

All (192) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:1029:VAL:O	1:A:1033:ARG:HB3	1.71	0.90
1:A:1388:LEU:HA	1:A:1391:ILE:HG12	1.61	0.83
1:A:434:VAL:HG12	1:A:506:MET:HB2	1.59	0.82
1:A:439:ALA:O	1:A:443:THR:HB	1.79	0.82
1:A:1296:THR:HG23	1:A:1302:VAL:HA	1.63	0.79
1:A:1246:ARG:HB3	1:A:1263:GLU:HG2	1.65	0.79
1:A:1045:VAL:HG22	1:A:1079:HIS:NE2	2.01	0.74
1:A:529:ARG:N	1:A:530:PRO:HD2	2.03	0.74
1:A:1448:LEU:O	1:A:1452:ILE:HG13	1.88	0.73
1:A:1368:GLN:HG3	1:A:1459:LEU:HD21	1.70	0.73
1:A:1417:LEU:HD13	1:A:1425:ILE:HD12	1.71	0.73
1:A:1135:LEU:HD12	1:A:1162:ALA:HA	1.70	0.73
1:A:1349:LYS:O	1:A:1353:VAL:HG23	1.89	0.72
1:A:511:VAL:HG23	1:A:512:ASP:N	2.05	0.72
1:A:511:VAL:HG23	1:A:512:ASP:H	1.54	0.72
1:A:1054:ASN:HB2	1:A:1136:LEU:HD13	1.74	0.70
1:A:1192:ILE:HG21	1:A:1477:ARG:HB2	1.72	0.70
1:A:1222:GLY:HA2	1:A:1263:GLU:HG3	1.74	0.70
1:A:443:THR:CG2	1:A:454:ILE:HG12	2.23	0.69
1:A:1084:SER:O	1:A:1088:GLU:HG2	1.93	0.68
1:A:1234:TYR:O	1:A:1347:ASN:HB2	1.96	0.66
1:A:1043:LYS:NZ	1:A:1045:VAL:HG23	2.11	0.66
1:A:1046:HIS:HD2	1:A:1093:MET:SD	2.19	0.66
1:A:1174:GLY:HA3	1:A:1179:MET:CB	2.26	0.65
1:A:1262:THR:O	1:A:1302:VAL:HB	1.96	0.64
1:A:1358:HIS:O	1:A:1362:VAL:HG23	1.96	0.64
1:A:1408:MET:O	1:A:1412:GLN:HG3	1.97	0.64
1:A:1043:LYS:HE3	1:A:1045:VAL:HG23	1.79	0.64
1:A:527:PHE:CD2	1:A:527:PHE:N	2.65	0.64
1:A:538:TYR:CE2	1:A:605:GLN:HG2	2.32	0.64
1:A:546:LYS:HA	1:A:554:TYR:O	1.98	0.63
1:A:1064:TYR:HB3	1:A:1125:GLU:HB3	1.80	0.63
1:A:1468:LEU:O	1:A:1472:GLU:HG3	1.98	0.63
1:A:1144:ILE:HG13	1:A:1159:VAL:O	1.97	0.63
1:A:512:ASP:O	1:A:515:HIS:HB2	1.98	0.63
1:A:1236:THR:O	1:A:1345:LEU:HD21	1.99	0.62
1:A:547:LEU:O	1:A:553:LYS:HA	1.99	0.62
1:A:1027:MET:O	1:A:1031:VAL:HG23	2.00	0.62
1:A:1250:GLU:OE2	1:A:1258:ARG:HD2	1.99	0.61
1:A:1381:LEU:HD22	1:A:1441:ILE:HG23	1.82	0.61
1:A:1387:ALA:HB2	1:A:1425:ILE:HD13	1.80	0.61
1:A:1196:LEU:O	1:A:1200:LYS:HD3	2.01	0.61

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:443:THR:HG23	1:A:454:ILE:HG12	1.82	0.61
1:A:458:ARG:HB2	1:A:477:GLU:OE2	2.00	0.60
1:A:1043:LYS:CE	1:A:1045:VAL:HG23	2.31	0.60
1:A:1100:ARG:HG3	1:A:1185:PRO:HB3	1.82	0.60
1:A:556:VAL:HG11	1:A:562:LEU:HB2	1.84	0.60
1:A:1246:ARG:CB	1:A:1263:GLU:HG2	2.31	0.60
1:A:1376:ASP:O	1:A:1380:ILE:HG12	2.01	0.60
1:A:1232:ARG:O	1:A:1236:THR:HG23	2.02	0.59
1:A:1134:GLU:O	1:A:1163:ARG:HG2	2.03	0.58
1:A:1174:GLY:HA3	1:A:1179:MET:HB2	1.84	0.58
1:A:1364:ARG:HB2	1:A:1465:LEU:HD21	1.86	0.58
1:A:1064:TYR:CD1	1:A:1127:ARG:HG2	2.40	0.57
1:A:435:GLU:HB3	1:A:438:SER:HB3	1.87	0.57
1:A:475:ASN:HB2	1:A:478:ILE:HG13	1.87	0.57
1:A:1044:PRO:HB3	1:A:1048:ARG:HH12	1.70	0.57
1:A:1317:ILE:O	1:A:1321:LEU:HD22	2.04	0.57
1:A:1033:ARG:O	1:A:1033:ARG:HG2	2.05	0.56
1:A:511:VAL:CG2	1:A:512:ASP:H	2.18	0.56
1:A:556:VAL:HG13	1:A:561:GLU:HB3	1.87	0.56
1:A:1244:ARG:HD2	1:A:1322:TYR:CD2	2.40	0.56
1:A:1254:GLY:H	1:A:1256:ARG:NH1	2.02	0.56
1:A:1033:ARG:HA	1:A:1044:PRO:HG2	1.88	0.55
1:A:1345:LEU:C	1:A:1345:LEU:HD23	2.26	0.55
1:A:1368:GLN:HG3	1:A:1459:LEU:CD2	2.37	0.55
1:A:1066:LYS:HD2	1:A:1125:GLU:HG2	1.88	0.55
1:A:592:TRP:CE2	1:A:597:ASN:HB2	2.42	0.55
1:A:1060:PRO:HA	1:A:1127:ARG:HD2	1.89	0.54
1:A:527:PHE:N	1:A:527:PHE:HD2	2.05	0.54
1:A:1410:SER:O	1:A:1414:ARG:HG3	2.08	0.54
1:A:592:TRP:HA	1:A:596:MET:HG2	1.90	0.54
1:A:1244:ARG:HD2	1:A:1322:TYR:CG	2.43	0.54
1:A:520:LEU:O	1:A:524:PHE:HD1	1.90	0.54
1:A:1100:ARG:HG3	1:A:1185:PRO:CB	2.38	0.53
1:A:511:VAL:CG2	1:A:512:ASP:N	2.72	0.53
1:A:1105:ASP:HB3	1:A:1127:ARG:HG3	1.91	0.52
1:A:1388:LEU:CA	1:A:1391:ILE:HG12	2.37	0.52
1:A:1192:ILE:HG21	1:A:1477:ARG:CB	2.40	0.52
1:A:1387:ALA:HB2	1:A:1425:ILE:CD1	2.40	0.52
1:A:1467:GLN:HA	1:A:1470:ARG:HB2	1.92	0.52
1:A:1100:ARG:HG2	1:A:1219:PRO:HD3	1.91	0.52
1:A:1043:LYS:HD2	1:A:1044:PRO:CD	2.40	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:1259:ILE:HB	1:A:1306:ILE:HB	1.93	0.51
1:A:1114:ASP:HB3	1:A:1271:ALA:HB2	1.93	0.51
1:A:506:MET:HG2	1:A:540:ALA:HB2	1.93	0.51
1:A:512:ASP:HA	1:A:515:HIS:ND1	2.26	0.51
1:A:1031:VAL:CG1	1:A:1343:PRO:HG3	2.42	0.50
1:A:1064:TYR:O	1:A:1065:LYS:HE2	2.11	0.50
1:A:1064:TYR:CE1	1:A:1127:ARG:HG2	2.47	0.50
1:A:1163:ARG:NH2	1:A:1472:GLU:OE1	2.44	0.50
1:A:1216:PRO:HG2	1:A:1241:ILE:HD13	1.92	0.50
1:A:435:GLU:HB3	1:A:438:SER:CB	2.41	0.50
1:A:1075:MET:HB2	1:A:1086:ILE:CD1	2.41	0.50
1:A:592:TRP:HA	1:A:596:MET:CG	2.41	0.50
1:A:1206:ILE:CD1	1:A:1349:LYS:H	2.24	0.50
1:A:1045:VAL:HG22	1:A:1079:HIS:HE2	1.75	0.50
1:A:1225:LEU:HB2	1:A:1242:GLN:HB2	1.93	0.50
1:A:1075:MET:HB2	1:A:1086:ILE:HD12	1.94	0.50
1:A:1075:MET:HA	1:A:1079:HIS:O	2.12	0.50
1:A:1451:TYR:CZ	1:A:1455:LEU:HD11	2.46	0.50
1:A:1096:ASP:N	1:A:1096:ASP:OD1	2.45	0.49
1:A:1430:LEU:O	1:A:1433:LEU:HB2	2.11	0.49
1:A:1363:VAL:HG21	1:A:1469:VAL:HG22	1.94	0.49
1:A:1421:GLN:O	1:A:1425:ILE:HG13	2.12	0.49
1:A:1044:PRO:HB3	1:A:1048:ARG:NH1	2.27	0.49
1:A:1397:THR:HG21	1:A:1415:PHE:CE1	2.48	0.49
1:A:481:MET:SD	1:A:520:LEU:HD11	2.52	0.49
1:A:542:PRO:HA	1:A:595:THR:OG1	2.12	0.49
1:A:1390:HIS:N	1:A:1390:HIS:ND1	2.60	0.49
1:A:523:PHE:HZ	1:A:528:MET:HE1	1.78	0.48
1:A:1388:LEU:O	1:A:1391:ILE:HG12	2.13	0.48
1:A:1393:GLU:O	1:A:1397:THR:HG22	2.13	0.48
1:A:447:ARG:HD3	1:A:454:ILE:CD1	2.44	0.48
1:A:1100:ARG:HD2	1:A:1217:ASP:O	2.13	0.48
1:A:1046:HIS:CD2	1:A:1093:MET:SD	3.05	0.48
1:A:1374:ALA:HB1	1:A:1448:LEU:HD11	1.95	0.48
1:A:529:ARG:N	1:A:530:PRO:CD	2.75	0.47
1:A:1043:LYS:HD2	1:A:1044:PRO:HD2	1.96	0.47
1:A:485:PHE:O	1:A:499:ARG:HB2	2.13	0.47
1:A:474:ASN:OD1	1:A:474:ASN:N	2.47	0.47
1:A:1134:GLU:HG3	1:A:1476:ILE:HD13	1.96	0.47
1:A:1180:ALA:O	1:A:1336:ILE:HD12	2.14	0.47
1:A:1031:VAL:HG12	1:A:1032:ALA:N	2.29	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:555:TYR:CE2	1:A:594:THR:HG21	2.50	0.46
1:A:487:THR:HG22	1:A:498:ALA:HB2	1.97	0.46
1:A:1318:LEU:HA	1:A:1321:LEU:HD23	1.96	0.46
1:A:1204:ILE:CD1	1:A:1209:LEU:HD22	2.45	0.46
1:A:1043:LYS:HD2	1:A:1044:PRO:N	2.31	0.46
1:A:1244:ARG:HD3	1:A:1328:GLN:OE1	2.16	0.46
1:A:1296:THR:CG2	1:A:1302:VAL:HA	2.42	0.46
1:A:1338:LEU:HD13	1:A:1338:LEU:HA	1.80	0.46
1:A:1060:PRO:CD	1:A:1133:LEU:HD11	2.46	0.46
1:A:1231:ARG:NH1	1:A:1235:GLU:OE1	2.49	0.46
1:A:1244:ARG:HD2	1:A:1322:TYR:CD1	2.50	0.46
1:A:1244:ARG:HD2	1:A:1322:TYR:CE2	2.50	0.45
1:A:1325:THR:HB	1:A:1326:PRO:HD2	1.97	0.45
1:A:1223:LEU:HD23	1:A:1489:GLN:NE2	2.31	0.45
1:A:1137:ARG:O	1:A:1138:ASP:HB2	2.16	0.45
1:A:1060:PRO:HD2	1:A:1133:LEU:HD11	1.97	0.45
1:A:1129:THR:HG22	1:A:1131:ILE:H	1.81	0.45
1:A:1222:GLY:CA	1:A:1263:GLU:HG3	2.46	0.45
1:A:1039:ARG:HD2	1:A:1358:HIS:CD2	2.52	0.45
1:A:1112:SER:OG	1:A:1116:ASP:HB2	2.17	0.45
1:A:1129:THR:CG2	1:A:1131:ILE:HG22	2.47	0.45
1:A:1403:THR:OG1	1:A:1406:VAL:HG12	2.16	0.45
1:A:1174:GLY:HA3	1:A:1179:MET:HB3	1.99	0.44
1:A:1245:SER:OG	1:A:1265:PRO:HD3	2.17	0.44
1:A:520:LEU:HG	1:A:524:PHE:HE1	1.83	0.44
1:A:604:LEU:HG	1:A:605:GLN:O	2.18	0.44
1:A:447:ARG:HD3	1:A:454:ILE:HD13	1.98	0.44
1:A:1204:ILE:HD13	1:A:1209:LEU:HD22	2.00	0.44
1:A:432:PHE:HE1	1:A:452:GLN:HG2	1.83	0.44
1:A:1095:GLN:HB2	1:A:1098:SER:HB2	2.00	0.44
1:A:1206:ILE:O	1:A:1210:MET:HE2	2.18	0.44
1:A:1206:ILE:HD13	1:A:1349:LYS:H	1.83	0.44
1:A:1489:GLN:O	1:A:1490:LEU:HB2	2.17	0.44
1:A:1313:ASN:O	1:A:1317:ILE:HG13	2.19	0.43
1:A:1391:ILE:O	1:A:1395:ILE:HG12	2.18	0.43
1:A:1251:GLU:HG2	1:A:1257:GLN:HE21	1.83	0.43
1:A:1394:ILE:O	1:A:1398:ILE:HG13	2.18	0.43
1:A:424:LYS:O	1:A:426:PRO:HD3	2.19	0.43
1:A:1283:ASP:O	1:A:1285:LYS:HG3	2.18	0.43
1:A:1442:GLU:HG3	1:A:1446:ASN:HD21	1.84	0.43
1:A:1042:LEU:HD22	1:A:1046:HIS:HB3	2.01	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:1397:THR:HG21	1:A:1415:PHE:HE1	1.84	0.42
1:A:478:ILE:HG23	1:A:481:MET:HE3	2.01	0.42
1:A:1371:LEU:CD1	1:A:1452:ILE:HG23	2.49	0.42
1:A:1223:LEU:HD23	1:A:1489:GLN:CD	2.40	0.42
1:A:1388:LEU:HD12	1:A:1441:ILE:HD12	2.01	0.42
1:A:1249:ILE:HA	1:A:1258:ARG:O	2.19	0.42
1:A:1119:ALA:HB3	1:A:1124:THR:HG23	2.01	0.42
1:A:1134:GLU:HG3	1:A:1476:ILE:CD1	2.50	0.41
1:A:1107:GLN:HB3	1:A:1125:GLU:HB2	2.02	0.41
1:A:1101:TYR:CZ	1:A:1188:LEU:HB2	2.55	0.41
1:A:1035:LEU:HB2	1:A:1338:LEU:CD2	2.50	0.41
1:A:1092:ARG:HD3	1:A:1092:ARG:HA	1.92	0.41
1:A:1279:GLU:CG	1:A:1280:LEU:N	2.83	0.41
1:A:1388:LEU:HA	1:A:1391:ILE:CG1	2.41	0.41
1:A:1135:LEU:HD12	1:A:1135:LEU:HA	1.87	0.41
1:A:1253:GLY:HA3	1:A:1256:ARG:CZ	2.51	0.41
1:A:1088:GLU:OE1	1:A:1088:GLU:HA	2.20	0.41
1:A:1252:ARG:HB2	1:A:1253:GLY:H	1.56	0.41
1:A:1395:ILE:HG12	1:A:1395:ILE:H	1.65	0.41
1:A:414:LEU:HA	1:A:415:PRO:HD3	1.94	0.40
1:A:1458:ILE:HG22	1:A:1465:LEU:HD12	2.03	0.40
1:A:1044:PRO:O	1:A:1048:ARG:HG3	2.21	0.40
1:A:1087:TYR:O	1:A:1091:VAL:HG23	2.20	0.40
1:A:1409:GLU:O	1:A:1413:GLN:HB2	2.20	0.40
1:A:506:MET:HG2	1:A:540:ALA:CB	2.52	0.40
1:A:597:ASN:HA	1:A:598:PRO:HD3	1.96	0.40
1:A:1090:MET:HA	1:A:1093:MET:HE2	2.03	0.40

There are no symmetry-related clashes.

5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	624/726 (86%)	564 (90%)	54 (9%)	6 (1%)	15 49

All (6) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	1031	VAL
1	A	1253	GLY
1	A	472	ILE
1	A	415	PRO
1	A	1490	LEU
1	A	1044	PRO

5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	520/624 (83%)	474 (91%)	46 (9%)	10 36

All (46) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	413	SER
1	A	418	LEU
1	A	420	ASP
1	A	427	GLU
1	A	443	THR
1	A	474	ASN
1	A	487	THR
1	A	499	ARG
1	A	527	PHE
1	A	591	LEU
1	A	603	LEU
1	A	1028	SER
1	A	1033	ARG
1	A	1043	LYS
1	A	1085	SER

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	1100	ARG
1	A	1122	ARG
1	A	1134	GLU
1	A	1144	ILE
1	A	1159	VAL
1	A	1192	ILE
1	A	1203	ASP
1	A	1209	LEU
1	A	1231	ARG
1	A	1236	THR
1	A	1252	ARG
1	A	1256	ARG
1	A	1279	GLU
1	A	1286	ILE
1	A	1287	ASP
1	A	1292	LEU
1	A	1298	LEU
1	A	1309	ARG
1	A	1338	LEU
1	A	1390	HIS
1	A	1391	ILE
1	A	1395	ILE
1	A	1397	THR
1	A	1406	VAL
1	A	1416	LYS
1	A	1432	ARG
1	A	1433	LEU
1	A	1448	LEU
1	A	1449	LEU
1	A	1470	ARG
1	A	1490	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (9) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	541	GLN
1	A	590	GLN
1	A	1046	HIS
1	A	1109	ASN
1	A	1257	GLN
1	A	1358	HIS
1	A	1412	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	1446	ASN
1	A	1489	GLN

5.3.3 RNA (i)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates (i)

There are no monosaccharides in this entry.

5.6 Ligand geometry (i)

Of 1 ligands modelled in this entry, 1 is monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers (i)

There are no such residues in this entry.

5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.

6 Fit of model and data (i)

6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled '#RSRZ> 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å^2)	Q<0.9
1	A	638/726 (87%)	-0.31	13 (2%) 65 44	29, 54, 111, 163	0

All (13) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	567	SER	4.5
1	A	558	ASN	3.4
1	A	510	ASP	3.3
1	A	509	ALA	3.1
1	A	1178	GLY	3.1
1	A	607	LYS	2.9
1	A	566	LYS	2.8
1	A	475	ASN	2.7
1	A	563	ASP	2.5
1	A	568	GLU	2.3
1	A	461	ILE	2.3
1	A	511	VAL	2.1
1	A	1061	ASP	2.0

6.2 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates (i)

There are no monosaccharides in this entry.

6.4 Ligands (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å^2)	Q<0.9
2	CA	A	1500	1/1	0.75	0.51	51,51,51,51	1

6.5 Other polymers (i)

There are no such residues in this entry.