Full wwPDB NMR Structure Validation Report (i)

Feb 23, 2022 – 08:08 AM EST

PDB ID	:	1XFE
Title	:	Solution structure of the LA7-EGFA pair from the LDL receptor
Authors	:	Beglova, N.; Jeon, H.; Fisher, C.; Blacklow, S.C.
Deposited on	:	2004-09-14

This is a Full wwPDB NMR Structure Validation Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org*
A user guide is available at
https://www.wwpdb.org/validation/2017/NMRValidationReportHelp
with specific help available everywhere you see the (i) symbol.

The following versions of software and data (see references (i)) were used in the production of this report:

MolProbity	:	4.02b-467
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
RCI	:	v_1n_11_5_13_A (Berjanski et al., 2005)
PANAV	:	Wang et al. (2010)
ShiftChecker	:	2.26
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.26

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure:
SOLUTION NMR

The overall completeness of chemical shifts assignment was not calculated.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	NMR archive (#Entries)
Clashscore	158937	12864
Ramachandran outliers	154571	11451
Sidechain outliers	154315	11428

The table below summarises the geometric issues observed across the polymeric chains and their fit to the experimental data. The red, orange, yellow and green segments indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria. A cyan segment indicates the fraction of residues that are not part of the well-defined cores, and a grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5%

Mol	Chain	Length	Quality of chain
1	A	83	34% 47% 6% • 12%

2 Ensemble composition and analysis (i)

This entry contains 15 models. Model 15 is the overall representative, medoid model (most similar to other models). The authors have identified model 1 as representative, based on the following criterion: *lowest energy*.

The following residues are included in the computation of the global validation metrics.

Well-defined (core) protein residues			
Well-defined core	**Residue range (total)**	**Backbone RMSD (Å)**	**Medoid model**
1	A:11-A:83 (73)	0.45	15

Ill-defined regions of proteins are excluded from the global statistics.

Ligands and non-protein polymers are included in the analysis.

The models can be grouped into 3 clusters and 1 single-model cluster was found.

Cluster number	Models
1	1, 2, 5, 6, 7, 9, 10, 12, 15
2	3, 11, 13
3	4, 8
Single-model clusters	14

3 Entry composition (i)

There are 2 unique types of molecules in this entry. The entry contains 1218 atoms, of which 583 are hydrogens and 0 are deuteriums.

- Molecule 1 is a protein called Low-density lipoprotein receptor.

Mol	Chain	Residues	Atoms						Trace
			Total	C	H	N	O	S	
1	A	83	1216	378	583	114	128	13	0

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	1	GLY	-	cloning artifact	UNP P01130

- Molecule 2 is CALCIUM ION (three-letter code: CA) (formula: Ca).

Mol	Chain	Residues	Atoms	
			Total	Ca
2	A	2	2	2

4 Residue-property plots (i)

4.1 Average score per residue in the NMR ensemble

These plots are provided for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic is the same as shown in the summary in section 1 of this report. The second graphic shows the sequence where residues are colour-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outliers are shown as green connectors. Residues which are classified as ill-defined in the NMR ensemble, are shown in cyan with an underline colour-coded according to the previous scheme. Residues which were present in the experimental sample, but not modelled in the final structure are shown in grey.

• Molecule 1: Low-density lipoprotein receptor

Chain A: 34% 47% 6% • 12%

G1 N2 V3 T4 L5 C6 E7 G8 P9 N10 K11 F12 K13 C14 H15 I20 T21 L22 D23 K24 V25 M28 A29 R30 W35 S36 D37 T45 C48 N51 N52 G53 G54 C55 S56 H57 V58 C59 N60 D61 L62 K63 I64 G65 Y66 E67 C68 L69 Q75 L76 V77 A78 Q79

R80 R81 C82 E83

4.2 Scores per residue for each member of the ensemble

Colouring as in section 4.1 above.

4.2.1 Score per residue for model 1

• Molecule 1: Low-density lipoprotein receptor

Chain A: 43% 36% 7% • 12%

G1 N2 V3 T4 L5 C6 E7 G8 P9 N10 K11 F12 K13 C14 H15 I20 T21 L22 D23 K24 V25 D37 K41 T45 C48 N51 N52 G53 G54 C55 S56 H57 V58 C59 N60 D61 L62 K63 I64 G65 Y66 E67 C68 L69 L76 V77 A78 Q79 R80 R81 C82 E83

4.2.2 Score per residue for model 2

• Molecule 1: Low-density lipoprotein receptor

Chain A: 40% 42% 5% • 12%

G1 N2 V3 T4 L5 C6 E7 G8 P9 N10 K11 F12 K13 I20 T21 L22 D23 K24 V25 R30 D31 W35 T45 C48 L49 D50 N51 N52 G53 G54 C55 S56 H57 V58 C59 N60 D61 L62 K63 I64 G65 Y66 E67 C68 L69 C70 P71 D72 L76 V77 A78 Q79 R80 R81

4.2.3 Score per residue for model 3

• Molecule 1: Low-density lipoprotein receptor

Chain A:



4.2.4 Score per residue for model 4

• Molecule 1: Low-density lipoprotein receptor

Chain A:



4.2.5 Score per residue for model 5

• Molecule 1: Low-density lipoprotein receptor

Chain A:



4.2.6 Score per residue for model 6

• Molecule 1: Low-density lipoprotein receptor

Chain A:



4.2.7 Score per residue for model 7

- Molecule 1: Low-density lipoprotein receptor

Chain A:





4.2.8 Score per residue for model 8

- Molecule 1: Low-density lipoprotein receptor

Chain A:





4.2.9 Score per residue for model 9

- Molecule 1: Low-density lipoprotein receptor

Chain A:



4.2.10 Score per residue for model 10

- Molecule 1: Low-density lipoprotein receptor

Chain A: 34% 49% • • 12%

G1 N2 V3 T4 L5 C6 E7 G8 P9 N10 K11 F12 K13 C14 H15 S16 C19 I20 T21 L22 D23 K24 V25 C26 N27 M28 S36 D37 T45 C48 L49 D50 N51 N52 G53 G54 C55 S56 H57 V58 C59 N60 D61 L62 K63 I64 G65 Y66 E67 C68 L69 C70 Q75 L76 V77 A78 Q79 R80 R81 C82 E83

4.2.11 Score per residue for model 11

- Molecule 1: Low-density lipoprotein receptor

Chain A: 31% 45% 11% • 12%

G1 N2 V3 T4 L5 C6 E7 G8 P9 N10 K11 F12 K13 C14 H15 E18 C19 I20 T21 L22 D23 K24 V25 C26 N27 M28 A29 R30 W35 S36 D37 E38 P39 E42 C43 C44 T45 C48 N51 N52 G53 G54 C55 S56 H57 V58 C59 N60 D61 L62 K63 I64 G65 Y66 E67 C68 L69 C70 P71 Q75 L76 V77 A78 Q79 R80 R81 C82 E83

4.2.12 Score per residue for model 12

- Molecule 1: Low-density lipoprotein receptor

Chain A: 39% 41% 6% • 12%

G1 N2 V3 T4 L5 C6 E7 G8 P9 N10 K11 F12 K13 I20 T21 L22 D23 K24 V25 D37 T45 C48 L49 D50 N51 N52 G53 G54 C55 S56 H57 V58 C59 N60 D61 L62 K63 I64 G65 Y66 E67 C68 L69 C70 P71 L76 V77 A78 Q79 R80 R81 C82 E83

4.2.13 Score per residue for model 13

- Molecule 1: Low-density lipoprotein receptor

Chain A: 31% 51% 6% 12%

G1 N2 V3 T4 L5 C6 E7 G8 P9 N10 K11 F12 K13 C14 H15 S16 G17 E18 C19 I20 T21 L22 D23 K24 V25 C26 N27 M28 A29 R30 D31 C32 R33 D34 W35 S36 D37 E38 P39 I40 K41 T45 N46 E47 C48 N51 N52 G53 G54 C55 S56 H57 V58 C59 N60 D61 L62 K63 I64 G65 Y66 E67 C68 L69 C70 Q75 L76 V77 A78 R81 C82 E83

4.2.14 Score per residue for model 14

- Molecule 1: Low-density lipoprotein receptor

Chain A:



4.2.15 Score per residue for model 15 (medoid)

- Molecule 1: Low-density lipoprotein receptor

Chain A:



5 Refinement protocol and experimental data overview (i)

The models were refined using the following method: *distance geometry simulated annealing*.

Of the 43 calculated structures, 15 were deposited, based on the following criterion: *structures with the lowest energy*.

The following table shows the software used for structure solution, optimisation and refinement.

Software name	Classification	Version
CNS solve	structure solution	1.1
CNS solve	refinement	1.1

No chemical shift data was provided.

6 Model quality (i)

6.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: CA

There are no covalent bond-length or bond-angle outliers.

There are no bond-length outliers.

There are no bond-angle outliers.

There are no chirality outliers.

There are no planarity outliers.

6.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in each chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes averaged over the ensemble.

Mol	Chain	Non-H	H(model)	H(added)	Clashes
1	A	565	519	517	36±5
All	All	8505	7785	7755	538

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 33.

All unique clashes are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:20:ILE:HD12	1:A:24:LYS:HE3	0.79	1.54	3	7
1:A:20:ILE:HD13	1:A:24:LYS:CE	0.78	2.07	1	1
1:A:22:LEU:HD12	1:A:23:ASP:N	0.74	1.98	3	10
1:A:25:VAL:HG22	1:A:37:ASP:OD1	0.73	1.83	13	3
1:A:60:ASN:CG	1:A:69:LEU:HD11	0.72	2.05	12	9
1:A:60:ASN:HB3	1:A:69:LEU:HD11	0.71	1.62	7	4
1:A:20:ILE:HD12	1:A:24:LYS:HE2	0.71	1.63	15	1
1:A:60:ASN:CG	1:A:69:LEU:HD21	0.69	2.06	7	3
1:A:20:ILE:HD12	1:A:24:LYS:HZ2	0.68	1.48	14	4
1:A:20:ILE:HD12	1:A:24:LYS:NZ	0.68	2.03	12	5
1:A:25:VAL:HG22	1:A:37:ASP:OD2	0.67	1.90	12	4
1:A:20:ILE:HD13	1:A:24:LYS:HE3	0.65	1.66	1	2

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:76:LEU:HD21	1:A:79:GLN:HA	0.64	1.67	15	1
1:A:77:VAL:HG13	1:A:83:GLU:OXT	0.63	1.93	4	1
1:A:68:CYS:C	1:A:69:LEU:HD22	0.63	2.13	13	2
1:A:20:ILE:HD13	1:A:24:LYS:NZ	0.63	2.09	1	1
1:A:20:ILE:HD12	1:A:24:LYS:CE	0.62	2.24	3	6
1:A:77:VAL:N	1:A:81:ARG:O	0.61	2.31	1	13
1:A:60:ASN:CB	1:A:69:LEU:HD11	0.61	2.25	12	6
1:A:52:ASN:ND2	1:A:53:GLY:N	0.60	2.50	5	15
1:A:62:LEU:HB2	1:A:65:GLY:O	0.60	1.97	7	15
1:A:48:CYS:HA	1:A:54:GLY:CA	0.59	2.27	10	15
1:A:76:LEU:HD21	1:A:79:GLN:CA	0.59	2.27	15	1
1:A:54:GLY:HA3	1:A:59:CYS:HB3	0.58	1.74	3	14
1:A:76:LEU:HD21	1:A:79:GLN:C	0.58	2.19	8	9
1:A:60:ASN:HB2	1:A:69:LEU:HD11	0.55	1.79	3	6
1:A:48:CYS:SG	1:A:59:CYS:C	0.55	2.85	9	15
1:A:22:LEU:O	1:A:25:VAL:HB	0.54	2.02	14	15
1:A:55:CYS:HA	1:A:80:ARG:HG2	0.54	1.77	10	1
1:A:77:VAL:O	1:A:81:ARG:HB2	0.54	2.01	15	2
1:A:60:ASN:ND2	1:A:69:LEU:HD21	0.54	2.17	11	2
1:A:35:TRP:O	1:A:35:TRP:CG	0.54	2.60	4	2
1:A:53:GLY:O	1:A:59:CYS:HB3	0.54	2.03	8	15
1:A:76:LEU:HD11	1:A:80:ARG:C	0.53	2.23	11	7
1:A:68:CYS:O	1:A:69:LEU:HD22	0.53	2.04	13	2
1:A:22:LEU:HD12	1:A:22:LEU:C	0.52	2.24	3	14
1:A:57:HIS:CE1	1:A:82:CYS:HB2	0.52	2.40	15	15
1:A:68:CYS:C	1:A:69:LEU:HD23	0.52	2.25	1	6
1:A:76:LEU:HA	1:A:81:ARG:O	0.52	2.04	2	11
1:A:14:CYS:SG	1:A:20:ILE:HD13	0.52	2.45	14	1
1:A:48:CYS:HA	1:A:54:GLY:HA3	0.52	1.81	9	10
1:A:76:LEU:HD12	1:A:81:ARG:O	0.51	2.06	5	1
1:A:55:CYS:HB3	1:A:80:ARG:HA	0.50	1.83	5	3
1:A:14:CYS:HB2	1:A:20:ILE:HD11	0.50	1.83	11	1
1:A:14:CYS:O	1:A:16:SER:N	0.50	2.44	14	1
1:A:60:ASN:OD1	1:A:69:LEU:HD21	0.50	2.07	7	1
1:A:21:THR:HG22	1:A:23:ASP:H	0.49	1.67	4	5
1:A:12:PHE:CE2	1:A:25:VAL:HG21	0.49	2.42	1	2
1:A:48:CYS:O	1:A:54:GLY:N	0.49	2.46	8	15
1:A:77:VAL:O	1:A:78:ALA:HB3	0.49	2.07	8	13
1:A:60:ASN:HB2	1:A:69:LEU:HD21	0.49	1.84	3	4
1:A:14:CYS:CB	1:A:20:ILE:HD11	0.48	2.38	11	1
1:A:48:CYS:O	1:A:51:ASN:OD1	0.48	2.31	3	13

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:48:CYS:HA	1:A:54:GLY:HA2	0.48	1.85	10	3
1:A:68:CYS:O	1:A:69:LEU:HD23	0.48	2.09	1	2
1:A:57:HIS:CD2	1:A:57:HIS:N	0.48	2.81	9	3
1:A:77:VAL:HG23	1:A:83:GLU:CB	0.47	2.39	11	1
1:A:12:PHE:CE2	1:A:64:ILE:HD13	0.47	2.44	12	1
1:A:62:LEU:HD12	1:A:67:GLU:OE2	0.47	2.10	14	1
1:A:27:ASN:O	1:A:28:MET:C	0.47	2.53	3	5
1:A:39:PRO:HB2	1:A:42:GLU:HB2	0.47	1.86	9	1
1:A:68:CYS:CB	1:A:76:LEU:HD13	0.47	2.39	13	1
1:A:68:CYS:HB2	1:A:76:LEU:HD13	0.47	1.86	15	2
1:A:30:ARG:NE	1:A:35:TRP:CD1	0.46	2.83	4	1
1:A:79:GLN:O	1:A:80:ARG:CG	0.46	2.64	5	2
1:A:12:PHE:HE2	1:A:64:ILE:HD13	0.46	1.70	12	1
1:A:12:PHE:CZ	1:A:64:ILE:HD13	0.46	2.45	14	1
1:A:51:ASN:OD1	1:A:54:GLY:HA2	0.46	2.11	13	13
1:A:76:LEU:HD11	1:A:80:ARG:O	0.46	2.11	3	2
1:A:12:PHE:CZ	1:A:64:ILE:CD1	0.46	2.98	14	2
1:A:52:ASN:ND2	1:A:56:SER:HA	0.46	2.26	13	12
1:A:23:ASP:C	1:A:25:VAL:H	0.46	2.14	3	10
1:A:30:ARG:HG3	1:A:35:TRP:CG	0.46	2.46	4	1
1:A:48:CYS:O	1:A:54:GLY:CA	0.45	2.64	10	14
1:A:25:VAL:HG22	1:A:37:ASP:CG	0.45	2.31	5	1
1:A:56:SER:OG	1:A:81:ARG:HA	0.45	2.11	12	7
1:A:56:SER:HB2	1:A:80:ARG:O	0.45	2.12	9	1
1:A:12:PHE:CD2	1:A:25:VAL:HG21	0.45	2.47	1	2
1:A:62:LEU:CB	1:A:65:GLY:O	0.45	2.65	1	3
1:A:30:ARG:CG	1:A:35:TRP:CZ2	0.45	3.00	15	3
1:A:12:PHE:CZ	1:A:64:ILE:HD11	0.45	2.47	7	1
1:A:34:ASP:O	1:A:35:TRP:C	0.44	2.55	8	2
1:A:12:PHE:O	1:A:20:ILE:N	0.44	2.47	10	2
1:A:55:CYS:HB3	1:A:80:ARG:CA	0.44	2.42	15	3
1:A:78:ALA:HB3	1:A:81:ARG:HD3	0.44	1.90	15	1
1:A:76:LEU:HD21	1:A:80:ARG:N	0.44	2.27	8	1
1:A:48:CYS:C	1:A:50:ASP:N	0.44	2.72	3	6
1:A:58:VAL:O	1:A:69:LEU:N	0.43	2.51	3	1
1:A:77:VAL:O	1:A:81:ARG:CB	0.43	2.66	5	2
1:A:30:ARG:HG2	1:A:35:TRP:CE2	0.43	2.48	13	1
1:A:66:TYR:CD1	1:A:66:TYR:O	0.43	2.72	6	8
1:A:76:LEU:CB	1:A:81:ARG:O	0.43	2.66	15	1
1:A:55:CYS:HA	1:A:80:ARG:CD	0.43	2.44	3	1
1:A:79:GLN:O	1:A:80:ARG:HG2	0.43	2.14	10	1

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:77:VAL:CG2	1:A:83:GLU:CB	0.42	2.97	11	1
1:A:22:LEU:O	1:A:25:VAL:CB	0.42	2.67	1	3
1:A:52:ASN:ND2	1:A:56:SER:CA	0.42	2.82	3	13
1:A:55:CYS:HA	1:A:80:ARG:CG	0.42	2.44	10	1
1:A:12:PHE:CE1	1:A:37:ASP:OD2	0.42	2.72	11	1
1:A:76:LEU:CA	1:A:81:ARG:O	0.42	2.67	2	1
1:A:39:PRO:O	1:A:43:CYS:N	0.42	2.53	9	2
1:A:20:ILE:HD11	1:A:37:ASP:OD1	0.42	2.15	7	1
1:A:12:PHE:CE2	1:A:25:VAL:CG2	0.42	3.03	1	1
1:A:55:CYS:O	1:A:80:ARG:CA	0.42	2.68	10	1
1:A:76:LEU:HD11	1:A:80:ARG:CA	0.42	2.45	15	1
1:A:66:TYR:CD1	1:A:66:TYR:C	0.42	2.92	2	4
1:A:75:GLN:O	1:A:83:GLU:N	0.42	2.53	4	4
1:A:57:HIS:CE1	1:A:82:CYS:CB	0.42	3.03	4	2
1:A:53:GLY:O	1:A:59:CYS:CB	0.41	2.68	9	3
1:A:20:ILE:HD12	1:A:24:LYS:HZ1	0.41	1.75	6	1
1:A:48:CYS:SG	1:A:59:CYS:O	0.41	2.79	7	8
1:A:22:LEU:O	1:A:25:VAL:HG23	0.41	2.15	3	2
1:A:55:CYS:HB3	1:A:80:ARG:O	0.41	2.15	9	1
1:A:54:GLY:HA3	1:A:59:CYS:CB	0.41	2.46	8	2
1:A:15:HIS:CD2	1:A:36:SER:OG	0.41	2.74	10	1
1:A:12:PHE:CE1	1:A:13:LYS:O	0.41	2.74	11	1
1:A:66:TYR:O	1:A:66:TYR:CD1	0.41	2.74	13	2
1:A:57:HIS:ND1	1:A:82:CYS:CB	0.41	2.84	15	1
1:A:70:CYS:SG	1:A:76:LEU:HD13	0.41	2.55	5	1
1:A:77:VAL:HG23	1:A:81:ARG:HB3	0.41	1.91	8	1
1:A:12:PHE:CZ	1:A:37:ASP:OD2	0.40	2.74	12	1
1:A:12:PHE:CD1	1:A:13:LYS:N	0.40	2.89	1	1
1:A:12:PHE:CD1	1:A:37:ASP:OD1	0.40	2.74	7	1
1:A:53:GLY:C	1:A:55:CYS:H	0.40	2.19	9	1
1:A:37:ASP:C	1:A:39:PRO:HD3	0.40	2.37	13	2
1:A:15:HIS:CD2	1:A:34:ASP:OD2	0.40	2.74	14	1
1:A:31:ASP:OD2	1:A:38:GLU:CG	0.40	2.69	15	1
1:A:12:PHE:CD2	1:A:25:VAL:CG2	0.40	3.04	1	1
1:A:47:GLU:OE2	1:A:66:TYR:CE1	0.40	2.74	9	1
1:A:12:PHE:CE1	1:A:37:ASP:OD1	0.40	2.75	7	2
1:A:74:PHE:CE2	1:A:83:GLU:OXT	0.40	2.74	9	1
1:A:48:CYS:O	1:A:54:GLY:HA2	0.40	2.16	10	1
1:A:68:CYS:CB	1:A:76:LEU:CD1	0.40	3.00	13	1

6.3 Torsion angles (i)

6.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all NMR entries. The Analysed column shows the number of residues for which the backbone conformation was analysed and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	72/83 (87%)	55±2 (77±2%)	12±2 (17±2%)	5±1 (6±2%)	3 19
All	All	1080/1245 (87%)	831 (77%)	181 (17%)	68 (6%)	3 19

All 13 unique Ramachandran outliers are listed below. They are sorted by the frequency of occurrence in the ensemble.

Mol	Chain	Res	Type	Models (Total)
1	A	53	GLY	15
1	A	56	SER	14
1	A	24	LYS	12
1	A	71	PRO	7
1	A	28	MET	5
1	A	80	ARG	3
1	A	48	CYS	3
1	A	14	CYS	2
1	A	35	TRP	2
1	A	15	HIS	2
1	A	17	GLY	1
1	A	78	ALA	1
1	A	27	ASN	1

6.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all NMR entries. The Analysed column shows the number of residues for which the sidechain conformation was analysed and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	65/73 (89%)	48±3 (74±4%)	17±3 (26±4%)	2 23
All	All	975/1095 (89%)	720 (74%)	255 (26%)	2 23

All 43 unique residues with a non-rotameric sidechain are listed below. They are sorted by the

frequency of occurrence in the ensemble.

Mol	Chain	Res	Type	Models (Total)
1	A	24	LYS	15
1	A	45	THR	15
1	A	58	VAL	15
1	A	61	ASP	14
1	A	67	GLU	14
1	A	81	ARG	12
1	A	64	ILE	11
1	A	59	CYS	10
1	A	11	LYS	9
1	A	13	LYS	9
1	A	63	LYS	9
1	A	83	GLU	9
1	A	21	THR	8
1	A	15	HIS	6
1	A	41	LYS	6
1	A	30	ARG	6
1	A	80	ARG	6
1	A	56	SER	6
1	A	33	ARG	6
1	A	14	CYS	5
1	A	52	ASN	5
1	A	31	ASP	5
1	A	36	SER	5
1	A	16	SER	5
1	A	23	ASP	4
1	A	19	CYS	4
1	A	18	GLU	4
1	A	76	LEU	4
1	A	70	CYS	4
1	A	75	GLN	4
1	A	66	TYR	2
1	A	72	ASP	2
1	A	60	ASN	2
1	A	34	ASP	2
1	A	42	GLU	2
1	A	25	VAL	2
1	A	26	CYS	2
1	A	35	TRP	1
1	A	28	MET	1
1	A	20	ILE	1
1	A	37	ASP	1
1	A	79	GLN	1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Models (Total)
1	A	47	GLU	1

6.3.3 RNA (i)

There are no RNA molecules in this entry.

6.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

6.5 Carbohydrates (i)

There are no monosaccharides in this entry.

6.6 Ligand geometry (i)

Of 2 ligands modelled in this entry, 2 are monoatomic - leaving 0 for Mogul analysis.

6.7 Other polymers (i)

There are no such molecules in this entry.

6.8 Polymer linkage issues (i)

There are no chain breaks in this entry.

7 Chemical shift validation (i)

No chemical shift data were provided