Full wwPDB NMR Structure Validation Report (i)

Jun 17, 2024 – 10:41 PM EDT

PDB ID	:	5XHT
BMRB ID	:	36075
Title	:	The PHD finger of human Kiaa1045 protein
Authors	:	Miyamoto, K.
Deposited on	:	2017-04-24

This is a Full wwPDB NMR Structure Validation Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org*
A user guide is available at
https://www.wwpdb.org/validation/2017/NMRValidationReportHelp
with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at
http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (i)) were used in the production of this report:

MolProbity	:	4.02b-467
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
wwPDB-RCI	:	v_1n_11_5_13_A (Berjanski et al., 2005)
PANAV	:	Wang et al. (2010)
wwPDB-ShiftChecker	:	v1.2
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.37.1

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure:
SOLUTION NMR

The overall completeness of chemical shifts assignment is 89%.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	NMR archive (#Entries)
Clashscore	158937	12864
Ramachandran outliers	154571	11451
Sidechain outliers	154315	11428

The table below summarises the geometric issues observed across the polymeric chains and their fit to the experimental data. The red, orange, yellow and green segments indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria. A cyan segment indicates the fraction of residues that are not part of the well-defined cores, and a grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5%

Mol	Chain	Length	Quality of chain
1	A	60	15% 63% 20% •

2 Ensemble composition and analysis (i)

This entry contains 20 models. Model 15 is the overall representative, medoid model (most similar to other models). The authors have identified model 1 as representative, based on the following criterion: *lowest energy*.

The following residues are included in the computation of the global validation metrics.

Well-defined (core) protein residues			
Well-defined core	**Residue range (total)**	**Backbone RMSD (Å)**	**Medoid model**
1	A:1-A:59 (59)	1.96	15

Ill-defined regions of proteins are excluded from the global statistics.

Ligands and non-protein polymers are included in the analysis.

The models can be grouped into 5 clusters and 3 single-model clusters were found.

Cluster number	Models
1	2, 8, 11, 12, 13, 16
2	6, 14, 15, 17
3	1, 3, 10
4	18, 20
5	5, 7
Single-model clusters	4; 9; 19

3 Entry composition (i)

There are 2 unique types of molecules in this entry. The entry contains 891 atoms, of which 417 are hydrogens and 0 are deuteriums.

- Molecule 1 is a protein called PHD finger protein 24.

Mol	Chain	Residues	Atoms						Trace
			Total	C	H	N	O	S	
1	A	60	889	288	417	82	92	10	0

- Molecule 2 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms	
			Total	Zn
2	A	2	2	2

4 Residue-property plots (i)

4.1 Average score per residue in the NMR ensemble

These plots are provided for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic is the same as shown in the summary in section 1 of this report. The second graphic shows the sequence where residues are colour-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outliers are shown as green connectors. Residues which are classified as ill-defined in the NMR ensemble, are shown in cyan with an underline colour-coded according to the previous scheme. Residues which were present in the experimental sample, but not modelled in the final structure are shown in grey.

• Molecule 1: PHD finger protein 24

Chain A: 15% 63% 20%

4.2 Scores per residue for each member of the ensemble

Colouring as in section 4.1 above.

4.2.1 Score per residue for model 1

• Molecule 1: PHD finger protein 24

Chain A: 30% 40% 23% 5%



4.2.2 Score per residue for model 2

• Molecule 1: PHD finger protein 24

Chain A: 35% 38% 22%



4.2.3 Score per residue for model 3

- Molecule 1: PHD finger protein 24

Chain A:



4.2.4 Score per residue for model 4

- Molecule 1: PHD finger protein 24

Chain A:



4.2.5 Score per residue for model 5

- Molecule 1: PHD finger protein 24

Chain A:



4.2.6 Score per residue for model 6

- Molecule 1: PHD finger protein 24

Chain A:



4.2.7 Score per residue for model 7

- Molecule 1: PHD finger protein 24

Chain A:



4.2.8 Score per residue for model 8

- Molecule 1: PHD finger protein 24

Chain A: 27% 42% 25% 5%



4.2.9 Score per residue for model 9

- Molecule 1: PHD finger protein 24

Chain A: 35% 43% 13% 7%

4.2.10 Score per residue for model 10

- Molecule 1: PHD finger protein 24

Chain A: 20% 33% 35% 10%



4.2.11 Score per residue for model 11

- Molecule 1: PHD finger protein 24

Chain A: 30% 38% 22% 8%



4.2.12 Score per residue for model 12

- Molecule 1: PHD finger protein 24

Chain A: 33% 43% 17% 5%



4.2.13 Score per residue for model 13

- Molecule 1: PHD finger protein 24

Chain A: 32% 45% 20%

E1 M2 C3 D4 V5 C6 E7 V8 W9 T10 A11 E12 S13 L14 F15 P16 C17 R18 V19 C20 T21 R22 V23 F24 L29 R30 R31 M32 G33 Y34 I35 S39 V43 T44 E45 M46 A47 H48 T51 G52 W53 S54 C55 H56 Y57 C58 D59 N60

4.2.14 Score per residue for model 14

- Molecule 1: PHD finger protein 24

Chain A: 30% 47% 15% 7%

E1 M2 C3 D4 V5 C6 E7 V8 W9 T10 A11 E12 S13 L14 F15 P16 C17 R18 V19 R22 V23 F24 H25 L29 R30 R31 Q36 G37 D38 S39 A40 A41 E42 V43 T44 E45 M46 T49 G52 W53 S54 C55 H56 Y57 C58 D59 N60

4.2.15 Score per residue for model 15 (medoid)

- Molecule 1: PHD finger protein 24

Chain A: 30% 45% 20%

E1 M2 C3 D4 V5 C6 E7 V8 W9 T10 A11 E12 S13 L14 F15 P16 C17 R18 V19 R22 V23 F24 H25 D26 L29 R30 R31 I35 Q36 G37 D38 S39 T44 E45 M46 A47 H48 T49 E50 T51 G52 W53 S54 C55 H56 Y57 C58 D59 N60

4.2.16 Score per residue for model 16

- Molecule 1: PHD finger protein 24

Chain A: 30% 40% 27%

E1 M2 C3 D4 V5 C6 E7 V8 W9 T10 A11 E12 S13 L14 F15 P16 C17 R18 V19 C20 T21 R22 V23 F24 H25 C28 L29 Y34 I35 Q36 A41 E42 V43 T44 E45 M46 A47 H48 T49 E50 W53 S54 C55 D59 N60

4.2.17 Score per residue for model 17

- Molecule 1: PHD finger protein 24

Chain A: 42% 23% 23% 10%

E1 M2 C3 C6 E7 V8 W9 T10 A11 E12 S13 L14 F15 P16 C17 R18 V19 C20 T21 R22 V23 F24 H25 D26 L29 R30 G37 D38 S39 A40 A41 E42 V43 A47 H48 T49 W53 S54 C55 N60

4.2.18 Score per residue for model 18

- Molecule 1: PHD finger protein 24

Chain A:



4.2.19 Score per residue for model 19

- Molecule 1: PHD finger protein 24

Chain A:



4.2.20 Score per residue for model 20

- Molecule 1: PHD finger protein 24

Chain A:



5 Refinement protocol and experimental data overview (i)

The models were refined using the following method: *torsion angle dynamics*.

Of the 100 calculated structures, 20 were deposited, based on the following criterion: *structures with the lowest energy*.

The following table shows the software used for structure solution, optimisation and refinement.

Software name	Classification	Version
CYANA	structure calculation	2.1
CYANA	refinement	2.1

The following table shows chemical shift validation statistics as aggregates over all chemical shift files. Detailed validation can be found in section 7 of this report.

Chemical shift file(s)	working_cs.cif
Number of chemical shift lists	1
Total number of shifts	672
Number of shifts mapped to atoms	672
Number of unparsed shifts	0
Number of shifts with mapping errors	0
Number of shifts with mapping warnings	0
Assignment completeness (well-defined parts)	89%

6 Model quality (i)

6.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: ZN

There are no covalent bond-length or bond-angle outliers.

There are no bond-length outliers.

There are no bond-angle outliers.

There are no chirality outliers.

There are no planarity outliers.

6.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in each chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes averaged over the ensemble.

Mol	Chain	Non-H	H(model)	H(added)	Clashes
1	A	464	411	413	35±8
All	All	9320	8220	8260	692

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 39.

All unique clashes are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:29:LEU:HD23	1:A:34:TYR:CE2	0.93	1.97	4	1
1:A:14:LEU:HD21	1:A:23:VAL:HG21	0.80	1.54	10	3
1:A:24:PHE:CD2	1:A:29:LEU:HD21	0.79	2.11	11	1
1:A:24:PHE:CG	1:A:29:LEU:HD21	0.78	2.13	8	6
1:A:29:LEU:HD22	1:A:56:HIS:CE1	0.77	2.15	14	1
1:A:19:VAL:HG12	1:A:20:CYS:N	0.76	1.96	12	4
1:A:29:LEU:HD13	1:A:56:HIS:NE2	0.75	1.97	14	1
1:A:3:CYS:HA	1:A:23:VAL:HG23	0.75	1.58	19	6
1:A:19:VAL:HG22	1:A:20:CYS:N	0.75	1.94	17	3
1:A:24:PHE:CB	1:A:29:LEU:HD21	0.74	2.13	12	12
1:A:21:THR:HG21	1:A:57:TYR:CD2	0.74	2.17	10	1
1:A:19:VAL:HG23	1:A:20:CYS:N	0.73	1.99	20	2

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:24:PHE:HB2	1:A:29:LEU:HD21	0.73	1.61	17	7
1:A:24:PHE:CD2	1:A:29:LEU:HD11	0.72	2.20	8	3
1:A:20:CYS:O	1:A:21:THR:HG23	0.71	1.84	9	1
1:A:18:ARG:HG3	1:A:19:VAL:HG12	0.71	1.61	17	1
1:A:18:ARG:CD	1:A:19:VAL:HG23	0.69	2.17	12	1
1:A:13:SER:HA	1:A:47:ALA:HB2	0.68	1.65	15	1
1:A:18:ARG:HD2	1:A:19:VAL:HG23	0.68	1.66	12	1
1:A:29:LEU:HD23	1:A:34:TYR:CZ	0.67	2.23	4	1
1:A:14:LEU:HD22	1:A:23:VAL:HG23	0.67	1.66	3	1
1:A:15:PHE:CD1	1:A:53:TRP:CE2	0.67	2.83	16	1
1:A:21:THR:HG23	1:A:22:ARG:N	0.66	2.04	11	2
1:A:1:GLU:CB	1:A:23:VAL:HG11	0.66	2.20	12	3
1:A:14:LEU:HD22	1:A:23:VAL:CG2	0.66	2.21	3	1
1:A:11:ALA:O	1:A:47:ALA:HB2	0.65	1.91	12	1
1:A:21:THR:CG2	1:A:57:TYR:CD2	0.64	2.80	10	1
1:A:24:PHE:CD1	1:A:29:LEU:HD21	0.64	2.28	2	2
1:A:29:LEU:CD2	1:A:34:TYR:CE2	0.63	2.80	4	1
1:A:9:TRP:CE3	1:A:14:LEU:HD12	0.63	2.29	11	1
1:A:17:CYS:O	1:A:23:VAL:HG12	0.62	1.93	1	1
1:A:24:PHE:HB2	1:A:29:LEU:HD11	0.62	1.69	18	4
1:A:9:TRP:CG	1:A:10:THR:N	0.62	2.67	10	14
1:A:10:THR:HG22	1:A:11:ALA:N	0.62	2.09	15	2
1:A:10:THR:O	1:A:11:ALA:HB2	0.62	1.95	12	16
1:A:40:ALA:O	1:A:41:ALA:HB3	0.62	1.95	4	2
1:A:18:ARG:HG3	1:A:19:VAL:HG13	0.62	1.72	18	2
1:A:1:GLU:CD	1:A:9:TRP:CE3	0.62	2.73	1	1
1:A:40:ALA:O	1:A:41:ALA:HB2	0.62	1.95	11	3
1:A:3:CYS:CA	1:A:23:VAL:HG23	0.61	2.25	1	4
1:A:18:ARG:HD3	1:A:19:VAL:HG13	0.61	1.71	13	1
1:A:24:PHE:HB3	1:A:29:LEU:HD21	0.61	1.72	12	2
1:A:46:MET:O	1:A:47:ALA:HB2	0.61	1.95	18	4
1:A:18:ARG:HD2	1:A:19:VAL:HG13	0.60	1.72	8	1
1:A:1:GLU:HB3	1:A:23:VAL:HG11	0.60	1.73	5	4
1:A:21:THR:O	1:A:24:PHE:CZ	0.60	2.55	17	2
1:A:7:GLU:C	1:A:8:VAL:HG22	0.60	2.17	7	9
1:A:48:HIS:O	1:A:48:HIS:CD2	0.59	2.55	16	2
1:A:18:ARG:HG2	1:A:19:VAL:HG23	0.59	1.73	19	2
1:A:1:GLU:OE1	1:A:9:TRP:CZ3	0.59	2.56	1	2
1:A:5:VAL:O	1:A:5:VAL:HG12	0.59	1.97	16	13
1:A:9:TRP:O	1:A:10:THR:HG23	0.59	1.97	13	2
1:A:18:ARG:CD	1:A:18:ARG:C	0.58	2.71	20	7

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:47:ALA:O	1:A:53:TRP:CZ2	0.58	2.56	11	1
1:A:9:TRP:HE3	1:A:14:LEU:HD12	0.58	1.59	7	1
1:A:1:GLU:OE1	1:A:9:TRP:CH2	0.58	2.57	1	1
1:A:14:LEU:HD23	1:A:23:VAL:HG11	0.57	1.75	19	1
1:A:35:ILE:HD12	1:A:35:ILE:O	0.56	2.00	7	1
1:A:25:HIS:O	1:A:29:LEU:HD12	0.56	2.01	4	1
1:A:32:MET:SD	1:A:34:TYR:CD2	0.56	2.98	20	1
1:A:43:VAL:HG21	1:A:51:THR:O	0.56	2.00	4	1
1:A:57:TYR:CD2	1:A:57:TYR:N	0.56	2.73	10	1
1:A:9:TRP:HE3	1:A:14:LEU:HD23	0.56	1.61	10	1
1:A:3:CYS:N	1:A:23:VAL:CG2	0.56	2.69	1	2
1:A:18:ARG:HD3	1:A:19:VAL:HG23	0.56	1.76	1	1
1:A:34:TYR:CG	1:A:34:TYR:O	0.56	2.59	4	1
1:A:35:ILE:HD13	1:A:35:ILE:O	0.55	2.00	5	1
1:A:15:PHE:CE1	1:A:53:TRP:CZ2	0.55	2.94	6	1
1:A:15:PHE:CD1	1:A:15:PHE:N	0.55	2.74	19	1
1:A:42:GLU:O	1:A:43:VAL:HG23	0.55	2.02	5	1
1:A:1:GLU:CG	1:A:23:VAL:CG1	0.55	2.85	12	1
1:A:21:THR:O	1:A:22:ARG:C	0.55	2.45	20	4
1:A:19:VAL:CG2	1:A:20:CYS:N	0.55	2.66	17	2
1:A:53:TRP:CG	1:A:53:TRP:O	0.54	2.60	11	1
1:A:16:PRO:HD3	1:A:24:PHE:CD2	0.54	2.37	10	6
1:A:34:TYR:O	1:A:35:ILE:HG23	0.54	2.02	13	1
1:A:9:TRP:CD2	1:A:10:THR:N	0.54	2.76	13	5
1:A:43:VAL:HG12	1:A:44:THR:N	0.54	2.17	4	1
1:A:22:ARG:HB2	1:A:24:PHE:CE1	0.54	2.38	5	2
1:A:17:CYS:SG	1:A:19:VAL:HG22	0.54	2.43	20	2
1:A:53:TRP:O	1:A:53:TRP:CD1	0.53	2.61	11	2
1:A:23:VAL:O	1:A:24:PHE:CD2	0.53	2.61	9	1
1:A:43:VAL:HG22	1:A:43:VAL:O	0.53	2.02	8	1
1:A:29:LEU:HD13	1:A:56:HIS:CD2	0.53	2.38	14	1
1:A:16:PRO:O	1:A:53:TRP:CD1	0.53	2.62	19	1
1:A:16:PRO:CD	1:A:24:PHE:CD2	0.53	2.91	10	1
1:A:14:LEU:CD2	1:A:23:VAL:HG11	0.53	2.34	19	1
1:A:19:VAL:CG1	1:A:20:CYS:N	0.53	2.66	12	4
1:A:46:MET:O	1:A:47:ALA:HB3	0.53	2.03	5	1
1:A:32:MET:HG2	1:A:34:TYR:CD2	0.53	2.39	20	1
1:A:1:GLU:CD	1:A:9:TRP:CZ3	0.52	2.82	1	1
1:A:29:LEU:HB3	1:A:35:ILE:HG23	0.52	1.80	3	1
1:A:32:MET:CG	1:A:34:TYR:CD2	0.52	2.92	20	1
1:A:16:PRO:O	1:A:23:VAL:HG12	0.52	2.04	9	1

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:21:THR:HG21	1:A:57:TYR:CE2	0.52	2.40	10	1
1:A:56:HIS:O	1:A:57:TYR:CD1	0.52	2.63	3	1
1:A:47:ALA:O	1:A:53:TRP:CE2	0.52	2.62	11	1
1:A:56:HIS:HB3	1:A:57:TYR:CE2	0.52	2.40	10	2
1:A:9:TRP:O	1:A:11:ALA:N	0.51	2.44	16	1
1:A:30:ARG:CG	1:A:31:ARG:N	0.51	2.73	18	1
1:A:19:VAL:C	1:A:20:CYS:SG	0.51	2.88	20	3
1:A:9:TRP:CE2	1:A:10:THR:O	0.51	2.63	5	1
1:A:19:VAL:HG12	1:A:19:VAL:O	0.51	2.06	5	1
1:A:47:ALA:O	1:A:48:HIS:CG	0.51	2.64	16	1
1:A:6:CYS:O	1:A:7:GLU:CB	0.51	2.59	20	18
1:A:23:VAL:C	1:A:24:PHE:CD1	0.51	2.84	1	3
1:A:1:GLU:O	1:A:14:LEU:HD11	0.51	2.06	18	1
1:A:35:ILE:CG2	1:A:56:HIS:CE1	0.51	2.94	19	1
1:A:34:TYR:O	1:A:34:TYR:CD1	0.50	2.64	4	1
1:A:16:PRO:CD	1:A:22:ARG:O	0.50	2.59	12	7
1:A:19:VAL:O	1:A:21:THR:N	0.50	2.44	12	3
1:A:17:CYS:O	1:A:18:ARG:CB	0.50	2.59	2	5
1:A:21:THR:O	1:A:23:VAL:HG13	0.50	2.06	4	1
1:A:2:MET:C	1:A:23:VAL:HG21	0.50	2.27	12	2
1:A:35:ILE:HD13	1:A:35:ILE:C	0.50	2.26	5	1
1:A:16:PRO:CG	1:A:24:PHE:CE1	0.50	2.95	9	1
1:A:18:ARG:CD	1:A:19:VAL:N	0.50	2.75	10	3
1:A:1:GLU:HG2	1:A:19:VAL:HG22	0.50	1.84	19	1
1:A:3:CYS:O	1:A:7:GLU:N	0.50	2.45	11	19
1:A:57:TYR:CD1	1:A:57:TYR:N	0.50	2.78	9	2
1:A:3:CYS:N	1:A:23:VAL:HG23	0.50	2.21	4	1
1:A:43:VAL:HG13	1:A:43:VAL:O	0.50	2.06	12	1
1:A:18:ARG:CD	1:A:18:ARG:O	0.50	2.60	2	1
1:A:16:PRO:HD3	1:A:24:PHE:CD1	0.50	2.42	19	1
1:A:2:MET:O	1:A:23:VAL:CG2	0.50	2.60	12	3
1:A:46:MET:O	1:A:48:HIS:N	0.50	2.45	11	2
1:A:55:CYS:SG	1:A:56:HIS:N	0.50	2.85	14	1
1:A:1:GLU:O	1:A:14:LEU:CD1	0.50	2.60	18	1
1:A:1:GLU:C	1:A:23:VAL:HG11	0.49	2.26	3	1
1:A:10:THR:O	1:A:11:ALA:CB	0.49	2.60	20	12
1:A:25:HIS:O	1:A:27:GLY:N	0.49	2.45	3	1
1:A:46:MET:O	1:A:47:ALA:CB	0.49	2.60	20	5
1:A:17:CYS:SG	1:A:18:ARG:N	0.49	2.84	20	2
1:A:12:GLU:O	1:A:13:SER:CB	0.49	2.60	14	5
1:A:21:THR:O	1:A:22:ARG:CB	0.49	2.60	9	3

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:50:GLU:O	1:A:53:TRP:CE3	0.49	2.65	3	1
1:A:19:VAL:HG13	1:A:20:CYS:H	0.49	1.66	17	2
1:A:47:ALA:C	1:A:48:HIS:CG	0.49	2.86	13	1
1:A:48:HIS:CG	1:A:49:THR:N	0.49	2.79	6	2
1:A:53:TRP:CD1	1:A:54:SER:O	0.49	2.65	16	3
1:A:16:PRO:CB	1:A:55:CYS:SG	0.49	3.00	16	5
1:A:55:CYS:N	1:A:58:CYS:SG	0.49	2.85	18	1
1:A:16:PRO:CA	1:A:55:CYS:SG	0.49	3.00	13	1
1:A:34:TYR:O	1:A:35:ILE:CG2	0.49	2.60	13	1
1:A:2:MET:O	1:A:22:ARG:NE	0.49	2.45	10	1
1:A:3:CYS:HB2	1:A:25:HIS:CD2	0.49	2.43	14	4
1:A:9:TRP:CH2	1:A:11:ALA:HA	0.49	2.43	11	10
1:A:16:PRO:O	1:A:17:CYS:C	0.49	2.52	8	3
1:A:15:PHE:CD2	1:A:15:PHE:N	0.48	2.80	1	1
1:A:40:ALA:O	1:A:41:ALA:CB	0.48	2.60	4	4
1:A:14:LEU:HD21	1:A:25:HIS:CD2	0.48	2.42	20	1
1:A:19:VAL:O	1:A:19:VAL:HG23	0.48	2.08	8	2
1:A:47:ALA:O	1:A:48:HIS:CB	0.48	2.60	8	1
1:A:13:SER:O	1:A:15:PHE:CD2	0.48	2.66	10	1
1:A:58:CYS:O	1:A:59:ASP:CB	0.48	2.61	1	2
1:A:9:TRP:CZ2	1:A:11:ALA:HA	0.48	2.44	8	8
1:A:31:ARG:CD	1:A:31:ARG:O	0.48	2.61	6	1
1:A:1:GLU:OE1	1:A:9:TRP:CE3	0.48	2.66	1	1
1:A:45:GLU:N	1:A:45:GLU:OE2	0.48	2.47	11	1
1:A:19:VAL:O	1:A:20:CYS:C	0.48	2.51	11	6
1:A:53:TRP:CD1	1:A:53:TRP:N	0.48	2.79	2	2
1:A:51:THR:O	1:A:53:TRP:N	0.48	2.47	10	1
1:A:1:GLU:CG	1:A:23:VAL:HG11	0.48	2.38	12	2
1:A:41:ALA:O	1:A:43:VAL:N	0.48	2.46	1	2
1:A:20:CYS:O	1:A:21:THR:CG2	0.48	2.59	9	1
1:A:44:THR:HG23	1:A:45:GLU:N	0.48	2.24	11	1
1:A:12:GLU:O	1:A:46:MET:N	0.48	2.47	11	1
1:A:35:ILE:HD13	1:A:56:HIS:NE2	0.48	2.24	11	1
1:A:1:GLU:OE2	1:A:9:TRP:CZ3	0.47	2.67	1	1
1:A:21:THR:HG22	1:A:22:ARG:N	0.47	2.24	12	1
1:A:2:MET:C	1:A:23:VAL:CG2	0.47	2.82	4	4
1:A:29:LEU:CD2	1:A:56:HIS:CE1	0.47	2.94	14	1
1:A:18:ARG:CD	1:A:19:VAL:HG13	0.47	2.39	8	1
1:A:16:PRO:HG3	1:A:24:PHE:CZ	0.47	2.45	11	1
1:A:25:HIS:O	1:A:29:LEU:CD1	0.47	2.62	20	2
1:A:50:GLU:O	1:A:52:GLY:N	0.47	2.47	10	2

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:15:PHE:CE2	1:A:26:ASP:HB3	0.47	2.45	5	1
1:A:7:GLU:C	1:A:8:VAL:CG2	0.47	2.83	7	4
1:A:56:HIS:O	1:A:57:TYR:CG	0.47	2.68	3	1
1:A:5:VAL:O	1:A:5:VAL:CG1	0.47	2.62	16	9
1:A:38:ASP:CG	1:A:39:SER:N	0.47	2.64	18	1
1:A:6:CYS:C	1:A:7:GLU:CG	0.47	2.81	5	15
1:A:37:GLY:O	1:A:38:ASP:CB	0.47	2.63	17	1
1:A:22:ARG:CB	1:A:24:PHE:CE1	0.47	2.98	5	1
1:A:45:GLU:O	1:A:46:MET:CG	0.47	2.62	11	1
1:A:15:PHE:HA	1:A:16:PRO:C	0.47	2.31	17	20
1:A:48:HIS:O	1:A:48:HIS:CG	0.47	2.65	16	2
1:A:1:GLU:OE1	1:A:9:TRP:CZ2	0.46	2.68	1	1
1:A:56:HIS:C	1:A:57:TYR:CG	0.46	2.88	3	1
1:A:12:GLU:O	1:A:47:ALA:N	0.46	2.48	2	1
1:A:28:CYS:O	1:A:31:ARG:N	0.46	2.49	20	2
1:A:13:SER:O	1:A:15:PHE:CD1	0.46	2.68	9	1
1:A:23:VAL:C	1:A:24:PHE:CD2	0.46	2.88	19	2
1:A:6:CYS:O	1:A:7:GLU:CG	0.46	2.64	17	9
1:A:15:PHE:CB	1:A:24:PHE:O	0.46	2.64	18	3
1:A:16:PRO:HD3	1:A:24:PHE:CE1	0.46	2.45	2	1
1:A:2:MET:O	1:A:3:CYS:C	0.46	2.54	20	15
1:A:22:ARG:HB2	1:A:24:PHE:CZ	0.46	2.46	5	1
1:A:5:VAL:HG22	1:A:32:MET:SD	0.46	2.51	10	1
1:A:28:CYS:O	1:A:30:ARG:N	0.46	2.48	12	1
1:A:18:ARG:HG3	1:A:19:VAL:N	0.46	2.26	20	3
1:A:39:SER:O	1:A:40:ALA:C	0.45	2.55	14	1
1:A:44:THR:HB	1:A:53:TRP:CD1	0.45	2.46	8	1
1:A:35:ILE:HD12	1:A:36:GLN:N	0.45	2.26	16	1
1:A:32:MET:SD	1:A:34:TYR:CG	0.45	3.09	20	1
1:A:5:VAL:CG1	1:A:28:CYS:SG	0.45	3.04	1	1
1:A:16:PRO:HD3	1:A:24:PHE:CE2	0.45	2.45	7	1
1:A:48:HIS:O	1:A:49:THR:CB	0.45	2.65	10	1
1:A:18:ARG:HB3	1:A:48:HIS:CG	0.45	2.46	18	2
1:A:11:ALA:O	1:A:12:GLU:C	0.45	2.55	1	11
1:A:14:LEU:CD1	1:A:25:HIS:CD2	0.45	2.99	10	2
1:A:56:HIS:HB3	1:A:57:TYR:CE1	0.45	2.46	9	1
1:A:20:CYS:O	1:A:21:THR:C	0.45	2.55	4	1
1:A:16:PRO:C	1:A:17:CYS:SG	0.45	2.95	11	2
1:A:9:TRP:O	1:A:10:THR:C	0.45	2.55	16	1
1:A:41:ALA:O	1:A:42:GLU:C	0.45	2.55	1	5
1:A:48:HIS:O	1:A:49:THR:C	0.45	2.55	1	1

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:50:GLU:O	1:A:51:THR:HG23	0.45	2.11	1	1
1:A:55:CYS:O	1:A:56:HIS:C	0.45	2.55	11	4
1:A:30:ARG:HG2	1:A:31:ARG:N	0.45	2.27	18	1
1:A:54:SER:C	1:A:55:CYS:SG	0.44	2.95	15	5
1:A:21:THR:CG2	1:A:22:ARG:N	0.44	2.72	11	1
1:A:2:MET:N	1:A:23:VAL:HG11	0.44	2.28	13	1
1:A:44:THR:O	1:A:45:GLU:CB	0.44	2.66	13	1
1:A:23:VAL:O	1:A:23:VAL:HG23	0.44	2.12	12	1
1:A:53:TRP:N	1:A:53:TRP:CD1	0.44	2.81	1	1
1:A:48:HIS:ND1	1:A:48:HIS:C	0.44	2.71	6	1
1:A:24:PHE:HD2	1:A:29:LEU:HD11	0.44	1.72	11	1
1:A:38:ASP:OD2	1:A:38:ASP:N	0.44	2.50	3	1
1:A:15:PHE:CE1	1:A:26:ASP:HB2	0.44	2.48	8	1
1:A:47:ALA:O	1:A:48:HIS:ND1	0.44	2.51	16	1
1:A:28:CYS:O	1:A:29:LEU:C	0.44	2.56	12	2
1:A:15:PHE:CE2	1:A:53:TRP:CH2	0.44	3.06	8	1
1:A:46:MET:O	1:A:47:ALA:C	0.43	2.55	11	1
1:A:14:LEU:CD1	1:A:25:HIS:NE2	0.43	2.81	8	1
1:A:20:CYS:CB	1:A:55:CYS:SG	0.43	3.06	19	1
1:A:50:GLU:O	1:A:51:THR:C	0.43	2.57	20	3
1:A:1:GLU:C	1:A:2:MET:SD	0.43	2.97	6	1
1:A:35:ILE:CD1	1:A:37:GLY:N	0.43	2.80	8	1
1:A:9:TRP:O	1:A:10:THR:CG2	0.43	2.66	13	1
1:A:1:GLU:CA	1:A:23:VAL:HG11	0.43	2.44	14	1
1:A:17:CYS:SG	1:A:19:VAL:CG2	0.43	3.06	15	1
1:A:30:ARG:HG3	1:A:35:ILE:HD11	0.43	1.90	6	1
1:A:45:GLU:C	1:A:46:MET:CG	0.43	2.86	6	1
1:A:21:THR:HG23	1:A:24:PHE:HE1	0.43	1.74	11	1
1:A:18:ARG:CG	1:A:19:VAL:HG23	0.43	2.43	12	1
1:A:16:PRO:HG3	1:A:24:PHE:CE2	0.43	2.49	10	2
1:A:14:LEU:HD21	1:A:23:VAL:HB	0.43	1.91	2	1
1:A:16:PRO:CB	1:A:55:CYS:CB	0.43	2.96	2	1
1:A:43:VAL:HG11	1:A:52:GLY:HA2	0.43	1.90	4	1
1:A:13:SER:OG	1:A:47:ALA:N	0.43	2.51	11	1
1:A:1:GLU:HG3	1:A:23:VAL:CG1	0.43	2.43	12	1
1:A:45:GLU:HB3	1:A:53:TRP:CZ3	0.43	2.48	13	1
1:A:44:THR:OG1	1:A:45:GLU:N	0.43	2.52	15	1
1:A:2:MET:O	1:A:23:VAL:HG21	0.43	2.13	12	2
1:A:43:VAL:O	1:A:43:VAL:HG22	0.43	2.14	2	1
1:A:49:THR:O	1:A:53:TRP:NE1	0.43	2.52	4	1
1:A:18:ARG:HD3	1:A:19:VAL:HG22	0.43	1.91	13	1

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:9:TRP:CD1	1:A:9:TRP:C	0.43	2.92	20	1
1:A:19:VAL:O	1:A:20:CYS:O	0.43	2.36	20	1
1:A:21:THR:CG2	1:A:57:TYR:CG	0.43	3.02	10	1
1:A:19:VAL:O	1:A:20:CYS:SG	0.43	2.76	20	1
1:A:35:ILE:C	1:A:35:ILE:HD12	0.42	2.34	1	1
1:A:25:HIS:O	1:A:26:ASP:C	0.42	2.58	10	2
1:A:14:LEU:CD2	1:A:25:HIS:CD2	0.42	3.02	16	1
1:A:57:TYR:O	1:A:58:CYS:C	0.42	2.56	13	1
1:A:1:GLU:HB2	1:A:23:VAL:HG11	0.42	1.91	1	1
1:A:12:GLU:CG	1:A:13:SER:N	0.42	2.81	4	1
1:A:15:PHE:CE2	1:A:53:TRP:CZ3	0.42	3.07	8	1
1:A:13:SER:O	1:A:15:PHE:CE2	0.42	2.72	10	1
1:A:16:PRO:CG	1:A:24:PHE:CD1	0.42	3.02	9	1
1:A:24:PHE:HB3	1:A:29:LEU:CD2	0.42	2.43	12	1
1:A:13:SER:CB	1:A:45:GLU:HB3	0.42	2.45	2	1
1:A:35:ILE:HD12	1:A:37:GLY:N	0.42	2.30	11	1
1:A:9:TRP:HB2	1:A:14:LEU:HD11	0.42	1.91	16	1
1:A:10:THR:CG2	1:A:11:ALA:N	0.42	2.77	15	1
1:A:19:VAL:HG23	1:A:20:CYS:H	0.42	1.72	20	1
1:A:41:ALA:CB	1:A:52:GLY:O	0.42	2.68	11	1
1:A:25:HIS:O	1:A:28:CYS:N	0.42	2.52	3	1
1:A:16:PRO:HG2	1:A:24:PHE:CE1	0.42	2.50	9	1
1:A:21:THR:HG23	1:A:24:PHE:CE1	0.42	2.50	11	1
1:A:13:SER:OG	1:A:53:TRP:CZ3	0.42	2.72	13	1
1:A:21:THR:C	1:A:22:ARG:CG	0.42	2.88	8	1
1:A:12:GLU:O	1:A:45:GLU:C	0.41	2.58	16	1
1:A:7:GLU:O	1:A:8:VAL:HG22	0.41	2.15	18	2
1:A:14:LEU:HD12	1:A:25:HIS:CD2	0.41	2.51	8	1
1:A:35:ILE:HD13	1:A:38:ASP:HB2	0.41	1.92	12	1
1:A:24:PHE:CD2	1:A:24:PHE:N	0.41	2.87	19	1
1:A:21:THR:O	1:A:22:ARG:O	0.41	2.38	11	2
1:A:53:TRP:CD1	1:A:53:TRP:O	0.41	2.74	1	1
1:A:25:HIS:C	1:A:27:GLY:N	0.41	2.72	3	2
1:A:16:PRO:CG	1:A:20:CYS:HB3	0.41	2.45	17	1
1:A:7:GLU:O	1:A:8:VAL:HG13	0.41	2.15	20	1
1:A:21:THR:OG1	1:A:22:ARG:N	0.41	2.50	2	1
1:A:44:THR:C	1:A:45:GLU:CG	0.41	2.88	4	1
1:A:44:THR:O	1:A:45:GLU:CD	0.41	2.58	10	1
1:A:56:HIS:CB	1:A:57:TYR:CD2	0.41	3.03	10	1
1:A:1:GLU:OE1	1:A:9:TRP:CE2	0.41	2.74	1	1
1:A:27:GLY:O	1:A:31:ARG:N	0.41	2.54	7	1

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:35:ILE:HD12	1:A:35:ILE:C	0.41	2.36	7	1
1:A:18:ARG:HG3	1:A:19:VAL:HG23	0.41	1.92	12	1
1:A:13:SER:O	1:A:15:PHE:CZ	0.41	2.74	19	1
1:A:32:MET:HB2	1:A:34:TYR:CD1	0.40	2.51	5	1
1:A:9:TRP:NE1	1:A:10:THR:O	0.40	2.54	20	1
1:A:13:SER:OG	1:A:46:MET:N	0.40	2.55	20	1
1:A:16:PRO:HB2	1:A:55:CYS:CB	0.40	2.45	20	1
1:A:54:SER:O	1:A:55:CYS:SG	0.40	2.80	3	1
1:A:18:ARG:CB	1:A:48:HIS:CG	0.40	3.04	18	1
1:A:14:LEU:HD11	1:A:25:HIS:CD2	0.40	2.52	1	1
1:A:23:VAL:HG23	1:A:23:VAL:O	0.40	2.15	8	1
1:A:16:PRO:O	1:A:17:CYS:O	0.40	2.39	10	1
1:A:55:CYS:N	1:A:58:CYS:HB2	0.40	2.32	10	1
1:A:55:CYS:O	1:A:56:HIS:O	0.40	2.40	11	1
1:A:15:PHE:O	1:A:24:PHE:O	0.40	2.40	16	2
1:A:24:PHE:HB2	1:A:29:LEU:CD2	0.40	2.45	16	1
1:A:32:MET:N	1:A:32:MET:SD	0.40	2.95	9	1
1:A:24:PHE:O	1:A:25:HIS:O	0.40	2.40	16	1
1:A:29:LEU:HB2	1:A:35:ILE:CG1	0.40	2.47	4	1
1:A:35:ILE:HD12	1:A:36:GLN:C	0.40	2.37	16	1

6.3 Torsion angles (i)

6.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all NMR entries. The Analysed column shows the number of residues for which the backbone conformation was analysed and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	58/60 (97%)	30±3 (52±5%)	17±3 (29±6%)	11±2 (19±4%)	0	2
All	All	1160/1200 (97%)	604 (52%)	333 (29%)	223 (19%)	0	2

All 37 unique Ramachandran outliers are listed below. They are sorted by the frequency of occurrence in the ensemble.

Mol	Chain	Res	Type	Models (Total)
1	A	11	ALA	18
1	A	7	GLU	16

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Models (Total)
1	A	13	SER	12
1	A	22	ARG	12
1	A	8	VAL	11
1	A	20	CYS	11
1	A	41	ALA	11
1	A	12	GLU	10
1	A	16	PRO	10
1	A	47	ALA	9
1	A	21	THR	8
1	A	46	MET	8
1	A	42	GLU	6
1	A	18	ARG	6
1	A	44	THR	6
1	A	19	VAL	6
1	A	49	THR	5
1	A	50	GLU	5
1	A	59	ASP	5
1	A	25	HIS	5
1	A	17	CYS	4
1	A	43	VAL	4
1	A	38	ASP	4
1	A	48	HIS	4
1	A	52	GLY	4
1	A	45	GLU	3
1	A	51	THR	3
1	A	39	SER	3
1	A	58	CYS	2
1	A	40	ALA	2
1	A	57	TYR	2
1	A	10	THR	2
1	A	56	HIS	2
1	A	26	ASP	1
1	A	37	GLY	1
1	A	29	LEU	1
1	A	34	TYR	1

6.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all NMR entries. The Analysed column shows the number of residues for which the sidechain conformation was analysed and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	51/52 (98%)	32±2 (63±4%)	19±2 (37±4%)	1 7
All	All	1020/1040 (98%)	644 (63%)	376 (37%)	1 7

All 46 unique residues with a non-rotameric sidechain are listed below. They are sorted by the frequency of occurrence in the ensemble.

Mol	Chain	Res	Type	Models (Total)
1	A	8	VAL	20
1	A	18	ARG	20
1	A	24	PHE	20
1	A	54	SER	17
1	A	10	THR	16
1	A	31	ARG	15
1	A	7	GLU	13
1	A	58	CYS	13
1	A	9	TRP	12
1	A	14	LEU	12
1	A	49	THR	11
1	A	53	TRP	11
1	A	36	GLN	11
1	A	30	ARG	11
1	A	39	SER	10
1	A	22	ARG	10
1	A	13	SER	9
1	A	51	THR	9
1	A	2	MET	8
1	A	21	THR	8
1	A	20	CYS	8
1	A	55	CYS	8
1	A	59	ASP	7
1	A	1	GLU	7
1	A	45	GLU	7
1	A	26	ASP	7
1	A	50	GLU	6
1	A	56	HIS	6
1	A	38	ASP	5
1	A	19	VAL	5
1	A	46	MET	5
1	A	57	TYR	5
1	A	42	GLU	5
1	A	44	THR	5
1	A	48	HIS	5
1	A	15	PHE	4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Models (Total)
1	A	35	ILE	4
1	A	43	VAL	4
1	A	34	TYR	3
1	A	12	GLU	3
1	A	32	MET	3
1	A	23	VAL	2
1	A	17	CYS	2
1	A	4	ASP	2
1	A	29	LEU	1
1	A	25	HIS	1

6.3.3 RNA (i)

There are no RNA molecules in this entry.

6.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

6.5 Carbohydrates (i)

There are no monosaccharides in this entry.

6.6 Ligand geometry (i)

Of 2 ligands modelled in this entry, 2 are monoatomic - leaving 0 for Mogul analysis.

6.7 Other polymers (i)

There are no such molecules in this entry.

6.8 Polymer linkage issues (i)

There are no chain breaks in this entry.

7 Chemical shift validation (i)

The completeness of assignment taking into account all chemical shift lists is 89% for the well-defined parts and 88% for the entire structure.

7.1 Chemical shift list 1

File name: working_cs.cif

Chemical shift list name: *data_KIAA1045_de_ful_cor1_x2IKzmX.str*

7.1.1 Bookkeeping (i)

The following table shows the results of parsing the chemical shift list and reports the number of nuclei with statistically unusual chemical shifts.

Total number of shifts	672
Number of shifts mapped to atoms	672
Number of unparsed shifts	0
Number of shifts with mapping errors	0
Number of shifts with mapping warnings	0
Number of shift outliers (ShiftChecker)	0

7.1.2 Chemical shift referencing (i)

The following table shows the suggested chemical shift referencing corrections.

Nucleus	# values	Correction ± precision, *ppm*	Suggested action
$^{13}C_{\alpha}$	56	-0.01 ± 0.36	None needed (< 0.5 ppm)
$^{13}C_{\beta}$	54	0.21 ± 0.32	None needed (< 0.5 ppm)
$^{13}C'$	56	-0.23 ± 0.29	None needed (< 0.5 ppm)
^{15}N	52	0.57 ± 0.37	None needed (imprecise)

7.1.3 Completeness of resonance assignments (i)

The following table shows the completeness of the chemical shift assignments for the well-defined regions of the structure. The overall completeness is 89%, i.e. 672 atoms were assigned a chemical shift out of a possible 751. 0 out of 7 assigned methyl groups (LEU and VAL) were assigned stereospecifically.

	Total	^{1}H	^{13}C	^{15}N
Backbone	282/297 (95%)	118/121 (98%)	112/118 (95%)	52/58 (90%)
Sidechain	318/371 (86%)	217/241 (90%)	100/117 (85%)	1/13 (8%)

Continued on next page...

Continued from previous page...

	Total	^{1}H	^{13}C	^{15}N
Aromatic	72/83 (87%)	36/42 (86%)	34/36 (94%)	2/5 (40%)
Overall	672/751 (89%)	371/404 (92%)	246/271 (91%)	55/76 (72%)

The following table shows the completeness of the chemical shift assignments for the full structure. The overall completeness is 88%, i.e. 672 atoms were assigned a chemical shift out of a possible 763. 0 out of 7 assigned methyl groups (LEU and VAL) were assigned stereospecifically.

	Total	^{1}H	^{13}C	^{15}N
Backbone	282/302 (93%)	118/123 (96%)	112/120 (93%)	52/59 (88%)
Sidechain	318/378 (84%)	217/245 (89%)	100/119 (84%)	1/14 (7%)
Aromatic	72/83 (87%)	36/42 (86%)	34/36 (94%)	2/5 (40%)
Overall	672/763 (88%)	371/410 (90%)	246/275 (89%)	55/78 (71%)

7.1.4 Statistically unusual chemical shifts (i)

There are no statistically unusual chemical shifts.

7.1.5 Random Coil Index (RCI) plots (i)

The image below reports *random coil index* values for the protein chains in the structure. The height of each bar gives a probability of a given residue to be disordered, as predicted from the available chemical shifts and the amino acid sequence. A value above 0.2 is an indication of significant predicted disorder. The colour of the bar shows whether the residue is in the well-defined core (black) or in the ill-defined residue ranges (cyan), as described in section 2 on ensemble composition.If well-defined core and ill-defined regions are not identified then it is shown as gray bars.

Random coil index (RCI) for chain A: