

Full wwPDB X-ray Structure Validation Report (i)

Mar 18, 2024 – 10:49 AM JST

PDB ID	:	5XT2
Title	:	Crystal structures of full-length FixJ from B. japonicum crystallized in space
		group P212121
Authors	:	Nishizono, Y.; Hisano, T.; Shiro, Y.; Sawai, H.; Wright, G.S.A.; Saeki, A.;
		Hikima, T.; Nakamura, H.; Yamamoto, M.; Antonyuk, S.V.; Hasnain, S.S.
Deposited on	:	2017-06-16
Resolution	:	2.65 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org* A user guide is available at https://www.wwpdb.org/validation/2017/XrayValidationReportHelp with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (1)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix)	:	1.13
EDS	:	2.36
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.36

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure: $X\text{-}RAY \, DIFFRACTION$

The reported resolution of this entry is 2.65 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	$egin{array}{c} { m Whole \ archive} \ (\#{ m Entries}) \end{array}$	${f Similar\ resolution}\ (\#{ m Entries,\ resolution\ range}({ m \AA}))$
R_{free}	130704	1332 (2.68-2.64)
Clashscore	141614	1374(2.68-2.64)
Ramachandran outliers	138981	1349 (2.68-2.64)
Sidechain outliers	138945	1349 (2.68-2.64)
RSRZ outliers	127900	1318 (2.68-2.64)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain		
1	А	215	76%	17%	• 6%
1	В	215	77%	16%	• 5%
1	С	215	76%	18%	5%
1	D	215	^{2%} 78%	14%	• 6%
1	Е	215	69%	25%	6%



2 Entry composition (i)

There are 5 unique types of molecules in this entry. The entry contains 7746 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	Δ	202	Total	С	Ν	0	\mathbf{S}	0	0	0
1	A	202	1535	966	265	292	12	0	0	0
1	В	204	Total	С	Ν	0	S	0	0	0
1	D	204	1516	956	254	293	13	0	0	0
1	С	204	Total	С	Ν	0	S	0	0	0
1		204	1531	963	265	291	12	0		
1	Л	202	Total	С	Ν	0	S	0	0	0
1	D	202	1478	934	248	284	12	0	0	0
1	1 E	203	Total	С	Ν	0	S	0	0	0
		205	1449	918	247	273	11		0	

• Molecule 1 is a protein called Response regulator FixJ.

There are 50 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
А	-9	GLY	-	expression tag	UNP A0A0M9B7W0
А	-8	PRO	-	expression tag	UNP A0A0M9B7W0
А	-7	GLY	-	expression tag	UNP A0A0M9B7W0
А	-6	TYR	-	expression tag	UNP A0A0M9B7W0
А	-5	GLN	-	expression tag	UNP A0A0M9B7W0
А	-4	ASP	-	expression tag	UNP A0A0M9B7W0
А	-3	PRO	-	expression tag	UNP A0A0M9B7W0
А	-2	ASN	-	expression tag	UNP A0A0M9B7W0
А	-1	SER	-	expression tag	UNP A0A0M9B7W0
А	0	VAL	-	expression tag	UNP A0A0M9B7W0
В	-9	GLY	-	expression tag	UNP A0A0M9B7W0
В	-8	PRO	-	expression tag	UNP A0A0M9B7W0
В	-7	GLY	-	expression tag	UNP A0A0M9B7W0
В	-6	TYR	-	expression tag	UNP A0A0M9B7W0
В	-5	GLN	-	expression tag	UNP A0A0M9B7W0
В	-4	ASP	-	expression tag	UNP A0A0M9B7W0
В	-3	PRO	-	expression tag	UNP A0A0M9B7W0
В	-2	ASN	-	expression tag	UNP A0A0M9B7W0
В	-1	SER	-	expression tag	UNP A0A0M9B7W0



Chain	Residue	Modelled	Actual	Comment	Reference
В	0	VAL	-	expression tag	UNP A0A0M9B7W0
С	-9	GLY	_	expression tag	UNP A0A0M9B7W0
С	-8	PRO	-	expression tag	UNP A0A0M9B7W0
С	-7	GLY	-	expression tag	UNP A0A0M9B7W0
С	-6	TYR	-	expression tag	UNP A0A0M9B7W0
С	-5	GLN	-	expression tag	UNP A0A0M9B7W0
С	-4	ASP	-	expression tag	UNP A0A0M9B7W0
С	-3	PRO	-	expression tag	UNP A0A0M9B7W0
С	-2	ASN	-	expression tag	UNP A0A0M9B7W0
С	-1	SER	-	expression tag	UNP A0A0M9B7W0
С	0	VAL	-	expression tag	UNP A0A0M9B7W0
D	-9	GLY	-	expression tag	UNP A0A0M9B7W0
D	-8	PRO	-	expression tag	UNP A0A0M9B7W0
D	-7	GLY	-	expression tag	UNP A0A0M9B7W0
D	-6	TYR	-	expression tag	UNP A0A0M9B7W0
D	-5	GLN	-	expression tag	UNP A0A0M9B7W0
D	-4	ASP	-	expression tag	UNP A0A0M9B7W0
D	-3	PRO	-	expression tag	UNP A0A0M9B7W0
D	-2	ASN	-	expression tag	UNP A0A0M9B7W0
D	-1	SER	-	expression tag	UNP A0A0M9B7W0
D	0	VAL	-	expression tag	UNP A0A0M9B7W0
Е	-9	GLY	-	expression tag	UNP A0A0M9B7W0
Е	-8	PRO	-	expression tag	UNP A0A0M9B7W0
E	-7	GLY	-	expression tag	UNP A0A0M9B7W0
Е	-6	TYR	-	expression tag	UNP A0A0M9B7W0
Е	-5	GLN	-	expression tag	UNP A0A0M9B7W0
Е	-4	ASP	-	expression tag	UNP A0A0M9B7W0
Е	-3	PRO	-	expression tag	UNP A0A0M9B7W0
Е	-2	ASN	-	expression tag	UNP A0A0M9B7W0
E	-1	SER	-	expression tag	UNP A0A0M9B7W0
E	0	VAL	-	expression tag	UNP A0A0M9B7W0

• Molecule 2 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	А	1	Total Mg 1 1	0	0
2	В	1	Total Mg 1 1	0	0
2	С	1	Total Mg 1 1	0	0
2	D	1	Total Mg 1 1	0	0

Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	Е	1	Total Mg 1 1	0	0

• Molecule 3 is GLYCEROL (three-letter code: GOL) (formula: $C_3H_8O_3$).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	А	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{O} \\ 6 & 3 & 3 \end{array}$	0	0
3	А	1	$\begin{array}{ccc} \text{Total} \text{C} \text{O} \\ 6 3 3 \end{array}$	0	0
3	А	1	$\begin{array}{ccc} \text{Total} \text{C} \text{O} \\ 6 3 3 \end{array}$	0	0
3	С	1	$\begin{array}{ccc} \text{Total} \text{C} \text{O} \\ 6 3 3 \end{array}$	0	0
3	С	1	$\begin{array}{ccc} \text{Total} \text{C} \text{O} \\ 6 3 3 \end{array}$	0	0
3	С	1	$\begin{array}{ccc} \text{Total} \text{C} \text{O} \\ 6 3 3 \end{array}$	0	0
3	С	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{O} \\ 6 & 3 & 3 \end{array}$	0	0
3	D	1	$\begin{array}{ccc} \text{Total} \text{C} \text{O} \\ 6 3 3 \end{array}$	0	0

• Molecule 4 is FORMIC ACID (three-letter code: FMT) (formula: CH_2O_2).





Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	А	1	$\begin{array}{ccc} \text{Total} \text{C} \text{O} \\ 3 1 2 \end{array}$	0	0
4	А	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{O} \\ 3 & 1 & 2 \end{array}$	0	0
4	А	1	$\begin{array}{ccc} \text{Total} \text{C} \text{O} \\ 3 1 2 \end{array}$	0	0
4	В	1	$\begin{array}{ccc} \text{Total} \text{C} \text{O} \\ 3 1 2 \end{array}$	0	0
4	С	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{O} \\ 3 & 1 & 2 \end{array}$	0	0
4	D	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{O} \\ 3 & 1 & 2 \end{array}$	0	0
4	D	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{O} \\ 3 & 1 & 2 \end{array}$	0	0

• Molecule 5 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	А	41	Total O 41 41	0	0
5	В	50	Total O 50 50	0	0
5	С	32	Total O 32 32	0	0
5	D	23	TotalO2323	0	0
5	Е	17	Total O 17 17	0	0



3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.



• Molecule 1: Response regulator FixJ

• Molecule 1: Response regulator FixJ





4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants	76.72Å 137.91Å 142.28Å	Deperitor
a, b, c, α , β , γ	90.00° 90.00° 90.00°	Depositor
$\mathbf{P}_{\text{assolution}}(\hat{\mathbf{A}})$	49.51 - 2.65	Depositor
Resolution (A)	49.51 - 2.65	EDS
% Data completeness	93.3 (49.51-2.65)	Depositor
(in resolution range)	89.8(49.51-2.65)	EDS
R _{merge}	0.06	Depositor
R_{sym}	(Not available)	Depositor
$< I/\sigma(I) > 1$	$4.00 (at 2.65 \text{\AA})$	Xtriage
Refinement program	PHENIX (1.11.1_2575)	Depositor
B B.	0.206 , 0.248	Depositor
Π, Π_{free}	0.206 , 0.249	DCC
R_{free} test set	1996 reflections $(4.81%)$	wwPDB-VP
Wilson B-factor $(Å^2)$	36.3	Xtriage
Anisotropy	0.048	Xtriage
Bulk solvent $k_{sol}(e/Å^3)$, $B_{sol}(Å^2)$	0.33, 58.0	EDS
L-test for $twinning^2$	$< L > = 0.49, < L^2 > = 0.32$	Xtriage
Estimated twinning fraction	0.009 for -h,l,k	Xtriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	7746	wwPDB-VP
Average B, all atoms $(Å^2)$	50.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: The largest off-origin peak in the Patterson function is 16.53% of the height of the origin peak. No significant pseudotranslation is detected.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



¹Intensities estimated from amplitudes.

5 Model quality (i)

5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: FMT, MG, GOL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol Chain		Bo	nd lengths	Bond angles		
WIOI	Unain	RMSZ	# Z > 5	RMSZ	# Z > 5	
1	А	0.66	0/1556	0.80	1/2100~(0.0%)	
1	В	0.64	0/1537	0.83	0/2081	
1	С	0.61	1/1552~(0.1%)	0.76	1/2099~(0.0%)	
1	D	0.60	0/1499	0.69	0/2033	
1	Е	0.50	0/1470	0.72	2/1998~(0.1%)	
All	All	0.60	1/7614~(0.0%)	0.76	4/10311~(0.0%)	

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	$\operatorname{Ideal}(\operatorname{\AA})$
1	С	104	GLU	CG-CD	5.13	1.59	1.51

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
1	С	23	LEU	CA-CB-CG	6.70	130.70	115.30
1	Е	23	LEU	CA-CB-CG	6.29	129.78	115.30
1	А	143	LEU	CB-CG-CD1	-5.65	101.40	111.00
1	Е	23	LEU	CB-CG-CD1	-5.58	101.52	111.00

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.



Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	А	1535	0	1561	28	0
1	В	1516	0	1513	30	0
1	С	1531	0	1543	26	0
1	D	1478	0	1455	27	0
1	Е	1449	0	1400	50	0
2	А	1	0	0	0	0
2	В	1	0	0	0	0
2	С	1	0	0	0	0
2	D	1	0	0	0	0
2	Е	1	0	0	0	0
3	А	18	0	24	4	0
3	С	24	0	32	0	0
3	D	6	0	8	0	0
4	А	9	0	3	0	0
4	В	3	0	1	0	0
4	С	3	0	1	0	0
4	D	6	0	2	0	0
5	А	41	0	0	2	0
5	В	50	0	0	2	0
5	С	32	0	0	1	0
5	D	23	0	0	0	0
5	Е	17	0	0	1	0
All	All	7746	0	7543	158	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 10.

All (158) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-1 Atom-2		Clash overlap (Å)
1:E:61:LEU:HD21	1:E:66:LEU:HB2	1.36	1.06
1:B:162:LEU:O	1:B:166:GLU:HB2	1.64	0.98
1:C:160:ASN:HD21	1:C:178:ARG:HH11	1.24	0.85
1:A:96:LYS:HA	1:C:198:MET:HE3	1.59	0.84
1:A:17:ARG:HE	3:A:304:GOL:H2	1.41	0.84
1:B:3:THR:HG22	1:B:5:GLY:H	1.47	0.80
1:E:150:VAL:HG12	1:E:154:LEU:HD11	1.64	0.78
1:E:61:LEU:CD2	1:E:66:LEU:HB2	2.12	0.77
1:D:4:LYS:NZ	1:D:117:GLU:HG2	2.02	0.75
1:E:52:VAL:HB	1:E:79:ILE:HD13	1.69	0.73
1:E:84:GLY:N	1:E:105:LYS:NZ	2.37	0.72
1:E:67:LEU:HD11	1:E:99:ALA:HB2	1.74	0.70



		Interatomic	Clash	
Atom-1	Atom-2	distance (Å)	overlap (Å)	
1:D:49:PHE:HA	1:D:77:PHE:HE1	1.57	0.69	
1:B:4:LYS:O	1:B:4:LYS:HD2	1.97	0.65	
1:A:145:PRO:HG3	3:A:303:GOL:H31	1.78	0.64	
1:D:4:LYS:HD2	1:D:4:LYS:O	1.97	0.64	
1:E:143:LEU:HD23	1:E:184:LYS:HD2	1.79	0.64	
1:B:162:LEU:O	1:B:166:GLU:CB	2.43	0.63	
1:B:159:SER:HB3	1:B:162:LEU:HD12	1.79	0.63	
1:D:4:LYS:HZ1	1:D:117:GLU:HG2	1.64	0.63	
1:E:150:VAL:O	1:E:154:LEU:HD12	1.99	0.63	
1:E:190:LEU:O	1:E:194:VAL:HG23	1.97	0.63	
1:A:118:SER:O	1:A:122:GLN:HG3	1.99	0.62	
1:A:151:MET:HE2	1:A:185:MET:HG3	1.82	0.62	
1:C:171:PRO:O	1:C:174:ILE:HG22	2.00	0.62	
1:E:84:GLY:CA	1:E:105:LYS:HZ2	2.13	0.61	
1:D:49:PHE:HA	1:D:77:PHE:CE1	2.35	0.60	
1:A:143:LEU:HD11	1:A:151:MET:HE3	1.83	0.60	
1:E:84:GLY:N	1:E:105:LYS:HZ1	1.97	0.60	
1:A:70:MET:HG3	1:A:79:ILE:HD11	1.83	0.60	
1:B:96:LYS:HD3	1:D:203:LEU:HB3	1.84	0.59	
1:B:143:LEU:HD23	1:B:184:LYS:HD3	1.84	0.59	
1:B:139:ARG:O	1:B:142:SER:HB3	2.03	0.59	
1:A:17:ARG:NE	3:A:304:GOL:H2	2.17	0.59	
1:C:44:LEU:HA	1:C:47:LEU:HD12	1.84	0.58	
1:E:169:ILE:O	5:E:401:HOH:O	2.17	0.58	
1:E:84:GLY:CA	1:E:105:LYS:NZ	2.67	0.58	
1:A:143:LEU:HD11	1:A:151:MET:CE	2.33	0.58	
1:E:145:PRO:O	1:E:149:GLN:HG3	2.04	0.58	
1:D:12:ASP:N	1:D:58:MET:HE1	2.19	0.57	
1:E:84:GLY:N	1:E:105:LYS:HZ2	2.02	0.57	
1:C:56:VAL:HG13	1:C:57:ARG:HG3	1.86	0.57	
1:A:65:GLU:O	1:A:69:ARG:HG3	2.06	0.56	
1:B:159:SER:HB3	1:B:162:LEU:CD1	2.36	0.56	
1:A:194:VAL:O	1:A:198:MET:HG3	2.05	0.55	
1:B:148:ARG:NH1	5:B:403:HOH:O	2.39	0.55	
1:D:44:LEU:HA	1:D:47:LEU:HD22	1.88	0.55	
1:D:58:MET:HB3	1:D:61:LEU:O	2.06	0.55	
1:C:92:VAL:HG12	1:C:96:LYS:HE3	1.89	0.55	
1:B:49:PHE:HA	1:B:77:PHE:CE2	2.42	0.54	
1:A:111:ARG:HD3	5:A:418:HOH:O	2.07	0.54	
1:A:23:LEU:HD11	1:A:112:LEU:HD23	1.88	0.54	
1:E:44:LEU:HA	1:E:47:LEU:HD12	1.89	0.54	



	Interatomic Clash							
Atom-1	Atom-2	distance (Å)	overlap (Å)					
1:C:160:ASN:ND2	1:C:178:ARG:HH11	2.02	0.54					
1:E:140:VAL:HG22	1:E:185:MET:HE3	1.90	0.53					
1:A:23:LEU:HD13	1:A:109:ASP:HB3	1.90	0.53					
1:B:124:GLU:O	1:B:128:LYS:HG2	2.09	0.53					
1:D:17:ARG:HB3	1:D:33:LEU:HD13	1.90	0.52					
1:B:3:THR:CG2	1:B:5:GLY:H	2.20	0.52					
1:D:23:LEU:HD13	1:D:109:ASP:HB3	1.91	0.52					
1:A:49:PHE:HA	1:A:77:PHE:CE1	2.44	0.51					
1:B:173:THR:O	1:B:176:VAL:HG12	2.11	0.51					
1:E:57:ARG:HG2	1:E:57:ARG:HH11	1.76	0.51					
1:D:4:LYS:HZ3	1:D:117:GLU:HG2	1.72	0.51					
1:E:147:GLU:HB3	1:E:181:VAL:CG2	2.40	0.51					
1:E:11:ASP:O	1:E:17:ARG:HD3	2.12	0.50					
1:E:8:TYR:HB2	1:E:52:VAL:HG22	1.93	0.50					
1:C:151:MET:HE2	1:C:185:MET:HG3	1.93	0.50					
1:E:147:GLU:HB3	1:E:181:VAL:HG22	1.94	0.50					
1:E:84:GLY:HA2	1:E:105:LYS:HZ2	1.77	0.49					
1:B:127:ALA:O	1:B:130:GLU:HG3	2.12	0.49					
1:E:66:LEU:O	1:E:70:MET:HB2	2.13	0.49					
1:C:151:MET:HE1	1:C:185:MET:SD	2.52	0.49					
1:B:199:ARG:HG3	1:B:199:ARG:HH11	1.78	0.49					
1:D:37:ALA:O	1:D:41:LEU:HG	2.13	0.49					
1:E:17:ARG:NH2	1:E:35:ASP:HB3	2.27	0.49					
1:A:58:MET:HE3	1:A:59:PRO:HD2	1.95	0.49					
1:C:11:ASP:O	1:C:17:ARG:HD3	2.13	0.48					
1:E:150:VAL:HG12	1:E:154:LEU:CD1	2.38	0.48					
1:E:17:ARG:CZ	1:E:35:ASP:HB3	2.43	0.48					
1:E:61:LEU:HD23	1:E:62:ASP:O	2.13	0.48					
1:C:117:GLU:OE2	5:C:401:HOH:O	2.20	0.48					
1:E:66:LEU:O	1:E:70:MET:CB	2.61	0.48					
1:C:117:GLU:HB3	1:C:121:ARG:HH11	1.79	0.48					
1:C:85:HIS:CE1	1:C:104:GLU:HB3	2.49	0.48					
1:D:103:LEU:HD11	1:D:111:ARG:HG2	1.96	0.48					
1:E:150:VAL:HG21	1:E:177:TYR:CB	2.44	0.47					
1:C:155:ILE:HD12	1:C:203:LEU:HD21	1.96	0.47					
1:B:76:PRO:HG3	1:B:130:GLU:HG2	1.96	0.47					
1:C:85:HIS:O	1:C:88:VAL:HG23	2.13	0.47					
1:C:143:LEU:HD11	1:C:151:MET:CE	2.45	0.47					
1:E:182:MET:HG3	1:E:187:ALA:O	2.14	0.47					
1:A:58:MET:HE2	5:A:408:HOH:O	2.15	0.47					
1:A:143:LEU:O	3:A:303:GOL:H11	2.15	0.46					



	to de pagen	Interatomic	Clash		
Atom-1	Atom-2	distance (Å)	overlap (Å)		
1:C:70:MET:HG3	1:C:79:ILE:HD11	1.97	0.46		
1:E:162:LEU:O	1:E:166:GLU:HB2	2.15	0.46		
1:A:11:ASP:O	1:A:17:ARG:HD3	2.16	0.46		
1:A:104:GLU:OE1	1:A:111:ARG:NH2	2.46	0.46		
1:A:191:SER:OG	1:C:101:ASP:OD2	2.30	0.45		
1:C:49:PHE:HA	1:C:77:PHE:CE1	2.51	0.45		
1:B:20:LEU:O	1:B:24:LEU:HG	2.17	0.45		
1:D:4:LYS:O	1:D:4:LYS:CD	2.62	0.45		
1:E:73:GLN:HE21	1:E:73:GLN:HB3	1.52	0.45		
1:E:8:TYR:CE1	1:E:47:LEU:HD22	2.52	0.45		
1:C:112:LEU:O	1:C:116:ILE:HG13	2.16	0.45		
1:B:45:PRO:HA	1:B:73:GLN:NE2	2.32	0.45		
1:A:41:LEU:HD23	1:A:41:LEU:HA	1.82	0.45		
1:A:12:ASP:HB3	1:A:58:MET:HE3	1.99	0.44		
1:A:160:ASN:ND2	1:A:174:ILE:HB	2.33	0.44		
1:E:155:ILE:HD13	1:E:194:VAL:HG22	1.99	0.44		
1:E:38:GLN:HA	1:E:41:LEU:HB2	2.00	0.44		
1:C:122:GLN:O	1:C:122:GLN:HG2	2.18	0.44		
1:D:139:ARG:O	1:D:142:SER:HB3	2.19	0.43		
1:D:11:ASP:HA	1:D:58:MET:HE3	2.00	0.43		
1:D:154:LEU:HD11	1:D:178:ARG:HG3	1.99	0.43		
1:D:11:ASP:C	1:D:58:MET:HE1	2.38	0.43		
1:D:12:ASP:HB3	1:D:58:MET:CE	2.48	0.43		
1:B:103:LEU:HD11	1:B:111:ARG:HG2	1.99	0.43		
1:A:158:LEU:HD22	1:A:162:LEU:HB3	2.00	0.43		
1:B:166:GLU:HG3	1:B:167:TYR:CD1	2.54	0.43		
1:E:190:LEU:O	1:E:190:LEU:HD12	2.19	0.43		
1:A:6:HIS:HD2	1:A:8:TYR:CE1	2.36	0.43		
1:A:159:SER:O	1:A:163:ILE:HG13	2.18	0.43		
1:B:44:LEU:N	1:B:45:PRO:HD2	2.33	0.43		
1:B:153:GLY:O	1:B:156:ALA:HB3	2.17	0.43		
1:D:44:LEU:O	1:D:47:LEU:HB2	2.19	0.43		
1:E:6:HIS:O	1:E:50:GLY:HA3	2.19	0.43		
1:A:150:VAL:HG21	1:A:177:TYR:HB2	2.00	0.43		
1:D:7:ILE:HD12	1:D:29:PHE:HB3	2.01	0.42		
1:E:140:VAL:HG22	1:E:185:MET:CE	2.49	0.42		
1:E:136:ILE:HG21	1:E:200:ALA:HB2	2.02	0.42		
1:B:4:LYS:O	1:B:4:LYS:CD	2.66	0.42		
1:B:6:HIS:CE1	1:B:32:THR:OG1	2.72	0.42		
1:E:103:LEU:HD23	1:E:103:LEU:HA	1.82	0.42		
1:E:180:ASN:HA	1:E:183:THR:HG22	2.02	0.42		



A 4 1	A + 0	Interatomic	Clash	
Atom-1	Atom-2	distance (\AA)	overlap (Å)	
1:D:15:ALA:O	1:D:19:SER:HB2	2.19	0.42	
1:E:144:SER:HB3	1:E:147:GLU:HG3	2.01	0.42	
1:E:194:VAL:O	1:E:198:MET:HG3	2.20	0.42	
1:B:65:GLU:HA	1:B:68:LYS:HG2	2.02	0.41	
1:B:103:LEU:HD12	5:B:417:HOH:O	2.19	0.41	
1:D:154:LEU:HD21	1:D:178:ARG:HG3	2.01	0.41	
1:B:174:ILE:HA	1:B:174:ILE:HD13	1.77	0.41	
1:D:64:ILE:O	1:D:68:LYS:HG2	2.20	0.41	
1:E:57:ARG:HG2	1:E:57:ARG:NH1	2.35	0.41	
1:B:6:HIS:HE1	1:B:32:THR:OG1	2.03	0.41	
1:C:143:LEU:HD11	1:C:151:MET:HE3	2.02	0.41	
1:D:67:LEU:HA	1:D:67:LEU:HD13	1.75	0.41	
1:D:44:LEU:O	1:D:44:LEU:HD12	2.21	0.41	
1:E:150:VAL:CG1	1:E:154:LEU:HD11	2.45	0.41	
1:E:177:TYR:O	1:E:181:VAL:HG23	2.21	0.41	
1:C:160:ASN:HD21	1:C:178:ARG:NH1	2.04	0.40	
1:E:169:ILE:HD13	1:E:169:ILE:HG21	1.75	0.40	
1:E:150:VAL:HG21	1:E:177:TYR:HB3	2.04	0.40	
1:C:179:ALA:O	1:C:183:THR:HG23	2.22	0.40	
1:E:67:LEU:HD23	1:E:67:LEU:HA	1.88	0.40	
1:B:170:SER:HB2	1:B:173:THR:OG1	2.20	0.40	
1:C:37:ALA:HB1	1:C:61:LEU:HB2	2.04	0.40	
1:C:198:MET:HG3	1:C:203:LEU:HD12	2.04	0.40	

There are no symmetry-related clashes.

5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Perce	ntiles
1	А	200/215~(93%)	194 (97%)	6 (3%)	0	100	100
1	В	202/215~(94%)	195 (96%)	7 (4%)	0	100	100



Mol	Chain	Analysed	Favoured	Allowed	Outliers	Perce	ntiles
1	С	202/215~(94%)	199~(98%)	3~(2%)	0	100	100
1	D	200/215~(93%)	196 (98%)	4 (2%)	0	100	100
1	Е	201/215~(94%)	195 (97%)	6(3%)	0	100	100
All	All	1005/1075~(94%)	979 (97%)	26 (3%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent side chain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Perce	ntiles
1	А	163/174~(94%)	160 (98%)	3(2%)	59	75
1	В	158/174~(91%)	152~(96%)	6~(4%)	33	49
1	С	160/174~(92%)	156~(98%)	4 (2%)	47	66
1	D	150/174~(86%)	143~(95%)	7 (5%)	26	40
1	Е	139/174~(80%)	134 (96%)	5(4%)	35	51
All	All	770/870 (88%)	745 (97%)	25 (3%)	39	56

All (25) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	А	4	LYS
1	А	111	ARG
1	А	165	ARG
1	В	26	SER
1	В	73	GLN
1	В	111	ARG
1	В	128	LYS
1	В	159	SER
1	В	199	ARG
1	С	21	ASN
1	С	36	ASP
1	С	69	ARG



Mol	Chain	Res	Type
1	С	146	ARG
1	D	19	SER
1	D	44	LEU
1	D	87	ASP
1	D	111	ARG
1	D	118	SER
1	D	166	GLU
1	D	199	ARG
1	Е	48	SER
1	Е	75	SER
1	Е	111	ARG
1	Е	122	GLN
1	Е	142	SER

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (8) such sidechains are listed below:

Mol	Chain	Res	Type
1	В	6	HIS
1	В	73	GLN
1	В	160	ASN
1	С	85	HIS
1	С	134	GLN
1	С	160	ASN
1	D	134	GLN
1	Е	73	GLN

5.3.3 RNA (i)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates (i)

There are no monosaccharides in this entry.



5.6 Ligand geometry (i)

Of 20 ligands modelled in this entry, 5 are monoatomic - leaving 15 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Tuno	Chain	Dog	Link	Bond lengths		B	Bond ang	gles	
WIOI	Moi Type Chain It	nes		Counts	RMSZ	# Z >2	Counts	RMSZ	# Z >2	
4	FMT	D	304	-	2,2,2	0.61	0	$1,\!1,\!1$	0.08	0
3	GOL	С	303	-	$5,\!5,\!5$	0.40	0	$5,\!5,\!5$	0.44	0
3	GOL	С	304	-	$5,\!5,\!5$	0.41	0	$5,\!5,\!5$	0.34	0
3	GOL	С	302	-	$5,\!5,\!5$	0.48	0	$5,\!5,\!5$	0.28	0
4	FMT	А	307	-	2,2,2	0.61	0	$1,\!1,\!1$	0.10	0
3	GOL	А	303	-	$5,\!5,\!5$	0.52	0	$5,\!5,\!5$	0.70	0
4	FMT	D	303	-	2,2,2	0.56	0	$1,\!1,\!1$	0.22	0
4	FMT	В	302	-	2,2,2	0.51	0	$1,\!1,\!1$	0.08	0
4	FMT	А	306	-	2,2,2	0.63	0	$1,\!1,\!1$	0.10	0
3	GOL	D	302	-	$5,\!5,\!5$	0.38	0	$5,\!5,\!5$	0.40	0
4	FMT	А	305	-	2,2,2	0.51	0	$1,\!1,\!1$	0.18	0
4	FMT	С	306	-	2,2,2	0.63	0	$1,\!1,\!1$	0.38	0
3	GOL	A	304	-	$5,\!5,\!5$	0.49	0	$5,\!5,\!5$	0.32	0
3	GOL	A	302	-	5,5,5	0.31	0	$\overline{5,5,5}$	0.34	0
3	GOL	С	305	-	$5,\!5,\!5$	0.38	0	$5,\!5,\!5$	0.41	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	GOL	С	303	-	-	0/4/4/4	-
3	GOL	С	304	-	-	2/4/4/4	-
3	GOL	С	302	-	-	0/4/4/4	-
3	GOL	А	303	-	-	4/4/4/4	-
3	GOL	D	302	-	-	3/4/4/4	-
3	GOL	А	304	-	-	1/4/4/4	-
3	GOL	А	302	-	-	2/4/4/4	-
3	GOL	С	305	-	-	2/4/4/4	-



There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (14) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	А	302	GOL	O1-C1-C2-C3
3	А	303	GOL	O1-C1-C2-C3
3	А	303	GOL	O2-C2-C3-O3
3	С	305	GOL	O1-C1-C2-O2
3	С	304	GOL	O1-C1-C2-O2
3	А	303	GOL	C1-C2-C3-O3
3	С	304	GOL	O1-C1-C2-C3
3	С	305	GOL	O1-C1-C2-C3
3	D	302	GOL	O1-C1-C2-C3
3	А	302	GOL	O1-C1-C2-O2
3	А	303	GOL	O1-C1-C2-O2
3	D	302	GOL	O1-C1-C2-O2
3	А	304	GOL	O1-C1-C2-O2
3	D	302	GOL	O2-C2-C3-O3

There are no ring outliers.

2 monomers are involved in 4 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	А	303	GOL	2	0
3	А	304	GOL	2	0

5.7 Other polymers (i)

There are no such residues in this entry.

5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



6 Fit of model and data (i)

6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled '#RSRZ> 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95^{th} percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	< RSRZ >	#RSRZ>2	$OWAB(Å^2)$	$Q{<}0.9$
1	А	202/215~(93%)	-0.32	0 100 100	16, 36, 52, 67	0
1	В	204/215~(94%)	-0.04	0 100 100	23, 45, 69, 90	0
1	С	204/215~(94%)	-0.32	1 (0%) 91 91	15, 40, 63, 75	0
1	D	202/215~(93%)	-0.03	5 (2%) 57 53	24, 52, 87, 103	0
1	Ε	203/215~(94%)	0.58	16 (7%) 12 10	58, 74, 98, 110	0
All	All	1015/1075~(94%)	-0.02	22 (2%) 62 57	15, 47, 88, 110	0

All (22) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	D	41	LEU	4.3
1	Е	176	VAL	3.9
1	Е	39	ALA	3.8
1	Е	140	VAL	3.8
1	Е	131	ALA	3.7
1	D	85	HIS	3.6
1	Е	179	ALA	3.6
1	Е	150	VAL	3.0
1	Е	2	THR	3.0
1	С	1	MET	2.9
1	Е	151	MET	2.9
1	D	40	PHE	2.7
1	Е	42	ASP	2.7
1	Е	72	ALA	2.5
1	Е	45	PRO	2.5
1	D	64	ILE	2.5
1	Е	43	ALA	2.4
1	Е	124	GLU	2.3
1	Е	40	PHE	2.3
1	D	42	ASP	2.2



Continued from previous page...

Mol	Chain	\mathbf{Res}	Type	RSRZ
1	Е	172	ARG	2.2
1	Е	139	ARG	2.1

6.2 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates (i)

There are no monosaccharides in this entry.

6.4 Ligands (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95^{th} percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	$\mathbf{B} extsf{-}\mathbf{B} extsf{-}\mathbf{factors}(\mathbf{A}^2)$	Q<0.9
2	MG	А	301	1/1	0.66	0.38	$54,\!54,\!54,\!54$	0
3	GOL	А	303	6/6	0.80	0.21	56,64,65,66	0
2	MG	Е	301	1/1	0.82	0.13	48,48,48,48	0
3	GOL	С	304	6/6	0.82	0.33	58,64,73,79	0
4	FMT	А	305	3/3	0.82	0.34	48,48,50,50	0
4	FMT	А	307	3/3	0.84	0.22	57,57,63,66	0
4	FMT	А	306	3/3	0.85	0.20	63,63,64,65	0
3	GOL	А	304	6/6	0.85	0.24	63,69,72,73	0
4	FMT	С	306	3/3	0.87	0.18	50,50,52,55	0
4	FMT	D	303	3/3	0.87	0.12	$55,\!55,\!57,\!57$	0
3	GOL	С	305	6/6	0.88	0.31	63,72,75,83	0
4	FMT	В	302	3/3	0.88	0.25	43,43,52,54	0
3	GOL	С	303	6/6	0.89	0.28	62,66,68,68	0
4	FMT	D	304	3/3	0.89	0.28	51,51,54,54	0
3	GOL	С	302	6/6	0.92	0.33	59,62,64,66	0
3	GOL	D	302	6/6	0.93	0.15	49,56,60,66	0
2	MG	D	301	1/1	0.96	0.07	53,53,53,53	0
2	MG	С	301	1/1	0.96	0.06	50, 50, 50, 50, 50	0
2	MG	В	301	1/1	0.97	0.21	31,31,31,31	0
3	GOL	А	302	6/6	0.97	0.15	40,43,49,61	0



6.5 Other polymers (i)

There are no such residues in this entry.

