

# wwPDB X-ray Structure Validation Summary Report (i)

#### Feb 2, 2022 – 12:14 pm GMT

PDB ID : 6XTC

Title: Crystal structure of haloalkane dehalogenase variant DhaA177 domain-

swapped dimer type-3

Authors : Markova, K.; Damborsky, J.; Marek, M.

Deposited on : 2020-01-16

Resolution : 2.54 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org
A user guide is available at

https://www.wwpdb.org/validation/2017/XrayValidationReportHelp with specific help available everywhere you see the (i) symbol.

The following versions of software and data (see references (1)) were used in the production of this report:

MolProbity: 4.02b-467

Mogul: 1.8.4, CSD as541be (2020)

Xtriage (Phenix) : 1.13

EDS : 2.26

buster-report : 1.1.7 (2018)

Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)

 $Refmac \quad : \quad 5.8.0267$ 

CCP4 : 7.1.010 (Gargrove)

Ideal geometry (proteins) : Engh & Huber (2001) Ideal geometry (DNA, RNA) : Parkinson et al. (1996)


Validation Pipeline (wwPDB-VP) : 2.26

# 1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure: X- $RAY\ DIFFRACTION$ 

The reported resolution of this entry is 2.54 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive	Similar resolution
Wietric	$(\# {\rm Entries})$	$(\#  ext{Entries},  ext{ resolution range}( ext{Å}))$
$R_{free}$	130704	1284 (2.56-2.52)
Clashscore	141614	1332 (2.56-2.52)
Ramachandran outliers	138981	1315 (2.56-2.52)
Sidechain outliers	138945	1315 (2.56-2.52)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5%

Mol	Chain	Length	Quality of chain		
1	A	299	75%	21%	•
1	В	299	78%	19%	•••
1	С	299	72%	25%	• • •
1	D	299	67%	29%	• • •



# 2 Entry composition (i)


There are 4 unique types of molecules in this entry. The entry contains 9878 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

• Molecule 1 is a protein called Haloalkane dehalogenase variant DhaA177 domain-swapped dimer type-3.

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf	Trace		
1	Λ	291	Total	С	N	О	S	0	0	0
1	A	291	2349	1533	394	414	8	0	U	U
1	В	291	Total	С	N	О	S	0	3	0
1	Б	291	2378	1549	400	421	8	0	9	
1	C	291	Total	С	N	О	S	0	0	0
1		291	2349	1533	394	414	8	0	U	
1	D	291	Total	С	N	О	S	0	1	0
	ש		2360	1539	398	415	8		1	

• Molecule 2 is GLYCEROL (three-letter code: GOL) (formula: C<sub>3</sub>H<sub>8</sub>O<sub>3</sub>) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	1	Total C O 6 3 3	0	0



Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	1	Total C O 6 3 3	0	0

 $\bullet$  Molecule 3 is SULFATE ION (three-letter code: SO4) (formula: O<sub>4</sub>S) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Ato	Atoms		ZeroOcc	AltConf
3	A	1	Total	O	S	0	0
			5	4	1		_
3	A	1	Total	O	$\mathbf{S}$	0	0
		_	5	4	1	, and the second	
3	A	1	Total	Ο	S	0	0
	11	1	5	4	1	0	Ü
3	A	1	Total	Ο	S	0	0
3	Λ	1	5	4	1	0	U
3	A	1	Total	О	S	0	0
3	A	1	5	4	1	U	U
9	A	1	Total	О	S	0	0
3	A	1	5	4	1	0	0
3	A	1	Total	О	S	0	0
3	A	1	5	4	1	U	U
3	A	1	Total	О	S	0	0
3	A	1	5	4	1	U	U
3	A	1	Total	О	S	0	0
3	A	1	5	4	1	U	U
3	A	1	Total	О	S	0	0
3	A	1	5	4	1		0



 $Continued\ from\ previous\ page...$ 

Mol	Chain	$egin{array}{c} l \ previous \ pa \ \\ \mathbf{Residues} \end{array}$	Atoms	ZeroOcc	AltConf
3	В	1	Total O S 5 4 1	0	0
3	В	1	Total O S 5 4 1	0	0
3	В	1	Total O S 5 4 1	0	0
3	В	1	Total O S 5 4 1	0	0
3	В	1	Total O S 5 4 1	0	0
3	В	1	Total O S 5 4 1	0	0
3	В	1	Total O S 5 4 1	0	0
3	В	1	Total O S 5 4 1	0	0
3	В	1	Total O S 5 4 1	0	0
3	В	1	Total O S 5 4 1	0	0
3	В	1	Total O S 5 4 1	0	0
3	В	1	Total O S 5 4 1	0	0
3	В	1	Total O S 5 4 1	0	0
3	С	1	Total O S 5 4 1	0	0
3	С	1	Total O S 5 4 1	0	0
3	С	1	Total O S 5 4 1	0	0
3	С	1	Total O S 5 4 1	0	0
3	С	1	Total O S 5 4 1	0	0
3	D	1	Total O S 5 4 1	0	0
3	D	1	Total O S 5 4 1	0	0
3	D	1	Total O S 5 4 1	0	0



Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf	
3	D	1	Total O S	0	0	
3	ט	1	5 4 1	0	U	
3	D	1	Total O S	0	0	
3	ט	1	5 4 1	0	U	
3	D	1	Total O S	0	0	
3	D	1	5 4 1	0	0	
3	D	1	Total O S	0	0	
3	ש	1	5 4 1		0	

#### • Molecule 4 is water.


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	69	Total O 71 71	0	2
4	В	74	Total O 74 74	0	0
4	С	52	Total O 53 53	0	1
4	D	57	Total O 57 57	0	0




# 3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: Haloalkane dehalogenase variant DhaA177 domain-swapped dimer type-3



• Molecule 1: Haloalkane dehalogenase variant DhaA177 domain-swapped dimer type-3




• Molecule 1: Haloalkane dehalogenase variant DhaA177 domain-swapped dimer type-3



• Molecule 1: Haloalkane dehalogenase variant DhaA177 domain-swapped dimer type-3







# 4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants	120.81Å 124.18Å 133.88Å	Donositon
a, b, c, $\alpha$ , $\beta$ , $\gamma$	$90.00^{\circ}$ $90.00^{\circ}$ $90.00^{\circ}$	Depositor
Resolution (Å)	45.52 - 2.54	Depositor
Resolution (A)	45.52 - 2.54	EDS
% Data completeness	98.6 (45.52-2.54)	Depositor
(in resolution range)	98.6 (45.52-2.54)	EDS
$R_{merge}$	0.16	Depositor
$R_{sym}$	(Not available)	Depositor
$< I/\sigma(I) > 1$	1.72 (at 2.54Å)	Xtriage
Refinement program	PHENIX 1.14_3260	Depositor
D D	0.226 , $0.289$	Depositor
$R, R_{free}$	0.230 , $0.232$	DCC
$R_{free}$ test set	3378 reflections (5.12%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	50.2	Xtriage
Anisotropy	0.727	Xtriage
Bulk solvent $k_{sol}(e/Å^3)$ , $B_{sol}(Å^2)$	(Not available), (Not available)	EDS
L-test for twinning <sup>2</sup>	$< L >=0.50, < L^2>=0.33$	Xtriage
Estimated twinning fraction	0.014 for k,h,-l	Xtriage
$F_o, F_c$ correlation	0.90	EDS
Total number of atoms	9878	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	56.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: The largest off-origin peak in the Patterson function is 4.26% of the height of the origin peak. No significant pseudotranslation is detected.

<sup>&</sup>lt;sup>2</sup>Theoretical values of <|L|>,  $<L^2>$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



<sup>&</sup>lt;sup>1</sup>Intensities estimated from amplitudes.

# 5 Model quality (i)

## 5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: SO4, GOL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles		
MIOI		RMSZ	# Z  > 5	RMSZ	# Z  > 5	
1	A	0.45	0/2432	0.58	$1/3329 \ (0.0\%)$	
1	В	0.45	0/2461	0.58	0/3367	
1	С	0.46	0/2432	0.58	0/3329	
1	D	0.47	0/2443	0.61	0/3343	
All	All	0.45	0/9768	0.59	1/13368 (0.0%)	

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$Observed(^o)$	$\operatorname{Ideal}({}^{o})$
1	A	10	PHE	C-N-CA	-6.11	106.42	121.70

There are no chirality outliers.

There are no planarity outliers.

## 5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2349	0	2285	51	0
1	В	2378	0	2307	48	0
1	С	2349	0	2285	53	0
1	D	2360	0	2297	65	0
2	A	12	0	16	2	0
3	A	50	0	0	0	0



I 'omtamalod	tmom	mmonia	maaa
Continued	110111	DIEUIUU	DUJUE
00,000,000	.,	p	p = 9 =

Mol	Chain	Non-H	H(model)	$\mathbf{H}(\mathbf{added})$	Clashes	Symm-Clashes
3	В	65	0	0	2	0
3	С	25	0	0	0	0
3	D	35	0	0	1	0
4	A	71	0	0	3	0
4	В	74	0	0	0	0
4	С	53	0	0	0	0
4	D	57	0	0	1	0
All	All	9878	0	9190	189	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 10.

The worst 5 of 189 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	$\begin{array}{c} {\rm Interatomic} \\ {\rm distance} \ ({\rm \AA}) \end{array}$	Clash overlap (Å)	
1:B:206:PRO:HA	1:B:209:LEU:HD23	1.46	0.97	
1:B:290:LEU:HA	1:B:293:LEU:HD23	1.51	0.92	
1:B:290:LEU:HA	1:B:293:LEU:CD2	2.02	0.89	
1:D:75:PRO:HG2	1:D:77:LEU:HD11	1.54	0.89	
1:C:137:THR:HG22	1:C:139:ASP:H	1.42	0.83	

There are no symmetry-related clashes.

## 5.3 Torsion angles (i)

#### 5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured Allowed		Outliers	Percentiles		
1	A	289/299~(97%)	270 (93%)	18 (6%)	1 (0%)	41	51	
1	В	$292/299\ (98\%)$	271 (93%)	20 (7%)	1 (0%)	41	51	
1	С	289/299 (97%)	262 (91%)	23 (8%)	4 (1%)	11	15	
1	D	290/299 (97%)	267 (92%)	19 (7%)	4 (1%)	11	15	



Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
All	All	1160/1196 (97%)	1070 (92%)	80 (7%)	10 (1%)	17 24	

5 of 10 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	С	121	GLU
1	D	292	ALA
1	A	58	SER
1	С	292	ALA
1	D	18	LEU

#### 5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Rotameric Outliers		Percentiles		
1	A	251/259 (97%)	246 (98%)	5 (2%)	55	70		
1	В	254/259 (98%)	249 (98%)	5 (2%)	55	70		
1	С	251/259 (97%)	242 (96%)	9 (4%)	35	47		
1	D	252/259 (97%)	243 (96%)	9 (4%)	35	47		
All	All	1008/1036 (97%)	980 (97%)	28 (3%)	46	58		

5 of 28 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	С	133	ARG
1	D	288[B]	ARG
1	С	225	TYR
1	D	168	PHE
1	С	205	PHE

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.



#### 5.3.3 RNA (i)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates (i)

There are no monosaccharides in this entry.

## 5.6 Ligand geometry (i)

37 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Т	Clasia.	Dan	T !1.	В	ond leng	$_{ m gths}$	В	ond ang	gles
Mol	Type	Chain	Res	Link	Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
3	SO4	С	303	-	4,4,4	0.22	0	6,6,6	0.17	0
3	SO4	В	308	-	4,4,4	0.21	0	6,6,6	0.13	0
3	SO4	В	302	-	4,4,4	0.19	0	6,6,6	0.14	0
2	GOL	A	302	-	5,5,5	0.52	0	5,5,5	0.27	0
3	SO4	В	301	-	4,4,4	0.24	0	6,6,6	0.34	0
3	SO4	A	303	-	4,4,4	0.19	0	6,6,6	0.33	0
3	SO4	A	307	-	4,4,4	0.18	0	6,6,6	0.17	0
3	SO4	A	309	-	4,4,4	0.18	0	6,6,6	0.25	0
3	SO4	D	304	-	4,4,4	0.25	0	6,6,6	0.22	0
2	GOL	A	301	-	5,5,5	0.58	0	5,5,5	0.70	0
3	SO4	В	309	-	4,4,4	0.18	0	6,6,6	0.27	0
3	SO4	С	305	-	4,4,4	0.23	0	6,6,6	0.23	0
3	SO4	A	308	-	4,4,4	0.21	0	6,6,6	0.40	0
3	SO4	A	310	-	4,4,4	0.20	0	6,6,6	0.16	0
3	SO4	D	301	-	4,4,4	0.15	0	6,6,6	0.14	0
3	SO4	В	311	-	4,4,4	0.16	0	6,6,6	0.11	0
3	SO4	В	305	-	4,4,4	0.28	0	6,6,6	0.27	0
3	SO4	D	307	-	4,4,4	0.20	0	6,6,6	0.31	0



Mol	Type	Chain	Res	Link	В	ond leng	$_{ m gths}$	В	ond ang	gles
MIOI	Type	Chain	nes	LIIIK	Counts	RMSZ	# Z >2	Counts	RMSZ	# Z >2
3	SO4	В	304	-	4,4,4	0.19	0	6,6,6	0.14	0
3	SO4	В	306	-	4,4,4	0.10	0	6,6,6	0.14	0
3	SO4	D	302	-	4,4,4	0.17	0	6,6,6	0.37	0
3	SO4	С	304	-	4,4,4	0.20	0	6,6,6	0.17	0
3	SO4	A	306	-	4,4,4	0.20	0	6,6,6	0.21	0
3	SO4	A	311	-	4,4,4	0.25	0	6,6,6	0.18	0
3	SO4	В	312	-	4,4,4	0.26	0	6,6,6	0.25	0
3	SO4	В	303	-	4,4,4	0.27	0	6,6,6	0.28	0
3	SO4	A	304	-	4,4,4	0.14	0	6,6,6	0.32	0
3	SO4	В	313	-	4,4,4	0.18	0	6,6,6	0.24	0
3	SO4	A	312	-	4,4,4	0.16	0	6,6,6	0.16	0
3	SO4	В	310	-	4,4,4	0.20	0	6,6,6	0.14	0
3	SO4	С	302	-	4,4,4	0.25	0	6,6,6	0.25	0
3	SO4	A	305	ı	4,4,4	0.21	0	6,6,6	0.29	0
3	SO4	D	306	-	4,4,4	0.21	0	6,6,6	0.15	0
3	SO4	С	301	-	4,4,4	0.26	0	6,6,6	0.38	0
3	SO4	D	305	-	4,4,4	0.24	0	6,6,6	0.29	0
3	SO4	В	307	-	4,4,4	0.18	0	6,6,6	0.19	0
3	SO4	D	303	-	4,4,4	0.25	0	6,6,6	0.34	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	GOL	A	302	-	-	4/4/4/4	-
2	GOL	A	301	-	-	2/4/4/4	-

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

5 of 6 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	301	GOL	O1-C1-C2-C3
2	A	302	GOL	O1-C1-C2-O2
2	A	302	GOL	O1-C1-C2-C3
2	A	302	GOL	C1-C2-C3-O3
2	A	301	GOL	O1-C1-C2-O2




There are no ring outliers.

5 monomers are involved in 5 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	В	302	SO4	1	0
2	A	302	GOL	1	0
3	D	304	SO4	1	0
2	A	301	GOL	1	0
3	В	312	SO4	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less then 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.
























































































































































































### 5.7 Other polymers (i)

There are no such residues in this entry.

### 5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



### 6 Fit of model and data (i)

### 6.1 Protein, DNA and RNA chains (i)

Unable to reproduce the depositors R factor - this section is therefore empty.

### 6.2 Non-standard residues in protein, DNA, RNA chains (i)

Unable to reproduce the depositors R factor - this section is therefore empty.


### 6.3 Carbohydrates (i)

Unable to reproduce the depositors R factor - this section is therefore empty.


### 6.4 Ligands (i)

Unable to reproduce the depositors R factor - this section is therefore empty.

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.












### Electron density around SO4 A 303:


 $2 \mathrm{mF}_o\text{-}\mathrm{DF}_c$  (at 0.7 rmsd) in gray  $\mathrm{mF}_o\text{-}\mathrm{DF}_c$  (at 3 rmsd) in purple (negative) and green (positive)









### Electron density around SO4 A 304:










# Electron density around SO4 A 305: 2mF<sub>o</sub>-DF<sub>c</sub> (at 0.7 rmsd) in gray mF<sub>o</sub>-DF<sub>c</sub> (at 3 rmsd) in purple (negative) and green (positive)




### Electron density around SO4 A 306:









### Electron density around SO4 A 307:










### Electron density around SO4 A 308:


 $2 \mathrm{mF}_o\text{-}\mathrm{DF}_c$  (at 0.7 rmsd) in gray  $\mathrm{mF}_o\text{-}\mathrm{DF}_c$  (at 3 rmsd) in purple (negative) and green (positive)

















### Electron density around SO4 A 310:












### 





## Electron density around SO4 B 301: $2 \mathrm{mF}_o\text{-}\mathrm{DF}_c$ (at 0.7 rmsd) in gray ${ m mF}_o{ m -DF}_c$ (at 3 rmsd) in purple (negative) and green (positive)



### Electron density around SO4 B 302:













### Electron density around SO4 B 303:









### Electron density around SO4 B 304:












### Electron density around SO4 B 305:










### Electron density around SO4 B 306:

 $2 {\rm mF}_o\text{-}{\rm DF}_c$  (at 0.7 rmsd) in gray  ${\rm mF}_o\text{-}{\rm DF}_c$  (at 3 rmsd) in purple (negative) and green (positive)












### Electron density around SO4 B 307:

 $2 \mathrm{mF}_o\text{-}\mathrm{DF}_c$  (at 0.7 rmsd) in gray  $\mathrm{mF}_o\text{-}\mathrm{DF}_c$  (at 3 rmsd) in purple (negative) and green (positive)










### Electron density around SO4 B 308:

 $2mF_o$ -DF<sub>c</sub> (at 0.7 rmsd) in gray  $mF_o$ -DF<sub>c</sub> (at 3 rmsd) in purple (negative) and green (positive)








# Electron density around SO4 B 309: 2mF<sub>o</sub>-DF<sub>c</sub> (at 0.7 rmsd) in gray mF<sub>o</sub>-DF<sub>c</sub> (at 3 rmsd) in purple (negative) and green (positive)










#### Electron density around SO4 B 311:


 $2 \mathrm{mF}_o\text{-}\mathrm{DF}_c$  (at 0.7 rmsd) in gray  $\mathrm{mF}_o\text{-}\mathrm{DF}_c$  (at 3 rmsd) in purple (negative) and green (positive)
















#### Electron density around SO4 B 313:

 $2 \mathrm{mF}_o\text{-}\mathrm{DF}_c$  (at 0.7 rmsd) in gray  $\mathrm{mF}_o\text{-}\mathrm{DF}_c$  (at 3 rmsd) in purple (negative) and green (positive)












#### Electron density around SO4 C 301:












#### Electron density around SO4 C 302:











## Electron density around SO4 C 303: $2 \mathrm{mF}_o\text{-}\mathrm{DF}_c$ (at 0.7 rmsd) in gray ${ m mF}_o{ m -DF}_c$ (at 3 rmsd) in purple (negative) and green (positive)




#### Electron density around SO4 C 304:

 $2 \mathrm{mF}_o\text{-DF}_c$  (at 0.7 rmsd) in gray  $\mathrm{mF}_o\text{-DF}_c$  (at 3 rmsd) in purple (negative) and green (positive)












## Electron density around SO4 C 305: $2 \mathrm{mF}_o\text{-}\mathrm{DF}_c$ (at 0.7 rmsd) in gray ${ m mF}_o{ m -DF}_c$ (at 3 rmsd) in purple (negative) and green (positive)



#### Electron density around SO4 D 301:










## 




#### Electron density around SO4 D 303:









#### Electron density around SO4 D 304:












### Electron density around SO4 D 305: $2 \mathrm{mF}_o\text{-}\mathrm{DF}_c \ (\mathrm{at}\ 0.7\ \mathrm{rmsd}) \ \mathrm{in}\ \mathrm{gray}$

 ${
m mF}_o{
m -DF}_c$  (at 3 rmsd) in purple (negative) and green (positive)










## Electron density around SO4 D 306: $2 \mathrm{mF}_o\text{-}\mathrm{DF}_c$ (at 0.7 rmsd) in gray ${ m mF}_o{ m -DF}_c$ (at 3 rmsd) in purple (negative) and green (positive)





#### 6.5 Other polymers (i)

Unable to reproduce the depositors R factor - this section is therefore empty.

