



Full wwPDB EM Validation Report (i)

Dec 13, 2022 – 04:55 PM JST

PDB ID : 7XW5
EMDB ID : EMD-33491
Title : TSHR-thyroid stimulating hormone-Gs-ML109 complex
Authors : Duan, J.; Xu, P.; Luan, X.; Ji, Y.; Yuan, Q.; He, X.; Ye, J.; Cheng, X.; Jiang, H.; Zhang, S.; Jiang, Y.; Xu, H.E.
Deposited on : 2022-05-26
Resolution : 2.96 Å(reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>
with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at
<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references \(1\)](#)) were used in the production of this report:


EMDB validation analysis : 0.0.1.dev43
Mogul : 1.8.5 (274361), CSD as541be (2020)
MolProbity : 4.02b-467
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
MapQ : 1.9.9
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.31.3

1 Overall quality at a glance

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY


The reported resolution of this entry is 2.96 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	158937	4297
Ramachandran outliers	154571	4023
Sidechain outliers	154315	3826

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5%. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion < 40%). The numeric value is given above the bar.



2 Entry composition i

There are 11 unique types of molecules in this entry. The entry contains 12618 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Guanine nucleotide-binding protein G(s) subunit alpha isoforms short.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
1	A	235	1964	1237	358	362	7	0	0

There are 16 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	226	ALA	GLY	conflict	UNP P63094
A	249	ASP	ALA	conflict	UNP P63094
A	252	ASP	SER	conflict	UNP P63094
A	?	-	MET	deletion	UNP P63094
A	?	-	VAL	deletion	UNP P63094
A	?	-	ILE	deletion	UNP P63094
A	?	-	ARG	deletion	UNP P63094
A	?	-	GLU	deletion	UNP P63094
A	?	-	ASP	deletion	UNP P63094
A	?	-	ASN	deletion	UNP P63094
A	?	-	GLN	deletion	UNP P63094
A	?	-	THR	deletion	UNP P63094
A	?	-	ASN	deletion	UNP P63094
A	356	SER	ALA	conflict	UNP P63094
A	362	ALA	ILE	conflict	UNP P63094
A	365	ILE	VAL	conflict	UNP P63094

- Molecule 2 is a protein called Guanine nucleotide-binding protein G(I)/G(S)/G(T) subunit beta-1.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
2	B	338	2601	1604	467	509	21	0	0

There are 11 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
B	-9	HIS	-	expression tag	UNP P62873
B	-8	HIS	-	expression tag	UNP P62873
B	-7	HIS	-	expression tag	UNP P62873
B	-6	HIS	-	expression tag	UNP P62873
B	-5	HIS	-	expression tag	UNP P62873
B	-4	HIS	-	expression tag	UNP P62873
B	-3	GLY	-	expression tag	UNP P62873
B	-2	SER	-	expression tag	UNP P62873
B	-1	LEU	-	expression tag	UNP P62873
B	0	LEU	-	expression tag	UNP P62873
B	1	GLN	-	expression tag	UNP P62873

- Molecule 3 is a protein called Guanine nucleotide-binding protein G(I)/G(S)/G(O) subunit gamma-2.

Mol	Chain	Residues	Atoms					AltConf	Trace
3	G	57	Total	C	N	O	S	0	0
			436	273	77	83	3		

- Molecule 4 is a protein called Nanobody35.

Mol	Chain	Residues	Atoms					AltConf	Trace
4	N	128	Total	C	N	O	S	0	0
			973	605	170	192	6		

- Molecule 5 is a protein called Thyrotropin receptor.

Mol	Chain	Residues	Atoms					AltConf	Trace
5	R	572	Total	C	N	O	S	0	0
			4517	2964	725	797	31		

There are 62 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
R	281	ILE	SER	variant	UNP P16473
R	?	-	ALA	deletion	UNP P16473
R	?	-	LEU	deletion	UNP P16473
R	?	-	ASN	deletion	UNP P16473
R	?	-	SER	deletion	UNP P16473
R	?	-	PRO	deletion	UNP P16473
R	?	-	LEU	deletion	UNP P16473
R	?	-	HIS	deletion	UNP P16473
R	?	-	GLN	deletion	UNP P16473

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
R	?	-	GLU	deletion	UNP P16473
R	?	-	TYR	deletion	UNP P16473
R	?	-	GLU	deletion	UNP P16473
R	?	-	GLU	deletion	UNP P16473
R	?	-	ASN	deletion	UNP P16473
R	?	-	LEU	deletion	UNP P16473
R	?	-	GLY	deletion	UNP P16473
R	?	-	ASP	deletion	UNP P16473
R	?	-	SER	deletion	UNP P16473
R	?	-	ILE	deletion	UNP P16473
R	?	-	VAL	deletion	UNP P16473
R	?	-	GLY	deletion	UNP P16473
R	?	-	TYR	deletion	UNP P16473
R	?	-	LYS	deletion	UNP P16473
R	?	-	GLU	deletion	UNP P16473
R	?	-	LYS	deletion	UNP P16473
R	?	-	SER	deletion	UNP P16473
R	?	-	LYS	deletion	UNP P16473
R	?	-	PHE	deletion	UNP P16473
R	?	-	GLN	deletion	UNP P16473
R	?	-	ASP	deletion	UNP P16473
R	?	-	THR	deletion	UNP P16473
R	?	-	HIS	deletion	UNP P16473
R	?	-	ASN	deletion	UNP P16473
R	?	-	ASN	deletion	UNP P16473
R	?	-	ALA	deletion	UNP P16473
R	?	-	HIS	deletion	UNP P16473
R	?	-	TYR	deletion	UNP P16473
R	?	-	TYR	deletion	UNP P16473
R	?	-	VAL	deletion	UNP P16473
R	?	-	PHE	deletion	UNP P16473
R	?	-	PHE	deletion	UNP P16473
R	?	-	GLU	deletion	UNP P16473
R	?	-	GLU	deletion	UNP P16473
R	?	-	GLN	deletion	UNP P16473
R	?	-	GLU	deletion	UNP P16473
R	?	-	ASP	deletion	UNP P16473
R	?	-	GLU	deletion	UNP P16473
R	?	-	ILE	deletion	UNP P16473
R	?	-	ILE	deletion	UNP P16473
R	?	-	GLY	deletion	UNP P16473
R	?	-	PHE	deletion	UNP P16473

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
R	367	ASN	GLY	conflict	UNP P16473
R	368	LYS	GLN	conflict	UNP P16473
R	369	THR	GLU	conflict	UNP P16473
R	765	HIS	-	expression tag	UNP P16473
R	766	HIS	-	expression tag	UNP P16473
R	767	HIS	-	expression tag	UNP P16473
R	768	HIS	-	expression tag	UNP P16473
R	769	HIS	-	expression tag	UNP P16473
R	770	HIS	-	expression tag	UNP P16473
R	771	HIS	-	expression tag	UNP P16473
R	772	HIS	-	expression tag	UNP P16473


- Molecule 6 is a protein called Glycoprotein hormones alpha chain.

Mol	Chain	Residues	Atoms					AltConf	Trace
6	X	87	Total 670	C 415	N 116	O 126	S 13	0	0

- Molecule 7 is a protein called Thyrotropin subunit beta.


Mol	Chain	Residues	Atoms					AltConf	Trace
7	Y	105	Total 838	C 534	N 136	O 154	S 14	0	0

- Molecule 8 is 2-acetamido-2-deoxy-beta-D-glucopyranose (three-letter code: NAG) (formula: C₈H₁₅NO₆).




Mol	Chain	Residues	Atoms				AltConf
8	R	1	Total 56	C 32	N 4	O 20	0
8	R	1	Total 56	C 32	N 4	O 20	0
8	R	1	Total 56	C 32	N 4	O 20	0
8	R	1	Total 56	C 32	N 4	O 20	0
8	X	1	Total 28	C 16	N 2	O 10	0
8	X	1	Total 28	C 16	N 2	O 10	0
8	Y	1	Total 14	C 8	N 1	O 5	0

- Molecule 9 is {N}-[4-[[2-methoxy-5-[(2 {S})-5-oxidanyl-4-oxidanylidene-3-(phenylmethyl)-1,2-dihydroquinazolin-2-yl]phenyl]methoxy]phenyl]ethanamide (three-letter code: HOI) (formula: C₃₁H₂₉N₃O₅) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms				AltConf
9	R	1	Total 39	C 31	N 3	O 5	0

- Molecule 10 is CHOLESTEROL (three-letter code: CLR) (formula: C₂₇H₄₆O).



Mol	Chain	Residues	Atoms			AltConf
10	R	1	Total 392	C 378	O 14	0
10	R	1	Total 392	C 378	O 14	0
10	R	1	Total 392	C 378	O 14	0
10	R	1	Total 392	C 378	O 14	0
10	R	1	Total 392	C 378	O 14	0
10	R	1	Total 392	C 378	O 14	0
10	R	1	Total 392	C 378	O 14	0
10	R	1	Total 392	C 378	O 14	0
10	R	1	Total 392	C 378	O 14	0
10	R	1	Total 392	C 378	O 14	0
10	R	1	Total 392	C 378	O 14	0
10	R	1	Total 392	C 378	O 14	0
10	R	1	Total 392	C 378	O 14	0
10	R	1	Total 392	C 378	O 14	0
10	R	1	Total 392	C 378	O 14	0

- Molecule 11 is PALMITIC ACID (three-letter code: PLM) (formula: C₁₆H₃₂O₂).




Mol	Chain	Residues	Atoms	AltConf
11	R	1	Total C O 90 80 10	0
11	R	1	Total C O 90 80 10	0
11	R	1	Total C O 90 80 10	0
11	R	1	Total C O 90 80 10	0
11	R	1	Total C O 90 80 10	0


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Guanine nucleotide-binding protein G(s) subunit alpha isoforms short



- Molecule 2: Guanine nucleotide-binding protein G(I)/G(S)/G(T) subunit beta-1




- Molecule 3: Guanine nucleotide-binding protein G(I)/G(S)/G(O) subunit gamma-2





- Molecule 4: Nanobody35










- Molecule 5: Thyrotropin receptor



- Molecule 6: Glycoprotein hormones alpha chain



- Molecule 7: Thyrotropin subunit beta



4 Experimental information (i)

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	565098	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	60	Depositor
Minimum defocus (nm)	1200	Depositor
Maximum defocus (nm)	2200	Depositor
Magnification	Not provided	
Image detector	GATAN K3 (6k x 4k)	Depositor
Maximum map value	5.753	Depositor
Minimum map value	-3.959	Depositor
Average map value	-0.002	Depositor
Map value standard deviation	0.093	Depositor
Recommended contour level	0.6	Depositor
Map size (Å)	321.3, 321.3, 321.3	wwPDB
Map dimensions	300, 300, 300	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	1.071, 1.071, 1.071	Depositor

5 Model quality i

5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: HOI, NAG, PLM, CLR

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.68	0/2002	1.06	8/2691 (0.3%)
2	B	0.72	4/2648 (0.2%)	1.14	14/3589 (0.4%)
3	G	0.61	0/442	0.98	1/597 (0.2%)
4	N	0.71	0/993	1.04	2/1345 (0.1%)
5	R	0.63	0/4625	0.97	6/6295 (0.1%)
6	X	0.67	0/686	0.97	1/926 (0.1%)
7	Y	0.72	0/860	0.97	0/1169
All	All	0.67	4/12256 (0.0%)	1.03	32/16612 (0.2%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	2
2	B	0	1
6	X	0	1
All	All	0	4

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	105	TYR	CA-C	-7.16	1.34	1.52
2	B	104	ALA	CA-CB	-5.58	1.40	1.52
2	B	104	ALA	C-O	-5.32	1.13	1.23
2	B	105	TYR	CE2-CZ	-5.09	1.31	1.38

All (32) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	G	27	ARG	NE-CZ-NH2	8.73	124.66	120.30
1	A	332	ARG	NE-CZ-NH2	8.58	124.59	120.30
2	B	48	ARG	NE-CZ-NH2	8.45	124.53	120.30
5	R	274	ARG	NE-CZ-NH2	8.29	124.44	120.30
2	B	219	ARG	NE-CZ-NH2	8.15	124.38	120.30
2	B	314	ARG	NE-CZ-NH2	7.83	124.22	120.30
5	R	109	ARG	NE-CZ-NH2	7.61	124.11	120.30
2	B	304	ARG	NE-CZ-NH2	7.60	124.10	120.30
1	A	375	ARG	NE-CZ-NH2	7.35	123.98	120.30
2	B	105	TYR	N-CA-C	-7.32	91.25	111.00
2	B	96	ARG	NE-CZ-NH2	6.65	123.62	120.30
5	R	112	ARG	NE-CZ-NH2	6.49	123.55	120.30
1	A	364	ARG	NE-CZ-NH2	6.45	123.53	120.30
4	N	38	ARG	NE-CZ-NH2	6.24	123.42	120.30
1	A	61	ARG	NE-CZ-NH2	6.09	123.34	120.30
2	B	129	ARG	NE-CZ-NH2	6.05	123.33	120.30
5	R	625	ARG	NE-CZ-NH2	5.83	123.21	120.30
5	R	418	ARG	NE-CZ-NH2	5.79	123.20	120.30
4	N	118	ARG	NE-CZ-NH2	5.74	123.17	120.30
2	B	105	TYR	CB-CA-C	-5.71	98.98	110.40
1	A	38	ARG	NE-CZ-NH2	5.67	123.13	120.30
2	B	292	PHE	CB-CG-CD1	5.58	124.71	120.80
5	R	225	TYR	CB-CG-CD2	-5.50	117.70	121.00
1	A	228	ARG	NE-CZ-NH2	5.48	123.04	120.30
2	B	251	ARG	NE-CZ-NH2	5.46	123.03	120.30
2	B	283	ARG	NE-CZ-NH2	5.36	122.98	120.30
2	B	150	ARG	NE-CZ-NH2	5.33	122.97	120.30
6	X	42	ARG	NE-CZ-NH2	5.30	122.95	120.30
1	A	326	ARG	NE-CZ-NH2	5.27	122.94	120.30
2	B	85	TYR	CB-CG-CD2	-5.26	117.84	121.00
1	A	11	ASP	CB-CG-OD2	5.24	123.02	118.30
2	B	19	ARG	NE-CZ-NH2	5.02	122.81	120.30

There are no chirality outliers.

All (4) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	232	ARG	Sidechain
1	A	348	TYR	Sidechain
2	B	314	ARG	Sidechain
6	X	54	THR	Peptide

5.2 Too-close contacts [\(i\)](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1964	0	1940	13	0
2	B	2601	0	2505	15	0
3	G	436	0	448	0	0
4	N	973	0	938	0	0
5	R	4517	0	4579	25	0
6	X	670	0	637	0	0
7	Y	838	0	798	2	0
8	R	56	0	52	0	0
8	X	28	0	26	0	0
8	Y	14	0	13	0	0
9	R	39	0	0	0	0
10	R	392	0	644	16	0
11	R	90	0	155	6	0
All	All	12618	0	12735	63	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 2.

All (63) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
10:R:811:CLR:H212	10:R:811:CLR:H183	1.37	1.04
1:A:63:LEU:HD13	1:A:214:VAL:HG22	1.47	0.94
1:A:40:THR:HG22	1:A:218:ASN:OD1	1.67	0.92
5:R:144:LEU:CD1	5:R:156:LEU:HD21	2.00	0.92
5:R:144:LEU:HD13	5:R:156:LEU:HD21	1.53	0.90
5:R:506:GLU:OE2	5:R:586:VAL:HG13	1.82	0.80
2:B:160:SER:HB3	2:B:190:LEU:HD23	1.64	0.79
10:R:811:CLR:H232	10:R:811:CLR:C16	2.15	0.77
2:B:95:LEU:CD1	2:B:100:VAL:HG21	2.16	0.76
1:A:40:THR:HG22	1:A:218:ASN:CG	2.09	0.72
1:A:370:ARG:HA	5:R:527:MET:SD	2.32	0.70
1:A:40:THR:HA	1:A:218:ASN:OD1	1.95	0.67
5:R:156:LEU:HD11	5:R:175:LEU:HD21	1.76	0.66
5:R:649:LEU:HD21	11:R:823:PLM:CA	2.26	0.65

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
5:R:649:LEU:HD21	11:R:823:PLM:HA1	1.80	0.64
5:R:492:PRO:HB2	10:R:816:CLR:H192	1.80	0.64
2:B:95:LEU:CD1	2:B:100:VAL:CG2	2.77	0.62
10:R:811:CLR:H232	10:R:811:CLR:H161	1.80	0.61
1:A:23:ASN:OD1	2:B:89:LYS:HG2	2.00	0.61
1:A:63:LEU:HD13	1:A:214:VAL:CG2	2.26	0.60
1:A:40:THR:CG2	1:A:218:ASN:OD1	2.46	0.60
2:B:95:LEU:HD13	2:B:100:VAL:CG2	2.32	0.60
2:B:339:TRP:O	2:B:340:ASN:OD1	2.20	0.59
5:R:144:LEU:CD1	5:R:156:LEU:CD2	2.79	0.58
2:B:71:VAL:HG12	2:B:72:SER:N	2.19	0.58
5:R:643:TYR:OH	10:R:811:CLR:H112	2.03	0.58
2:B:71:VAL:HG23	2:B:105:TYR:CD2	2.40	0.57
10:R:810:CLR:H263	10:R:811:CLR:H213	1.88	0.56
5:R:506:GLU:OE2	5:R:586:VAL:CG1	2.54	0.56
7:Y:117:HIS:CG	7:Y:118:GLU:H	2.24	0.56
10:R:816:CLR:H151	10:R:817:CLR:C27	2.35	0.56
2:B:73:ALA:HB1	2:B:100:VAL:HG11	1.89	0.55
5:R:156:LEU:HD11	5:R:175:LEU:CD2	2.37	0.55
10:R:816:CLR:H121	10:R:816:CLR:H212	1.91	0.53
10:R:811:CLR:C16	10:R:811:CLR:C23	2.85	0.52
10:R:810:CLR:C26	10:R:811:CLR:H213	2.41	0.51
5:R:156:LEU:HD13	5:R:182:LEU:CD2	2.40	0.50
10:R:811:CLR:H121	10:R:811:CLR:C21	2.42	0.50
5:R:576:THR:HB	5:R:577:PRO:HD2	1.93	0.49
5:R:649:LEU:HD21	11:R:823:PLM:HA2	1.93	0.49
1:A:370:ARG:CA	5:R:527:MET:SD	3.01	0.48
5:R:642:PHE:CE2	10:R:811:CLR:H14	2.48	0.48
5:R:156:LEU:HD13	5:R:182:LEU:HD23	1.98	0.46
10:R:816:CLR:H151	10:R:817:CLR:H272	1.98	0.45
1:A:40:THR:CA	1:A:218:ASN:OD1	2.64	0.45
2:B:292:PHE:CD1	2:B:292:PHE:N	2.85	0.45
5:R:642:PHE:CZ	10:R:811:CLR:H14	2.52	0.45
11:R:823:PLM:H91	11:R:823:PLM:HC1	1.73	0.44
2:B:71:VAL:CG1	2:B:72:SER:N	2.79	0.44
1:A:23:ASN:OD1	2:B:89:LYS:CG	2.65	0.43
2:B:48:ARG:HG3	2:B:340:ASN:HB2	2.00	0.43
5:R:144:LEU:HD11	5:R:156:LEU:CD2	2.48	0.43
5:R:492:PRO:HB2	10:R:816:CLR:C19	2.48	0.43
11:R:823:PLM:H71	11:R:823:PLM:H42	1.66	0.42
5:R:144:LEU:HD13	5:R:175:LEU:HD22	2.01	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
5:R:645:LEU:HD11	11:R:823:PLM:HB2	2.02	0.42
2:B:81:ILE:HD12	2:B:126:LEU:HD11	2.01	0.42
5:R:687:ARG:HH21	5:R:687:ARG:HG2	1.85	0.42
10:R:816:CLR:H151	10:R:817:CLR:H273	2.01	0.41
1:A:12:GLN:O	1:A:16:GLU:HG3	2.20	0.41
5:R:153:PHE:CZ	7:Y:64:LYS:HE2	2.56	0.41
2:B:48:ARG:CG	2:B:340:ASN:HB2	2.51	0.40
1:A:63:LEU:HD11	1:A:362:ALA:CB	2.51	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [\(i\)](#)

5.3.1 Protein backbone [\(i\)](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	231/249 (93%)	226 (98%)	5 (2%)	0	100 100
2	B	336/350 (96%)	319 (95%)	17 (5%)	0	100 100
3	G	55/71 (78%)	55 (100%)	0	0	100 100
4	N	126/134 (94%)	123 (98%)	3 (2%)	0	100 100
5	R	566/702 (81%)	535 (94%)	31 (6%)	0	100 100
6	X	85/92 (92%)	83 (98%)	2 (2%)	0	100 100
7	Y	103/118 (87%)	92 (89%)	11 (11%)	0	100 100
All	All	1502/1716 (88%)	1433 (95%)	69 (5%)	0	100 100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [\(i\)](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM

entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	213/221 (96%)	213 (100%)	0	100 100
2	B	281/292 (96%)	278 (99%)	3 (1%)	73 89
3	G	46/58 (79%)	46 (100%)	0	100 100
4	N	106/112 (95%)	106 (100%)	0	100 100
5	R	504/637 (79%)	504 (100%)	0	100 100
6	X	79/83 (95%)	79 (100%)	0	100 100
7	Y	95/107 (89%)	95 (100%)	0	100 100
All	All	1324/1510 (88%)	1321 (100%)	3 (0%)	93 98

All (3) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
2	B	59	TYR
2	B	105	TYR
2	B	292	PHE

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

5.3.3 RNA [\(i\)](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [\(i\)](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [\(i\)](#)

27 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
8	NAG	R	801	5	14,14,15	1.23	2 (14%)	17,19,21	0.77	0
10	CLR	R	816	-	31,31,31	0.80	1 (3%)	48,48,48	1.50	5 (10%)
11	PLM	R	820	-	17,17,17	0.90	1 (5%)	17,17,17	0.63	0
11	PLM	R	822	-	17,17,17	0.96	1 (5%)	17,17,17	0.53	0
10	CLR	R	818	-	31,31,31	1.15	1 (3%)	48,48,48	0.46	0
10	CLR	R	812	-	31,31,31	1.16	2 (6%)	48,48,48	0.59	0
10	CLR	R	814	-	31,31,31	1.12	1 (3%)	48,48,48	0.84	1 (2%)
10	CLR	R	815	-	31,31,31	1.12	1 (3%)	48,48,48	0.43	0
8	NAG	Y	201	7	14,14,15	1.33	3 (21%)	17,19,21	0.89	1 (5%)
11	PLM	R	821	-	17,17,17	0.95	1 (5%)	17,17,17	0.59	0
10	CLR	R	819	-	31,31,31	1.21	3 (9%)	48,48,48	0.60	0
10	CLR	R	807	-	31,31,31	1.07	2 (6%)	48,48,48	0.61	0
11	PLM	R	824	-	17,17,17	0.88	1 (5%)	17,17,17	0.62	0
10	CLR	R	811	-	31,31,31	0.78	1 (3%)	48,48,48	1.43	7 (14%)
8	NAG	R	802	5	14,14,15	1.22	1 (7%)	17,19,21	0.85	0
10	CLR	R	810	-	31,31,31	1.13	2 (6%)	48,48,48	0.70	1 (2%)
10	CLR	R	809	-	31,31,31	1.22	2 (6%)	48,48,48	0.78	0
10	CLR	R	806	-	31,31,31	1.05	1 (3%)	48,48,48	0.64	0
10	CLR	R	808	-	31,31,31	1.20	2 (6%)	48,48,48	0.72	1 (2%)
8	NAG	X	202	6	14,14,15	1.22	2 (14%)	17,19,21	0.82	1 (5%)
9	HOI	R	805	-	42,43,43	0.90	0	53,60,60	0.95	6 (11%)
10	CLR	R	817	-	31,31,31	1.17	1 (3%)	48,48,48	0.60	0
11	PLM	R	823	-	17,17,17	0.60	1 (5%)	17,17,17	0.88	0
10	CLR	R	813	-	31,31,31	1.18	2 (6%)	48,48,48	0.62	0
8	NAG	R	804	5	14,14,15	1.19	2 (14%)	17,19,21	0.78	0
8	NAG	R	803	5	14,14,15	1.35	3 (21%)	17,19,21	0.79	0
8	NAG	X	201	6	14,14,15	1.23	1 (7%)	17,19,21	0.80	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral

centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
8	NAG	R	801	5	-	0/6/23/26	0/1/1/1
10	CLR	R	816	-	-	3/10/68/68	0/4/4/4
11	PLM	R	820	-	-	4/15/15/15	-
11	PLM	R	822	-	-	4/15/15/15	-
10	CLR	R	818	-	-	0/10/68/68	0/4/4/4
10	CLR	R	812	-	-	1/10/68/68	0/4/4/4
10	CLR	R	814	-	-	0/10/68/68	0/4/4/4
10	CLR	R	815	-	-	0/10/68/68	0/4/4/4
8	NAG	Y	201	7	-	0/6/23/26	0/1/1/1
11	PLM	R	821	-	-	6/15/15/15	-
10	CLR	R	819	-	-	0/10/68/68	0/4/4/4
10	CLR	R	807	-	-	0/10/68/68	0/4/4/4
11	PLM	R	824	-	-	7/15/15/15	-
10	CLR	R	811	-	-	7/10/68/68	0/4/4/4
8	NAG	R	802	5	-	0/6/23/26	0/1/1/1
10	CLR	R	810	-	-	4/10/68/68	0/4/4/4
10	CLR	R	809	-	-	0/10/68/68	0/4/4/4
10	CLR	R	806	-	-	2/10/68/68	0/4/4/4
10	CLR	R	808	-	-	2/10/68/68	0/4/4/4
8	NAG	X	202	6	-	0/6/23/26	0/1/1/1
9	HOI	R	805	-	-	4/19/35/35	0/5/5/5
10	CLR	R	817	-	-	3/10/68/68	0/4/4/4
11	PLM	R	823	-	-	9/15/15/15	-
10	CLR	R	813	-	-	2/10/68/68	0/4/4/4
8	NAG	R	804	5	-	0/6/23/26	0/1/1/1
8	NAG	R	803	5	-	0/6/23/26	0/1/1/1
8	NAG	X	201	6	-	0/6/23/26	0/1/1/1

All (41) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
10	R	808	CLR	C20-C17	2.79	1.59	1.54
8	R	804	NAG	O5-C5	2.79	1.49	1.43
8	X	201	NAG	O5-C5	2.77	1.49	1.43
8	R	803	NAG	O5-C5	2.75	1.49	1.43
10	R	809	CLR	C11-C9	2.67	1.58	1.53
11	R	822	PLM	O1-C1	-2.62	1.21	1.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
8	R	802	NAG	O5-C5	2.60	1.48	1.43
8	X	202	NAG	O5-C5	2.59	1.48	1.43
11	R	824	PLM	O1-C1	-2.59	1.22	1.30
8	Y	201	NAG	C1-C2	2.57	1.56	1.52
11	R	820	PLM	O1-C1	-2.56	1.22	1.30
8	R	801	NAG	O5-C5	2.54	1.48	1.43
11	R	821	PLM	O1-C1	-2.54	1.22	1.30
10	R	819	CLR	C11-C9	2.50	1.58	1.53
8	Y	201	NAG	O5-C5	2.48	1.48	1.43
10	R	813	CLR	C20-C17	2.46	1.58	1.54
10	R	819	CLR	C20-C17	2.39	1.58	1.54
10	R	814	CLR	C11-C9	2.39	1.57	1.53
8	R	803	NAG	O5-C1	2.36	1.47	1.43
10	R	818	CLR	C11-C9	2.35	1.57	1.53
10	R	809	CLR	C20-C17	2.33	1.58	1.54
10	R	817	CLR	C11-C9	2.30	1.57	1.53
8	R	803	NAG	C1-C2	2.28	1.55	1.52
10	R	806	CLR	C11-C9	2.25	1.57	1.53
10	R	807	CLR	C11-C9	2.25	1.57	1.53
10	R	808	CLR	C11-C9	2.24	1.57	1.53
10	R	812	CLR	C11-C9	2.22	1.57	1.53
10	R	810	CLR	C11-C9	2.21	1.57	1.53
10	R	812	CLR	C20-C17	2.20	1.58	1.54
8	Y	201	NAG	O5-C1	2.19	1.47	1.43
10	R	815	CLR	C11-C9	2.18	1.57	1.53
11	R	823	PLM	O1-C1	-2.17	1.23	1.30
10	R	813	CLR	C11-C9	2.15	1.57	1.53
10	R	819	CLR	C10-C9	2.12	1.59	1.56
10	R	807	CLR	C20-C17	2.10	1.58	1.54
10	R	816	CLR	C10-C9	-2.08	1.52	1.56
10	R	811	CLR	C10-C9	-2.06	1.52	1.56
10	R	810	CLR	C20-C17	2.05	1.58	1.54
8	X	202	NAG	C1-C2	2.04	1.55	1.52
8	R	804	NAG	O5-C1	2.04	1.47	1.43
8	R	801	NAG	O5-C1	2.02	1.46	1.43

All (23) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
10	R	816	CLR	C13-C17-C20	-4.72	112.09	119.49
10	R	811	CLR	C13-C17-C20	-4.11	113.05	119.49
10	R	816	CLR	C13-C14-C8	-3.93	108.56	114.38

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed($^{\circ}$)	Ideal($^{\circ}$)
10	R	811	CLR	C13-C14-C8	-3.90	108.61	114.38
10	R	816	CLR	C17-C13-C14	3.36	104.05	100.07
10	R	811	CLR	C17-C13-C14	3.06	103.70	100.07
10	R	814	CLR	C7-C8-C9	2.76	113.06	109.71
9	R	805	HOI	O4-C23-C18	-2.67	119.26	124.25
10	R	816	CLR	C11-C12-C13	-2.64	108.25	112.78
10	R	811	CLR	C11-C12-C13	-2.57	108.38	112.78
10	R	811	CLR	C4-C5-C10	2.56	119.82	116.42
10	R	816	CLR	C4-C5-C10	2.48	119.72	116.42
9	R	805	HOI	O5-C11-C12	-2.46	120.15	124.37
10	R	810	CLR	C16-C17-C20	2.45	115.94	112.15
10	R	808	CLR	C21-C20-C22	-2.41	106.59	110.36
8	X	202	NAG	C1-O5-C5	2.34	115.36	112.19
9	R	805	HOI	C25-C24-N3	2.20	117.57	113.54
9	R	805	HOI	C9-O2-C6	2.19	123.06	117.65
8	Y	201	NAG	C1-O5-C5	2.17	115.13	112.19
9	R	805	HOI	O5-C11-C10	2.12	118.93	115.97
9	R	805	HOI	C17-C18-C19	2.10	120.03	117.48
10	R	811	CLR	C7-C6-C5	-2.02	121.33	125.06
10	R	811	CLR	C10-C5-C6	-2.01	119.83	122.90

There are no chirality outliers.

All (58) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
10	R	811	CLR	C17-C20-C22-C23
11	R	823	PLM	C9-CA-CB-CC
10	R	817	CLR	C17-C20-C22-C23
11	R	823	PLM	C4-C5-C6-C7
10	R	808	CLR	C20-C22-C23-C24
10	R	813	CLR	C17-C20-C22-C23
10	R	813	CLR	C21-C20-C22-C23
10	R	817	CLR	C21-C20-C22-C23
10	R	806	CLR	C17-C20-C22-C23
10	R	806	CLR	C21-C20-C22-C23
11	R	822	PLM	C1-C2-C3-C4
9	R	805	HOI	C10-C11-O5-C31
11	R	823	PLM	C2-C3-C4-C5
9	R	805	HOI	C12-C11-O5-C31
11	R	820	PLM	C8-C9-CA-CB
10	R	811	CLR	C16-C17-C20-C22
10	R	816	CLR	C23-C24-C25-C27

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
10	R	811	CLR	C21-C20-C22-C23
11	R	821	PLM	C8-C9-CA-CB
10	R	811	CLR	C23-C24-C25-C26
11	R	823	PLM	CB-CC-CD-CE
9	R	805	HOI	C10-C9-O2-C6
11	R	824	PLM	C4-C5-C6-C7
11	R	823	PLM	CD-CE-CF-CG
10	R	810	CLR	C16-C17-C20-C21
10	R	810	CLR	C13-C17-C20-C21
10	R	810	CLR	C16-C17-C20-C22
10	R	810	CLR	C13-C17-C20-C22
11	R	823	PLM	C8-C9-CA-CB
10	R	811	CLR	C23-C24-C25-C27
10	R	816	CLR	C23-C24-C25-C26
10	R	811	CLR	C13-C17-C20-C21
10	R	808	CLR	C21-C20-C22-C23
11	R	822	PLM	C8-C9-CA-CB
10	R	811	CLR	C16-C17-C20-C21
11	R	823	PLM	C7-C8-C9-CA
11	R	822	PLM	O2-C1-C2-C3
11	R	824	PLM	CB-CC-CD-CE
11	R	822	PLM	O1-C1-C2-C3
11	R	824	PLM	C9-CA-CB-CC
11	R	821	PLM	C5-C6-C7-C8
11	R	820	PLM	O2-C1-C2-C3
11	R	824	PLM	O1-C1-C2-C3
10	R	817	CLR	C20-C22-C23-C24
10	R	816	CLR	C22-C23-C24-C25
11	R	821	PLM	O1-C1-C2-C3
11	R	824	PLM	O2-C1-C2-C3
11	R	823	PLM	C6-C7-C8-C9
11	R	821	PLM	O1-C1-C2-C3
11	R	821	PLM	C9-CA-CB-CC
11	R	820	PLM	O1-C1-C2-C3
11	R	824	PLM	CC-CD-CE-CF
11	R	823	PLM	O1-C1-C2-C3
11	R	824	PLM	CA-CB-CC-CD
9	R	805	HOI	C15-C14-C16-N2
11	R	821	PLM	C7-C8-C9-CA
11	R	820	PLM	C9-CA-CB-CC
10	R	812	CLR	C20-C22-C23-C24


There are no ring outliers.


5 monomers are involved in 22 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
10	R	816	CLR	6	0
10	R	811	CLR	10	0
10	R	810	CLR	2	0
10	R	817	CLR	3	0
11	R	823	PLM	6	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.




















5.7 Other polymers [\(i\)](#)

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.


6 Map visualisation (i)

This section contains visualisations of the EMDB entry EMD-33491. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections (i)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices


6.2.1 Primary map



X Index: 150




Y Index: 150




Z Index: 150


6.2.2 Raw map



X Index: 150



Y Index: 150




Z Index: 150


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [\(i\)](#)


6.3.1 Primary map



X Index: 160




Y Index: 159




Z Index: 106


6.3.2 Raw map



X Index: 151



Y Index: 149




Z Index: 154

The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal surface views [\(i\)](#)

6.4.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.6. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.4.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


6.5 Mask visualisation [\(i\)](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis (i)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution (i)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate (i)



The volume at the recommended contour level is 68 nm^3 ; this corresponds to an approximate mass of 61 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum [\(i\)](#)




*Reported resolution corresponds to spatial frequency of 0.338 \AA^{-1}

8 Fourier-Shell correlation [\(i\)](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [\(i\)](#)



*Reported resolution corresponds to spatial frequency of 0.338 \AA^{-1}

8.2 Resolution estimates [\(i\)](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	2.96	-	-
Author-provided FSC curve	-	-	-
Unmasked-calculated*	3.44	3.90	3.51

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 3.44 differs from the reported value 2.96 by more than 10 %

9 Map-model fit i


This section contains information regarding the fit between EMDB map EMD-33491 and PDB model 7XW5. Per-residue inclusion information can be found in section 3 on page 10.

9.1 Map-model overlay i




The images above show the 3D surface view of the map at the recommended contour level 0.6 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [\(i\)](#)




The images above show the model with each residue coloured according its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [\(i\)](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.6).

9.4 Atom inclusion [\(i\)](#)



At the recommended contour level, 77% of all backbone atoms, 68% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary [\(i\)](#)

The table lists the average atom inclusion at the recommended contour level (0.6) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	0.6815	0.4820
A	0.7685	0.5100
B	0.7938	0.5130
G	0.4872	0.4210
N	0.2947	0.4190
R	0.7577	0.5170
X	0.4157	0.3270
Y	0.4399	0.3430

