



# Full wwPDB X-ray Structure Validation Report ⓘ

Nov 11, 2023 – 08:21 am GMT

PDB ID : 4Y8I  
Title : Yeast 20S proteasome in complex with Ac-PLL-ep  
Authors : Huber, E.M.; Groll, M.  
Deposited on : 2015-02-16  
Resolution : 2.60 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.4, CSD as541be (2020)  
Xtriage (Phenix) : 1.13  
EDS : 2.36  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.36


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.60 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	3163 (2.60-2.60)
Clashscore	141614	3518 (2.60-2.60)
Ramachandran outliers	138981	3455 (2.60-2.60)
Sidechain outliers	138945	3455 (2.60-2.60)
RSRZ outliers	127900	3104 (2.60-2.60)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	250	 2% 96%
1	O	250	 3% 98%
2	B	258	 5% 89% 5% 5%
2	P	258	 6% 90% 5%
3	C	254	 6% 88% 6% 6%





Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
3	Q	254	9% 89% 5% • 6%
4	D	260	% 85% 5% 10%
4	R	260	3% 84% 6% 10%
5	E	234	3% 93% 5% •
5	S	234	3% 91% 7% •
6	F	288	3% 80% • 16%
6	T	288	3% 80% • 16%
7	G	252	4% 90% 5% •
7	U	252	2% 90% 5% •
8	H	232	% 91% • •
8	V	232	3% 90% 6% •
9	I	205	% 92% 7%
9	W	205	% 92% 6% •
10	J	198	2% 92% 5% • •
10	X	198	2% 91% 6% • •
11	K	212	% 95% 5%
11	Y	212	% 96% •
12	L	222	% 93% 6% •
12	Z	222	% 94% 5% •
13	M	246	3% 88% 7% 5%
13	a	246	% 92% • 5%
14	N	196	% 96% •
14	b	196	% 98% •
15	c	5	60% 20% 20%
15	d	5	60% 40%

Continued on next page...

*Continued from previous page...*

Mol	Chain	Length	Quality of chain
15	e	5	 60% 20% 20%
15	f	5	 40% 60% 20% 20%
15	g	5	 60% 20% 20%
15	h	5	 60% 20% 20%

## 2 Entry composition

There are 19 unique types of molecules in this entry. The entry contains 50137 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Proteasome subunit alpha type-2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	250	Total 1915	C 1219	N 315	O 377	S 4	0	0	0
1	O	250	Total 1915	C 1219	N 315	O 377	S 4	0	0	0

- Molecule 2 is a protein called Proteasome subunit alpha type-3.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	B	244	Total 1904	C 1201	N 321	O 379	S 3	0	0	0
2	P	244	Total 1904	C 1201	N 321	O 379	S 3	0	0	0

- Molecule 3 is a protein called Proteasome subunit alpha type-4.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
3	C	240	Total 1881	C 1176	N 329	O 372	S 4	0	0	0
3	Q	240	Total 1881	C 1176	N 329	O 372	S 4	0	0	0

- Molecule 4 is a protein called Proteasome subunit alpha type-5.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
4	D	235	Total 1813	C 1136	N 304	O 366	S 7	0	0	0
4	R	235	Total 1813	C 1136	N 304	O 366	S 7	0	0	0

- Molecule 5 is a protein called Proteasome subunit alpha type-6.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
5	E	231	1773	1114	307	348	4	0	0	0
5	S	231	1773	1114	307	348	4	0	0	0

- Molecule 6 is a protein called Probable proteasome subunit alpha type-7.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
6	F	243	1892	1203	329	356	4	0	0	0
6	T	243	1892	1203	329	356	4	0	0	0

- Molecule 7 is a protein called Proteasome subunit alpha type-1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
7	G	241	1907	1214	320	365	8	0	0	0
7	U	241	1907	1214	320	365	8	0	0	0

- Molecule 8 is a protein called Proteasome subunit beta type-2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
8	H	222	1684	1061	293	323	7	0	0	0
8	V	222	1684	1061	293	323	7	0	0	0

- Molecule 9 is a protein called Proteasome subunit beta type-3.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
9	I	204	1581	1010	258	305	8	0	0	0
9	W	204	1581	1010	258	305	8	0	0	0

- Molecule 10 is a protein called Proteasome subunit beta type-4.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
10	J	195	1561	992	264	299	6	0	0	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
10	X	195	Total	C	N	O	S	0	0	0
			1561	992	264	299	6			

- Molecule 11 is a protein called Proteasome subunit beta type-5.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
11	K	212	Total	C	N	O	S	0	0	0
			1644	1045	280	312	7			
11	Y	212	Total	C	N	O	S	0	0	0
			1644	1045	280	312	7			

- Molecule 12 is a protein called Proteasome subunit beta type-6.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
12	L	222	Total	C	N	O	S	0	0	0
			1757	1115	303	335	4			
12	Z	222	Total	C	N	O	S	0	1	0
			1764	1120	305	335	4			

- Molecule 13 is a protein called Proteasome subunit beta type-7.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
13	M	233	Total	C	N	O	S	0	0	0
			1824	1154	312	351	7			
13	a	233	Total	C	N	O	S	0	0	0
			1824	1154	312	351	7			

- Molecule 14 is a protein called Proteasome subunit beta type-1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
14	N	196	Total	C	N	O	S	0	0	0
			1512	955	250	300	7			
14	b	196	Total	C	N	O	S	0	0	0
			1512	955	250	300	7			

- Molecule 15 is a protein called Ac-PLL-ep.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
15	c	5	Total	C	N	O	0	0	0
			30	22	3	5			
15	d	5	Total	C	N	O	0	0	0
			30	22	3	5			

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
15	e	5	Total	C	N	O	0	0	0
			30	22	3	5			
15	f	5	Total	C	N	O	0	0	0
			30	22	3	5			
15	g	5	Total	C	N	O	0	0	0
			30	22	3	5			
15	h	5	Total	C	N	O	0	0	0
			30	22	3	5			

- Molecule 16 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
16	G	1	Total	Mg	0	0
			1	1		
16	I	2	Total	Mg	0	0
			2	2		
16	K	1	Total	Mg	0	0
			1	1		
16	L	1	Total	Mg	0	0
			1	1		
16	N	1	Total	Mg	0	0
			1	1		
16	Z	1	Total	Mg	0	0
			1	1		

- Molecule 17 is CHLORIDE ION (three-letter code: CL) (formula: Cl).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
17	G	1	Total	Cl	0	0
			1	1		
17	N	1	Total	Cl	0	0
			1	1		
17	U	1	Total	Cl	0	0
			1	1		
17	b	1	Total	Cl	0	0
			1	1		

- Molecule 18 is 2-(N-MORPHOLINO)-ETHANESULFONIC ACID (three-letter code: MES) (formula: C<sub>6</sub>H<sub>13</sub>NO<sub>4</sub>S).





Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
			Total	C	N	O	S		
18	K	1	12	6	1	4	1	0	0
18	Y	1	12	6	1	4	1	0	0

- Molecule 19 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
19	A	29	Total	O	0	0
			29	29		
19	B	21	Total	O	0	0
			21	21		
19	C	14	Total	O	0	0
			14	14		
19	D	16	Total	O	0	0
			16	16		
19	E	14	Total	O	0	0
			14	14		
19	F	17	Total	O	0	0
			17	17		
19	G	29	Total	O	0	0
			29	29		
19	H	24	Total	O	0	0
			24	24		
19	I	34	Total	O	0	0
			34	34		
19	J	22	Total	O	0	0
			22	22		



*Continued on next page...*

*Continued from previous page...*



Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
19	K	21	Total 21	O 21	0	0
19	L	30	Total 30	O 30	0	0
19	M	28	Total 28	O 28	0	0
19	N	25	Total 25	O 25	0	0
19	O	19	Total 19	O 19	0	0
19	P	11	Total 11	O 11	0	0
19	Q	11	Total 11	O 11	0	0
19	R	13	Total 13	O 13	0	0
19	S	10	Total 10	O 10	0	0
19	T	14	Total 14	O 14	0	0
19	U	36	Total 36	O 36	0	0
19	V	18	Total 18	O 18	0	0
19	W	19	Total 19	O 19	0	0
19	X	28	Total 28	O 28	0	0
19	Y	25	Total 25	O 25	0	0
19	Z	28	Total 28	O 28	0	0
19	a	34	Total 34	O 34	0	0
19	b	25	Total 25	O 25	0	0
19	c	1	Total 1	O 1	0	0
19	e	2	Total 2	O 2	0	0
19	h	1	Total 1	O 1	0	0





- Molecule 3: Proteasome subunit alpha type-4




- Molecule 4: Proteasome subunit alpha type-5





- Molecule 4: Proteasome subunit alpha type-5





- Molecule 5: Proteasome subunit alpha type-6




- Molecule 5: Proteasome subunit alpha type-6




- Molecule 6: Probable proteasome subunit alpha type-7









- Molecule 10: Proteasome subunit beta type-4




- Molecule 10: Proteasome subunit beta type-4



- Molecule 11: Proteasome subunit beta type-5




- Molecule 11: Proteasome subunit beta type-5




- Molecule 12: Proteasome subunit beta type-6




- Molecule 12: Proteasome subunit beta type-6




- Molecule 13: Proteasome subunit beta type-7




- Molecule 13: Proteasome subunit beta type-7



- Molecule 14: Proteasome subunit beta type-1



- Molecule 14: Proteasome subunit beta type-1



- Molecule 15: Ac-PLL-ep





- Molecule 15: Ac-PLL-ep




- Molecule 15: Ac-PLL-ep




- Molecule 15: Ac-PLL-ep



- Molecule 15: Ac-PLL-ep



- Molecule 15: Ac-PLL-ep





## 4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	136.82Å 298.32Å 145.62Å 90.00° 113.06° 90.00°	Depositor
Resolution (Å)	15.00 – 2.60 14.99 – 2.60	Depositor EDS
% Data completeness (in resolution range)	97.9 (15.00-2.60) 98.0 (14.99-2.60)	Depositor EDS
$R_{merge}$	0.08	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	2.68 (at 2.61Å)	Xtrriage
Refinement program	REFMAC 5.7.0032	Depositor
R, $R_{free}$	0.199 , 0.220 0.202 , 0.221	Depositor DCC
$R_{free}$ test set	15979 reflections (5.00%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	50.5	Xtrriage
Anisotropy	0.117	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.32 , 35.3	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.47$ , $\langle L^2 \rangle = 0.30$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
$F_o, F_c$ correlation	0.94	EDS
Total number of atoms	50137	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	55.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.45% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: MES, CL, ACE, DCL, MG, POL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.27	0/1952	0.48	0/2642
1	O	0.27	0/1952	0.48	0/2642
2	B	0.27	0/1934	0.49	0/2618
2	P	0.27	0/1934	0.49	0/2618
3	C	0.27	0/1910	0.51	0/2586
3	Q	0.27	0/1910	0.51	0/2586
4	D	0.27	0/1837	0.48	0/2475
4	R	0.27	0/1837	0.48	0/2475
5	E	0.27	0/1800	0.47	0/2433
5	S	0.27	0/1800	0.48	0/2433
6	F	0.27	0/1932	0.45	0/2609
6	T	0.27	0/1932	0.45	0/2609
7	G	0.27	0/1945	0.48	0/2634
7	U	0.27	0/1945	0.47	0/2634
8	H	0.28	0/1715	0.48	0/2326
8	V	0.29	0/1715	0.49	0/2326
9	I	0.27	0/1611	0.50	0/2174
9	W	0.27	0/1611	0.49	0/2174
10	J	0.26	0/1589	0.49	0/2142
10	X	0.26	0/1589	0.49	0/2142
11	K	0.27	0/1681	0.49	0/2274
11	Y	0.28	0/1681	0.50	0/2274
12	L	0.27	0/1795	0.48	0/2420
12	Z	0.38	2/1806 (0.1%)	0.55	4/2435 (0.2%)
13	M	0.28	0/1855	0.51	0/2514
13	a	0.28	0/1855	0.51	0/2514
14	N	0.34	0/1541	0.49	0/2087
14	b	0.32	0/1541	0.49	0/2087
15	c	1.77	1/16 (6.2%)	2.08	1/22 (4.5%)
15	d	2.95	2/16 (12.5%)	1.46	0/22
15	e	2.47	1/16 (6.2%)	1.32	0/22
15	f	1.78	1/16 (6.2%)	1.95	1/22 (4.5%)

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
15	g	2.57	1/16 (6.2%)	1.83	0/22
15	h	2.58	1/16 (6.2%)	1.45	0/22
All	All	0.30	9/50301 (0.0%)	0.49	6/68015 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
12	Z	0	2

All (9) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
15	h	2	PRO	CA-C	-8.07	1.36	1.52
15	e	2	PRO	CA-C	-7.79	1.37	1.52
15	g	2	PRO	CA-C	-7.70	1.37	1.52
15	d	2	PRO	CA-C	-7.28	1.38	1.52
15	d	2	PRO	N-CD	-6.86	1.38	1.47
12	Z	108[A]	HIS	CA-C	6.80	1.70	1.52
12	Z	108[B]	HIS	CA-C	6.80	1.70	1.52
15	f	2	PRO	CA-C	-6.40	1.40	1.52
15	c	2	PRO	CA-C	-6.36	1.40	1.52

All (6) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
15	c	2	PRO	CA-N-CD	-6.87	101.88	111.50
15	f	2	PRO	CA-N-CD	-6.21	102.81	111.50
12	Z	108[A]	HIS	CA-C-N	-5.55	105.00	117.20
12	Z	108[B]	HIS	CA-C-N	-5.55	105.00	117.20
12	Z	108[A]	HIS	CA-C-O	5.53	131.71	120.10
12	Z	108[B]	HIS	CA-C-O	5.53	131.71	120.10

There are no chirality outliers.

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
12	Z	108[A]	HIS	Mainchain
12	Z	108[B]	HIS	Mainchain

## 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1915	0	1929	5	0
1	O	1915	0	1929	3	0
2	B	1904	0	1904	8	0
2	P	1904	0	1904	5	0
3	C	1881	0	1895	10	0
3	Q	1881	0	1895	7	0
4	D	1813	0	1797	3	0
4	R	1813	0	1797	6	0
5	E	1773	0	1775	3	0
5	S	1773	0	1775	7	0
6	F	1892	0	1883	1	0
6	T	1892	0	1883	1	0
7	G	1907	0	1901	4	0
7	U	1907	0	1901	4	0
8	H	1684	0	1685	4	0
8	V	1684	0	1685	4	0
9	I	1581	0	1574	10	0
9	W	1581	0	1574	10	0
10	J	1561	0	1569	7	0
10	X	1561	0	1569	8	0
11	K	1644	0	1592	6	0
11	Y	1644	0	1592	4	0
12	L	1757	0	1711	6	0
12	Z	1764	0	1718	5	0
13	M	1824	0	1832	6	0
13	a	1824	0	1832	0	0
14	N	1512	0	1478	3	0
14	b	1512	0	1478	0	0
15	c	30	0	37	0	0
15	d	30	0	37	0	0
15	e	30	0	37	0	0
15	f	30	0	38	0	0
15	g	30	0	37	0	0
15	h	30	0	37	0	0
16	G	1	0	0	0	0
16	I	2	0	0	0	0
16	K	1	0	0	0	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
16	L	1	0	0	0	0
16	N	1	0	0	0	0
16	Z	1	0	0	0	0
17	G	1	0	0	0	0
17	N	1	0	0	0	0
17	U	1	0	0	0	0
17	b	1	0	0	0	0
18	K	12	0	13	0	0
18	Y	12	0	13	0	0
19	A	29	0	0	0	0
19	B	21	0	0	0	0
19	C	14	0	0	0	0
19	D	16	0	0	0	0
19	E	14	0	0	0	0
19	F	17	0	0	0	0
19	G	29	0	0	0	0
19	H	24	0	0	0	0
19	I	34	0	0	0	0
19	J	22	0	0	0	0
19	K	21	0	0	0	0
19	L	30	0	0	0	0
19	M	28	0	0	0	0
19	N	25	0	0	0	0
19	O	19	0	0	0	0
19	P	11	0	0	0	0
19	Q	11	0	0	0	0
19	R	13	0	0	0	0
19	S	10	0	0	0	0
19	T	14	0	0	0	0
19	U	36	0	0	0	0
19	V	18	0	0	0	0
19	W	19	0	0	0	0
19	X	28	0	0	0	0
19	Y	25	0	0	0	0
19	Z	28	0	0	0	0
19	a	34	0	0	0	0
19	b	25	0	0	0	0
19	c	1	0	0	0	0
19	e	2	0	0	0	0
19	h	1	0	0	0	0
All	All	50137	0	49306	116	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including

hydrogen atoms). The all-atom clashscore for this structure is 1.

All (116) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
10:J:1:MET:O	10:J:2:ASP:HB2	1.86	0.73
10:X:1:MET:O	10:X:2:ASP:HB2	1.87	0.73
9:I:98:ARG:HD2	9:I:126:ILE:HD12	1.71	0.72
9:W:98:ARG:HD2	9:W:126:ILE:HD12	1.71	0.71
12:L:13:LEU:HD13	12:L:150:LEU:HD21	1.75	0.69
12:Z:13:LEU:HD13	12:Z:150:LEU:HD21	1.74	0.69
9:W:125:LEU:HG	9:W:126:ILE:HG22	1.80	0.64
9:W:98:ARG:CD	9:W:126:ILE:HD12	2.28	0.63
9:I:98:ARG:CD	9:I:126:ILE:HD12	2.28	0.62
9:I:125:LEU:HG	9:I:126:ILE:HG22	1.81	0.61
11:Y:5:ALA:HB3	11:Y:100:MET:HE2	1.83	0.60
11:K:100:MET:HE3	11:K:127:PHE:HB2	1.84	0.59
14:N:152:VAL:HA	14:N:175:MET:HE1	1.86	0.57
4:R:99:ILE:HD11	4:R:104:LEU:HB2	1.87	0.57
8:V:22:GLN:HG3	8:V:27:ALA:HB2	1.87	0.56
8:H:218:VAL:CG2	9:I:196:LYS:HB2	2.35	0.56
4:D:99:ILE:HD11	4:D:104:LEU:HB2	1.87	0.56
11:K:5:ALA:HB3	11:K:100:MET:HE2	1.87	0.55
11:Y:100:MET:HE3	11:Y:127:PHE:HB2	1.90	0.53
7:U:23:PHE:O	7:U:26:THR:HB	2.09	0.53
7:G:23:PHE:O	7:G:26:THR:HB	2.09	0.53
9:W:36:SER:HB2	10:X:126:VAL:HG11	1.91	0.53
1:A:55:LEU:HD12	7:G:170:THR:HG23	1.91	0.52
3:C:160:GLN:HE21	3:C:160:GLN:HA	1.75	0.51
10:J:174:MET:HA	10:X:174:MET:HA	1.93	0.51
3:Q:160:GLN:HE21	3:Q:160:GLN:HA	1.75	0.50
3:C:201:VAL:HG13	3:C:202:GLN:N	2.28	0.48
9:W:126:ILE:O	9:W:126:ILE:HG13	2.13	0.48
3:C:201:VAL:O	3:C:202:GLN:CB	2.62	0.48
9:I:126:ILE:HG13	9:I:126:ILE:O	2.12	0.48
3:Q:201:VAL:HG13	3:Q:202:GLN:N	2.28	0.48
9:W:20:VAL:HG13	9:W:118:PRO:HB3	1.95	0.48
9:I:10:ILE:HG21	9:I:141:ALA:HB3	1.96	0.48
11:K:209:ASN:O	9:W:37:ASN:ND2	2.46	0.48
12:L:8:ASN:HA	12:L:30:ILE:O	2.13	0.48
3:Q:201:VAL:O	3:Q:202:GLN:CB	2.62	0.48
10:X:16:ALA:HB2	10:X:161:LEU:HD21	1.96	0.48
9:I:20:VAL:HG13	9:I:118:PRO:HB3	1.95	0.48

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
10:J:16:ALA:HB2	10:J:161:LEU:HD21	1.96	0.48
8:H:104:ASP:HB2	8:H:105:PRO:HD2	1.96	0.47
13:M:27:LEU:HD21	13:M:34:LEU:HD22	1.96	0.47
11:K:100:MET:CE	11:K:127:PHE:HB2	2.45	0.47
8:V:104:ASP:HB2	8:V:105:PRO:HD2	1.96	0.47
12:Z:8:ASN:HA	12:Z:30:ILE:O	2.15	0.47
12:L:36:ASN:HB3	13:M:137:TYR:CD1	2.50	0.47
9:W:10:ILE:HG21	9:W:141:ALA:HB3	1.96	0.46
10:X:1:MET:O	10:X:2:ASP:CB	2.60	0.46
11:Y:100:MET:CE	11:Y:127:PHE:HB2	2.45	0.46
1:A:122:THR:HG22	2:B:128:ARG:HH21	1.80	0.46
3:Q:201:VAL:O	3:Q:202:GLN:HB2	2.15	0.46
2:P:124:HIS:HB3	3:Q:124:VAL:HG12	1.98	0.46
3:C:201:VAL:O	3:C:202:GLN:HB2	2.15	0.45
12:Z:136:CYS:SG	12:Z:150:LEU:HB3	2.57	0.45
2:B:124:HIS:HB3	3:C:124:VAL:HG12	1.98	0.45
1:A:83:ARG:NH2	7:G:152:GLY:O	2.47	0.45
10:J:67:TYR:CE1	10:J:75:LEU:HD13	2.52	0.45
5:S:87:LEU:HD21	5:S:107:ALA:HB1	1.99	0.45
9:I:9:GLY:HA3	9:I:41:LYS:HE2	1.99	0.45
10:X:67:TYR:CE1	10:X:75:LEU:HD13	2.52	0.44
3:Q:51:LYS:O	3:Q:52:LEU:HB2	2.17	0.44
4:R:9:PRO:HA	5:S:23:TYR:CD1	2.53	0.44
10:J:1:MET:O	10:J:2:ASP:CB	2.59	0.44
3:Q:169:VAL:HG23	3:Q:196:SER:HB2	1.99	0.44
2:B:14:PRO:HA	3:C:20:TYR:CD1	2.53	0.44
1:O:122:THR:HG22	2:P:128:ARG:HH21	1.82	0.44
5:E:87:LEU:HD21	5:E:107:ALA:HB1	1.99	0.44
1:O:55:LEU:HB3	7:U:159:ALA:O	2.18	0.43
8:V:1:THR:HG22	8:V:2:THR:N	2.32	0.43
9:W:9:GLY:HA3	9:W:41:LYS:HE2	2.00	0.43
3:C:169:VAL:HG23	3:C:196:SER:HB2	1.99	0.43
12:L:136:CYS:SG	12:L:150:LEU:HB3	2.58	0.43
6:F:97:LYS:NZ	14:N:84:GLU:OE1	2.49	0.43
10:J:21:VAL:HG11	11:K:122:LEU:HD11	2.00	0.43
4:D:88:ALA:HA	4:D:99:ILE:HG21	1.99	0.43
4:R:88:ALA:HA	4:R:99:ILE:HG21	2.00	0.43
3:C:51:LYS:O	3:C:52:LEU:HB2	2.18	0.43
1:A:176:GLU:HG2	2:B:55:LEU:HD13	2.01	0.42
12:L:125:PHE:CD2	12:L:131:TYR:HB3	2.54	0.42
2:P:151:ASN:HB2	2:P:152:PRO:HD2	2.01	0.42

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
12:Z:125:PHE:CD2	12:Z:131:TYR:HB3	2.55	0.42
2:B:151:ASN:HB2	2:B:152:PRO:HD2	2.01	0.42
4:R:159:TYR:CE2	5:S:56:SER:HB3	2.54	0.42
12:Z:147:MET:N	12:Z:148:PRO:HD2	2.34	0.42
9:W:20:VAL:HG23	9:W:189:ILE:HB	2.01	0.42
2:B:146:GLN:HG2	3:C:57:ILE:HG21	2.01	0.42
5:S:12:PHE:H	6:T:19:GLN:HE22	1.68	0.42
9:I:20:VAL:HG23	9:I:189:ILE:HB	2.01	0.42
4:D:91:HIS:HB3	4:D:99:ILE:CG2	2.50	0.42
7:G:78:ILE:N	7:G:79:PRO:CD	2.83	0.42
13:M:96:LEU:O	13:M:100:MET:HG2	2.20	0.42
2:P:151:ASN:HB2	2:P:152:PRO:CD	2.50	0.42
2:B:151:ASN:HB2	2:B:152:PRO:CD	2.49	0.41
5:E:9:THR:HG21	5:E:119:THR:HA	2.03	0.41
8:H:22:GLN:O	8:H:22:GLN:HG3	2.19	0.41
8:H:218:VAL:HG21	9:I:196:LYS:HB2	2.02	0.41
12:L:147:MET:N	12:L:148:PRO:HD2	2.34	0.41
13:M:97:ALA:HA	13:M:130:VAL:HG21	2.02	0.41
7:U:78:ILE:N	7:U:79:PRO:CD	2.83	0.41
1:A:149:GLN:O	1:A:156:TYR:HA	2.21	0.41
8:V:22:GLN:O	8:V:23:GLY:C	2.56	0.41
10:X:21:VAL:HG11	11:Y:122:LEU:HD11	2.03	0.41
11:K:5:ALA:HB3	11:K:100:MET:CE	2.51	0.41
14:N:176:VAL:HG12	14:N:178:LEU:HD13	2.03	0.41
4:R:160:ASN:HB3	4:R:179:TRP:CE2	2.56	0.41
5:S:77:ALA:N	5:S:78:PRO:CD	2.84	0.41
5:E:175:LEU:HA	5:E:178:PHE:CE2	2.56	0.41
2:P:50:LYS:O	2:P:51:VAL:C	2.59	0.41
4:R:91:HIS:HB3	4:R:99:ILE:CG2	2.50	0.41
10:X:1:MET:HA	10:X:34:LYS:CE	2.51	0.40
13:M:165:ILE:HB	13:M:166:PRO:HD3	2.03	0.40
1:O:23:TYR:CD1	7:U:12:PRO:HA	2.56	0.40
13:M:127:LEU:HG	13:M:142:LEU:HD12	2.03	0.40
5:S:9:THR:HG21	5:S:119:THR:HA	2.03	0.40
2:B:14:PRO:HA	3:C:20:TYR:CE1	2.56	0.40
10:J:1:MET:HA	10:J:34:LYS:CE	2.51	0.40
5:S:175:LEU:HA	5:S:178:PHE:CE2	2.56	0.40

There are no symmetry-related clashes.



## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	248/250 (99%)	242 (98%)	6 (2%)	0	100	100
1	O	248/250 (99%)	242 (98%)	6 (2%)	0	100	100
2	B	242/258 (94%)	234 (97%)	6 (2%)	2 (1%)	19	39
2	P	242/258 (94%)	234 (97%)	6 (2%)	2 (1%)	19	39
3	C	238/254 (94%)	230 (97%)	6 (2%)	2 (1%)	19	39
3	Q	238/254 (94%)	230 (97%)	6 (2%)	2 (1%)	19	39
4	D	231/260 (89%)	227 (98%)	4 (2%)	0	100	100
4	R	231/260 (89%)	227 (98%)	4 (2%)	0	100	100
5	E	229/234 (98%)	225 (98%)	4 (2%)	0	100	100
5	S	229/234 (98%)	225 (98%)	4 (2%)	0	100	100
6	F	241/288 (84%)	234 (97%)	7 (3%)	0	100	100
6	T	241/288 (84%)	234 (97%)	7 (3%)	0	100	100
7	G	239/252 (95%)	234 (98%)	5 (2%)	0	100	100
7	U	239/252 (95%)	235 (98%)	4 (2%)	0	100	100
8	H	220/232 (95%)	215 (98%)	5 (2%)	0	100	100
8	V	220/232 (95%)	214 (97%)	6 (3%)	0	100	100
9	I	202/205 (98%)	195 (96%)	7 (4%)	0	100	100
9	W	202/205 (98%)	195 (96%)	7 (4%)	0	100	100
10	J	193/198 (98%)	190 (98%)	2 (1%)	1 (0%)	29	52
10	X	193/198 (98%)	190 (98%)	2 (1%)	1 (0%)	29	52
11	K	210/212 (99%)	207 (99%)	3 (1%)	0	100	100
11	Y	210/212 (99%)	207 (99%)	3 (1%)	0	100	100
12	L	220/222 (99%)	216 (98%)	4 (2%)	0	100	100
12	Z	221/222 (100%)	217 (98%)	4 (2%)	0	100	100
13	M	231/246 (94%)	225 (97%)	6 (3%)	0	100	100

*Continued on next page...*

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
13	a	231/246 (94%)	225 (97%)	6 (3%)	0	100	100
14	N	194/196 (99%)	188 (97%)	6 (3%)	0	100	100
14	b	194/196 (99%)	189 (97%)	5 (3%)	0	100	100
15	c	2/5 (40%)	1 (50%)	0	1 (50%)	0	0
15	d	2/5 (40%)	2 (100%)	0	0	100	100
15	e	2/5 (40%)	2 (100%)	0	0	100	100
15	f	2/5 (40%)	1 (50%)	0	1 (50%)	0	0
15	g	2/5 (40%)	1 (50%)	0	1 (50%)	0	0
15	h	2/5 (40%)	2 (100%)	0	0	100	100
All	All	6289/6644 (95%)	6135 (98%)	141 (2%)	13 (0%)	47	71

All (13) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	B	51	VAL
3	C	202	GLN
10	J	2	ASP
2	P	51	VAL
3	Q	202	GLN
10	X	2	ASP
15	c	2	PRO
15	f	2	PRO
3	C	205	ALA
3	Q	205	ALA
15	g	2	PRO
2	B	221	ASP
2	P	221	ASP

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	209/209 (100%)	206 (99%)	3 (1%)	67	85
1	O	209/209 (100%)	206 (99%)	3 (1%)	67	85
2	B	203/216 (94%)	197 (97%)	6 (3%)	41	67
2	P	203/216 (94%)	197 (97%)	6 (3%)	41	67
3	C	212/226 (94%)	204 (96%)	8 (4%)	33	59
3	Q	212/226 (94%)	204 (96%)	8 (4%)	33	59
4	D	194/215 (90%)	184 (95%)	10 (5%)	23	46
4	R	194/215 (90%)	184 (95%)	10 (5%)	23	46
5	E	190/193 (98%)	182 (96%)	8 (4%)	30	55
5	S	190/193 (98%)	182 (96%)	8 (4%)	30	55
6	F	201/239 (84%)	190 (94%)	11 (6%)	21	43
6	T	201/239 (84%)	190 (94%)	11 (6%)	21	43
7	G	206/210 (98%)	199 (97%)	7 (3%)	37	63
7	U	206/210 (98%)	199 (97%)	7 (3%)	37	63
8	H	181/190 (95%)	174 (96%)	7 (4%)	32	58
8	V	181/190 (95%)	175 (97%)	6 (3%)	38	64
9	I	172/173 (99%)	167 (97%)	5 (3%)	42	68
9	W	172/173 (99%)	167 (97%)	5 (3%)	42	68
10	J	173/175 (99%)	167 (96%)	6 (4%)	36	62
10	X	173/175 (99%)	167 (96%)	6 (4%)	36	62
11	K	169/169 (100%)	164 (97%)	5 (3%)	41	67
11	Y	169/169 (100%)	164 (97%)	5 (3%)	41	67
12	L	185/185 (100%)	178 (96%)	7 (4%)	33	59
12	Z	186/185 (100%)	180 (97%)	6 (3%)	39	65
13	M	199/208 (96%)	193 (97%)	6 (3%)	41	67
13	a	199/208 (96%)	193 (97%)	6 (3%)	41	67
14	N	162/162 (100%)	159 (98%)	3 (2%)	57	79
14	b	162/162 (100%)	159 (98%)	3 (2%)	57	79
15	c	2/2 (100%)	1 (50%)	1 (50%)	0	0
15	d	2/2 (100%)	2 (100%)	0	100	100

Continued on next page...

*Continued from previous page...*

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
15	e	2/2 (100%)	1 (50%)	1 (50%)	0	0
15	f	2/2 (100%)	1 (50%)	1 (50%)	0	0
15	g	2/2 (100%)	1 (50%)	1 (50%)	0	0
15	h	2/2 (100%)	1 (50%)	1 (50%)	0	0
All	All	5325/5552 (96%)	5138 (96%)	187 (4%)	36	62

All (187) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	17	LYS
1	A	61	LEU
1	A	157	PHE
2	B	50	LYS
2	B	52	THR
2	B	55	LEU
2	B	58	GLN
2	B	114	LEU
2	B	191	LEU
3	C	4	ARG
3	C	38	ASN
3	C	77	ASN
3	C	147	GLN
3	C	160	GLN
3	C	169	VAL
3	C	180	LYS
3	C	203	THR
4	D	20	LEU
4	D	40	LEU
4	D	99	ILE
4	D	117	GLU
4	D	125	LEU
4	D	176	LEU
4	D	193	LEU
4	D	214	ILE
4	D	236	LYS
4	D	242	GLU
5	E	9	THR
5	E	25	LEU
5	E	29	LYS
5	E	54	GLU
5	E	71	LEU

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
5	E	184	ASN
5	E	188	LEU
5	E	202	ASP
6	F	14	ASP
6	F	59	LYS
6	F	117	GLN
6	F	123	ASN
6	F	139	LYS
6	F	172	LEU
6	F	181	GLU
6	F	203	ASN
6	F	206	LYS
6	F	214	TRP
6	F	221	ASN
7	G	83	ASN
7	G	115	LEU
7	G	125	MET
7	G	166	GLN
7	G	181	LYS
7	G	235	ARG
7	G	236	LEU
8	H	22	GLN
8	H	30	ASN
8	H	43	CYS
8	H	56	THR
8	H	68	LEU
8	H	127	LEU
8	H	196	ARG
9	I	37	ASN
9	I	126	ILE
9	I	171	LEU
9	I	182	TRP
9	I	192	ASP
10	J	23	ARG
10	J	35	THR
10	J	75	LEU
10	J	78	GLN
10	J	144	LEU
10	J	174	MET
11	K	4	LEU
11	K	9	GLN
11	K	35	ILE

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
11	K	106	ARG
11	K	118	ASP
12	L	1	GLN
12	L	23	LEU
12	L	49	ASN
12	L	106	TYR
12	L	136	CYS
12	L	150	LEU
12	L	167	LYS
13	M	43	ILE
13	M	48	ASN
13	M	70	LEU
13	M	104	ARG
13	M	161	ARG
13	M	187	ARG
14	N	9	LYS
14	N	21	THR
14	N	119	VAL
1	O	17	LYS
1	O	61	LEU
1	O	157	PHE
2	P	50	LYS
2	P	52	THR
2	P	55	LEU
2	P	58	GLN
2	P	114	LEU
2	P	191	LEU
3	Q	4	ARG
3	Q	38	ASN
3	Q	77	ASN
3	Q	147	GLN
3	Q	160	GLN
3	Q	169	VAL
3	Q	180	LYS
3	Q	203	THR
4	R	20	LEU
4	R	40	LEU
4	R	99	ILE
4	R	117	GLU
4	R	125	LEU
4	R	176	LEU
4	R	193	LEU

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
4	R	214	ILE
4	R	236	LYS
4	R	242	GLU
5	S	9	THR
5	S	25	LEU
5	S	29	LYS
5	S	54	GLU
5	S	71	LEU
5	S	184	ASN
5	S	188	LEU
5	S	202	ASP
6	T	14	ASP
6	T	59	LYS
6	T	117	GLN
6	T	123	ASN
6	T	139	LYS
6	T	172	LEU
6	T	181	GLU
6	T	203	ASN
6	T	206	LYS
6	T	214	TRP
6	T	221	ASN
7	U	83	ASN
7	U	115	LEU
7	U	125	MET
7	U	166	GLN
7	U	181	LYS
7	U	235	ARG
7	U	236	LEU
8	V	30	ASN
8	V	43	CYS
8	V	56	THR
8	V	68	LEU
8	V	127	LEU
8	V	196	ARG
9	W	37	ASN
9	W	126	ILE
9	W	171	LEU
9	W	182	TRP
9	W	192	ASP
10	X	23	ARG
10	X	35	THR

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
10	X	75	LEU
10	X	78	GLN
10	X	144	LEU
10	X	174	MET
11	Y	4	LEU
11	Y	9	GLN
11	Y	35	ILE
11	Y	106	ARG
11	Y	118	ASP
12	Z	1	GLN
12	Z	23	LEU
12	Z	49	ASN
12	Z	136	CYS
12	Z	150	LEU
12	Z	167	LYS
13	a	43	ILE
13	a	48	ASN
13	a	70	LEU
13	a	104	ARG
13	a	161	ARG
13	a	187	ARG
14	b	9	LYS
14	b	21	THR
14	b	119	VAL
15	c	2	PRO
15	e	2	PRO
15	f	2	PRO
15	g	2	PRO
15	h	2	PRO

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (96) such sidechains are listed below:

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
2	B	20	GLN
2	B	95	GLN
2	B	119	GLN
2	B	123	GLN
2	B	155	ASN
2	B	176	GLN
3	C	38	ASN
3	C	77	ASN
3	C	147	GLN

*Continued on next page...*



*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
3	C	160	GLN
4	D	15	GLN
4	D	91	HIS
4	D	100	ASN
4	D	146	GLN
4	D	210	GLN
4	D	225	ASN
5	E	68	HIS
5	E	92	ASN
5	E	99	ASN
5	E	116	GLN
5	E	118	ASN
5	E	120	GLN
5	E	184	ASN
6	F	19	GLN
6	F	86	ASN
6	F	117	GLN
6	F	191	GLN
6	F	240	GLN
7	G	83	ASN
7	G	114	ASN
7	G	117	GLN
7	G	121	GLN
8	H	57	GLN
9	I	37	ASN
10	J	55	GLN
11	K	85	ASN
11	K	176	ASN
12	L	1	GLN
12	L	3	ASN
12	L	70	ASN
12	L	158	ASN
13	M	18	ASN
13	M	48	ASN
13	M	102	GLN
13	M	194	ASN
13	M	213	GLN
1	O	94	HIS
2	P	119	GLN
2	P	123	GLN
2	P	176	GLN
3	Q	38	ASN

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
3	Q	77	ASN
3	Q	116	GLN
3	Q	120	GLN
3	Q	147	GLN
3	Q	160	GLN
4	R	15	GLN
4	R	91	HIS
4	R	146	GLN
4	R	210	GLN
4	R	225	ASN
5	S	68	HIS
5	S	92	ASN
5	S	99	ASN
5	S	116	GLN
5	S	118	ASN
5	S	120	GLN
5	S	184	ASN
6	T	19	GLN
6	T	86	ASN
6	T	117	GLN
6	T	123	ASN
6	T	191	GLN
6	T	240	GLN
7	U	83	ASN
7	U	114	ASN
7	U	117	GLN
7	U	121	GLN
7	U	175	ASN
8	V	57	GLN
8	V	66	HIS
10	X	55	GLN
10	X	78	GLN
10	X	86	GLN
11	Y	85	ASN
11	Y	176	ASN
12	Z	3	ASN
12	Z	70	ASN
12	Z	79	HIS
13	a	18	ASN
13	a	48	ASN
13	a	102	GLN
13	a	179	ASN

*Continued on next page...*

Continued from previous page...

Mol	Chain	Res	Type
13	a	194	ASN
13	a	213	GLN
14	b	161	GLN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

6 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
15	DCL	d	4	11,15	7,7,7	0.74	0	6,8,8	1.33	1 (16%)
15	DCL	h	4	14,15	7,7,7	1.03	0	6,8,8	1.78	1 (16%)
15	DCL	f	4	15,8	7,7,7	0.34	0	6,8,8	1.48	1 (16%)
15	DCL	g	4	11,15	7,7,7	0.94	1 (14%)	6,8,8	1.38	1 (16%)
15	DCL	e	4	14,15	7,7,7	1.21	1 (14%)	6,8,8	1.81	1 (16%)
15	DCL	c	4	15,8	7,7,7	0.53	0	6,8,8	1.32	1 (16%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
15	DCL	d	4	11,15	-	2/6/6/6	-
15	DCL	h	4	14,15	-	4/6/6/6	-
15	DCL	f	4	15,8	-	4/6/6/6	-
15	DCL	g	4	11,15	-	3/6/6/6	-

Continued on next page...

*Continued from previous page...*

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
15	DCL	e	4	14,15	-	4/6/6/6	-
15	DCL	c	4	15,8	-	3/6/6/6	-

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
15	e	4	DCL	O-C	-2.39	1.32	1.42
15	g	4	DCL	O-C	-2.23	1.33	1.42

All (6) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
15	h	4	DCL	CB-CA-C	-3.89	105.41	111.79
15	e	4	DCL	CB-CA-C	-3.71	105.71	111.79
15	f	4	DCL	CB-CA-C	-2.94	106.97	111.79
15	c	4	DCL	CB-CA-C	-2.65	107.45	111.79
15	g	4	DCL	CB-CA-C	-2.52	107.66	111.79
15	d	4	DCL	CB-CA-C	-2.47	107.74	111.79

There are no chirality outliers.

All (20) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
15	c	4	DCL	N-CA-CB-CG
15	c	4	DCL	C-CA-CB-CG
15	d	4	DCL	N-CA-CB-CG
15	d	4	DCL	C-CA-CB-CG
15	e	4	DCL	N-CA-CB-CG
15	e	4	DCL	C-CA-CB-CG
15	f	4	DCL	N-CA-CB-CG
15	f	4	DCL	C-CA-CB-CG
15	g	4	DCL	N-CA-CB-CG
15	g	4	DCL	C-CA-CB-CG
15	h	4	DCL	N-CA-CB-CG
15	h	4	DCL	C-CA-CB-CG
15	e	4	DCL	CA-CB-CG-CD2
15	e	4	DCL	CA-CB-CG-CD1
15	f	4	DCL	CA-CB-CG-CD2
15	h	4	DCL	CA-CB-CG-CD2
15	g	4	DCL	CA-CB-CG-CD2
15	c	4	DCL	CA-CB-CG-CD2

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms
15	h	4	DCL	CA-CB-CG-CD1
15	f	4	DCL	CA-CB-CG-CD1

There are no ring outliers.

No monomer is involved in short contacts.

## 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 5.6 Ligand geometry [i](#)

Of 13 ligands modelled in this entry, 11 are monoatomic - leaving 2 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
18	MES	K	302	-	12,12,12	2.22	1 (8%)	14,16,16	1.26	2 (14%)
18	MES	Y	301	-	12,12,12	2.21	1 (8%)	14,16,16	1.30	2 (14%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
18	MES	K	302	-	-	0/6/14/14	0/1/1/1
18	MES	Y	301	-	-	0/6/14/14	0/1/1/1

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
18	K	302	MES	C8-S	-7.41	1.67	1.77

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
18	Y	301	MES	C8-S	-7.37	1.67	1.77

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
18	K	302	MES	O3S-S-C8	2.68	110.10	105.77
18	Y	301	MES	O2S-S-C8	2.67	110.13	106.92
18	Y	301	MES	O3S-S-C8	2.60	109.98	105.77
18	K	302	MES	O2S-S-C8	2.00	109.33	106.92

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data [i](#)

### 6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	250/250 (100%)	-0.28	5 (2%) 65 60	34, 47, 83, 127	0
1	O	250/250 (100%)	-0.20	8 (3%) 47 40	37, 53, 95, 127	0
2	B	244/258 (94%)	-0.09	13 (5%) 26 20	34, 52, 101, 154	0
2	P	244/258 (94%)	-0.07	15 (6%) 21 16	37, 55, 104, 156	0
3	C	240/254 (94%)	-0.00	16 (6%) 17 13	35, 56, 120, 158	0
3	Q	240/254 (94%)	0.27	22 (9%) 9 6	39, 69, 150, 192	0
4	D	235/260 (90%)	-0.30	3 (1%) 77 73	37, 57, 90, 132	0
4	R	235/260 (90%)	-0.18	7 (2%) 50 43	41, 61, 96, 145	0
5	E	231/234 (98%)	-0.17	7 (3%) 50 43	42, 60, 94, 135	0
5	S	231/234 (98%)	-0.05	8 (3%) 44 36	39, 62, 100, 137	0
6	F	243/288 (84%)	-0.27	8 (3%) 46 39	34, 53, 103, 129	0
6	T	243/288 (84%)	-0.15	9 (3%) 41 34	29, 57, 104, 140	0
7	G	241/252 (95%)	-0.23	9 (3%) 41 34	34, 50, 90, 147	0
7	U	241/252 (95%)	-0.36	5 (2%) 63 58	35, 48, 82, 125	0
8	H	222/232 (95%)	-0.24	3 (1%) 75 71	36, 48, 76, 112	0
8	V	222/232 (95%)	-0.06	6 (2%) 54 48	36, 50, 82, 120	0
9	I	204/205 (99%)	-0.52	3 (1%) 73 70	29, 42, 71, 93	0
9	W	204/205 (99%)	-0.50	3 (1%) 73 70	30, 45, 73, 98	0
10	J	195/198 (98%)	-0.49	3 (1%) 73 70	31, 43, 68, 115	0
10	X	195/198 (98%)	-0.47	3 (1%) 73 70	33, 46, 72, 123	0
11	K	212/212 (100%)	-0.44	2 (0%) 84 82	33, 46, 71, 90	0
11	Y	212/212 (100%)	-0.53	2 (0%) 84 82	33, 44, 71, 96	0
12	L	222/222 (100%)	-0.45	1 (0%) 91 89	32, 47, 70, 97	0
12	Z	222/222 (100%)	-0.42	2 (0%) 84 82	30, 46, 73, 100	0

*Continued on next page...*

Continued from previous page...

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
13	M	233/246 (94%)	-0.33	8 (3%) 45 38	28, 46, 70, 101	0
13	a	233/246 (94%)	-0.43	3 (1%) 77 73	30, 44, 67, 85	0
14	N	196/196 (100%)	-0.58	2 (1%) 82 80	28, 40, 68, 95	0
14	b	196/196 (100%)	-0.48	2 (1%) 82 80	29, 41, 69, 92	0
15	c	2/5 (40%)	1.32	0 100 100	81, 81, 81, 82	0
15	d	2/5 (40%)	-0.34	0 100 100	67, 67, 67, 72	0
15	e	2/5 (40%)	-0.69	0 100 100	51, 51, 51, 55	0
15	f	2/5 (40%)	3.75	2 (100%) 0 0	81, 81, 81, 88	0
15	g	2/5 (40%)	-0.48	0 100 100	62, 62, 62, 67	0
15	h	2/5 (40%)	-0.70	0 100 100	54, 54, 54, 60	0
All	All	6348/6644 (95%)	-0.27	180 (2%) 53 46	28, 50, 92, 192	0

All (180) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	1	MET	7.4
2	B	220	ASN	7.2
2	P	219	ALA	6.9
2	P	222	GLY	6.4
3	Q	206	LYS	6.4
3	Q	238	LYS	6.1
3	Q	50	LEU	6.1
3	Q	239	GLN	6.1
1	O	1	MET	6.0
13	M	232	LYS	5.9
8	V	222	ASP	5.9
13	M	233	ILE	5.8
3	Q	240	GLU	5.6
10	X	194	ASP	5.5
8	V	221	CYS	5.5
2	B	218	GLY	5.4
2	P	51	VAL	5.4
3	Q	49	THR	5.3
1	O	249	ALA	5.2
10	J	1	MET	5.1
2	B	219	ALA	5.1
2	P	59	ASP	5.1
13	M	230	THR	5.1

Continued on next page...



*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>	<b>RSRZ</b>
5	E	202	ASP	5.1
15	f	3	LEU	5.0
3	C	238	LYS	4.9
5	S	202	ASP	4.8
3	Q	51	LYS	4.8
10	J	194	ASP	4.8
2	P	221	ASP	4.7
6	F	202	ASP	4.7
8	H	222	ASP	4.7
4	D	242	GLU	4.7
11	K	212	GLY	4.7
3	C	206	LYS	4.6
13	M	231	GLN	4.5
13	M	229	GLY	4.4
2	B	221	ASP	4.3
3	C	49	THR	4.3
3	Q	236	GLN	4.2
10	X	1	MET	4.2
2	P	220	ASN	4.1
7	G	242	GLN	4.1
9	I	1	SER	4.1
2	B	51	VAL	4.1
6	T	241	LYS	4.1
9	W	1	SER	4.0
3	Q	205	ALA	4.0
6	F	203	ASN	4.0
3	Q	48	SER	3.9
3	C	239	GLN	3.9
3	Q	225	GLU	3.9
3	C	236	GLN	3.8
7	G	240	ALA	3.7
3	C	180	LYS	3.7
8	H	221	CYS	3.6
2	B	242	GLY	3.5
3	Q	202	GLN	3.5
6	T	244	ASN	3.4
6	T	181	GLU	3.4
6	T	205	GLU	3.4
6	F	244	ASN	3.3
5	S	54	GLU	3.3
13	a	1	THR	3.3
13	M	216	ASN	3.3

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>	<b>RSRZ</b>
2	P	60	THR	3.3
5	S	233	ILE	3.2
3	C	203	THR	3.2
1	O	201	GLU	3.2
6	F	241	LYS	3.2
3	C	202	GLN	3.2
11	Y	106	ARG	3.1
3	C	225	GLU	3.1
4	R	242	GLU	3.1
9	W	133	LYS	3.1
6	T	230	ASP	3.1
2	P	218	GLY	3.0
9	I	133	LYS	3.0
2	P	52	THR	3.0
2	B	182	ASP	3.0
12	Z	210	ASP	3.0
11	Y	212	GLY	3.0
3	Q	223	SER	3.0
1	A	250	LEU	3.0
6	T	2	THR	2.9
14	b	195	GLN	2.9
3	Q	141	ASP	2.9
7	U	222	ASP	2.9
6	T	243	ILE	2.9
1	A	249	ALA	2.9
4	R	241	ALA	2.9
7	G	3	TYR	2.9
10	J	193	ASP	2.8
3	C	205	ALA	2.8
3	Q	204	GLY	2.8
6	F	205	GLU	2.8
13	M	1	THR	2.8
8	V	145	ASP	2.8
7	U	242	GLN	2.7
1	O	231	LYS	2.7
12	Z	1	GLN	2.6
3	C	204	GLY	2.6
7	G	181	LYS	2.6
7	U	2	GLY	2.6
5	S	180	LYS	2.6
2	B	59	ASP	2.6
2	B	217	LYS	2.6

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>	<b>RSRZ</b>
10	X	193	ASP	2.6
3	C	48	SER	2.6
1	O	52	SER	2.5
1	O	229	THR	2.5
5	E	233	ILE	2.5
8	V	217	ILE	2.5
7	U	203	ASP	2.5
9	W	192	ASP	2.5
8	V	207	ARG	2.5
7	G	241	GLU	2.5
15	f	2	PRO	2.5
3	C	50	LEU	2.5
3	C	181	GLU	2.4
4	D	1	ASP	2.4
3	C	37	LYS	2.4
2	B	235	LYS	2.4
1	O	2	THR	2.4
2	B	61	SER	2.4
5	S	173	ARG	2.4
2	B	230	LYS	2.4
3	Q	175	LYS	2.4
14	N	105	LYS	2.4
4	R	125	LEU	2.4
2	P	203	SER	2.4
3	Q	47	ARG	2.4
4	D	238	LYS	2.4
4	R	201	GLU	2.4
6	T	180	PRO	2.4
13	M	47	ASP	2.4
3	Q	60	SER	2.3
11	K	151	GLU	2.3
2	B	203	SER	2.3
6	F	243	ILE	2.3
1	O	182	GLU	2.3
4	R	177	ASN	2.3
14	N	195	GLN	2.3
7	G	222	ASP	2.3
5	S	3	ASN	2.3
6	F	53	LYS	2.3
8	H	215	GLU	2.3
2	P	240	LYS	2.2
5	E	207	VAL	2.2

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
7	G	188	GLU	2.2
9	I	131	GLU	2.2
7	U	241	GLU	2.2
4	R	2	ARG	2.2
13	a	232	LYS	2.2
14	b	105	LYS	2.2
3	Q	203	THR	2.2
5	S	123	GLY	2.2
2	P	225	TYR	2.2
5	E	122	TYR	2.2
5	E	3	ASN	2.2
2	P	232	GLN	2.2
3	C	175	LYS	2.1
13	a	233	ILE	2.1
1	A	201	GLU	2.1
7	G	230	GLU	2.1
3	Q	187	GLU	2.1
4	R	217	GLN	2.1
5	S	218	ASP	2.1
6	F	2	THR	2.1
6	T	237	ASP	2.1
1	A	248	GLU	2.1
5	E	218	ASP	2.1
3	Q	235	GLU	2.1
2	P	244	THR	2.1
8	V	215	GLU	2.1
12	L	210	ASP	2.0
3	Q	52	LEU	2.0
5	E	201	ARG	2.0
2	P	217	LYS	2.0
7	G	186	ASN	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q < 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q < 0.9
15	DCL	c	4	8/8	0.76	0.37	81,82,83,86	0
15	DCL	f	4	8/8	0.82	0.35	84,88,89,90	0

*Continued on next page...*

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
15	DCL	h	4	8/8	0.93	0.23	52,62,65,66	0
15	DCL	g	4	8/8	0.94	0.19	58,68,74,77	0
15	DCL	e	4	8/8	0.94	0.20	50,58,60,61	0
15	DCL	d	4	8/8	0.95	0.23	59,72,74,75	0

### 6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

### 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
18	MES	Y	301	12/12	0.87	0.27	63,81,84,86	0
18	MES	K	302	12/12	0.88	0.28	66,83,86,87	0
17	CL	b	201	1/1	0.94	0.11	69,69,69,69	0
16	MG	Z	301	1/1	0.95	0.18	52,52,52,52	0
16	MG	I	302	1/1	0.95	0.10	44,44,44,44	0
17	CL	N	202	1/1	0.96	0.07	47,47,47,47	0
16	MG	K	301	1/1	0.97	0.08	53,53,53,53	0
16	MG	G	301	1/1	0.97	0.07	55,55,55,55	0
16	MG	N	201	1/1	0.98	0.06	41,41,41,41	0
16	MG	I	301	1/1	0.98	0.21	54,54,54,54	0
16	MG	L	301	1/1	0.98	0.06	56,56,56,56	0
17	CL	U	301	1/1	0.99	0.17	30,30,30,30	0
17	CL	G	302	1/1	0.99	0.14	30,30,30,30	0

### 6.5 Other polymers [i](#)

There are no such residues in this entry.