

Full wwPDB X-ray Structure Validation Report (i)

Feb 6, 2024 – 02:10 AM EST

PDB ID	:	1YC2
Title	:	Sir2Af2-NAD-ADPribose-nicotinamide
Authors	:	Avalos, J.L.; Bever, M.K.; Wolberger, C.
Deposited on	:	2004-12-21
Resolution	:	2.40 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org* A user guide is available at https://www.wwpdb.org/validation/2017/XrayValidationReportHelp with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (1)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix)	:	1.13
EDS	:	2.36
buster-report	:	1.1.7 (2018)
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.36

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure: $X\text{-}RAY \, DIFFRACTION$

The reported resolution of this entry is 2.40 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	$egin{array}{c} { m Whole \ archive} \ (\#{ m Entries}) \end{array}$	${f Similar\ resolution}\ (\#{ m Entries,\ resolution\ range}({ m \AA}))$
R_{free}	130704	3907 (2.40-2.40)
Clashscore	141614	4398 (2.40-2.40)
Ramachandran outliers	138981	4318 (2.40-2.40)
Sidechain outliers	138945	4319 (2.40-2.40)
RSRZ outliers	127900	3811 (2.40-2.40)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain		
1	А	253	% • 75%	230/	
-	11	200	/ 5 /0	2370	•
1	В	253	87%	11%	•
1	С	253	79%	20%	
1	D	253	3% 82%	17%	•
1	Б	252	3%		_
	E	253	62% 34%		••



The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
10	APR	Е	504	Х	-	-	-
3	SO4	В	610	-	-	-	Х
5	NCA	А	506	-	Х	-	-
5	NCA	В	508	-	Х	-	-
5	NCA	D	510	-	Х	-	-
5	NCA	Е	509	-	Х	-	-



2 Entry composition (i)

There are 11 unique types of molecules in this entry. The entry contains 10409 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

Mol	Chain	Residues		Atoms					AltConf	Trace
1	Δ	252	Total	С	Ν	0	\mathbf{S}	0	0	0
	A	202	1954	1250	333	357	14	0	0	
1	В	252	Total	С	Ν	Ο	S	0	0	Ο
1	D	2.02	1987	1269	340	364	14	0	0	0
1	С	252	Total	С	Ν	Ο	\mathbf{S}	0	0	0
1	U	232	1967	1258	339	356	14	0	0	0
1	Л	251	Total	С	Ν	0	S	0	0	0
	201	1949	1246	334	356	13	0	0	0	
1	1 F	250	Total	С	Ν	Ο	S	0	0	0
	250	1888	1205	318	352	13	0	0	U	

• Molecule 1 is a protein called NAD-dependent deacetylase 2.

• Molecule 2 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	А	2	Total Zn 2 2	0	0
2	В	2	Total Zn 2 2	0	0
2	С	2	Total Zn 2 2	0	0
2	D	2	Total Zn 2 2	0	0
2	Е	1	Total Zn 1 1	0	0

• Molecule 3 is SULFATE ION (three-letter code: SO4) (formula: O_4S).





Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	А	1	$\begin{array}{ccc} \text{Total} & \text{O} & \text{S} \\ 5 & 4 & 1 \end{array}$	0	0
3	А	1	$\begin{array}{ccc} \text{Total} & \text{O} & \text{S} \\ 5 & 4 & 1 \end{array}$	0	0
3	В	1	$\begin{array}{ccc} \text{Total} & \text{O} & \text{S} \\ 5 & 4 & 1 \end{array}$	0	0
3	В	1	$\begin{array}{ccc} \text{Total} & \text{O} & \text{S} \\ 5 & 4 & 1 \end{array}$	0	0
3	В	1	$\begin{array}{ccc} \text{Total} & \text{O} & \text{S} \\ 5 & 4 & 1 \end{array}$	0	0
3	В	1	$\begin{array}{ccc} \text{Total} & \text{O} & \text{S} \\ 5 & 4 & 1 \end{array}$	0	0
3	С	1	$\begin{array}{ccc} \text{Total} & \text{O} & \text{S} \\ 5 & 4 & 1 \end{array}$	0	0
3	С	1	$\begin{array}{ccc} \text{Total} & \text{O} & \text{S} \\ 5 & 4 & 1 \end{array}$	0	0
3	С	1	$\begin{array}{ccc} \text{Total} & \text{O} & \text{S} \\ 5 & 4 & 1 \end{array}$	0	0
3	D	1	$\begin{array}{ccc} \text{Total} & \text{O} & \text{S} \\ 5 & 4 & 1 \end{array}$	0	0

• Molecule 4 is NICOTINAMIDE-ADENINE-DINUCLEOTIDE (three-letter code: NAD) (formula: $C_{21}H_{27}N_7O_{14}P_2$).





Mol	Chain	Residues		Ate	oms			ZeroOcc	AltConf
4	Δ	1	Total	С	Ν	Ο	Р	0	0
4	A	1	44	21	7	14	2	0	0
4	р	1	Total	С	Ν	Ο	Р	0	0
4	D	1	44	21	7	14	2	0	0
4	С	1	Total	С	Ν	Ο	Р	0	0
4	4 C	1	44	21	7	14	2	0	0
4 D	1	Total	С	Ν	Ο	Р	0	0	
4	D	1	44	21	7	14	2	0	0





Mol	Chain	Residues	Atoms	ZeroOcc	AltConf									
5	Λ	1	Total C N O	0	0									
0	Л	1	9 6 2 1	0	0									
5	В	1	Total C N O	0	0									
5	D	1	9 6 2 1	0	0									
5	Л	1	Total C N O	0	0									
5	D	1	9 6 2 1	0	0									
5	F	F	F	F	F	F	F	F	F	F	1	Total C N O	0	0
5	Ľ	1	9 6 2 1	0	0									
5	F	1	Total C N O	0	0									
0	12	1	9 6 2 1	0	0									

• Molecule 6 is 1,2-ETHANEDIOL (three-letter code: EDO) (formula: $C_2H_6O_2$).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	А	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{O} \\ 4 & 2 & 2 \end{array}$	0	0
6	А	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{O} \\ 4 & 2 & 2 \end{array}$	0	0
6	А	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{O} \\ 4 & 2 & 2 \end{array}$	0	0
6	В	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{O} \\ 4 & 2 & 2 \end{array}$	0	0
6	В	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{O} \\ 4 & 2 & 2 \end{array}$	0	0

• Molecule 7 is NONAETHYLENE GLYCOL (three-letter code: 2PE) (formula: $C_{18}H_{38}O_{10}$).





Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
7	В	1	Total C O 28 18 10	0	0
7	С	1	Total C O 28 18 10	0	0

• Molecule 8 is TETRAETHYLENE GLYCOL (three-letter code: PG4) (formula: $C_8H_{18}O_5$).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
8	D	1	Total C O 13 8 5	0	0

• Molecule 9 is TRIETHYLENE GLYCOL (three-letter code: PGE) (formula: $C_6H_{14}O_4$).





Mol	Chain	Residues	Atoms		ZeroOcc	AltConf	
9	D	1	Total 10	C 6	O 4	0	0

• Molecule 10 is ADENOSINE-5-DIPHOSPHORIBOSE (three-letter code: APR) (formula: $C_{15}H_{23}N_5O_{14}P_2$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf		
10	Е	1	Total 36	C 15	N 5	0 14	Р 2	0	0

• Molecule 11 is water.



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
11	А	47	Total O 47 47	0	0
11	В	77	Total O 77 77	0	0
11	С	39	Total O 39 39	0	0
11	D	64	Total O 64 64	0	0
11	Е	22	Total O 22 22	0	0



3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.



• Molecule 1: NAD-dependent deacetylase 2



• Molecule 1: NAD-dependent deacetylase 2





4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 21 21 2	Depositor
Cell constants	105.12Å 181.56Å 79.03Å	Depositor
a, b, c, α , β , γ	90.00° 90.00° 90.00°	Depositor
Bosolution (Å)	30.00 - 2.40	Depositor
Resolution (A)	29.88 - 2.39	EDS
% Data completeness	97.3 (30.00-2.40)	Depositor
(in resolution range)	98.2 (29.88-2.39)	EDS
R_{merge}	0.11	Depositor
R_{sym}	0.09	Depositor
$< I/\sigma(I) > 1$	$1.56 (at 2.39 \text{\AA})$	Xtriage
Refinement program	CNS	Depositor
B B.	0.209 , 0.255	Depositor
Π, Π_{free}	0.200 , 0.245	DCC
R_{free} test set	3043 reflections $(5.09%)$	wwPDB-VP
Wilson B-factor $(Å^2)$	42.2	Xtriage
Anisotropy	0.264	Xtriage
Bulk solvent $k_{sol}(e/A^3), B_{sol}(A^2)$	0.32 , 36.9	EDS
L-test for $twinning^2$	$ < L >=0.50, < L^2>=0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	10409	wwPDB-VP
Average B, all atoms $(Å^2)$	44.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: The largest off-origin peak in the Patterson function is 3.38% of the height of the origin peak. No significant pseudotranslation is detected.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



¹Intensities estimated from amplitudes.

5 Model quality (i)

5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: NCA, SO4, NAD, PG4, ZN, PGE, APR, 2PE, EDO

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Chain	Bond	lengths	Bond angles	
		RMSZ	# Z > 5	RMSZ	# Z > 5
1	А	0.36	0/1998	0.57	0/2701
1	В	0.37	0/2031	0.58	0/2738
1	С	0.35	0/2011	0.58	0/2714
1	D	0.35	0/1993	0.57	0/2692
1	Е	0.32	0/1931	0.53	0/2622
All	All	0.35	0/9964	0.57	0/13467

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	А	1954	0	1923	55	0
1	В	1987	0	1989	22	0
1	С	1967	0	1962	37	0
1	D	1949	0	1920	28	0
1	Е	1888	0	1799	76	0
2	А	2	0	0	0	0
2	В	2	0	0	0	0
2	С	2	0	0	0	0



1	Υ	C2

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	D	2	0	0	0	0
2	Е	1	0	0	0	0
3	А	10	0	0	0	0
3	В	20	0	0	0	0
3	С	15	0	0	0	0
3	D	5	0	0	0	0
4	А	44	0	26	6	0
4	В	44	0	26	1	0
4	С	44	0	26	1	0
4	D	44	0	26	2	0
5	А	9	0	6	0	0
5	В	9	0	6	0	0
5	D	9	0	6	0	0
5	Ε	18	0	12	0	0
6	А	12	0	18	0	0
6	В	8	0	12	0	0
7	В	28	0	38	3	0
7	С	28	0	38	0	0
8	D	13	0	18	0	0
9	D	10	0	14	0	0
10	Ε	36	0	21	0	0
11	А	47	0	0	1	0
11	В	77	0	0	2	0
11	С	39	0	0	0	0
11	D	64	0	0	0	0
11	Е	22	0	0	2	0
All	All	10409	0	9886	215	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 11.

All (215) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:107:GLN:H	1:E:107:GLN:HE21	0.93	0.93
1:A:46:ASP:HB3	1:A:49:GLU:HG2	1.50	0.92
1:E:79:ASN:HB2	1:E:80:PRO:HD2	1.56	0.87
1:E:107:GLN:HE21	1:E:107:GLN:N	1.75	0.85
1:E:107:GLN:H	1:E:107:GLN:NE2	1.72	0.85
1:E:159:LYS:HE3	1:E:167:GLU:OE2	1.78	0.84
1:D:79:ASN:HB2	1:D:80:PRO:HD2	1.68	0.75



		Interatomic	Clash
Atom-1	Atom-2	distance (\AA)	overlap (Å)
1:A:34:THR:HG22	1:A:35:PHE:H	1.51	0.74
1:A:4:GLU:HB3	1:A:231:ILE:HG12	1.70	0.73
1:C:79:ASN:HB2	1:C:80:PRO:HD2	1.71	0.73
1:A:36:ARG:HH22	4:A:503:NAD:H2B	1.53	0.72
1:C:169:LEU:HD12	1:C:170:PRO:HD2	1.72	0.71
1:D:39:ASP:O	1:D:43:ARG:HG3	1.90	0.71
1:C:47:PRO:O	1:C:51:ALA:HB3	1.91	0.70
1:E:65:GLU:HG2	1:E:68:MET:HE2	1.73	0.70
1:E:64:TRP:O	1:E:68:MET:HG3	1.92	0.70
1:A:6:ARG:O	1:A:10:GLU:HG3	1.91	0.70
1:C:66:PHE:O	1:C:69:GLU:HG2	1.93	0.69
1:E:68:MET:HG2	1:E:142:PHE:CE1	2.28	0.68
1:D:195:VAL:HG23	1:D:196:VAL:HG23	1.75	0.68
1:E:87:GLU:HA	1:E:90:ARG:NH1	2.09	0.68
1:A:151:ARG:HG3	1:A:151:ARG:HH11	1.60	0.67
1:D:248:ARG:HD2	1:D:248:ARG:O	1.95	0.66
1:E:172:ARG:H	1:E:172:ARG:HD2	1.61	0.66
1:E:127:LEU:HD12	1:E:157:TYR:HB3	1.78	0.65
1:B:121:MET:HG3	7:B:701:2PE:H231	1.78	0.64
1:A:19:VAL:HG21	1:A:180:GLU:HG3	1.80	0.64
1:E:213:MET:HB2	1:E:227:PHE:HA	1.79	0.64
1:B:103:ASP:HA	7:B:701:2PE:H232	1.80	0.63
1:E:172:ARG:H	1:E:172:ARG:CD	2.12	0.63
1:A:31:GLY:HA3	1:A:73:LYS:HD2	1.80	0.63
1:A:36:ARG:HH12	4:A:503:NAD:H8A	1.63	0.63
1:C:146:GLU:HG3	1:C:147:ILE:N	2.14	0.62
1:C:137:GLU:HG3	1:C:137:GLU:O	1.98	0.62
1:E:29:GLU:OE1	1:E:234:LYS:HB3	1.99	0.62
1:A:135:TRP:O	1:A:139:VAL:HG23	1.98	0.62
1:D:30:SER:HB2	1:D:79:ASN:HD22	1.64	0.62
1:E:29:GLU:OE2	1:E:236:GLY:HA3	2.00	0.62
1:B:70:MET:HE1	1:B:76:ALA:HB2	1.82	0.62
1:D:46:ASP:OD2	1:D:49:GLU:HG2	2.01	0.60
1:C:190:VAL:HG11	1:C:239:LEU:HD11	1.82	0.60
1:D:35:PHE:HB3	1:D:38:GLU:OE1	2.00	0.60
1:D:171:GLN:NE2	1:D:172:ARG:HG3	2.16	0.60
1:A:242:ILE:O	1:A:246:VAL:HG23	2.02	0.59
1:A:34:THR:HG22	4:A:503:NAD:O2A	2.02	0.59
1:B:102:ILE:H	4:B:501:NAD:H71N	1.49	0.59
1:E:207:LYS:HG3	1:E:226:ILE:HB	1.85	0.59
1:E:243:VAL:O	1:E:247:LYS:HG3	2.03	0.59



		Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:D:171:GLN:HE22	1:D:172:ARG:HG3	1.68	0.58
1:D:242:ILE:O	1:D:246:VAL:HG23	2.03	0.58
1:C:81:ALA:HB1	1:C:239:LEU:HD12	1.85	0.58
1:E:239:LEU:O	1:E:243:VAL:HG23	2.04	0.58
1:C:242:ILE:O	1:C:246:VAL:HG23	2.04	0.58
1:E:172:ARG:HD2	1:E:172:ARG:N	2.18	0.57
1:C:33:PRO:HG2	1:C:43:ARG:NH2	2.19	0.57
1:E:125:ASP:OD1	1:E:132:THR:HG22	2.04	0.57
1:E:102:ILE:HG22	1:E:119:GLY:O	2.05	0.57
1:E:5:ILE:HG23	1:E:242:ILE:HG12	1.87	0.57
1:E:200:ALA:O	1:E:203:PRO:HD2	2.05	0.57
1:E:147:ILE:HG22	11:E:511:HOH:O	2.04	0.56
1:A:1:MET:HE3	1:A:6:ARG:HB2	1.88	0.55
1:D:224:ASP:O	1:D:230:LYS:HE3	2.06	0.55
1:A:164:LEU:O	1:A:167:GLU:HG2	2.07	0.55
1:E:214:ILE:HG12	1:E:229:VAL:CG1	2.35	0.55
1:E:136:SER:O	1:E:139:VAL:HG12	2.06	0.55
1:D:26:ILE:HG23	1:D:27:SER:N	2.22	0.55
1:A:61:ARG:NH1	1:A:147:ILE:HD12	2.21	0.55
1:A:223:ALA:O	1:A:226:ILE:HG12	2.07	0.55
1:A:121:MET:O	1:A:135:TRP:HB2	2.07	0.54
1:B:3:ASP:O	1:B:7:LYS:HG2	2.07	0.54
1:C:245:GLU:O	1:C:249:LEU:HG	2.07	0.54
1:E:4:GLU:HB3	1:E:231:ILE:HG12	1.89	0.54
1:D:40:GLY:O	1:D:43:ARG:HB2	2.08	0.54
1:D:219:GLU:HB2	1:D:220:PRO:HD2	1.89	0.54
1:C:159:LYS:HE3	1:C:167:GLU:OE2	2.08	0.53
1:C:6:ARG:HG2	1:C:6:ARG:HH11	1.73	0.53
1:E:159:LYS:HE3	1:E:167:GLU:CD	2.28	0.53
1:A:24:ALA:HB3	1:A:34:THR:HG23	1.91	0.53
1:A:136:SER:HA	1:A:139:VAL:HG23	1.91	0.53
1:D:15:SER:HB2	1:D:185:ASP:OD1	2.09	0.53
1:B:72:ASP:O	1:B:73:LYS:HG3	2.09	0.53
1:D:29:GLU:OE1	1:D:234:LYS:HB3	2.09	0.53
1:D:38:GLU:OE2	1:D:38:GLU:HA	2.08	0.52
1:E:241:LYS:O	1:E:244:GLU:HG2	2.10	0.52
1:A:127:LEU:HD21	1:A:159:LYS:HB2	1.91	0.52
1:E:214:ILE:HG23	1:E:229:VAL:HG13	1.92	0.52
1:C:146:GLU:CG	1:C:147:ILE:N	2.72	0.52
1:C:207:LYS:HB2	1:C:213:MET:HE1	1.91	0.52
1:C:169:LEU:O	1:C:171:GLN:N	2.43	0.52



	A L C	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:E:239:LEU:N	1:E:240:PRO:HD2	2.24	0.52
1:C:207:LYS:HB2	1:C:213:MET:CE	2.40	0.52
1:B:224:ASP:HB2	1:B:225:PRO:HD3	1.91	0.51
1:D:59:ASN:HD21	1:D:61:ARG:HB2	1.75	0.51
1:E:65:GLU:HA	1:E:68:MET:HE2	1.93	0.51
1:E:124:LEU:HD12	1:E:124:LEU:N	2.25	0.51
1:A:2:GLU:OE1	1:A:2:GLU:HA	2.11	0.51
1:A:125:ASP:OD1	1:A:132:THR:HG22	2.10	0.51
1:E:123:LYS:HB3	1:E:161:ARG:HH21	1.75	0.51
1:A:35:PHE:HB2	4:A:503:NAD:O2A	2.11	0.51
1:A:213:MET:HB2	1:A:227:PHE:HA	1.92	0.51
1:E:124:LEU:HG	1:E:160:PRO:HA	1.91	0.51
1:A:34:THR:HG21	4:A:503:NAD:H51A	1.93	0.51
1:D:30:SER:OG	1:D:77:GLU:O	2.29	0.50
1:E:41:LEU:C	1:E:43:ARG:H	2.15	0.50
1:A:42:TRP:HA	1:A:42:TRP:CE3	2.45	0.50
1:A:248:ARG:HH11	1:A:248:ARG:HG2	1.76	0.50
1:C:146:GLU:CG	1:C:147:ILE:H	2.24	0.50
1:E:78:PRO:HB3	1:E:109:ALA:HB2	1.93	0.50
1:E:96:ALA:HB3	1:E:180:GLU:HG2	1.94	0.50
1:C:146:GLU:HG3	1:C:147:ILE:H	1.76	0.50
1:A:34:THR:HG22	1:A:35:PHE:N	2.23	0.50
1:E:12:LEU:HD13	1:E:88:LEU:HD21	1.94	0.50
1:E:42:TRP:HA	1:E:42:TRP:CE3	2.46	0.50
1:E:201:GLU:O	1:E:205:ILE:HG13	2.11	0.50
1:A:124:LEU:N	1:A:124:LEU:HD12	2.27	0.49
1:C:19:VAL:HG21	1:C:180:GLU:HG3	1.94	0.49
1:C:204:TYR:CE1	1:C:226:ILE:HD13	2.47	0.49
1:E:123:LYS:HB3	1:E:161:ARG:NH2	2.26	0.49
1:B:163:VAL:HG21	1:B:170:PRO:HD3	1.95	0.49
1:C:103:ASP:CG	1:C:105:LEU:HG	2.33	0.49
1:E:223:ALA:O	1:E:226:ILE:HG12	2.12	0.49
1:E:207:LYS:O	1:E:207:LYS:HD3	2.12	0.49
1:E:191:GLY:HA2	1:E:217:ASN:OD1	2.13	0.49
1:A:65:GLU:HA	1:A:68:MET:HE2	1.95	0.48
1:E:70:MET:C	1:E:72:ASP:H	2.17	0.48
1:D:42:TRP:CE3	1:D:42:TRP:HA	2.49	0.48
1:C:102:ILE:H	4:C:502:NAD:H71N	1.63	0.47
1:D:64:TRP:O	1:D:68:MET:HG3	2.14	0.47
1:D:112:ARG:HG3	1:D:112:ARG:HH11	1.79	0.47
1:E:172:ARG:HG2	1:E:173:THR:N	2.30	0.47



	i a se pagem	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:B:100:GLN:NE2	11:B:735:HOH:O	2.47	0.47
1:A:164:LEU:N	1:A:167:GLU:OE1	2.45	0.47
1:C:124:LEU:N	1:C:124:LEU:HD12	2.30	0.47
1:E:123:LYS:CB	1:E:161:ARG:HH21	2.28	0.46
1:E:65:GLU:HG2	1:E:68:MET:CE	2.44	0.46
1:E:28:ALA:HA	1:E:32:ILE:O	2.15	0.46
1:C:157:TYR:N	1:C:157:TYR:CD1	2.84	0.46
1:B:193:SER:HB2	11:B:770:HOH:O	2.16	0.46
1:E:7:LYS:O	1:E:11:ILE:HG13	2.16	0.46
1:B:58:ARG:HG3	1:B:59:ASN:N	2.30	0.45
1:B:204:TYR:CE1	1:B:226:ILE:HD13	2.51	0.45
1:E:29:GLU:HG3	11:E:528:HOH:O	2.15	0.45
1:E:42:TRP:HA	1:E:42:TRP:HE3	1.81	0.45
1:E:71:LYS:HD2	1:E:143:ASN:ND2	2.31	0.45
1:A:248:ARG:HG2	1:A:248:ARG:NH1	2.31	0.45
1:D:25:GLY:HA3	4:D:505:NAD:O4B	2.16	0.45
1:E:70:MET:O	1:E:72:ASP:N	2.50	0.45
1:E:195:VAL:HG23	1:E:196:VAL:N	2.32	0.45
1:A:245:GLU:O	1:A:249:LEU:HG	2.16	0.45
1:C:219:GLU:HB2	1:C:220:PRO:HD2	1.99	0.45
1:A:42:TRP:HA	1:A:42:TRP:HE3	1.81	0.44
1:A:79:ASN:HB2	1:A:80:PRO:CD	2.47	0.44
1:D:196:VAL:HG21	4:D:505:NAD:H1D	1.97	0.44
1:E:4:GLU:N	1:E:4:GLU:OE1	2.50	0.44
1:A:127:LEU:HD23	1:A:157:TYR:HB3	1.99	0.44
1:B:6:ARG:NH1	1:B:7:LYS:HD3	2.32	0.44
1:E:213:MET:HB3	1:E:227:PHE:CD2	2.52	0.44
1:B:245:GLU:OE2	1:B:248:ARG:NH1	2.49	0.44
1:C:33:PRO:HG2	1:C:43:ARG:CZ	2.47	0.44
1:A:104:MET:SD	1:A:122:ASP:HB3	2.57	0.44
1:E:84:ALA:O	1:E:88:LEU:HB2	2.18	0.44
1:A:151:ARG:HG3	1:A:151:ARG:NH1	2.29	0.44
1:C:26:ILE:HG12	1:C:26:ILE:O	2.17	0.44
1:E:131:GLU:OE2	1:E:131:GLU:HA	2.18	0.44
1:A:129:CYS:O	1:A:130:HIS:HB2	2.18	0.43
1:B:90:ARG:HG2	1:B:90:ARG:HH21	1.83	0.43
1:A:250:ARG:NH2	1:A:250:ARG:HG3	2.33	0.43
1:B:183:HIS:C	1:B:183:HIS:CD2	2.91	0.43
1:E:48:GLU:O	1:E:52:SER:OG	2.34	0.43
1:E:53:ILE:HD11	1:E:57:LYS:HZ2	1.82	0.43
1:A:26:ILE:HG12	1:A:26:ILE:O	2.18	0.43



	ht o	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:A:65:GLU:HA	1:A:68:MET:CE	2.49	0.43
1:E:172:ARG:HG2	1:E:173:THR:H	1.83	0.43
1:E:248:ARG:HG3	1:E:249:LEU:N	2.33	0.43
1:D:170:PRO:HB2	1:D:173:THR:HB	2.01	0.43
1:A:171:GLN:HG2	1:C:171:GLN:HB3	2.01	0.43
1:D:26:ILE:CG2	1:D:27:SER:N	2.82	0.43
1:E:242:ILE:O	1:E:246:VAL:HG23	2.18	0.43
1:A:64:TRP:O	1:A:68:MET:HG3	2.17	0.43
1:B:70:MET:HB3	1:B:73:LYS:O	2.18	0.43
1:C:112:ARG:HH11	1:C:112:ARG:HG2	1.83	0.43
1:E:215:ILE:HG23	1:E:215:ILE:O	2.19	0.43
1:E:88:LEU:HG	1:E:94:VAL:HG23	2.01	0.42
1:E:129:CYS:O	1:E:130:HIS:HB2	2.19	0.42
1:A:246:VAL:O	1:A:250:ARG:HG2	2.19	0.42
1:E:232:ILE:HG23	1:E:232:ILE:O	2.19	0.42
1:E:219:GLU:HB2	1:E:220:PRO:HD2	2.00	0.42
1:A:34:THR:CG2	4:A:503:NAD:H51A	2.50	0.42
1:A:170:PRO:HA	1:C:172:ARG:HG3	2.01	0.41
1:B:169:LEU:HD13	7:B:701:2PE:H21	2.02	0.41
1:A:79:ASN:HB2	1:A:80:PRO:HD2	2.01	0.41
1:A:133:TYR:HD2	1:A:137:GLU:OE2	2.02	0.41
1:A:172:ARG:HD2	1:C:170:PRO:HB3	2.01	0.41
1:A:250:ARG:HG3	1:A:250:ARG:HH21	1.85	0.41
1:A:21:PHE:HA	1:A:98:ILE:O	2.19	0.41
1:C:1:MET:CE	1:C:1:MET:H3	2.34	0.41
1:A:31:GLY:CA	1:A:73:LYS:HD2	2.49	0.41
1:C:90:ARG:NH1	1:C:90:ARG:HG2	2.36	0.41
1:E:180:GLU:O	1:E:184:CYS:HB3	2.20	0.41
1:B:89:GLU:OE1	1:B:112:ARG:HB2	2.20	0.41
1:B:112:ARG:HG2	1:B:112:ARG:HH11	1.84	0.41
1:D:197:TYR:CG	1:D:198:PRO:HA	2.55	0.41
1:E:87:GLU:O	1:E:91:MET:HG3	2.21	0.41
1:E:65:GLU:HA	1:E:68:MET:CE	2.50	0.41
1:B:151:ARG:HG3	1:B:151:ARG:HH21	1.86	0.41
1:C:224:ASP:HB2	1:C:225:PRO:HD3	2.02	0.41
1:E:1:MET:O	1:E:5:ILE:HG13	2.20	0.41
1:B:108:ARG:NH1	1:B:108:ARG:HB3	2.36	0.41
1:C:204:TYR:CZ	1:C:226:ILE:HD13	2.56	0.41
1:E:224:ASP:N	1:E:225:PRO:CD	2.84	0.40
1:A:54:SER:HB2	11:A:746:HOH:O	2.22	0.40
1:C:17:HIS:ND1	1:C:95:LYS:HG3	2.36	0.40



Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:135:TRP:O	1:A:139:VAL:CG2	2.68	0.40
1:D:42:TRP:HA	1:D:42:TRP:HE3	1.85	0.40
1:E:123:LYS:C	1:E:124:LEU:HD12	2.42	0.40

There are no symmetry-related clashes.

5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Perce	entiles
1	А	250/253~(99%)	240 (96%)	9 (4%)	1 (0%)	34	48
1	В	250/253~(99%)	245~(98%)	5 (2%)	0	100	100
1	С	250/253~(99%)	244 (98%)	5 (2%)	1 (0%)	34	48
1	D	249/253~(98%)	235~(94%)	13~(5%)	1 (0%)	34	48
1	Е	248/253~(98%)	233 (94%)	12 (5%)	3 (1%)	13	19
All	All	1247/1265~(99%)	1197 (96%)	44 (4%)	6 (0%)	29	41

All (6) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	Е	71	LYS
1	А	2	GLU
1	D	72	ASP
1	С	170	PRO
1	Е	42	TRP
1	Е	93	ILE



5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the side chain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	А	201/212~(95%)	197~(98%)	4 (2%)	55 74
1	В	210/212~(99%)	204~(97%)	6 (3%)	42 62
1	С	205/212~(97%)	196 (96%)	9~(4%)	28 45
1	D	201/212~(95%)	197~(98%)	4 (2%)	55 74
1	Ε	188/212~(89%)	180 (96%)	8 (4%)	29 46
All	All	1005/1060~(95%)	974 (97%)	31 (3%)	40 60

All (31) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	А	1	MET
1	А	73	LYS
1	А	143	ASN
1	А	183	HIS
1	В	1	MET
1	В	108	ARG
1	В	151	ARG
1	В	183	HIS
1	В	198	PRO
1	В	202	LEU
1	С	1	MET
1	С	59	ASN
1	С	87	GLU
1	С	121	MET
1	С	137	GLU
1	С	173	THR
1	С	174	LEU
1	С	183	HIS
1	С	193	SER
1	D	118	HIS
1	D	164	LEU
1	D	183	HIS
1	D	217	ASN



Contracta from prettous page							
Mol	Chain	Res	Type				
1	Е	4	GLU				
1	Е	42	TRP				
1	Е	72	ASP				
1	Е	107	GLN				
1	Е	147	ILE				
1	Е	172	ARG				
1	Е	222	MET				
1	Е	248	ARG				

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (13) such sidechains are listed below:

Mol	Chain	Res	Type
1	А	59	ASN
1	А	143	ASN
1	В	100	GLN
1	В	101	ASN
1	С	$\overline{59}$	ASN
1	С	100	GLN
1	С	101	ASN
1	С	171	GLN
1	D	59	ASN
1	D	171	GLN
1	Е	107	GLN
1	Е	143	ASN
1	Е	171	GLN

5.3.3 RNA (i)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates (i)

There are no monosaccharides in this entry.



5.6 Ligand geometry (i)

Of 38 ligands modelled in this entry, 9 are monoatomic - leaving 29 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Type	Chain	Dog	Link	B	ond leng	gths	Bond angles		
MOI	туре	Ullalli	nes		Counts	RMSZ	# Z >2	Counts	RMSZ	# Z > 2
3	SO4	В	610	-	4,4,4	0.30	0	$6,\!6,\!6$	0.10	0
5	NCA	Е	509	-	$9,\!9,\!9$	3.65	<mark>6 (66%)</mark>	$11,\!11,\!11$	1.95	4 (36%)
4	NAD	А	503	-	42,48,48	2.66	10 (23%)	50,73,73	1.35	5 (10%)
3	SO4	D	603	-	4,4,4	0.28	0	$6,\!6,\!6$	0.09	0
5	NCA	Е	507	-	9,9,9	<mark>3.77</mark>	6 (66%)	11,11,11	2.04	3 (27%)
5	NCA	D	510	-	9,9,9	3.74	6 (66%)	11,11,11	1.99	4 (36%)
3	SO4	В	604	-	4,4,4	0.26	0	$6,\!6,\!6$	0.10	0
5	NCA	А	506	-	$9,\!9,\!9$	3.72	6 (66%)	11,11,11	1.98	4 (36%)
8	PG4	D	703	-	12,12,12	0.69	0	11,11,11	0.46	0
5	NCA	В	508	-	9,9,9	<mark>3.81</mark>	6 (66%)	11,11,11	2.02	4 (36%)
3	SO4	А	607	_	4,4,4	0.28	0	6,6,6	0.08	0
4	NAD	D	505	-	42,48,48	2.75	12 (28%)	50,73,73	1.43	6 (12%)
3	SO4	В	602	-	4,4,4	0.30	0	6,6,6	0.22	0
6	EDO	А	705	-	3,3,3	0.78	0	2,2,2	0.23	0
3	SO4	В	609	-	4,4,4	0.31	0	$6,\!6,\!6$	0.07	0
6	EDO	В	707	-	3, 3, 3	0.76	0	$2,\!2,\!2$	0.25	0
6	EDO	А	706	-	3,3,3	0.74	0	$2,\!2,\!2$	0.26	0
10	APR	Ε	504	-	34,39,39	1.59	3 (8%)	40,60,60	1.47	5 (12%)
3	SO4	А	605	-	4,4,4	0.28	0	$6,\!6,\!6$	0.08	0
6	EDO	А	704	-	3,3,3	0.67	0	2,2,2	0.29	0
4	NAD	В	501	-	42,48,48	2.48	10 (23%)	50,73,73	1.43	7 (14%)
7	2PE	С	702	-	27,27,27	0.74	0	26,26,26	0.45	0
3	SO4	С	606	-	4,4,4	0.27	0	$6,\!6,\!6$	0.10	0
4	NAD	С	502	-	42,48,48	2.59	10 (23%)	50,73,73	1.39	5 (10%)
3	SO4	С	601	-	4,4,4	0.24	0	$6,\!6,\!6$	0.20	0
6	EDO	В	708	-	3,3,3	0.71	0	2,2,2	0.24	0
3	SO4	С	612	-	4,4,4	0.32	0	$6,\!6,\!6$	0.07	0
9	PGE	D	709	-	9,9,9	0.81	0	8,8,8	0.36	0
7	2PE	B	701	_	27,27,27	0.69	0	$26,2\overline{6},2\overline{6}$	$0.\overline{47}$	0



In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	NCA	Е	509	-	-	0/4/4/4	0/1/1/1
4	NAD	А	503	-	-	3/26/62/62	0/5/5/5
5	NCA	Е	507	-	-	0/4/4/4	0/1/1/1
5	NCA	D	510	-	-	0/4/4/4	0/1/1/1
5	NCA	А	506	-	-	0/4/4/4	0/1/1/1
8	PG4	D	703	-	-	7/10/10/10	-
5	NCA	В	508	-	-	0/4/4/4	0/1/1/1
4	NAD	D	505	-	-	2/26/62/62	0/5/5/5
6	EDO	А	705	-	-	1/1/1/1	-
6	EDO	В	707	-	-	0/1/1/1	-
6	EDO	А	706	-	-	1/1/1/1	-
10	APR	Ε	504	-	1/1/10/10	3/18/54/54	0/4/4/4
6	EDO	А	704	-	-	1/1/1/1	-
4	NAD	В	501	-	-	7/26/62/62	0/5/5/5
7	2PE	С	702	-	-	16/25/25/25	-
4	NAD	С	502	-	-	11/26/62/62	0/5/5/5
6	EDO	В	708	-	-	1/1/1/1	-
9	PGE	D	709	-	-	4/7/7/7	-
7	2PE	В	701	-	-	11/25/25/25	-

All (75) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	D	505	NAD	C2N-N1N	9.67	1.46	1.35
4	А	503	NAD	C2N-N1N	8.89	1.45	1.35
4	С	502	NAD	C2N-N1N	8.34	1.45	1.35
4	В	501	NAD	C2N-N1N	7.91	1.44	1.35
4	D	505	NAD	C4N-C3N	7.90	1.52	1.39
4	С	502	NAD	C4N-C3N	7.57	1.52	1.39
4	А	503	NAD	C4N-C3N	7.56	1.52	1.39
4	В	501	NAD	C4N-C3N	7.30	1.51	1.39
5	Е	509	NCA	C2-N1	6.51	1.48	1.34
5	В	508	NCA	C2-N1	6.42	1.48	1.34
5	D	510	NCA	C2-N1	6.36	1.48	1.34
5	Е	507	NCA	C2-N1	6.32	1.48	1.34
5	А	506	NCA	C2-N1	6.27	1.47	1.34
4	C	502	NAD	C5N-C4N	5.86	1.51	1.38



Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	В	508	NCA	C4-C3	5.76	1.49	1.39
4	D	505	NAD	C5N-C4N	5.69	1.50	1.38
5	D	510	NCA	C4-C3	5.65	1.49	1.39
5	А	506	NCA	C4-C3	5.65	1.49	1.39
5	Е	507	NCA	C4-C3	5.62	1.48	1.39
4	С	502	NAD	C2A-N3A	5.58	1.41	1.32
4	А	503	NAD	C2A-N3A	5.54	1.41	1.32
5	Е	509	NCA	C4-C3	5.53	1.48	1.39
4	А	503	NAD	C5N-C4N	5.47	1.50	1.38
4	D	505	NAD	C2A-N3A	5.29	1.40	1.32
4	В	501	NAD	C2A-N3A	5.15	1.40	1.32
4	В	501	NAD	C5N-C4N	5.11	1.49	1.38
10	Е	504	APR	C2-N3	5.08	1.40	1.32
5	Е	507	NCA	C3-C7	4.48	1.57	1.50
5	В	508	NCA	C3-C7	4.43	1.57	1.50
5	D	510	NCA	C3-C7	4.36	1.57	1.50
5	А	506	NCA	C3-C7	4.35	1.57	1.50
10	Е	504	APR	C1D-C2D	4.27	1.57	1.52
4	С	502	NAD	C6N-N1N	4.19	1.45	1.35
4	D	505	NAD	C4A-N3A	4.04	1.41	1.35
4	А	503	NAD	C6N-N1N	4.02	1.45	1.35
4	D	505	NAD	C6N-N1N	3.96	1.45	1.35
4	А	503	NAD	C4A-N3A	3.88	1.41	1.35
5	В	508	NCA	C2-C3	3.88	1.45	1.39
5	Е	507	NCA	C2-C3	3.78	1.45	1.39
5	А	506	NCA	C2-C3	3.78	1.45	1.39
5	D	510	NCA	C2-C3	3.77	1.45	1.39
5	Ε	509	NCA	C3-C7	3.76	1.56	1.50
4	В	501	NAD	C2N-C3N	-3.71	1.33	1.39
4	В	501	NAD	C6N-N1N	3.67	1.44	1.35
10	E	504	APR	C4-N3	3.52	1.40	1.35
5	E	509	NCA	C2-C3	3.49	1.44	1.39
5	E	507	NCA	C6-N1	3.38	1.43	1.33
4	С	502	NAD	O4D-C1D	3.35	1.45	1.41
5	В	508	NCA	C6-N1	3.27	1.43	1.33
5	A	506	NCA	C6-N1	3.26	1.43	1.33
4	В	501	NAD	C4A-N3A	3.23	1.40	1.35
5	D	510	NCA	C6-N1	3.22	1.43	1.33
4	D	505	NAD	O4D-C1D	3.18	1.45	1.41
4	А	503	NAD	O4D-C1D	3.11	1.45	1.41
5	E	509	NCA	C6-N1	3.05	1.42	1.33
4	A	$50\overline{3}$	NAD	C2N-C3N	-3.01	1.34	1.39



Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	С	502	NAD	C2N-C3N	-3.00	1.34	1.39
4	В	501	NAD	C2D-C1D	2.98	1.58	1.53
4	С	502	NAD	C4A-N3A	2.96	1.39	1.35
4	С	502	NAD	C2D-C1D	2.91	1.58	1.53
4	А	503	NAD	C2D-C1D	2.85	1.58	1.53
4	В	501	NAD	O4D-C1D	2.85	1.45	1.41
4	D	505	NAD	C2N-C3N	-2.68	1.34	1.39
5	Е	509	NCA	C5-C4	2.67	1.44	1.38
5	Е	507	NCA	C5-C4	2.54	1.44	1.38
5	D	510	NCA	C5-C4	2.53	1.44	1.38
4	D	505	NAD	O4D-C4D	2.49	1.50	1.45
5	В	508	NCA	C5-C4	2.48	1.44	1.38
4	В	501	NAD	O4D-C4D	2.40	1.50	1.45
4	D	505	NAD	C2D-C1D	2.38	1.57	1.53
5	А	506	NCA	C5-C4	2.37	1.43	1.38
4	D	505	NAD	C3D-C4D	2.11	1.58	1.53
4	С	502	NAD	C6N-C5N	2.04	1.43	1.38
4	A	503	NAD	O4D-C4D	2.03	1.49	1.45
4	D	505	NAD	C6N-C5N	2.02	1.43	1.38

All (47) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
4	В	501	NAD	N3A-C2A-N1A	-4.52	121.61	128.68
4	С	502	NAD	N3A-C2A-N1A	-4.33	121.91	128.68
4	D	505	NAD	N3A-C2A-N1A	-4.29	121.97	128.68
10	Е	504	APR	N3-C2-N1	-4.24	122.06	128.68
4	А	503	NAD	N3A-C2A-N1A	-4.23	122.07	128.68
4	D	505	NAD	C2A-N1A-C6A	4.14	125.83	118.75
5	Е	507	NCA	C5-C4-C3	4.14	125.24	120.34
10	Е	504	APR	C2-N1-C6	4.11	125.78	118.75
4	В	501	NAD	C2A-N1A-C6A	4.02	125.63	118.75
5	В	508	NCA	C5-C4-C3	4.00	125.08	120.34
5	А	506	NCA	C5-C4-C3	3.99	125.07	120.34
5	D	510	NCA	C5-C4-C3	3.98	125.05	120.34
4	А	503	NAD	C2A-N1A-C6A	3.90	125.43	118.75
5	Е	509	NCA	C5-C4-C3	3.85	124.90	120.34
4	С	502	NAD	C2A-N1A-C6A	3.80	125.25	118.75
4	D	505	NAD	O4D-C1D-C2D	-3.61	101.65	106.93
5	Е	507	NCA	C4-C3-C2	-3.39	113.79	117.63
5	В	508	NCA	C4-C3-C2	-3.35	113.83	117.63
5	D	510	NCA	C4-C3-C2	-3.31	113.87	117.63



Mol	Chain	Res	Type	Atoms		$Observed(^{o})$	$Ideal(^{o})$
5	Е	509	NCA	C4-C3-C2	-3.25	113.94	117.63
5	А	506	NCA	C4-C3-C2	-3.17	114.03	117.63
10	Е	504	APR	O1D-C1D-O4D	-2.73	107.64	111.13
5	Е	507	NCA	C6-N1-C2	2.60	121.34	116.85
10	Е	504	APR	C5-C6-N1	-2.59	114.48	120.35
5	D	510	NCA	C6-N1-C2	2.57	121.29	116.85
4	D	505	NAD	C5A-C6A-N1A	-2.56	114.55	120.35
4	С	502	NAD	C5A-C6A-N1A	-2.53	114.61	120.35
5	Е	509	NCA	C6-N1-C2	2.49	121.15	116.85
5	В	508	NCA	C6-N1-C2	2.48	121.13	116.85
4	В	501	NAD	C5A-C6A-N1A	-2.45	114.79	120.35
4	А	503	NAD	C5A-C6A-N1A	-2.44	114.83	120.35
5	А	506	NCA	C6-N1-C2	2.43	121.05	116.85
4	С	502	NAD	C2B-C3B-C4B	2.38	107.26	102.64
4	В	501	NAD	C2B-C3B-C4B	2.33	107.17	102.64
4	D	505	NAD	O2B-C2B-C3B	2.28	119.19	111.82
5	В	508	NCA	C3-C7-N7	2.24	120.44	117.75
4	А	503	NAD	O4D-C1D-C2D	-2.24	103.65	106.93
5	А	506	NCA	C3-C7-N7	2.20	120.39	117.75
10	Е	504	APR	O4D-C1D-C2D	-2.17	101.80	104.46
4	В	501	NAD	N6A-C6A-N1A	2.14	123.01	118.57
4	В	501	NAD	C1B-N9A-C4A	-2.13	122.89	126.64
4	А	503	NAD	C2B-C3B-C4B	2.12	106.77	102.64
5	Е	509	NCA	C3-C7-N7	2.09	120.25	117.75
4	С	502	NAD	N6A-C6A-N1A	2.06	122.85	118.57
4	D	505	NAD	N6A-C6A-N1A	2.06	122.84	118.57
4	В	501	NAD	O4B-C1B-C2B	2.04	109.90	106.93
5	D	510	NCA	C3-C7-N7	2.01	120.16	117.75

All (1) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
10	Ε	504	APR	C1D

All (68) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	В	501	NAD	C5B-O5B-PA-O3
4	С	502	NAD	C5B-O5B-PA-O3
4	D	505	NAD	PN-O3-PA-O5B
10	Е	504	APR	C3D-C4D-C5D-O5D
7	В	701	2PE	O19-C20-C21-O22

Continued on next page...

- (.)

- -



Mol	Chain	Res	Type	Atoms
7	С	702	2PE	O4-C5-C6-O7
7	С	702	2PE	O16-C17-C18-O19
10	Е	504	APR	O4D-C4D-C5D-O5D
8	D	703	PG4	O4-C7-C8-O5
7	С	702	2PE	O10-C11-C12-O13
6	В	708	EDO	O1-C1-C2-O2
9	D	709	PGE	O2-C3-C4-O3
8	D	703	PG4	O2-C3-C4-O3
4	С	502	NAD	C4N-C3N-C7N-O7N
4	С	502	NAD	C4N-C3N-C7N-N7N
4	С	502	NAD	C2N-C3N-C7N-O7N
4	В	501	NAD	PN-O3-PA-O5B
4	С	502	NAD	PN-O3-PA-O5B
8	D	703	PG4	C3-C4-O3-C5
7	В	701	2PE	C23-C24-O25-C26
7	С	702	2PE	C24-C23-O22-C21
7	С	702	2PE	C23-C24-O25-C26
4	С	502	NAD	C4B-C5B-O5B-PA
8	D	703	PG4	C4-C3-O2-C2
7	В	701	2PE	C5-C6-O7-C8
7	В	701	2PE	C8-C9-O10-C11
7	В	701	2PE	C27-C26-O25-C24
7	С	702	2PE	C20-C21-O22-C23
7	В	701	2PE	O13-C14-C15-O16
7	С	702	2PE	C18-C17-O16-C15
7	В	701	2PE	O22-C23-C24-O25
7	С	702	2PE	C27-C26-O25-C24
4	С	502	NAD	PA-O3-PN-O1N
4	В	501	NAD	C4B-C5B-O5B-PA
7	С	702	2PE	O7-C8-C9-O10
4	В	501	NAD	C5B-O5B-PA-O2A
4	C	502	NAD	C5B-O5B-PA-O2A
7	С	702	2PE	O1-C2-C3-O4
9	D	709	PGE	C3-C4-O3-C5
7	С	702	2PE	C11-C12-O13-C14
8	D	703	PG4	C1-C2-O2-C3
4	С	502	NAD	C2N-C3N-C7N-N7N
7	С	702	2PE	C15-C14-O13-C12
4	A	503	NAD	C3D-C4D-C5D-O5D
6	A	705	EDO	O1-C1-C2-O2
7	C	$70\overline{2}$	2 PE	C8-C9-O10-C11
7	В	701	2 PE	C9-C8-O7-C6

Continued from previous page...



Mol	Chain	Res	Type	Atoms
7	В	701	2PE	C18-C17-O16-C15
8	D	703	PG4	C8-C7-O4-C6
7	В	701	2PE	C24-C23-O22-C21
8	D	703	PG4	C5-C6-O4-C7
6	А	704	EDO	O1-C1-C2-O2
6	А	706	EDO	O1-C1-C2-O2
4	А	503	NAD	O4B-C4B-C5B-O5B
4	D	505	NAD	O4B-C4B-C5B-O5B
9	D	709	PGE	C4-C3-O2-C2
7	В	701	2PE	C6-C5-O4-C3
4	С	502	NAD	O4B-C4B-C5B-O5B
10	Е	504	APR	O4'-C4'-C5'-O5'
4	В	501	NAD	PA-O3-PN-O1N
7	С	702	2PE	C17-C18-O19-C20
7	С	702	2PE	C5-C6-O7-C8
9	D	709	PGE	C1-C2-O2-C3
4	А	503	NAD	O4D-C4D-C5D-O5D
4	В	501	NAD	O4B-C4B-C5B-O5B
4	В	501	NAD	PA-O3-PN-O2N
4	С	502	NAD	PA-O3-PN-O2N
7	С	702	2PE	O19-C20-C21-O22

Continued from previous page...

There are no ring outliers.

5 monomers are involved in 13 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	А	503	NAD	6	0
4	D	505	NAD	2	0
4	В	501	NAD	1	0
4	С	502	NAD	1	0
7	В	701	2PE	3	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less then 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier.



The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



















5.7 Other polymers (i)

There are no such residues in this entry.

5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



6 Fit of model and data (i)

6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled '#RSRZ> 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95^{th} percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	< RSRZ >	#RSRZ>2	$OWAB(Å^2)$	Q<0.9
1	А	252/253~(99%)	-0.28	3 (1%) 79 77	19, 37, 67, 83	0
1	В	252/253~(99%)	-0.45	1 (0%) 92 91	20, 33, 49, 75	0
1	С	252/253~(99%)	-0.22	5 (1%) 65 63	26, 43, 69, 93	0
1	D	251/253~(99%)	-0.35	8 (3%) 47 46	20, 38, 80, 98	0
1	Е	250/253~(98%)	0.11	7 (2%) 53 51	37, 56, 81, 92	0
All	All	1257/1265~(99%)	-0.24	24 (1%) 66 64	19, 41, 75, 98	0

All (24) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	С	1	MET	5.8
1	Е	1	MET	4.8
1	Е	38	GLU	4.2
1	Е	75	PHE	4.2
1	D	39	ASP	3.4
1	D	36	ARG	3.2
1	Е	232	ILE	3.2
1	Е	37	GLY	3.1
1	А	251	SER	2.9
1	D	31	GLY	2.9
1	С	251	SER	2.9
1	А	1	MET	2.9
1	Е	39	ASP	2.8
1	Е	112	ARG	2.7
1	D	74	LEU	2.7
1	А	249	LEU	2.5
1	D	32	ILE	2.5
1	С	45	TYR	2.5
1	В	20	VAL	2.5
1	D	40	GLY	2.4



Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	D	29	GLU	2.4
1	D	251	SER	2.1
1	С	252	GLU	2.1
1	С	175	PHE	2.1

6.2 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates (i)

There are no monosaccharides in this entry.

6.4 Ligands (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95^{th} percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	$B-factors(Å^2)$	Q<0.9
7	2PE	С	702	28/28	0.64	0.30	71,87,100,100	0
3	SO4	С	612	5/5	0.72	0.30	99,100,100,100	0
3	SO4	В	610	5/5	0.76	0.42	99,100,100,100	0
6	EDO	А	705	4/4	0.77	0.23	$61,\!63,\!63,\!63$	0
9	PGE	D	709	10/10	0.79	0.29	69,70,72,73	0
6	EDO	А	706	4/4	0.81	0.28	61,61,64,64	0
4	NAD	D	505	44/44	0.82	0.30	78,87,92,94	0
8	PG4	D	703	13/13	0.84	0.36	66,70,78,80	0
5	NCA	А	506	9/9	0.85	0.24	71,74,76,76	0
3	SO4	С	606	5/5	0.85	0.23	99,99,100,100	0
7	2PE	В	701	28/28	0.86	0.21	49,60,66,67	0
5	NCA	D	510	9/9	0.87	0.49	67,70,71,71	6
5	NCA	Е	509	9/9	0.88	0.22	64,64,65,65	0
3	SO4	В	604	5/5	0.89	0.23	98,98,99,100	0
6	EDO	В	707	4/4	0.89	0.12	64,64,64,64	0
3	SO4	В	609	5/5	0.89	0.46	100,100,100,100	0
6	EDO	A	704	4/4	0.90	0.21	56,56,57,60	0
5	NCA	В	508	9/9	0.90	0.17	87,89,90,90	0
3	SO4	D	603	5/5	0.91	0.28	84,84,85,86	0



Mol	Type	Chain	Res	Atoms	RSCC	RSR	$B-factors(A^2)$	Q < 0.9
6	EDO	В	708	4/4	0.92	0.17	61,62,62,64	0
3	SO4	А	605	5/5	0.93	0.30	99,99,100,100	0
10	APR	Е	504	36/36	0.93	0.13	43,49,52,53	0
5	NCA	Е	507	9/9	0.94	0.22	$53,\!55,\!57,\!58$	0
4	NAD	А	503	44/44	0.95	0.13	40,46,57,61	0
4	NAD	В	501	44/44	0.96	0.14	21,26,31,37	0
4	NAD	С	502	44/44	0.96	0.15	28,33,39,42	0
3	SO4	А	607	5/5	0.96	0.11	76,77,78,78	0
3	SO4	С	601	5/5	0.97	0.11	44,44,46,46	0
2	ZN	Е	409	1/1	0.99	0.07	36,36,36,36	0
2	ZN	В	403	1/1	0.99	0.07	37,37,37,37	0
2	ZN	С	405	1/1	0.99	0.04	37,37,37,37	0
3	SO4	В	602	5/5	0.99	0.10	34,37,37,38	0
2	ZN	С	406	1/1	0.99	0.10	$35,\!35,\!35,\!35$	0
2	ZN	В	404	1/1	1.00	0.09	31,31,31,31	0
2	ZN	А	402	1/1	1.00	0.09	$35,\!35,\!35,\!35$	0
2	ZN	А	401	1/1	1.00	0.07	34,34,34,34	0
2	ZN	D	407	1/1	1.00	0.08	27,27,27,27	0
2	ZN	D	408	1/1	1.00	0.09	$35,\!35,\!35,\!35$	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.





















6.5 Other polymers (i)

There are no such residues in this entry.

