

Full wwPDB X-ray Structure Validation Report (i)

Aug 16, 2023 – 02:31 AM EDT

PDB ID	:	1YI7
Title	:	Beta-d-xylosidase (selenomethionine) XYND from Clostridium Aceto-
		butylicum
Authors	:	Teplyakov, A.; Fedorov, E.; Gilliland, G.L.; Almo, S.C.; Burley, S.K.; New
		York SGX Research Center for Structural Genomics (NYSGXRC)
Deposited on	:	2005-01-11
Resolution	:	1.90 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org* A user guide is available at https://www.wwpdb.org/validation/2017/XrayValidationReportHelp with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (1)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix)	:	1.13
EDS	:	2.35
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.35

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure: $X\text{-}RAY \, DIFFRACTION$

The reported resolution of this entry is 1.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Motria	Whole archive	Similar resolution
Metric	$(\# { m Entries})$	$(\# { m Entries}, { m resolution} { m range}({ m \AA}))$
R _{free}	130704	6207 (1.90-1.90)
Clashscore	141614	6847 (1.90-1.90)
Ramachandran outliers	138981	6760 (1.90-1.90)
Sidechain outliers	138945	6760 (1.90-1.90)
RSRZ outliers	127900	6082 (1.90-1.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain		
1	А	542	86%	13%	•
1	В	542	86%	12%	••
1	С	542	89%	9%	•
1	D	542	88%	9%	



2 Entry composition (i)

There are 6 unique types of molecules in this entry. The entry contains 20181 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

Mol	Chain	Residues		Atoms						AltConf	Trace
1	Δ	534	Total	С	Ν	0	\mathbf{S}	Se	0	0	0
	A	- 554	4341	2783	723	821	10	4	0		0
1	р	534	Total	С	Ν	0	S	Se	0	1	0
1	D		4345	2785	723	823	10	4	0		0
1	C	524	Total	С	Ν	0	S	Se	0	1	0
	U	004	4343	2784	723	821	11	4	0	1	0
1	1 D	534	Total	С	Ν	0	S	Se	0	9	0
		534	4347	2786	723	823	11	4		Z	0

• Molecule 1 is a protein called Beta-xylosidase, family 43 glycosyl hydrolase.

There are 60 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
А	1	MSE	-	cloning artifact	UNP Q97DM1
А	2	SER	-	cloning artifact	UNP Q97DM1
А	3	LEU	-	cloning artifact	UNP Q97DM1
А	64	MSE	MET	modified residue	UNP Q97DM1
А	98	MSE	MET	modified residue	UNP Q97DM1
А	144	MSE	MET	modified residue	UNP Q97DM1
А	445	MSE	MET	modified residue	UNP Q97DM1
А	535	GLU	-	expression tag	UNP Q97DM1
А	536	GLY	-	expression tag	UNP Q97DM1
A	537	HIS	-	expression tag	UNP Q97DM1
А	538	HIS	-	expression tag	UNP Q97DM1
А	539	HIS	-	expression tag	UNP Q97DM1
А	540	HIS	-	expression tag	UNP Q97DM1
А	541	HIS	-	expression tag	UNP Q97DM1
А	542	HIS	-	expression tag	UNP Q97DM1
В	1	MSE	-	cloning artifact	UNP Q97DM1
В	2	SER	-	cloning artifact	UNP Q97DM1
В	3	LEU	-	cloning artifact	UNP Q97DM1
В	64	MSE	MET	modified residue	UNP Q97DM1
В	98	MSE	MET	modified residue	UNP Q97DM1
В	144	MSE	MET	modified residue	UNP Q97DM1



Chain	Residue	Modelled	Actual	Comment	Reference
В	445	MSE	MET	modified residue	UNP Q97DM1
В	535	GLU	-	expression tag	UNP Q97DM1
В	536	GLY	-	expression tag	UNP Q97DM1
В	537	HIS	-	expression tag	UNP Q97DM1
В	538	HIS	-	expression tag	UNP Q97DM1
В	539	HIS	-	expression tag	UNP Q97DM1
В	540	HIS	-	expression tag	UNP Q97DM1
В	541	HIS	-	expression tag	UNP Q97DM1
В	542	HIS	-	expression tag	UNP Q97DM1
С	1	MSE	-	cloning artifact	UNP Q97DM1
С	2	SER	-	cloning artifact	UNP Q97DM1
С	3	LEU	-	cloning artifact	UNP Q97DM1
С	64	MSE	MET	modified residue	UNP Q97DM1
С	98	MSE	MET	modified residue	UNP Q97DM1
С	144	MSE	MET	modified residue	UNP Q97DM1
С	445	MSE	MET	modified residue	UNP Q97DM1
С	535	GLU	-	expression tag	UNP Q97DM1
С	536	GLY	-	expression tag	UNP Q97DM1
С	537	HIS	-	expression tag	UNP Q97DM1
С	538	HIS	-	expression tag	UNP Q97DM1
С	539	HIS	-	expression tag	UNP Q97DM1
С	540	HIS	-	expression tag	UNP Q97DM1
С	541	HIS	-	expression tag	UNP Q97DM1
С	542	HIS	-	expression tag	UNP Q97DM1
D	1	MSE	-	cloning artifact	UNP Q97DM1
D	2	SER	-	cloning artifact	UNP Q97DM1
D	3	LEU	-	cloning artifact	UNP Q97DM1
D	64	MSE	MET	modified residue	UNP Q97DM1
D	98	MSE	MET	modified residue	UNP Q97DM1
D	144	MSE	MET	modified residue	UNP Q97DM1
D	445	MSE	MET	modified residue	UNP Q97DM1
D	535	GLU	-	expression tag	UNP Q97DM1
D	536	GLY	-	expression tag	UNP Q97DM1
D	537	HIS	-	expression tag	UNP Q97DM1
D	538	HIS	-	expression tag	UNP Q97DM1
D	539	HIS	-	expression tag	UNP Q97DM1
D	540	HIS	-	expression tag	UNP Q97DM1
D	541	HIS	-	expression tag	UNP Q97DM1
D	542	HIS	-	expression tag	UNP Q97DM1

• Molecule 2 is CALCIUM ION (three-letter code: CA) (formula: Ca).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	А	1	Total Ca 1 1	0	0
2	В	1	Total Ca 1 1	0	0
2	С	1	Total Ca 1 1	0	0
2	D	1	Total Ca 1 1	0	0

 $\bullet\,$ Molecule 3 is SULFATE ION (three-letter code: SO4) (formula: ${\rm O_4S}).$



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	А	1	$\begin{array}{ccc} \text{Total} & \text{O} & \text{S} \\ 5 & 4 & 1 \end{array}$	0	0
3	А	1	$\begin{array}{ccc} \text{Total} & \text{O} & \text{S} \\ 5 & 4 & 1 \end{array}$	0	0
3	В	1	$\begin{array}{ccc} \text{Total} & \text{O} & \text{S} \\ 5 & 4 & 1 \end{array}$	0	0
3	В	1	$\begin{array}{ccc} \text{Total} & \text{O} & \text{S} \\ 5 & 4 & 1 \end{array}$	0	0
3	С	1	$\begin{array}{ccc} \text{Total} & \text{O} & \text{S} \\ 5 & 4 & 1 \end{array}$	0	0
3	D	1	$\begin{array}{ccc} \text{Total} & \text{O} & \text{S} \\ 5 & 4 & 1 \end{array}$	0	0
3	D	1	$\begin{array}{ccc} \text{Total} & \text{O} & \text{S} \\ 5 & 4 & 1 \end{array}$	0	0

• Molecule 4 is 4-(2-HYDROXYETHYL)-1-PIPERAZINE ETHANESULFONIC ACID



(three-letter code: EPE) (formula: $C_8H_{18}N_2O_4S$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	
4	Λ	1	Total	С	Ν	0	S	0	0
4	Л	1	15	8	2	4	1	0	0
4	4 A	1	Total	С	Ν	0	S	0	0
4		1	15	8	2	4	1	0	0
4	С	1	Total	С	Ν	0	S	0	0
4	4 U	1	15	8	2	4	1	0	0
4	4 D	1	Total	С	Ν	Ο	S	0	0
4		1	15	8	2	4	1	0	0

• Molecule 5 is GLYCEROL (three-letter code: GOL) (formula: $C_3H_8O_3$).





Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	А	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{O} \\ 6 & 3 & 3 \end{array}$	0	0
5	А	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{O} \\ 6 & 3 & 3 \end{array}$	0	0
5	А	1	Total C O 6 3 3	0	0
5	А	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{O} \\ 6 & 3 & 3 \end{array}$	0	0
5	А	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{O} \\ 6 & 3 & 3 \end{array}$	0	0
5	В	1	TotalCO633	0	0
5	В	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{O} \\ 6 & 3 & 3 \end{array}$	0	0
5	В	1	TotalCO633	0	0
5	В	1	TotalCO633	0	0
5	В	1	TotalCO633	0	0
5	С	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{O} \\ 6 & 3 & 3 \end{array}$	0	0
5	С	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{O} \\ 6 & 3 & 3 \end{array}$	0	0
5	С	1	TotalCO633	0	0
5	С	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{O} \\ 6 & 3 & 3 \end{array}$	0	0
5	С	1	TotalCO633	0	0
5	D	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{O} \\ 6 & 3 & 3 \end{array}$	0	0
5	D	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{O} \\ 6 & 3 & 3 \end{array}$	0	0
5	D	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{O} \\ 6 & 3 & 3 \end{array}$	0	0
5	D	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{O} \\ 6 & 3 & 3 \end{array}$	0	0
5	D	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{O} \\ 6 & 3 & 3 \end{array}$	0	0

• Molecule 6 is water.



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	А	683	Total O 683 683	0	0
6	В	614	Total O 614 614	0	0
6	С	656	Total O 656 656	0	0
6	D	633	Total O 633 633	0	0



3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Beta-xylosidase, family 43 glycosyl hydrolase







4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants	89.13Å 143.73Å 188.69Å	Depositor
a, b, c, α , β , γ	90.00° 90.00° 90.00°	Depositor
Bosolution(A)	20.00 - 1.90	Depositor
Resolution (A)	38.52 - 1.90	EDS
% Data completeness	100.0 (20.00-1.90)	Depositor
(in resolution range)	100.0 (38.52 - 1.90)	EDS
R _{merge}	0.11	Depositor
R _{sym}	(Not available)	Depositor
$< I/\sigma(I) > 1$	$4.85 (at 1.89 \text{\AA})$	Xtriage
Refinement program	REFMAC 5.2.0005	Depositor
B B.	0.142 , 0.202	Depositor
II, II, <i>free</i>	0.149 , 0.209	DCC
R_{free} test set	5744 reflections (3.01%)	wwPDB-VP
Wilson B-factor $(Å^2)$	17.6	Xtriage
Anisotropy	0.200	Xtriage
Bulk solvent $k_{sol}(e/Å^3), B_{sol}(Å^2)$	0.34, 51.2	EDS
L-test for twinning ²	$ < L >=0.42, < L^2>=0.24$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.97	EDS
Total number of atoms	20181	wwPDB-VP
Average B, all atoms $(Å^2)$	24.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: The largest off-origin peak in the Patterson function is 3.37% of the height of the origin peak. No significant pseudotranslation is detected.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



¹Intensities estimated from amplitudes.

5 Model quality (i)

5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: SO4, CA, EPE, GOL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles		
		RMSZ	# Z > 5	RMSZ	# Z > 5	
1	А	0.64	1/4470~(0.0%)	0.80	4/6077~(0.1%)	
1	В	0.61	0/4478	0.81	7/6088~(0.1%)	
1	С	0.65	0/4476	0.82	9/6085~(0.1%)	
1	D	0.64	0/4484	0.83	12/6096~(0.2%)	
All	All	0.64	1/17908~(0.0%)	0.82	32/24346~(0.1%)	

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	$\mathrm{Ideal}(\mathrm{\AA})$
1	A	19	CYS	CB-SG	-5.69	1.72	1.81

Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
1	А	528	ASP	CB-CG-OD2	7.31	124.88	118.30
1	В	526	ASP	CB-CG-OD2	7.13	124.72	118.30
1	D	526	ASP	CB-CG-OD2	6.57	124.21	118.30
1	С	15	ASP	CB-CG-OD2	6.40	124.06	118.30
1	D	77	ASP	CB-CG-OD2	6.22	123.90	118.30
1	С	329	ASP	CB-CG-OD2	6.20	123.88	118.30
1	А	517	ASP	CB-CG-OD2	6.08	123.77	118.30
1	С	136	ASP	CB-CG-OD2	6.06	123.75	118.30
1	D	258	ASP	CB-CG-OD2	5.97	123.68	118.30
1	В	517	ASP	CB-CG-OD2	5.93	123.64	118.30
1	А	165	ASP	CB-CG-OD2	5.87	123.58	118.30
1	D	239	ASP	CB-CG-OD2	5.82	123.53	118.30
1	В	128	ASP	CB-CG-OD2	5.73	123.46	118.30
1	D	82	ASP	CB-CG-OD2	5.67	123.41	118.30
1	С	517	ASP	CB-CG-OD2	5.67	123.41	118.30
1	С	45	ASP	CB-CG-OD2	5.60	123.34	118.30

All (32) bond angle outliers are listed below:



Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
1	D	444	ASP	CB-CG-OD2	5.52	123.27	118.30
1	D	22[A]	ASP	CB-CG-OD2	5.35	123.11	118.30
1	D	22[B]	ASP	CB-CG-OD2	5.35	123.11	118.30
1	В	165	ASP	CB-CG-OD2	5.34	123.11	118.30
1	В	329	ASP	CB-CG-OD2	5.33	123.10	118.30
1	С	91	ASP	CB-CG-OD2	5.32	123.08	118.30
1	D	134	ASP	CB-CG-OD2	5.25	123.03	118.30
1	D	329	ASP	CB-CG-OD2	5.24	123.01	118.30
1	С	258	ASP	CB-CG-OD2	5.23	123.00	118.30
1	В	113	ASP	CB-CG-OD2	5.22	123.00	118.30
1	А	401	ASP	CB-CG-OD2	5.21	122.99	118.30
1	В	479	ASP	CB-CG-OD2	5.21	122.99	118.30
1	С	222	ASP	CB-CG-OD2	5.18	122.96	118.30
1	D	165	ASP	CB-CG-OD2	5.17	122.95	118.30
1	D	15	ASP	CB-CG-OD2	5.13	122.92	118.30
1	С	22	ASP	CB-CG-OD2	5.03	122.83	118.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	А	4341	0	4127	40	0
1	В	4345	0	4127	32	0
1	С	4343	0	4128	29	0
1	D	4347	0	4128	32	0
2	А	1	0	0	0	0
2	В	1	0	0	0	0
2	С	1	0	0	0	0
2	D	1	0	0	0	0
3	А	10	0	0	1	0
3	В	10	0	0	0	0
3	С	5	0	0	0	0
3	D	10	0	0	0	0
4	А	30	0	34	0	0



Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
4	С	15	0	17	1	0
4	D	15	0	17	0	0
5	А	30	0	40	0	0
5	В	30	0	40	2	0
5	С	30	0	40	1	0
5	D	30	0	40	0	0
6	А	683	0	0	5	0
6	В	614	0	0	2	0
6	С	656	0	0	5	0
6	D	633	0	0	13	0
All	All	20181	0	16738	126	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (126) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom 1	Atom 2	Interatomic	Clash	
Atom-1	Atom-2	distance (Å)	overlap (Å)	
1:C:331:LYS:HE2	1:C:333:ASN:HD21	1.46	0.79	
1:A:475:SER:HB3	1:A:485:LYS:HA	1.63	0.78	
1:D:358:LYS:HE3	6:D:3636:HOH:O	1.84	0.77	
1:A:65:LYS:HA	6:A:3696:HOH:O	1.87	0.74	
1:A:269:PRO:HB3	1:A:282:GLY:HA3	1.71	0.72	
1:D:84:LYS:HE3	1:D:86:TRP:CZ2	2.25	0.72	
1:A:65:LYS:HG3	6:A:3707:HOH:O	1.90	0.69	
1:D:337:ASP:HB3	6:D:3543:HOH:O	1.93	0.69	
1:D:449:SER:HA	6:D:3426:HOH:O	1.92	0.68	
1:D:272:VAL:HG12	6:D:3442:HOH:O	1.94	0.67	
1:C:65:LYS:HD2	6:D:3621:HOH:O	1.94	0.66	
1:B:269:PRO:HB3	1:B:282:GLY:HA3	1.79	0.64	
1:C:175:LYS:HD3	6:C:3669:HOH:O	1.97	0.64	
1:C:126:GLY:HA3	1:C:144:MSE:O	2.00	0.62	
1:B:272:VAL:HG21	1:B:280:GLN:O	2.02	0.59	
1:C:442:HIS:HB2	6:C:3679:HOH:O	2.03	0.58	
1:D:269:PRO:HB3	1:D:282:GLY:HA3	1.86	0.57	
1:C:331:LYS:CE	1:C:333:ASN:HD21	2.15	0.57	
1:B:9:LEU:HB2	1:B:290:THR:HB	1.88	0.56	
1:C:65:LYS:HA	6:C:3525:HOH:O	2.05	0.55	
1:C:135:ASN:C	1:C:135:ASN:HD22	2.09	0.54	
1:A:261:TYR:HB3	1:A:292:ILE:CD1	2.38	0.54	
1:B:217:ARG:HG2	1:B:301:TRP:CH2	2.43	0.54	



	A i a	Interatomic	Clash		
Atom-1	Atom-2	distance (Å)	overlap (Å)		
1:A:475:SER:HB2	1:A:484:SER:O	2.08	0.53		
1:D:337:ASP:HB2	6:D:3636:HOH:O	2.10	0.51		
1:B:220:ASN:ND2	1:B:223:GLY:O	2.43	0.51		
1:C:99:TRP:CD2	1:D:371:SER:HB2	2.45	0.51		
1:A:126:GLY:HA3	1:A:144:MSE:O	2.11	0.51		
1:A:274:ASN:OD1	1:C:184:LYS:HE2	2.10	0.51		
1:A:129:ALA:HA	1:A:143:ASN:HB3	1.93	0.51		
1:C:269:PRO:HB3	1:C:282:GLY:HA3	1.94	0.50		
1:A:235:THR:O	1:A:309:GLN:HA	2.11	0.50		
1:C:371:SER:HB2	1:D:99:TRP:CD2	2.46	0.50		
1:B:392:ALA:HA	1:B:531:CYS:O	2.13	0.49		
1:D:203:ALA:HB2	1:D:249:HIS:HA	1.95	0.49		
1:D:429:LYS:NZ	1:D:449:SER:O	2.45	0.49		
1:A:216:ALA:HB1	1:A:225:TYR:HB3	1.94	0.49		
1:A:99:TRP:CD2	1:B:371:SER:HB2	2.47	0.48		
1:B:404:GLN:HB3	1:B:518:ILE:HB	1.96	0.48		
1:C:376:PHE:HA	6:C:3525:HOH:O	2.13	0.48		
5:B:3029:GOL:H11	6:D:3307:HOH:O	2.12	0.48		
1:A:425:TRP:CH2	1:A:427:GLU:HA	2.49	0.48		
1:D:22[B]:ASP:HB3	6:D:3306:HOH:O	2.13	0.47		
1:A:389:LYS:HE3	1:A:389:LYS:HB2	1.62	0.47		
1:A:220:ASN:ND2	1:A:223:GLY:O	2.48	0.47		
1:A:475:SER:CB	1:A:484:SER:O	2.62	0.47		
1:D:470:GLU:HG2	6:D:3656:HOH:O	2.14	0.47		
1:A:361:LYS:HG3	6:A:3617:HOH:O	2.15	0.47		
1:A:445:MSE:HE1	1:B:149:ARG:HG2	1.97	0.47		
1:A:272:VAL:HG22	1:A:275:GLN:HB2	1.96	0.47		
1:C:4:ILE:HG21	1:C:292:ILE:CG2	2.45	0.46		
1:B:129:ALA:HA	1:B:143:ASN:HB3	1.98	0.46		
1:B:523:LYS:HG3	1:B:524:PRO:HD2	1.97	0.46		
1:D:303:ARG:HB3	6:D:3632:HOH:O	2.15	0.46		
1:B:337:ASP:HB2	6:B:3599:HOH:O	2.15	0.46		
1:C:461:ILE:HD12	1:C:461:ILE:N	2.30	0.46		
1:A:99:TRP:CE3	1:B:371:SER:HB2	2.50	0.46		
1:B:265:LEU:HA	1:B:289:GLU:O	2.16	0.45		
1:A:100:LYS:HE2	1:A:146:TRP:CH2	2.52	0.45		
1:B:84:LYS:HE3	1:B:86:TRP:CZ2	2.52	0.45		
1:D:126:GLY:HA3	1:D:144:MSE:O	2.16	0.45		
1:D:358:LYS:HG3	6:D:3636:HOH:O	2.17	0.45		
1:D:442:HIS:HB2	6:D:3611:HOH:O	2.15	0.45		
1:C:99:TRP:CD2	1:D:371:SER:CB	2.99	0.45		



		Interatomic	Clash		
Atom-1	Atom-2	distance (\AA)	overlap (Å)		
1:A:5:LYS:HD2	6:A:3341:HOH:O	2.15	0.45		
1:C:99:TRP:CE3	1:D:371:SER:HB2	2.52	0.45		
1:B:77:ASP:HB3	1:B:88:ILE:HB	1.99	0.45		
1:A:433:ILE:HB	1:A:452:ILE:HB	1.98	0.45		
1:A:240:PRO:HG3	1:A:278:LEU:HD23	2.00	0.44		
1:A:261:TYR:HB3	1:A:292:ILE:HD12	1.99	0.44		
1:B:2:SER:C	1:B:3:LEU:HD12	2.38	0.44		
1:B:35:PHE:CG	1:B:36:PRO:HA	2.52	0.44		
1:C:410:THR:HG23	1:C:419:SER:O	2.17	0.44		
1:C:130:SER:HB3	1:C:142:VAL:HG23	2.00	0.44		
1:C:278:LEU:HD11	5:C:3030:GOL:H31	2.00	0.44		
1:A:77:ASP:HB3	1:A:88:ILE:HB	1.99	0.44		
1:D:77:ASP:HB3	1:D:88:ILE:HB	2.00	0.44		
1:D:28:ALA:HA	1:D:39:GLN:O	2.18	0.44		
1:A:392:ALA:HA	1:A:531:CYS:O	2.18	0.43		
1:A:135:ASN:HD22	1:A:135:ASN:C	2.22	0.43		
1:A:99:TRP:CD2	1:B:371:SER:CB	3.01	0.43		
1:A:523:LYS:HG3	1:A:524:PRO:HD2	2.00	0.43		
1:B:43:SER:HB2	1:B:49:TRP:CD2	2.54	0.43		
1:B:234:LEU:O	1:B:235:THR:HB	2.19	0.43		
1:B:126:GLY:HA3	1:B:144:MSE:O	2.18	0.43		
1:A:5:LYS:HE3	3:A:3011:SO4:O1	2.19	0.42		
1:C:318:LYS:CE	6:C:3487:HOH:O	2.67	0.42		
1:A:404:GLN:HB3	1:A:518:ILE:HB	2.00	0.42		
1:D:226:GLU:O	1:D:226:GLU:HG3	2.18	0.42		
1:D:438:CYS:SG	1:D:441:PHE:HA	2.59	0.42		
1:A:398:PHE:CD2	1:A:400:PRO:HD3	2.54	0.42		
1:D:189:PRO:HA	1:D:201:PHE:O	2.19	0.42		
1:A:46:LEU:HD12	1:A:317:PRO:HG3	2.01	0.42		
1:D:363:ASN:OD1	1:D:526:ASP:HB3	2.20	0.42		
1:A:43:SER:HB2	1:A:49:TRP:CD2	2.55	0.42		
1:C:43:SER:HB2	1:C:49:TRP:CD2	2.55	0.42		
1:B:331:LYS:HE2	1:B:333:ASN:HD21	1.85	0.42		
1:D:38:VAL:O	1:D:54:HIS:HA	2.20	0.42		
1:C:12:PHE:CE1	1:C:507:THR:HA	2.55	0.41		
1:A:73:ILE:HA	1:A:90:THR:O	2.20	0.41		
1:B:135:ASN:HD22	1:B:135:ASN:C	2.24	0.41		
4:C:3015:EPE:H31	4:C:3015:EPE:H81	1.76	0.41		
1:C:77:ASP:HB3	1:C:88:ILE:HB	2.03	0.41		
1:A:303:ARG:HA	1:A:303:ARG:HD3	1.92	0.41		
1:D:138:LYS:HE2	6:D:3668:HOH:O	2.19	0.41		



	Figure Figure	Intoratomic	Clach
Atom-1	Atom-2		
		distance (A)	overlap (A)
1:A:109:CYS:HB2	1:A:116:TRP:CD2	2.56	0.41
1:B:208:THR:O	1:B:211:HIS:HB2	2.20	0.41
1:B:74:TRP:CD2	1:B:92:VAL:HG21	2.55	0.41
1:D:303:ARG:HD3	1:D:303:ARG:HA	1.93	0.41
1:D:43:SER:HB2	1:D:49:TRP:CD2	2.55	0.41
1:D:235:THR:O	1:D:309:GLN:HA	2.21	0.41
1:B:283:TYR:CE1	5:B:3033:GOL:H32	2.56	0.41
1:A:203:ALA:HB2	1:A:249:HIS:HA	2.03	0.40
1:B:38:VAL:O	1:B:54:HIS:HA	2.21	0.40
1:B:395:SER:HA	1:B:461:ILE:O	2.22	0.40
1:B:389:LYS:HE2	1:B:389:LYS:HB3	1.96	0.40
1:B:452:ILE:HA	1:B:453:PRO:HD3	1.96	0.40
1:C:214:THR:HG22	1:C:215:VAL:N	2.37	0.40
1:D:140:TYR:HB3	1:D:160:LEU:HD11	2.03	0.40
1:A:337:ASP:HB2	6:A:3601:HOH:O	2.21	0.40
1:B:535:GLU:HG3	6:B:3646:HOH:O	2.21	0.40
1:C:64:MSE:HE3	1:C:347:ARG:HA	2.03	0.40
1:C:235:THR:O	1:C:309:GLN:HA	2.22	0.40

There are no symmetry-related clashes.

5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Perce	entiles
1	А	532/542~(98%)	503 (94%)	27~(5%)	2 (0%)	34	24
1	В	533/542~(98%)	504 (95%)	26~(5%)	3(1%)	25	15
1	С	533/542~(98%)	503 (94%)	28~(5%)	2 (0%)	34	24
1	D	534/542~(98%)	504 (94%)	27~(5%)	3 (1%)	25	15
All	All	2132/2168~(98%)	2014 (94%)	108 (5%)	10 (0%)	29	18

All (10) Ramachandran outliers are listed below:



Mol	Chain	Res	Type
1	А	469	VAL
1	В	469	VAL
1	С	469	VAL
1	D	469	VAL
1	В	12	PHE
1	D	12	PHE
1	А	38	VAL
1	В	38	VAL
1	С	38	VAL
1	D	38	VAL

5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Perce	ntiles
1	А	475/477~(100%)	467~(98%)	8 (2%)	60	57
1	В	476/477~(100%)	469~(98%)	7 (2%)	65	62
1	С	476/477~(100%)	469~(98%)	7 (2%)	65	62
1	D	477/477~(100%)	471 (99%)	6 (1%)	69	68
All	All	1904/1908~(100%)	1876 (98%)	28 (2%)	65	62

All (28) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	А	2	SER
1	А	50	HIS
1	А	135	ASN
1	А	175	LYS
1	А	292	ILE
1	А	383	ARG
1	А	431	ARG
1	А	535	GLU
1	В	50	HIS
1	В	135	ASN
1	В	222	ASP
1	В	272	VAL



Mol	Chain	Res	Type
1	В	338	LYS
1	В	383	ARG
1	В	402	THR
1	С	2	SER
1	С	50	HIS
1	С	135	ASN
1	С	184	LYS
1	С	383	ARG
1	С	431	ARG
1	С	535	GLU
1	D	50	HIS
1	D	135	ASN
1	D	222	ASP
1	D	272	VAL
1	D	339	LEU
1	D	383	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (8) such sidechains are listed below:

Mol	Chain	Res	Type
1	А	135	ASN
1	А	333	ASN
1	В	135	ASN
1	В	333	ASN
1	С	135	ASN
1	С	333	ASN
1	D	135	ASN
1	D	333	ASN

5.3.3 RNA (i)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates (i)

There are no monosaccharides in this entry.



5.6 Ligand geometry (i)

Of 35 ligands modelled in this entry, 4 are monoatomic - leaving 31 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Turne	Chain	Dec	Tink	Bo	ond leng	ths	Bond angles		
	туре	Chain	nes		Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	SO4	D	3008	-	4,4,4	0.19	0	$6,\!6,\!6$	0.22	0
3	SO4	D	3010	-	4,4,4	0.16	0	$6,\!6,\!6$	0.59	0
3	SO4	В	3009	-	$4,\!4,\!4$	0.14	0	$6,\!6,\!6$	0.20	0
5	GOL	D	3023	-	$5,\!5,\!5$	0.44	0	$5,\!5,\!5$	1.14	0
4	EPE	С	3015	-	$15,\!15,\!15$	0.90	1 (6%)	18,20,20	1.66	3 (16%)
3	SO4	А	3005	-	4,4,4	0.19	0	$6,\!6,\!6$	0.20	0
5	GOL	С	3022	-	$5,\!5,\!5$	0.34	0	$5,\!5,\!5$	0.88	0
5	GOL	В	3021	-	$5,\!5,\!5$	0.36	0	$5,\!5,\!5$	1.40	1 (20%)
5	GOL	D	3031	-	$5,\!5,\!5$	0.23	0	$5,\!5,\!5$	0.57	0
5	GOL	D	3019	-	$5,\!5,\!5$	0.23	0	$5,\!5,\!5$	0.41	0
5	GOL	С	3030	-	$5,\!5,\!5$	0.46	0	$5,\!5,\!5$	0.33	0
5	GOL	D	3027	-	$5,\!5,\!5$	0.39	0	$5,\!5,\!5$	0.41	0
3	SO4	А	3011	-	4,4,4	0.21	0	$6,\!6,\!6$	0.22	0
5	GOL	В	3017	-	$5,\!5,\!5$	0.28	0	$5,\!5,\!5$	0.38	0
5	GOL	D	3035	-	$5,\!5,\!5$	0.43	0	$5,\!5,\!5$	0.30	0
5	GOL	А	3016	-	$5,\!5,\!5$	0.47	0	$5,\!5,\!5$	0.37	0
5	GOL	В	3033	-	$5,\!5,\!5$	0.47	0	$5,\!5,\!5$	0.38	0
4	EPE	А	3013	-	$15,\!15,\!15$	0.82	1(6%)	18,20,20	1.78	<mark>3 (16%)</mark>
5	GOL	А	3024	-	$5,\!5,\!5$	0.39	0	$5,\!5,\!5$	0.39	0
4	EPE	D	3014	-	$15,\!15,\!15$	0.77	1 (6%)	18,20,20	1.56	2 (11%)
5	GOL	В	3025	-	$5,\!5,\!5$	0.40	0	$5,\!5,\!5$	0.46	0
5	GOL	В	3029	-	$5,\!5,\!5$	0.39	0	$5,\!5,\!5$	0.86	0
3	SO4	С	3007	-	4,4,4	0.22	0	$6,\!6,\!6$	0.15	0
5	GOL	С	3026	-	$5,\!5,\!5$	0.43	0	$5,\!5,\!5$	0.57	0
5	GOL	А	3032	-	$5,\!5,\!5$	0.55	0	$5,\!5,\!5$	0.41	0
5	GOL	А	3028	-	$5,\!5,\!5$	0.42	0	$5,\!5,\!5$	0.45	0
5	GOL	С	3034	-	$5,\!5,\!5$	0.42	0	$5,\!5,\!5$	0.51	0
5	GOL	А	3020	-	$5,\!5,\!5$	0.49	0	$5,\!5,\!5$	1.28	1 (20%)
4	EPE	А	3012	-	$15,\!15,\!15$	0.82	1 (6%)	18,20,20	1.29	2 (11%)
3	SO4	В	3006	-	4,4,4	0.20	0	6,6,6	0.24	0
5	GOL	С	3018	-	$5,\!5,\!5$	0.46	0	5, 5, 5	0.54	0



In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	GOL	D	3023	-	-	0/4/4/4	-
4	EPE	С	3015	-	-	1/9/19/19	0/1/1/1
5	GOL	С	3022	-	-	0/4/4/4	-
5	GOL	В	3021	-	-	0/4/4/4	-
5	GOL	D	3031	-	-	0/4/4/4	-
5	GOL	D	3019	-	-	0/4/4/4	-
5	GOL	С	3030	-	-	1/4/4/4	-
5	GOL	D	3027	-	-	2/4/4/4	-
5	GOL	В	3017	-	-	0/4/4/4	-
5	GOL	D	3035	-	-	1/4/4/4	-
5	GOL	А	3016	-	-	0/4/4/4	-
5	GOL	В	3033	-	-	0/4/4/4	-
4	EPE	А	3013	-	-	0/9/19/19	0/1/1/1
5	GOL	А	3024	-	-	4/4/4/4	-
4	EPE	D	3014	-	-	1/9/19/19	0/1/1/1
5	GOL	В	3025	-	-	4/4/4/4	-
5	GOL	В	3029	-	-	4/4/4/4	-
5	GOL	С	3026	-	-	4/4/4/4	-
5	GOL	А	3032	-	-	0/4/4/4	-
5	GOL	А	3028	-	-	0/4/4/4	-
5	GOL	С	3034	-	-	1/4/4/4	-
5	GOL	A	3020	-	-	0/4/4/4	-
4	EPE	А	3012	-	-	0/9/19/19	0/1/1/1
5	GOL	С	3018	-	-	0/4/4/4	-

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	$\mathrm{Ideal}(\mathrm{\AA})$
4	С	3015	EPE	C10-S	2.78	1.81	1.77
4	А	3012	EPE	C10-S	2.71	1.81	1.77
4	А	3013	EPE	C10-S	2.53	1.81	1.77
4	D	3014	EPE	C10-S	2.49	1.81	1.77

All (12) bond angle outliers are listed below:

4 C 3015 EPE C5-N4-C3 4.70 119.40 108.3	Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
	4	С	3015	EPE	C5-N4-C3	4.70	119.40	108.83



Mol	Chain	\mathbf{Res}	Type	Atoms	Z	$\mathbf{Observed}(^{o})$	$Ideal(^{o})$
4	D	3014	EPE	C5-N4-C3	4.63	119.25	108.83
4	А	3013	EPE	C5-N4-C3	4.02	117.88	108.83
4	А	3013	EPE	O1S-S-C10	3.42	111.03	106.92
4	А	3012	EPE	C5-N4-C3	3.17	115.96	108.83
4	А	3013	EPE	C9-N1-C2	-2.65	104.45	111.23
5	В	3021	GOL	C3-C2-C1	-2.60	101.58	111.70
4	С	3015	EPE	O1S-S-C10	2.26	109.64	106.92
5	А	3020	GOL	C3-C2-C1	-2.24	102.98	111.70
4	D	3014	EPE	C7-N4-C5	2.20	116.86	111.23
4	А	3012	EPE	C7-N4-C5	2.16	116.76	111.23
4	Ċ	3015	EPE	C7-N4-C5	2.13	116.69	111.23

There are no chirality outliers.

All (23) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
5	А	3024	GOL	C1-C2-C3-O3
5	В	3025	GOL	O1-C1-C2-C3
5	В	3025	GOL	C1-C2-C3-O3
5	В	3029	GOL	C1-C2-C3-O3
5	С	3026	GOL	O1-C1-C2-C3
5	D	3027	GOL	O1-C1-C2-O2
5	D	3027	GOL	O1-C1-C2-C3
5	А	3024	GOL	O1-C1-C2-O2
5	В	3029	GOL	O1-C1-C2-O2
4	С	3015	EPE	C8-C7-N4-C3
5	А	3024	GOL	O1-C1-C2-C3
5	В	3029	GOL	O1-C1-C2-C3
5	С	3026	GOL	C1-C2-C3-O3
5	С	3034	GOL	C1-C2-C3-O3
5	D	3035	GOL	C1-C2-C3-O3
5	А	3024	GOL	O2-C2-C3-O3
5	В	3025	GOL	O1-C1-C2-O2
5	С	3026	GOL	O1-C1-C2-O2
4	D	3014	EPE	C8-C7-N4-C3
5	В	3029	GOL	O2-C2-C3-O3
5	В	3025	GOL	O2-C2-C3-O3
5	С	3030	GOL	C1-C2-C3-O3
5	С	3026	GOL	O2-C2-C3-O3

There are no ring outliers.

5 monomers are involved in 5 short contacts:



Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	С	3015	EPE	1	0
5	С	3030	GOL	1	0
3	А	3011	SO4	1	0
5	В	3033	GOL	1	0
5	В	3029	GOL	1	0

5.7 Other polymers (i)

There are no such residues in this entry.

5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



6 Fit of model and data (i)

6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled '#RSRZ> 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95^{th} percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ $>$	# RSRZ > 2	$OWAB(Å^2)$	Q<0.9
1	А	530/542~(97%)	-0.41	0 100 100	13, 20, 40, 67	0
1	В	530/542~(97%)	-0.34	1 (0%) 95 95	16, 22, 40, 75	0
1	С	530/542~(97%)	-0.44	0 100 100	14, 21, 41, 91	0
1	D	530/542~(97%)	-0.51	0 100 100	14, 20, 39, 77	0
All	All	2120/2168~(97%)	-0.42	1 (0%) 100 100	13, 21, 40, 91	0

All (1) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	В	265	LEU	2.0

6.2 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates (i)

There are no monosaccharides in this entry.

6.4 Ligands (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95^{th} percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	$\mathbf{B} ext{-factors}(\mathrm{\AA}^2)$	Q<0.9
5	GOL	С	3026	6/6	0.87	0.19	30,37,41,54	0



Continued from previous page									
Mol	Type	Chain	Res	Atoms	RSCC	RSR	$B-factors(A^2)$	Q<0.9	
5	GOL	В	3025	6/6	0.91	0.18	33,50,59,78	0	
5	GOL	А	3024	6/6	0.91	0.17	31,42,49,51	0	
5	GOL	D	3027	6/6	0.93	0.15	37,45,47,49	0	
5	GOL	С	3034	6/6	0.94	0.14	21,28,46,56	0	
3	SO4	А	3011	5/5	0.95	0.28	64,65,75,78	0	
4	EPE	А	3012	15/15	0.95	0.10	18,27,50,56	0	
3	SO4	А	3005	5/5	0.95	0.18	37,54,59,63	0	
5	GOL	D	3023	6/6	0.95	0.18	16,23,26,30	0	
5	GOL	А	3032	6/6	0.95	0.14	20,25,33,42	0	
5	GOL	D	3031	6/6	0.95	0.08	27,34,40,44	0	
3	SO4	С	3007	5/5	0.96	0.19	38,44,58,125	0	
3	SO4	В	3009	5/5	0.96	0.19	30,40,53,67	0	
5	GOL	В	3017	6/6	0.96	0.08	20,24,25,27	0	
4	EPE	С	3015	15/15	0.96	0.08	17,25,42,46	0	
5	GOL	В	3033	6/6	0.96	0.14	20,32,43,44	0	
3	SO4	D	3008	5/5	0.97	0.17	44,47,50,75	0	
4	EPE	D	3014	15/15	0.97	0.06	18,24,45,49	0	
5	GOL	С	3018	6/6	0.97	0.08	17,20,23,25	0	
5	GOL	С	3022	6/6	0.97	0.21	19,24,25,43	0	
5	GOL	А	3020	6/6	0.97	0.23	11,17,25,28	0	
5	GOL	С	3030	6/6	0.97	0.15	27,37,39,39	0	
3	SO4	D	3010	5/5	0.97	0.09	31,37,52,54	0	
3	SO4	В	3006	5/5	0.97	0.16	40,46,56,68	0	
4	EPE	А	3013	15/15	0.97	0.08	17,24,38,52	0	
5	GOL	В	3021	6/6	0.97	0.21	15,19,25,28	0	
5	GOL	D	3019	6/6	0.98	0.07	14,16,22,22	0	
5	GOL	А	3016	6/6	0.98	0.07	16,19,22,22	0	
5	GOL	А	3028	6/6	0.98	0.07	24,39,43,44	0	
5	GOL	В	3029	6/6	0.98	0.08	28,32,35,38	0	
5	GOL	D	3035	6/6	0.98	0.13	20,28,38,56	0	
2	CA	С	3003	1/1	0.99	0.15	38,38,38,38	0	
2	CA	D	3004	1/1	0.99	0.08	41,41,41,41	0	
2	CA	В	3002	1/1	0.99	0.19	42,42,42,42	0	
2	CA	А	3001	1/1	1.00	0.17	43,43,43,43	0	

Other polymers (i) 6.5

There are no such residues in this entry.

