



wwPDB EM Validation Summary Report ⓘ

Dec 12, 2022 – 11:00 am GMT

PDB ID : 6YWY
EMDB ID : EMD-10985
Title : The structure of the mitoribosome from *Neurospora crassa* with bound tRNA at the P-site
Authors : Amunts, A.; Itoh, Y.; Naschberger, A.
Deposited on : 2020-04-30
Resolution : 3.05 Å(reported)

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


EMDB validation analysis : 0.0.1.dev43
Mogul : 1.8.4, CSD as541be (2020)
MolProbity : 4.02b-467
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
MapQ : 1.9.9
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.31.3

1 Overall quality at a glance

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY

The reported resolution of this entry is 3.05 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	158937	4297
Ramachandran outliers	154571	4023
Sidechain outliers	154315	3826
RNA backbone	4643	859

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	3464	
2	B	383	
3	C	384	
4	D	325	
5	E	352	
6	F	255	
7	G	300	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
8	f	347	68% 70% 29%
9	g	158	93% 92% 7%
10	H	183	96%
11	I	131	10% 86% 5% 9%
12	J	312	10% 75% 22%
13	K	249	64% 33%
14	L	193	8% 94% 5%
15	M	258	21% 71% 25%
16	N	217	8% 59% 39%
17	O	364	16% 70% 5% 25%
18	P	228	6% 76% 21%
19	Q	396	25% 85% 11%
20	R	447	18% 53% 44%
21	S	274	15% 61% 35%
22	T	263	13% 64% 5% 32%
23	U	161	19% 81% 5% 14%
24	V	219	16% 41% 57%
25	W	129	43% 54%
26	X	59	5% 76% 5% 19%
27	Y	140	30% 67%
28	0	124	36% 63%
29	1	449	18% 77% 18%
30	2	370	5% 32% 67%
31	3	103	17% 88% 8%
32	4	138	95%


























Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
33	5	439	15% 77% 20%
34	6	368	20% 71% 26%
35	7	165	7% 47% 49%
36	8	443	49% 71% 25%
37	h	98	100% 100%
38	i	218	57% 57% 43%
39	9	267	36% 74% 23%
40	a	225	19% 72% 28%
41	b	162	24% 99%
42	c	110	87% 11%
43	d	292	16% 80% 20%
44	AA	470	36% 74% 5% 21%
45	BB	428	14% 64% 32%
46	CC	508	16% 83% 14%
47	DD	453	8% 58% 6% 36%
48	EE	477	14% 72% 23%
49	FF	117	8% 91% 9%
50	GG	309	10% 67% 5% 28%
51	HH	161	9% 95%
52	II	315	10% 75% 22%
53	JJ	268	66% 30%
54	KK	376	31% 67%
55	LL	174	69% 5% 26%
56	MM	119	7% 93% 6%
57	NN	113	92% 7%




Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
58	OO	320	
59	PP	107	
60	QQ	165	
61	RR	256	
62	SS	91	
63	TT	236	
64	UU	253	
65	VV	316	
66	WW	396	
67	XX	469	
68	YY	108	
69	ZZ	382	
70	11	90	
71	22	344	
72	33	236	
73	44	310	
73	55	310	
74	66	348	
75	77	414	
76	88	508	
77	00	95	
77	99	95	
78	aa	1864	
79	bb	73	
80	ee	11	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
81	cc	7	 86% 100%
82	e	303	 49% 49% 51%
83	j	201	 97% 95%

2 Entry composition [i](#)

There are 89 unique types of molecules in this entry. The entry contains 392401 atoms, of which 174325 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a RNA chain called 23S rRNA.

Mol	Chain	Residues	Atoms						AltConf	Trace
			Total	C	H	N	O	P		
1	A	2843	91056	27190	30416	10878	19729	2843	0	0

- Molecule 2 is a protein called 60S ribosomal protein L2, mitochondrial.

Mol	Chain	Residues	Atoms						AltConf	Trace
			Total	C	H	N	O	S		
2	B	315	4964	1527	2508	500	415	14	0	0

- Molecule 3 is a protein called Related to ribosomal protein L3, mitochondrial.

Mol	Chain	Residues	Atoms						AltConf	Trace
			Total	C	H	N	O	S		
3	C	307	4757	1468	2421	447	413	8	0	0

- Molecule 4 is a protein called 60S ribosomal protein L4, variant.

Mol	Chain	Residues	Atoms						AltConf	Trace
			Total	C	H	N	O	S		
4	D	254	4068	1280	2040	372	371	5	0	0

- Molecule 5 is a protein called Related to ribosomal protein L5, mitochondrial.

Mol	Chain	Residues	Atoms						AltConf	Trace
			Total	C	H	N	O	S		
5	E	309	4910	1558	2461	436	443	12	0	0

- Molecule 6 is a protein called uL6m.

Mol	Chain	Residues	Atoms						AltConf	Trace
			Total	C	H	N	O	S		
6	F	201	3253	1022	1645	290	288	8	0	0

- Molecule 7 is a protein called RIBOSOMAL_L9 domain-containing protein.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
7	G	74	1245	390	627	121	104	3	0	0

- Molecule 8 is a protein called Related to ribosomal protein YmL11, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
8	f	245	3801	1202	1925	325	346	3	0	0

- Molecule 9 is a protein called uL11m.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
9	g	147	2257	700	1154	203	196	4	0	0

- Molecule 10 is a protein called uL13m.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
10	H	183	2885	899	1459	268	251	8	0	0

- Molecule 11 is a protein called Ribosomal protein L14.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
11	I	119	1898	564	985	182	159	8	0	0

- Molecule 12 is a protein called Ribosomal protein L15.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
12	J	243	3827	1198	1939	346	343	1	0	0

- Molecule 13 is a protein called Related to ribosomal protein L16, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
13	K	168	2751	850	1401	263	231	6	0	0

- Molecule 14 is a protein called uL17m.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
14	L	192	3135	960	1590	294	285	6	0	0

- Molecule 15 is a protein called bL19m.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
15	M	194	3164	981	1628	292	253	10	0	0

- Molecule 16 is a protein called Related to ribosomal protein YmL49, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
16	N	133	2176	673	1120	195	182	6	0	0

- Molecule 17 is a protein called Mitochondrial large ribosomal subunit.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
17	O	272	4532	1392	2323	424	387	6	0	0

- Molecule 18 is a protein called uL23m.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
18	P	180	2975	953	1494	270	254	4	0	0

- Molecule 19 is a protein called KOW domain-containing protein.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
19	Q	353	5829	1786	2961	547	524	11	0	0

- Molecule 20 is a protein called Related to 60s ribosomal protein L2 (Mitochondrial).

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
20	R	249	4195	1283	2149	412	347	4	0	0

- Molecule 21 is a protein called bL28m.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
21	S	179	2979	937	1507	281	252	2	0	0

- Molecule 22 is a protein called 54S ribosomal protein L4, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
22	T	180	2950	937	1453	279	278	3	0	0

- Molecule 23 is a protein called Related to ribosomal protein L30.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
23	U	138	2263	698	1164	213	185	3	0	0

- Molecule 24 is a protein called Related to ribosomal protein YmL36, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
24	V	94	1485	472	735	136	140	2	0	0

- Molecule 25 is a protein called Related to ribosomal protein YmL32 (Mitochondrial).

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
25	W	59	949	282	489	98	72	8	0	0

- Molecule 26 is a protein called bL33m.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
26	X	48	836	263	433	71	65	4	0	0

- Molecule 27 is a protein called Related to ribosomal protein L34, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
27	Y	46	777	224	412	84	56	1	0	0

- Molecule 28 is a protein called Ribosomal protein.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
28	0	46	797	240	409	86	58	4	0	0

- Molecule 29 is a protein called PEBP-like protein.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
29	1	367	6014	1899	3029	547	531	8	0	0

- Molecule 30 is a protein called mL40.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
30	2	123	2101	660	1055	211	171	4	0	0

- Molecule 31 is a protein called mL41.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
31	3	95	1536	489	773	135	137	2	0	0

- Molecule 32 is a protein called L51_S25_CI-B8 domain-containing protein.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
32	4	137	2139	671	1087	192	183	6	0	0

- Molecule 33 is a protein called Ribonuclease III.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
33	5	350	5429	1740	2710	477	493	9	0	0

- Molecule 34 is a protein called mL46.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
34	6	273	4474	1418	2248	399	401	8	0	0

- Molecule 35 is a protein called mL49.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	H	N	O		
35	7	84	1383	431	709	130	113	0	0

- Molecule 36 is a protein called mL50.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
36	8	331	5374	1683	2714	480	489	8	0	0

- Molecule 37 is a protein called Probable ribosomal protein YmL44, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
37	h	98	1577	490	798	139	146	4	0	0

- Molecule 38 is a protein called mL54.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
38	i	124	1998	613	1022	181	177	5	0	0

- Molecule 39 is a protein called RNase III domain-containing protein.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
39	9	206	3341	1051	1698	295	290	7	0	0

- Molecule 40 is a protein called Related to ribosomal protein YmL20, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
40	a	161	2671	837	1340	253	235	6	0	0

- Molecule 41 is a protein called Mitoc_mL59 domain-containing protein.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
41	b	161	2693	840	1379	249	221	4	0	0

- Molecule 42 is a protein called 54S ribosomal protein L31, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace	
42	c	98	Total	C	H	N	O	S	0	0
			1700	528	873	162	134	3		

- Molecule 43 is a protein called mL67.

Mol	Chain	Residues	Atoms					AltConf	Trace	
43	d	235	Total	C	H	N	O	S	0	0
			3797	1180	1909	363	339	6		

- Molecule 44 is a protein called bS1m.

Mol	Chain	Residues	Atoms					AltConf	Trace	
44	AA	372	Total	C	H	N	O	S	0	0
			5790	1827	2907	507	543	6		

- Molecule 45 is a protein called Mito ribosomal protein S2.

Mol	Chain	Residues	Atoms					AltConf	Trace	
45	BB	290	Total	C	H	N	O	S	0	0
			4570	1426	2301	423	414	6		

- Molecule 46 is a protein called Ribosomal protein S5.

Mol	Chain	Residues	Atoms					AltConf	Trace	
46	CC	438	Total	C	H	N	O	S	0	0
			7538	2388	3897	636	612	5		

- Molecule 47 is a protein called S4 RNA-binding domain-containing protein.

Mol	Chain	Residues	Atoms					AltConf	Trace	
47	DD	290	Total	C	H	N	O	S	0	0
			4715	1501	2373	430	400	11		

- Molecule 48 is a protein called Related to ribosomal protein S5 (Mitochondrial).

Mol	Chain	Residues	Atoms					AltConf	Trace	
48	EE	367	Total	C	H	N	O	S	0	0
			5798	1799	2918	526	543	12		

- Molecule 49 is a protein called Ribosomal protein S6.

Mol	Chain	Residues	Atoms					AltConf	Trace	
49	FF	117	Total	C	H	N	O	S	0	0
			1901	591	966	176	165	3		

- Molecule 50 is a protein called Ribosomal_S7 domain-containing protein.

Mol	Chain	Residues	Atoms					AltConf	Trace	
50	GG	223	Total	C	H	N	O	S	0	0
			3523	1098	1799	318	302	6		

- Molecule 51 is a protein called uS8m.

Mol	Chain	Residues	Atoms					AltConf	Trace	
51	HH	160	Total	C	H	N	O	S	0	0
			2521	783	1286	226	220	6		

- Molecule 52 is a protein called uS9m.

Mol	Chain	Residues	Atoms					AltConf	Trace	
52	II	247	Total	C	H	N	O	S	0	0
			3994	1253	2026	366	344	5		

- Molecule 53 is a protein called 30S ribosomal protein S10, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace	
53	JJ	188	Total	C	H	N	O	S	0	0
			3105	998	1554	273	272	8		

- Molecule 54 is a protein called Translational machinery component.

Mol	Chain	Residues	Atoms					AltConf	Trace	
54	KK	124	Total	C	H	N	O	S	0	0
			2020	625	1025	195	170	5		

- Molecule 55 is a protein called Ribosomal protein S12.

Mol	Chain	Residues	Atoms					AltConf	Trace	
55	LL	128	Total	C	H	N	O	S	0	0
			1991	591	1032	198	165	5		

- Molecule 56 is a protein called Probable ribosomal protein S13.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
56	MM	118	1923	586	986	186	161	4	0	0

- Molecule 57 is a protein called Mitochondrial 37S ribosomal protein MRP2.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
57	NN	112	1875	573	961	184	150	7	0	0

- Molecule 58 is a protein called Related to ribosomal protein S15 (Mitochondrial).

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
58	OO	276	4428	1361	2230	431	401	5	0	0

- Molecule 59 is a protein called bS16m.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	H	N	O		
59	PP	98	1612	510	826	141	135	0	0

- Molecule 60 is a protein called uS17m.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
60	QQ	158	2561	789	1314	234	219	5	0	0

- Molecule 61 is a protein called Ribosomal protein S18.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
61	RR	134	2169	679	1089	206	190	5	0	0

- Molecule 62 is a protein called Ribosomal protein S19/S15.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
62	SS	81	1325	422	677	118	107	1	0	0

- Molecule 63 is a protein called bS21m.

Mol	Chain	Residues	Atoms					AltConf	Trace
63	TT	88	Total	C	H	N	O	0	0
			1518	470	772	157	119		

- Molecule 64 is a protein called 37S ribosomal protein S25, mitochondrial.

Mol	Chain	Residues	Atoms						AltConf	Trace
64	UU	224	Total	C	H	N	O	S	0	0
			3687	1165	1843	342	330	7		

- Molecule 65 is a protein called mS26.

Mol	Chain	Residues	Atoms					AltConf	Trace	
65	VV	261	Total	C	H	N	O	S	0	0
			4192	1300	2112	390	387	3		

- Molecule 66 is a protein called mS27.

Mol	Chain	Residues	Atoms					AltConf	Trace	
66	WW	353	Total	C	H	N	O	S	0	0
			5744	1804	2901	514	515	10		

- Molecule 67 is a protein called Mitochondrial ribosomal protein DAP3.

Mol	Chain	Residues	Atoms					AltConf	Trace	
67	XX	408	Total	C	H	N	O	S	0	0
			6446	2010	3271	562	587	16		

- Molecule 68 is a protein called mS33.

Mol	Chain	Residues	Atoms					AltConf	Trace	
68	YY	99	Total	C	H	N	O	S	0	0
			1609	491	823	152	142	1		

- Molecule 69 is a protein called 37S ribosomal protein S24, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace	
69	ZZ	312	Total	C	H	N	O	S	0	0
			5114	1631	2528	450	495	10		

- Molecule 70 is a protein called 37S ribosomal protein mrp10, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
70	11	88	1358	417	686	128	121	6	0	0

- Molecule 71 is a protein called DUF1713 domain-containing protein.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
71	22	33	660	187	359	70	43	1	0	0

- Molecule 72 is a protein called Protein FYV4, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
72	33	191	3134	978	1595	293	266	2	0	0

- Molecule 73 is a protein called Manganese and iron superoxide dismutase.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
73	44	260	4045	1318	1983	355	378	11	0	0
73	55	232	3652	1195	1794	316	337	10	0	0

- Molecule 74 is a protein called mS45.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
74	66	283	4628	1455	2330	425	414	4	0	0

- Molecule 75 is a protein called mS46.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
75	77	179	2796	893	1396	227	277	3	0	0

- Molecule 76 is a protein called 3-hydroxyisobutyryl-CoA hydrolase, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
76	88	467	7327	2340	3650	634	691	12	0	0

- Molecule 77 is a protein called IF1.

Mol	Chain	Residues	Atoms					AltConf	Trace
77	00	48	Total	C	H	N	O	0	0
			823	252	417	77	77		
77	99	36	Total	C	H	N	O	0	0
			639	191	333	59	56		

- Molecule 78 is a RNA chain called 16S rRNA.

Mol	Chain	Residues	Atoms						AltConf	Trace
78	aa	1435	Total	C	H	N	O	P	0	0
			45981	13712	15373	5486	9975	1435		

- Molecule 79 is a RNA chain called P-site-tRNA.

Mol	Chain	Residues	Atoms						AltConf	Trace
79	bb	73	Total	C	H	N	O	P	0	0
			2346	697	789	284	503	73		

- Molecule 80 is a RNA chain called mRNA.

Mol	Chain	Residues	Atoms						AltConf	Trace
80	ee	11	Total	C	H	N	O	P	0	0
			344	103	115	34	81	11		

- Molecule 81 is a protein called Poly-Peptide.

Mol	Chain	Residues	Atoms					AltConf	Trace
81	cc	7	Total	C	H	N	O	0	0
			69	21	34	7	7		

- Molecule 82 is a protein called 60S ribosomal protein L1, mitochondrial.

Mol	Chain	Residues	Atoms						AltConf	Trace
82	e	148	Total	C	H	N	O	S	0	0
			2396	751	1212	209	218	6		


- Molecule 83 is a protein called L51_S25_CI-B8 domain-containing protein.

Mol	Chain	Residues	Atoms						AltConf	Trace
83	j	195	Total	C	H	N	O	S	0	0
			3139	971	1586	290	284	8		

- Molecule 84 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		AltConf
84	A	144	Total	Mg	0
			144	144	
84	K	1	Total	Mg	0
			1	1	
84	L	1	Total	Mg	0
			1	1	
84	BB	1	Total	Mg	0
			1	1	
84	KK	1	Total	Mg	0
			1	1	
84	QQ	1	Total	Mg	0
			1	1	
84	XX	1	Total	Mg	0
			1	1	
84	YY	1	Total	Mg	0
			1	1	
84	00	1	Total	Mg	0
			1	1	
84	aa	97	Total	Mg	0
			97	97	
84	ee	1	Total	Mg	0
			1	1	


- Molecule 85 is SPERMINE (three-letter code: SPM) (formula: $C_{10}H_{26}N_4$).



Mol	Chain	Residues	Atoms				AltConf
85	A	1	Total	C	H	N	0
			40	10	26	4	

Mol	Chain	Residues	Atoms					AltConf	
			Total	C	H	N	O		P
88	2	1	70	21	26	7	14	2	0

- Molecule 89 is ADENOSINE-5'-TRIPHOSPHATE (three-letter code: ATP) (formula: $C_{10}H_{16}N_5O_{13}P_3$) (labeled as "Ligand of Interest" by depositor).





Mol	Chain	Residues	Atoms					AltConf	
			Total	C	H	N	O		P
89	XX	1	43	10	12	5	13	3	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.



- Molecule 1: 23S rRNA










• Molecule 2: 60S ribosomal protein L2, mitochondrial




• Molecule 3: Related to ribosomal protein L3, mitochondrial





• Molecule 4: 60S ribosomal protein L4, variant








• Molecule 5: Related to ribosomal protein L5, mitochondrial




• Molecule 6: uL6m




• Molecule 7: RIBOSOMAL_L9 domain-containing protein






• Molecule 20: Related to 60s ribosomal protein L2 (Mitochondrial)




• Molecule 21: bL28m





• Molecule 22: 54S ribosomal protein L4, mitochondrial








• Molecule 23: Related to ribosomal protein L30




• Molecule 24: Related to ribosomal protein YmL36, mitochondrial




• Molecule 25: Related to ribosomal protein YmL32 (Mitochondrial)





• Molecule 26: bL33m











● Molecule 31: mL41





● Molecule 32: L51_S25_C1-B8 domain-containing protein




● Molecule 33: Ribonuclease III




● Molecule 34: mL46









• Molecule 38: mL54



• Molecule 39: RNase III domain-containing protein




• Molecule 40: Related to ribosomal protein YmL20, mitochondrial











- Molecule 41: Mitoc_mL59 domain-containing protein





- Molecule 42: 54S ribosomal protein L31, mitochondrial




- Molecule 43: mL67




- Molecule 44: bS1m







• Molecule 45: Mito ribosomal protein S2




• Molecule 46: Ribosomal protein S5





• Molecule 47: S4 RNA-binding domain-containing protein






• Molecule 48: Related to ribosomal protein S5 (Mitochondrial)




• Molecule 49: Ribosomal protein S6




• Molecule 50: Ribosomal_S7 domain-containing protein








• Molecule 51: uS8m




• Molecule 52: uS9m




• Molecule 53: 30S ribosomal protein S10, mitochondrial




• Molecule 54: Translational machinery component






• Molecule 55: Ribosomal protein S12





• Molecule 56: Probable ribosomal protein S13



• Molecule 57: Mitochondrial 37S ribosomal protein MRP2




• Molecule 58: Related to ribosomal protein S15 (Mitochondrial)




• Molecule 59: bS16m








• Molecule 60: uS17m





• Molecule 61: Ribosomal protein S18





• Molecule 62: Ribosomal protein S19/S15





• Molecule 63: bS21m





• Molecule 64: 37S ribosomal protein S25, mitochondrial





• Molecule 65: mS26




• Molecule 66: mS27





• Molecule 67: Mitochondrial ribosomal protein DAP3








• Molecule 72: Protein FYV4, mitochondrial




• Molecule 73: Manganese and iron superoxide dismutase





• Molecule 73: Manganese and iron superoxide dismutase








• Molecule 74: mS45




• Molecule 75: mS46




• Molecule 76: 3-hydroxyisobutyryl-CoA hydrolase, mitochondrial







• Molecule 77: IF1




• Molecule 77: IF1





• Molecule 78: 16S rRNA





• Molecule 79: P-site-tRNA





• Molecule 80: mRNA





• Molecule 81: Poly-Peptide




• Molecule 82: 60S ribosomal protein L1, mitochondrial




MET	ALA	SER	THR	GLN	GLN	CYS	LEU	ALA	SER	LEU	ALA	ARG	LEU	LEU	THR	PRO	THR	ARG	ALA	ALA	LEU	PRO	THR	THR	ILE	PRO	LEU	LEU	LYS	PHE	LEU	VAL	VAL	PRO	SER	VAL	ALA	ALA	SER	SER	GLN	VAL	VAL	ARG	TYR	ALA	THR	ASN	ASN	PRO	PRO	LYS	GLY	GLY	ALA	LYS	LYS	PRO	LYS	LYS	K59	K60	
G61	Y62	K63	F64	F65	K66	S67	W68	D69	ALA	ARG	L70	T71	G72	Q73	Q74	F76	S77	L78	C79	D80	A81	M82	R83	Y84	L85	R86	S87	W88	E89	V90	G91	Q92	P93	P94	L95	S96	W97	K98	Y99	E100	V101	H102	V103	K104	L105	R106	T107	K108	M109	M110	G111	P112	V113	R114	R115	D116	R117	V118	R119	L120			
P121	T122	P123	V124	LYS	THR	ASP	THR	ARG	ILE	ALA	VAL	ILE	ILE	CYS	PRO	GLU	GLY	SER	ALA	LEU	GLN	GLU	GLU	ALA	LYS	ASN	ASN	LEU	LEU	GLU	ALA	ALA	VAL	PHE	MET	ALA	GLY	GLY	GLU	THR	LEU	PHE	D219	E220	Y221	R222	E223	R224	G226	V227	V228	R229	M230	A231	V232	G233	Q234	L235	G236	F237	T238	P239	K240
LEU	ARG	LYS	ALA	ASN	VAL	GLY	LYS	LEU	LEU	GLY	PRO	LYS	GLY	LEU	PRO	PRO	SER	GLY	LYS	THR	THR	THR	THR	ASN	ASN	ASN	LEU	LEU	GLU	ALA	ALA	THR	PHE	ARG	ASP	ASP	ILE	GLY	MET	D219	E220	Y221	R222	E223	R224	G226	V227	V228	R229	M230	A231	V232	G233	Q234	L235	G236	F237	T238	P239	K240			
Q241	L242	A243	E244	N245	I246	R247	V248	F249	M250	A251	K252	I253	K254	S255	D256	I257	G258	K259	L260	D261	D262	T263	T264	P265	K266	M267	V268	E269	E270	V271	V272	L273	S274	T275	T276	H277	P279	G280	M281	S282	L283	N284	A285	E286	F287	A288	P289	T290	D291	D292	K293	I294	K295	P296	E297	D298	L299	E300					
SER	VAL	MET																																																													

• Molecule 83: L51_S25_C1-B8 domain-containing protein



MET	V2	G3	V4	I5	R6	R7	L8	N9	V10	V11	R12	E13	L14	L15	N16	I17	R18	A19	G20	P21	G22	A23	A24	L25	L26	P27	K28	E29	V30	T31	K32	V33	H34	K35	Q36	F37	A38	H39	R40	I41	E42	E43	G44	H45	M46	G47	P48	R49	K50	F51	W52	R53	E54	M55	L56	P57	K58	L59	K60
Y61	W62	M63	P64	A65	V66	P67	M68	V69	I70	N71	R72	T73	T74	D75	Q76	K77	G78	F79	A80	V81	M82	T83	I84	Y85	F86	R87	D88	E89	K90	D91	A92	K93	P94	S95	S96	T97	P98	F99	P100	T101	S102	S103	A104	D105	G106	S107	P108	R109	A110	P111	K112	P113	E114	Q115	G116	E117	R118	I119	V120
T121	I122	D123	M124	K125	N126	R127	N128	S129	S130	V131	I132	L133	K134	E135	F136	L137	D138	K139	T140	G141	A142	V143	A144	V145	Q146	P147	T148	A149	K150	D151	E152	E153	E154	F155	R156	E157	F158	E159	D160	L161	H162	R163	R164	S165	S166	I167	D168	R169	E170	R171	I172	R173	K174	M175	N176	D177	A178	K179	K180



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	24601	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	35	Depositor
Minimum defocus (nm)	Not provided	
Maximum defocus (nm)	Not provided	
Magnification	130000	Depositor
Image detector	GATAN K2 SUMMIT (4k x 4k)	Depositor
Maximum map value	38.193	Depositor
Minimum map value	-22.800	Depositor
Average map value	0.001	Depositor
Map value standard deviation	1.186	Depositor
Recommended contour level	4.77	Depositor
Map size (\AA)	423.99997, 423.99997, 423.99997	wwPDB
Map dimensions	400, 400, 400	wwPDB
Map angles ($^\circ$)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (\AA)	1.06, 1.06, 1.06	Depositor

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: NAD, SPM, ATP, K, ZN, MG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.25	0/67912	0.68	0/105757
2	B	0.26	0/2514	0.44	0/3388
3	C	0.27	0/2380	0.44	0/3209
4	D	0.25	0/2072	0.40	0/2794
5	E	0.25	0/2518	0.40	0/3427
6	F	0.25	0/1644	0.41	0/2218
7	G	0.24	0/630	0.44	0/842
8	f	0.24	0/1923	0.39	0/2631
9	g	0.24	0/1126	0.41	0/1525
10	H	0.27	0/1460	0.42	0/1975
11	I	0.26	0/918	0.45	0/1225
12	J	0.26	0/1931	0.42	0/2597
13	K	0.27	0/1376	0.42	0/1842
14	L	0.25	0/1569	0.39	0/2106
15	M	0.25	0/1572	0.41	0/2117
16	N	0.27	0/1077	0.44	0/1452
17	O	0.25	0/2248	0.40	0/3015
18	P	0.26	0/1523	0.40	0/2058
19	Q	0.24	0/2916	0.39	0/3927
20	R	0.25	0/2083	0.40	0/2789
21	S	0.25	0/1510	0.40	0/2042
22	T	0.23	0/1538	0.38	0/2086
23	U	0.25	0/1117	0.42	0/1496
24	V	0.24	0/766	0.40	0/1034
25	W	0.25	0/467	0.41	0/616
26	X	0.27	0/411	0.43	0/551
27	Y	0.26	0/368	0.44	0/485
28	0	0.27	0/395	0.46	0/523
29	1	0.25	0/3053	0.39	0/4108
30	2	0.24	0/1074	0.37	0/1449
31	3	0.27	0/783	0.42	0/1056
32	4	0.27	0/1077	0.41	0/1453

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
33	5	0.25	0/2790	0.39	0/3794
34	6	0.25	0/2274	0.40	0/3062
35	7	0.25	0/686	0.42	0/919
36	8	0.24	0/2714	0.38	0/3657
37	h	0.25	0/791	0.37	0/1065
38	i	0.23	0/989	0.37	0/1324
39	9	0.24	0/1678	0.38	0/2267
40	a	0.24	0/1364	0.39	0/1842
41	b	0.24	0/1348	0.37	0/1816
42	c	0.27	0/846	0.40	0/1134
43	d	0.24	0/1930	0.40	0/2597
44	AA	0.25	0/2948	0.40	0/3995
45	BB	0.25	0/2314	0.40	0/3142
46	CC	0.27	0/3712	0.40	0/4978
47	DD	0.28	0/2408	0.39	0/3255
48	EE	0.26	0/2928	0.41	0/3947
49	FF	0.25	0/952	0.42	0/1285
50	GG	0.25	0/1765	0.39	0/2392
51	HH	0.27	0/1259	0.42	0/1707
52	II	0.26	0/2012	0.40	0/2720
53	JJ	0.28	0/1590	0.39	0/2140
54	KK	0.26	0/1015	0.43	0/1357
55	LL	0.27	0/973	0.44	0/1305
56	MM	0.25	0/950	0.41	0/1274
57	NN	0.27	0/929	0.40	0/1243
58	OO	0.24	0/2242	0.38	0/3016
59	PP	0.28	0/806	0.43	0/1096
60	QQ	0.25	0/1268	0.39	0/1701
61	RR	0.25	0/1105	0.38	0/1491
62	SS	0.26	0/667	0.42	0/902
63	TT	0.25	0/761	0.37	0/1015
64	UU	0.25	0/1890	0.37	0/2554
65	VV	0.24	0/2120	0.37	0/2851
66	WW	0.24	0/2897	0.36	0/3911
67	XX	0.26	0/3234	0.40	0/4374
68	YY	0.25	0/797	0.39	0/1070
69	ZZ	0.25	0/2645	0.38	0/3566
70	11	0.24	0/686	0.36	0/929
71	22	0.24	0/301	0.39	0/388
72	33	0.26	0/1573	0.43	0/2119
73	44	0.24	0/2121	0.38	0/2879
73	55	0.24	0/1912	0.38	0/2600
74	66	0.26	0/2348	0.38	0/3163

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
75	77	0.27	0/1431	0.39	0/1934
76	88	0.25	0/3760	0.39	0/5085
77	00	0.22	0/409	0.33	0/540
77	99	0.22	0/307	0.33	0/405
78	aa	0.25	0/34270	0.68	0/53383
79	bb	0.15	0/1741	0.65	0/2708
80	ee	0.17	0/254	0.70	0/392
81	cc	0.25	0/34	0.35	0/46
82	e	0.24	0/1206	0.40	0/1624
83	j	0.24	0/1583	0.41	0/2130
All	All	0.25	0/231484	0.55	0/333882

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	60640	30416	30431	128	0
2	B	2456	2508	2508	11	0
3	C	2336	2421	2420	13	0
4	D	2028	2040	2040	6	0
5	E	2449	2461	2461	10	0
6	F	1608	1645	1645	2	0
7	G	618	627	627	2	0
8	f	1876	1925	1925	0	0
9	g	1103	1154	1154	0	0
10	H	1426	1459	1459	5	0
11	I	913	985	985	4	0
12	J	1888	1939	1939	6	0
13	K	1350	1401	1401	6	0
14	L	1545	1590	1590	5	0
15	M	1536	1628	1628	7	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
16	N	1056	1120	1120	5	0
17	O	2209	2323	2323	11	0
18	P	1481	1494	1494	4	0
19	Q	2868	2961	2961	14	0
20	R	2046	2149	2149	7	0
21	S	1472	1507	1507	8	0
22	T	1497	1453	1453	9	0
23	U	1099	1164	1164	5	0
24	V	750	735	735	5	0
25	W	460	489	488	4	0
26	X	403	433	433	2	0
27	Y	365	412	412	3	0
28	0	388	409	409	0	0
29	1	2985	3029	3029	13	0
30	2	1046	1055	1055	4	0
31	3	763	773	773	3	0
32	4	1052	1087	1087	4	0
33	5	2719	2710	2710	10	0
34	6	2226	2248	2248	6	0
35	7	674	709	709	4	0
36	8	2660	2714	2714	8	0
37	h	779	798	798	0	0
38	i	976	1022	1022	0	0
39	9	1643	1698	1698	6	0
40	a	1331	1340	1340	0	0
41	b	1314	1379	1379	0	0
42	c	827	873	873	0	0
43	d	1888	1909	1909	0	0
44	AA	2883	2907	2907	19	0
45	BB	2269	2301	2301	13	0
46	CC	3641	3897	3897	11	0
47	DD	2342	2373	2373	17	0
48	EE	2880	2918	2918	15	0
49	FF	935	966	966	6	0
50	GG	1724	1799	1799	7	0
51	HH	1235	1286	1286	3	0
52	II	1968	2026	2026	7	0
53	JJ	1551	1554	1554	7	0
54	KK	995	1025	1025	5	0
55	LL	959	1032	1032	5	0
56	MM	937	986	986	5	0
57	NN	914	961	961	6	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
58	OO	2198	2230	2230	4	0
59	PP	786	826	826	1	0
60	QQ	1247	1314	1314	2	0
61	RR	1080	1089	1089	3	0
62	SS	648	677	677	1	0
63	TT	746	772	772	3	0
64	UU	1844	1843	1842	11	0
65	VV	2080	2112	2112	14	0
66	WW	2843	2901	2900	7	0
67	XX	3175	3271	3271	10	0
68	YY	786	823	823	2	0
69	ZZ	2586	2528	2528	13	0
70	11	672	686	686	1	0
71	22	301	359	359	0	0
72	33	1539	1595	1595	4	0
73	44	2062	1983	1982	7	0
73	55	1858	1794	1793	11	0
74	66	2298	2330	2330	17	0
75	77	1400	1396	1396	3	0
76	88	3677	3650	3650	14	0
77	00	406	417	417	1	0
77	99	306	333	333	0	0
78	aa	30608	15373	15377	0	0
79	bb	1557	789	790	0	0
80	ee	229	115	115	0	0
81	cc	35	34	34	0	0
82	e	1184	1212	1212	0	0
83	j	1553	1586	1586	0	0
84	00	1	0	0	0	0
84	A	144	0	0	0	0
84	BB	1	0	0	0	0
84	K	1	0	0	0	0
84	KK	1	0	0	0	0
84	L	1	0	0	0	0
84	QQ	1	0	0	0	0
84	XX	1	0	0	0	0
84	YY	1	0	0	0	0
84	aa	97	0	0	0	0
84	ee	1	0	0	0	0
85	A	14	26	26	0	0
86	2	1	0	0	0	0
86	3	1	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
86	88	1	0	0	0	0
86	A	32	0	0	0	0
86	ZZ	1	0	0	0	0
86	aa	13	0	0	0	0
87	0	1	0	0	0	0
87	W	1	0	0	0	0
88	2	44	26	26	3	0
89	XX	31	12	12	2	0
All	All	218076	174325	174339	473	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 2.

The worst 5 of 473 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
57:NN:75:ARG:NH1	57:NN:80:GLY:O	2.08	0.86
67:XX:152:ARG:NH1	67:XX:415:LYS:O	2.09	0.85
1:A:2337:U:O2'	1:A:2339:U:OP1	1.96	0.83
69:ZZ:212:ARG:NH1	69:ZZ:257:GLU:OE1	2.12	0.82
57:NN:22:ASP:OD2	57:NN:26:ARG:NH1	2.12	0.82

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
2	B	311/383 (81%)	304 (98%)	7 (2%)	0	100	100
3	C	305/384 (79%)	300 (98%)	5 (2%)	0	100	100
4	D	250/325 (77%)	248 (99%)	2 (1%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
5	E	307/352 (87%)	303 (99%)	4 (1%)	0	100	100
6	F	199/255 (78%)	197 (99%)	2 (1%)	0	100	100
7	G	72/300 (24%)	72 (100%)	0	0	100	100
8	f	243/347 (70%)	240 (99%)	3 (1%)	0	100	100
9	g	145/158 (92%)	142 (98%)	3 (2%)	0	100	100
10	H	181/183 (99%)	180 (99%)	1 (1%)	0	100	100
11	I	115/131 (88%)	113 (98%)	2 (2%)	0	100	100
12	J	241/312 (77%)	236 (98%)	5 (2%)	0	100	100
13	K	166/249 (67%)	166 (100%)	0	0	100	100
14	L	190/193 (98%)	189 (100%)	1 (0%)	0	100	100
15	M	192/258 (74%)	188 (98%)	4 (2%)	0	100	100
16	N	131/217 (60%)	125 (95%)	6 (5%)	0	100	100
17	O	268/364 (74%)	267 (100%)	1 (0%)	0	100	100
18	P	178/228 (78%)	178 (100%)	0	0	100	100
19	Q	351/396 (89%)	350 (100%)	1 (0%)	0	100	100
20	R	245/447 (55%)	240 (98%)	5 (2%)	0	100	100
21	S	175/274 (64%)	172 (98%)	3 (2%)	0	100	100
22	T	178/263 (68%)	177 (99%)	1 (1%)	0	100	100
23	U	134/161 (83%)	134 (100%)	0	0	100	100
24	V	88/219 (40%)	88 (100%)	0	0	100	100
25	W	57/129 (44%)	56 (98%)	1 (2%)	0	100	100
26	X	46/59 (78%)	44 (96%)	2 (4%)	0	100	100
27	Y	44/140 (31%)	44 (100%)	0	0	100	100
28	0	44/124 (36%)	43 (98%)	1 (2%)	0	100	100
29	1	365/449 (81%)	362 (99%)	3 (1%)	0	100	100
30	2	121/370 (33%)	121 (100%)	0	0	100	100
31	3	93/103 (90%)	91 (98%)	2 (2%)	0	100	100
32	4	135/138 (98%)	132 (98%)	3 (2%)	0	100	100
33	5	346/439 (79%)	342 (99%)	4 (1%)	0	100	100
34	6	267/368 (73%)	264 (99%)	3 (1%)	0	100	100
35	7	82/165 (50%)	81 (99%)	1 (1%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
36	8	329/443 (74%)	323 (98%)	6 (2%)	0	100	100
37	h	96/98 (98%)	95 (99%)	1 (1%)	0	100	100
38	i	120/218 (55%)	115 (96%)	5 (4%)	0	100	100
39	9	204/267 (76%)	198 (97%)	6 (3%)	0	100	100
40	a	157/225 (70%)	156 (99%)	1 (1%)	0	100	100
41	b	159/162 (98%)	157 (99%)	2 (1%)	0	100	100
42	c	96/110 (87%)	94 (98%)	2 (2%)	0	100	100
43	d	231/292 (79%)	228 (99%)	3 (1%)	0	100	100
44	AA	360/470 (77%)	355 (99%)	5 (1%)	0	100	100
45	BB	288/428 (67%)	283 (98%)	5 (2%)	0	100	100
46	CC	432/508 (85%)	426 (99%)	6 (1%)	0	100	100
47	DD	286/453 (63%)	280 (98%)	6 (2%)	0	100	100
48	EE	363/477 (76%)	356 (98%)	7 (2%)	0	100	100
49	FF	115/117 (98%)	112 (97%)	3 (3%)	0	100	100
50	GG	221/309 (72%)	220 (100%)	1 (0%)	0	100	100
51	HH	158/161 (98%)	156 (99%)	2 (1%)	0	100	100
52	II	245/315 (78%)	239 (98%)	6 (2%)	0	100	100
53	JJ	186/268 (69%)	182 (98%)	4 (2%)	0	100	100
54	KK	122/376 (32%)	119 (98%)	3 (2%)	0	100	100
55	LL	126/174 (72%)	120 (95%)	6 (5%)	0	100	100
56	MM	116/119 (98%)	112 (97%)	4 (3%)	0	100	100
57	NN	110/113 (97%)	110 (100%)	0	0	100	100
58	OO	272/320 (85%)	270 (99%)	2 (1%)	0	100	100
59	PP	96/107 (90%)	95 (99%)	1 (1%)	0	100	100
60	QQ	156/165 (94%)	154 (99%)	2 (1%)	0	100	100
61	RR	132/256 (52%)	130 (98%)	2 (2%)	0	100	100
62	SS	79/91 (87%)	77 (98%)	2 (2%)	0	100	100
63	TT	86/236 (36%)	85 (99%)	1 (1%)	0	100	100
64	UU	222/253 (88%)	219 (99%)	3 (1%)	0	100	100
65	VV	255/316 (81%)	255 (100%)	0	0	100	100
66	WW	349/396 (88%)	344 (99%)	5 (1%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
67	XX	404/469 (86%)	393 (97%)	8 (2%)	3 (1%)	22	52
68	YY	97/108 (90%)	96 (99%)	1 (1%)	0	100	100
69	ZZ	310/382 (81%)	308 (99%)	2 (1%)	0	100	100
70	11	86/90 (96%)	85 (99%)	1 (1%)	0	100	100
71	22	31/344 (9%)	31 (100%)	0	0	100	100
72	33	189/236 (80%)	181 (96%)	8 (4%)	0	100	100
73	44	258/310 (83%)	253 (98%)	5 (2%)	0	100	100
73	55	228/310 (74%)	224 (98%)	4 (2%)	0	100	100
74	66	281/348 (81%)	279 (99%)	2 (1%)	0	100	100
75	77	177/414 (43%)	176 (99%)	1 (1%)	0	100	100
76	88	465/508 (92%)	449 (97%)	14 (3%)	2 (0%)	34	64
77	00	46/95 (48%)	46 (100%)	0	0	100	100
77	99	34/95 (36%)	34 (100%)	0	0	100	100
81	cc	5/7 (71%)	5 (100%)	0	0	100	100
82	e	144/303 (48%)	139 (96%)	5 (4%)	0	100	100
83	j	193/201 (96%)	187 (97%)	6 (3%)	0	100	100
All	All	15380/21346 (72%)	15140 (98%)	235 (2%)	5 (0%)	100	100

All (5) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
67	XX	181	VAL
67	XX	180	ARG
67	XX	182	THR
76	88	205	VAL
76	88	203	PRO

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
2	B	257/312 (82%)	253 (98%)	4 (2%)	62	83
3	C	242/303 (80%)	242 (100%)	0	100	100
4	D	216/274 (79%)	216 (100%)	0	100	100
5	E	267/296 (90%)	266 (100%)	1 (0%)	91	95
6	F	173/216 (80%)	172 (99%)	1 (1%)	86	93
7	G	64/254 (25%)	64 (100%)	0	100	100
8	f	206/287 (72%)	205 (100%)	1 (0%)	88	94
9	g	120/124 (97%)	119 (99%)	1 (1%)	81	91
10	H	149/149 (100%)	149 (100%)	0	100	100
11	I	100/105 (95%)	99 (99%)	1 (1%)	76	89
12	J	198/255 (78%)	196 (99%)	2 (1%)	76	89
13	K	142/205 (69%)	142 (100%)	0	100	100
14	L	164/165 (99%)	163 (99%)	1 (1%)	86	93
15	M	164/209 (78%)	162 (99%)	2 (1%)	71	87
16	N	119/188 (63%)	119 (100%)	0	100	100
17	O	235/315 (75%)	235 (100%)	0	100	100
18	P	158/196 (81%)	157 (99%)	1 (1%)	86	93
19	Q	312/347 (90%)	311 (100%)	1 (0%)	92	96
20	R	212/359 (59%)	211 (100%)	1 (0%)	88	94
21	S	159/242 (66%)	158 (99%)	1 (1%)	86	93
22	T	161/224 (72%)	161 (100%)	0	100	100
23	U	118/138 (86%)	117 (99%)	1 (1%)	81	91
24	V	80/170 (47%)	80 (100%)	0	100	100
25	W	50/102 (49%)	50 (100%)	0	100	100
26	X	46/54 (85%)	46 (100%)	0	100	100
27	Y	38/116 (33%)	38 (100%)	0	100	100
28	0	41/108 (38%)	40 (98%)	1 (2%)	49	74
29	1	316/384 (82%)	313 (99%)	3 (1%)	78	90
30	2	109/317 (34%)	108 (99%)	1 (1%)	78	90
31	3	83/91 (91%)	82 (99%)	1 (1%)	71	87
32	4	113/114 (99%)	113 (100%)	0	100	100
33	5	279/351 (80%)	279 (100%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
34	6	238/310 (77%)	235 (99%)	3 (1%)	69	86
35	7	69/136 (51%)	68 (99%)	1 (1%)	67	84
36	8	285/378 (75%)	280 (98%)	5 (2%)	59	80
37	h	88/88 (100%)	88 (100%)	0	100	100
38	i	101/162 (62%)	101 (100%)	0	100	100
39	9	176/225 (78%)	175 (99%)	1 (1%)	86	93
40	a	146/196 (74%)	146 (100%)	0	100	100
41	b	141/141 (100%)	140 (99%)	1 (1%)	84	92
42	c	86/96 (90%)	84 (98%)	2 (2%)	50	75
43	d	201/243 (83%)	200 (100%)	1 (0%)	88	94
44	AA	314/393 (80%)	313 (100%)	1 (0%)	92	96
45	BB	237/347 (68%)	235 (99%)	2 (1%)	81	91
46	CC	405/461 (88%)	403 (100%)	2 (0%)	88	94
47	DD	242/377 (64%)	235 (97%)	7 (3%)	42	70
48	EE	308/392 (79%)	307 (100%)	1 (0%)	92	96
49	FF	99/99 (100%)	97 (98%)	2 (2%)	55	78
50	GG	186/260 (72%)	183 (98%)	3 (2%)	62	83
51	HH	134/135 (99%)	131 (98%)	3 (2%)	52	76
52	II	206/263 (78%)	206 (100%)	0	100	100
53	JJ	166/227 (73%)	165 (99%)	1 (1%)	86	93
54	KK	108/324 (33%)	107 (99%)	1 (1%)	78	90
55	LL	103/142 (72%)	103 (100%)	0	100	100
56	MM	98/99 (99%)	98 (100%)	0	100	100
57	NN	96/97 (99%)	96 (100%)	0	100	100
58	OO	230/265 (87%)	230 (100%)	0	100	100
59	PP	85/92 (92%)	85 (100%)	0	100	100
60	QQ	132/138 (96%)	132 (100%)	0	100	100
61	RR	118/218 (54%)	118 (100%)	0	100	100
62	SS	70/80 (88%)	70 (100%)	0	100	100
63	TT	75/191 (39%)	75 (100%)	0	100	100
64	UU	193/218 (88%)	192 (100%)	1 (0%)	88	94

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
65	VV	224/268 (84%)	224 (100%)	0	100	100
66	WW	300/333 (90%)	299 (100%)	1 (0%)	92	96
67	XX	345/391 (88%)	341 (99%)	4 (1%)	71	87
68	YY	83/89 (93%)	82 (99%)	1 (1%)	71	87
69	ZZ	278/328 (85%)	277 (100%)	1 (0%)	91	95
70	11	73/75 (97%)	73 (100%)	0	100	100
71	22	33/293 (11%)	33 (100%)	0	100	100
72	33	162/195 (83%)	159 (98%)	3 (2%)	57	79
73	44	215/250 (86%)	215 (100%)	0	100	100
73	55	195/250 (78%)	194 (100%)	1 (0%)	88	94
74	66	245/303 (81%)	245 (100%)	0	100	100
75	77	153/304 (50%)	153 (100%)	0	100	100
76	88	388/419 (93%)	386 (100%)	2 (0%)	88	94
77	00	43/78 (55%)	43 (100%)	0	100	100
77	99	34/78 (44%)	34 (100%)	0	100	100
82	e	132/256 (52%)	131 (99%)	1 (1%)	81	91
83	j	168/171 (98%)	163 (97%)	5 (3%)	41	69
All	All	13298/17844 (74%)	13216 (99%)	82 (1%)	86	93

5 of 82 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
51	HH	31	TYR
72	33	229	LEU
51	HH	132	CYS
67	XX	157	ASP
76	88	404	PRO

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (4) such sidechains are listed below:

Mol	Chain	Res	Type
4	D	64	ASN
43	d	120	ASN
57	NN	95	ASN
83	j	39	HIS

5.3.3 RNA [i](#)

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
1	A	2826/3464 (81%)	350 (12%)	6 (0%)
78	aa	1430/1864 (76%)	183 (12%)	0
79	bb	71/73 (97%)	13 (18%)	0
80	ee	10/11 (90%)	0	0
All	All	4337/5412 (80%)	546 (12%)	6 (0%)

5 of 546 RNA backbone outliers are listed below:

Mol	Chain	Res	Type
1	A	10	G
1	A	18	A
1	A	19	G
1	A	29	A
1	A	46	U

5 of 6 RNA pucker outliers are listed below:

Mol	Chain	Res	Type
1	A	2332	A
1	A	2720	U
1	A	2883	A
1	A	1205	A
1	A	909	A

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 304 ligands modelled in this entry, 301 are monoatomic - leaving 3 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The

Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
89	ATP	XX	501	84	26,33,33	3.44	1 (3%)	31,52,52	1.10	1 (3%)
88	NAD	2	4301	86	42,48,48	0.75	1 (2%)	50,73,73	0.82	2 (4%)
85	SPM	A	3645	-	13,13,13	0.33	0	12,12,12	0.77	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
89	ATP	XX	501	84	-	2/18/38/38	0/3/3/3
88	NAD	2	4301	86	-	1/26/62/62	0/5/5/5
85	SPM	A	3645	-	-	2/11/11/11	-

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
89	XX	501	ATP	C2'-C1'	-16.90	1.28	1.53
88	2	4301	NAD	C2N-N1N	-2.38	1.32	1.35

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
89	XX	501	ATP	C3'-C2'-C1'	4.76	108.14	100.98
88	2	4301	NAD	N3A-C2A-N1A	-2.67	124.50	128.68
88	2	4301	NAD	O4B-C1B-C2B	-2.51	103.25	106.93

There are no chirality outliers.

All (5) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
85	A	3645	SPM	N10-C11-C12-C13
85	A	3645	SPM	N5-C6-C7-C8
89	XX	501	ATP	PA-O3A-PB-O2B
88	2	4301	NAD	O4D-C4D-C5D-O5D
89	XX	501	ATP	PA-O3A-PB-O1B


There are no ring outliers.

2 monomers are involved in 5 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
89	XX	501	ATP	2	0
88	2	4301	NAD	3	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

The following chains have linkage breaks:

Mol	Chain	Number of breaks
79	bb	1

All chain breaks are listed below:

Model	Chain	Residue-1	Atom-1	Residue-2	Atom-2	Distance (Å)
1	bb	15:A	O3'	18:A	P	9.12


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-10985. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 200




Y Index: 200




Z Index: 200


6.2.2 Raw map



X Index: 200



Y Index: 200




Z Index: 200


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 195




Y Index: 228




Z Index: 219


6.3.2 Raw map



X Index: 192



Y Index: 228




Z Index: 206

The images above show the largest variance slices of the map in three orthogonal directions.


6.4 Orthogonal surface views [i](#)

6.4.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 4.77. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.4.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


6.5 Mask visualisation [i](#)

This section shows the 3D surface view of the primary map at 50% transparency overlaid with the specified mask at 0% transparency


A mask typically either:

- Encompasses the whole structure
- Separates out a domain, a functional unit, a monomer or an area of interest from a larger structure


6.5.1 emd_10985_msk_1.map [i](#)



X



Y




Z

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [\(i\)](#)



The volume at the recommended contour level is 765 nm³; this corresponds to an approximate mass of 691 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum [i](#)




*Reported resolution corresponds to spatial frequency of 0.328 Å⁻¹

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.328 Å⁻¹

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	3.05	-	-
Author-provided FSC curve	3.03	3.60	3.08
Unmasked-calculated*	3.52	9.22	3.71

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 3.52 differs from the reported value 3.05 by more than 10 %

9 Map-model fit [i](#)

This section contains information regarding the fit between EMDB map EMD-10985 and PDB model 6YWY. Per-residue inclusion information can be found in section 3 on page 22.

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 4.77 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)


This section was not generated.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (4.77).

9.4 Atom inclusion [i](#)



At the recommended contour level, 66% of all backbone atoms, 67% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary [i](#)











































The table lists the average atom inclusion at the recommended contour level (4.77) and Q-score for the entire model and for each chain.

Chain	Atom inclusion
All	0.6688
0	0.8737
00	0.1529
1	0.5981
11	0.6012
2	0.6724
22	0.7430
3	0.6519
33	0.6349
4	0.7628
44	0.3842
5	0.6072
55	0.3467
6	0.5429
66	0.6571
7	0.6458
77	0.6843
8	0.2851
88	0.5397
9	0.4167
99	0.0233
A	0.7653
AA	0.4306
B	0.7382
BB	0.6695
C	0.7705
CC	0.6451
D	0.6421
DD	0.7289
E	0.6246
EE	0.6582
F	0.5753
FF	0.6865
G	0.4428
GG	0.6570












Continued on next page...

Continued from previous page...

Chain	Atom inclusion
H	 0.8081
HH	 0.7510
I	 0.6978
II	 0.6484
J	 0.6941
JJ	 0.7984
K	 0.7632
KK	 0.7141
L	 0.7154
LL	 0.7565
M	 0.5703
MM	 0.6916
N	 0.6909
NN	 0.8474
O	 0.6228
OO	 0.6227
P	 0.6987
PP	 0.7922
Q	 0.5457
QQ	 0.5908
R	 0.5587
RR	 0.5673
S	 0.6366
SS	 0.6378
T	 0.6398
TT	 0.7217
U	 0.6201
UU	 0.6277
V	 0.4931
VV	 0.5288
W	 0.7716
WW	 0.5413
X	 0.7371
XX	 0.7222
Y	 0.8386
YY	 0.7372
ZZ	 0.5565
a	 0.5680
aa	 0.8225
b	 0.5680
bb	 0.2730
c	 0.8161

Continued on next page...

Continued from previous page...

Chain	Atom inclusion
cc	 0.2571
d	 0.6359
e	 0.0000
ee	 0.6391
f	 0.0706
g	 0.0000
h	 0.0026
i	 0.0241
j	 0.0000