



Full wwPDB X-ray Structure Validation Report ⓘ

Nov 14, 2023 – 02:36 AM JST

PDB ID : 5YYM
Title : Crystal structures of E.coli arginyl-trna synthetase (argrs) in complex with substrate Arg
Authors : Zhou, M.; Ye, S.; Stephen, P.; Zhang, R.G.; Wang, E.D.; Giege, R.; Lin, S.X.
Deposited on : 2017-12-10
Resolution : 2.20 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.36
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.36


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.20 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	4898 (2.20-2.20)
Clashscore	141614	5594 (2.20-2.20)
Ramachandran outliers	138981	5503 (2.20-2.20)
Sidechain outliers	138945	5504 (2.20-2.20)
RSRZ outliers	127900	4800 (2.20-2.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	586	 3% 85% 13% ..
1	B	586	 3% 83% 13% ..

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 9608 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Arginine-tRNA ligase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	581	4578	2894	799	860	25	0	0	0
1	B	573	4519	2859	788	847	25	0	0	0

There are 18 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-8	HIS	-	expression tag	UNP P11875
A	-7	HIS	-	expression tag	UNP P11875
A	-6	HIS	-	expression tag	UNP P11875
A	-5	HIS	-	expression tag	UNP P11875
A	-4	HIS	-	expression tag	UNP P11875
A	-3	HIS	-	expression tag	UNP P11875
A	-2	GLY	-	expression tag	UNP P11875
A	-1	GLY	-	expression tag	UNP P11875
A	0	ALA	-	expression tag	UNP P11875
B	-8	HIS	-	expression tag	UNP P11875
B	-7	HIS	-	expression tag	UNP P11875
B	-6	HIS	-	expression tag	UNP P11875
B	-5	HIS	-	expression tag	UNP P11875
B	-4	HIS	-	expression tag	UNP P11875
B	-3	HIS	-	expression tag	UNP P11875
B	-2	GLY	-	expression tag	UNP P11875
B	-1	GLY	-	expression tag	UNP P11875
B	0	ALA	-	expression tag	UNP P11875

- Molecule 2 is ARGinine (three-letter code: ARG) (formula: C₆H₁₅N₄O₂) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	A	1	Total	C	N	O	0	0
			12	6	4	2		
2	B	1	Total	C	N	O	0	0
			12	6	4	2		


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	253	Total	O	0	0
			253	253		
3	B	234	Total	O	0	0
			234	234		


3 Residue-property plots i

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Arginine-tRNA ligase



- Molecule 1: Arginine-tRNA ligase



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	49.73Å 244.51Å 52.46Å 90.00° 90.69° 90.00°	Depositor
Resolution (Å)	40.75 – 2.20 40.75 – 2.20	Depositor EDS
% Data completeness (in resolution range)	91.5 (40.75-2.20) 84.2 (40.75-2.20)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.18 (at 2.20Å)	Xtrriage
Refinement program	PHENIX 1.8.2_1309	Depositor
R, R_{free}	0.197 , 0.251 0.197 , 0.251	Depositor DCC
R_{free} test set	2904 reflections (5.03%)	wwPDB-VP
Wilson B-factor (Å ²)	27.8	Xtrriage
Anisotropy	0.526	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.30 , 29.4	EDS
L-test for twinning ²	$\langle L \rangle = 0.47$, $\langle L^2 \rangle = 0.30$	Xtrriage
Estimated twinning fraction	0.179 for h,-k,-l	Xtrriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	9608	wwPDB-VP
Average B, all atoms (Å ²)	50.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.22% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.22	0/4666	0.40	0/6306
1	B	0.22	0/4604	0.40	0/6218
All	All	0.22	0/9270	0.40	0/12524

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4578	0	4541	48	0
1	B	4519	0	4491	52	0
2	A	12	0	12	3	0
2	B	12	0	12	3	0
3	A	253	0	0	19	1
3	B	234	0	0	15	1
All	All	9608	0	9056	100	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (100) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:506:THR:OG1	3:B:1101:HOH:O	1.93	0.85
1:A:42:ASN:ND2	3:A:1106:HOH:O	2.09	0.83
2:A:1001:ARG:N	3:A:1111:HOH:O	2.11	0.82
1:B:225:ARG:NH1	3:B:1108:HOH:O	2.14	0.81
1:B:499:ARG:NH1	1:B:525:ASP:OD2	2.14	0.81
1:A:383:ARG:O	3:A:1101:HOH:O	1.99	0.79
1:B:24:CYS:O	3:B:1102:HOH:O	2.00	0.77
1:B:131:GLY:O	3:B:1103:HOH:O	2.04	0.76
1:A:416:GLU:OE2	3:A:1103:HOH:O	2.05	0.75
1:A:576:ARG:O	3:A:1102:HOH:O	2.05	0.74
1:A:317:ASP:OD1	3:A:1104:HOH:O	2.06	0.74
1:A:40:GLN:OE1	3:A:1105:HOH:O	2.06	0.73
1:B:67:ASP:OD2	3:B:1105:HOH:O	2.08	0.72
1:B:495:GLN:OE1	3:B:1104:HOH:O	2.07	0.71
1:A:147:GLU:OE1	3:A:1110:HOH:O	2.11	0.69
1:A:326:GLU:OE1	3:A:1108:HOH:O	2.10	0.69
1:A:495:GLN:NE2	3:A:1109:HOH:O	2.10	0.68
1:B:174:GLU:O	1:B:178:GLN:NE2	2.27	0.67
1:B:248:VAL:O	3:B:1106:HOH:O	2.12	0.67
1:A:307:LYS:NZ	3:A:1107:HOH:O	2.10	0.66
1:B:395:ASP:O	3:B:1107:HOH:O	2.14	0.66
1:A:280:GLU:O	3:A:1112:HOH:O	2.14	0.65
1:B:15:MET:SD	3:B:1294:HOH:O	2.55	0.65
1:B:41:ALA:HB3	1:B:83:ILE:HG23	1.78	0.64
1:B:238:GLN:O	3:B:1109:HOH:O	2.15	0.64
1:A:517:HIS:ND1	3:A:1116:HOH:O	2.17	0.63
1:B:121:ALA:HB1	2:B:1001:ARG:HB3	1.83	0.61
1:A:332:ARG:HG3	1:A:363:PRO:HG2	1.84	0.60
1:B:489:ARG:NH1	1:B:546:GLU:OE2	2.33	0.60
1:A:235:THR:OG1	3:A:1115:HOH:O	2.17	0.59
1:B:225:ARG:NH2	3:B:1126:HOH:O	2.36	0.58
1:B:340:ARG:HH21	1:B:371:MET:HG2	1.67	0.58
1:B:67:ASP:OD1	1:B:69:ASN:ND2	2.35	0.58
1:A:499:ARG:NH1	3:A:1134:HOH:O	2.36	0.57
1:A:123:ASN:HD22	1:A:126:LYS:HE2	1.68	0.57
1:B:59:ALA:HB1	1:B:77:ILE:HD12	1.86	0.57
1:B:75:VAL:HG22	1:B:83:ILE:HD11	1.87	0.56
1:B:122:PRO:HD2	1:B:159:VAL:HG12	1.88	0.55
1:A:94:GLU:OE1	1:B:534:TYR:OH	2.20	0.54
1:A:337:ILE:HD12	1:A:345:LEU:HD11	1.89	0.54
1:A:190:GLU:N	1:A:190:GLU:OE2	2.40	0.54
1:A:248:VAL:HG12	1:A:250:LEU:H	1.73	0.54

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:262:ASN:OD1	3:A:1117:HOH:O	2.18	0.54
1:B:158:HIS:HD2	2:B:1001:ARG:HB2	1.72	0.53
1:A:460:MET:HE3	1:A:524:TYR:HA	1.91	0.53
1:A:265:LEU:HD22	1:A:315:THR:HG22	1.91	0.53
1:B:242:THR:HG21	1:B:390:LEU:HD23	1.91	0.52
1:A:59:ALA:HB1	1:A:77:ILE:HD12	1.92	0.52
1:B:174:GLU:HA	1:B:177:GLN:HG2	1.91	0.52
1:B:389:LYS:HB2	1:B:392:ASP:HB2	1.91	0.52
1:B:286:VAL:HG12	1:B:303:ILE:HG12	1.92	0.51
1:B:399:GLU:HG3	3:B:1107:HOH:O	2.11	0.51
1:B:477:ASP:OD1	3:B:1111:HOH:O	2.19	0.51
1:B:203:ASP:OD2	1:B:204:GLU:N	2.44	0.50
1:B:63:LEU:HD11	1:B:83:ILE:HD13	1.93	0.50
1:A:34:VAL:HG21	3:A:1118:HOH:O	2.11	0.49
1:B:78:ALA:N	1:B:82:PHE:O	2.31	0.49
1:B:409:ASN:OD1	3:B:1110:HOH:O	2.19	0.49
1:B:248:VAL:HG12	1:B:250:LEU:H	1.78	0.49
1:B:258:GLU:OE2	2:B:1001:ARG:N	2.45	0.49
1:B:396:GLU:HG2	1:B:400:ARG:HD2	1.95	0.49
1:B:338:ASP:OD1	1:B:340:ARG:NH2	2.45	0.49
1:A:122:PRO:HD2	1:A:159:VAL:HG12	1.95	0.49
1:A:197:LYS:HA	1:A:200:TYR:HB2	1.94	0.49
1:A:459:TYR:HD2	1:A:460:MET:HE2	1.77	0.48
1:A:306:LYS:NZ	1:A:311:TYR:O	2.47	0.48
1:A:337:ILE:HG12	2:A:1001:ARG:HG2	1.96	0.47
1:A:68:LEU:HD12	1:A:75:VAL:HG21	1.95	0.47
1:B:1:MET:HE3	1:B:6:LEU:HA	1.98	0.46
1:A:336:TYR:O	2:A:1001:ARG:N	2.49	0.46
1:A:195:ASP:HA	1:A:198:LYS:HD2	1.98	0.45
1:A:500:LEU:HD21	1:A:558:THR:HA	1.97	0.45
1:B:74:LYS:HB3	1:B:86:PHE:HB2	1.98	0.45
1:B:42:ASN:HD22	1:B:82:PHE:HE2	1.64	0.44
1:A:164:THR:HG23	1:A:214:VAL:HG21	2.00	0.44
1:B:294:ASN:HD21	1:B:298:GLU:HB2	1.83	0.44
1:B:45:MET:HA	1:B:55:PRO:HB3	1.98	0.44
1:B:383:ARG:H	1:B:383:ARG:HG3	1.42	0.44
1:A:188:ASP:O	1:A:192:PHE:N	2.49	0.44
1:B:12:ARG:NE	3:B:1102:HOH:O	2.46	0.44
1:A:409:ASN:OD1	1:A:409:ASN:N	2.50	0.44
1:B:31:SER:OG	1:B:37:GLY:O	2.24	0.43
1:B:25:GLU:HA	1:B:26:PRO:HD2	1.87	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:463:ALA:O	1:A:467:VAL:HG23	2.18	0.43
1:B:212:ASN:HD21	1:B:216:LYS:NZ	2.17	0.43
1:B:332:ARG:HD2	1:B:365:GLU:OE2	2.19	0.42
1:B:15:MET:HB2	1:B:15:MET:HE3	1.89	0.42
1:B:290:ASP:N	1:B:290:ASP:OD1	2.53	0.42
1:B:407:GLU:O	1:B:409:ASN:N	2.53	0.42
1:A:412:MET:HB2	1:A:413:PRO:HD2	2.01	0.42
1:A:515:THR:HB	1:A:517:HIS:CE1	2.55	0.42
1:B:353:ARG:NH1	1:B:359:PRO:O	2.53	0.41
1:A:294:ASN:HD21	1:A:298:GLU:HB2	1.84	0.41
1:A:175:LYS:HA	1:A:175:LYS:HD3	1.75	0.41
1:A:424:VAL:HG13	1:A:458:PRO:HG3	2.02	0.41
1:A:381:LYS:HD3	1:A:385:GLY:C	2.40	0.41
1:A:63:LEU:HD13	1:A:77:ILE:HD11	2.03	0.41
1:A:233:ASP:HA	1:A:252:ARG:HH21	1.86	0.41
1:A:495:GLN:OE1	3:A:1118:HOH:O	2.22	0.40
1:A:127:GLU:HG2	3:A:1128:HOH:O	2.21	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:A:1300:HOH:O	3:B:1224:HOH:O[1_554]	2.03	0.17

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	577/586 (98%)	553 (96%)	19 (3%)	5 (1%)	17 16
1	B	567/586 (97%)	557 (98%)	8 (1%)	2 (0%)	34 37
All	All	1144/1172 (98%)	1110 (97%)	27 (2%)	7 (1%)	25 26

All (7) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	409	ASN
1	A	382	THR
1	A	385	GLY
1	B	408	LYS
1	A	120	SER
1	A	411	ASP
1	B	120	SER

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	474/478 (99%)	456 (96%)	18 (4%)	33	42
1	B	468/478 (98%)	451 (96%)	17 (4%)	35	45
All	All	942/956 (98%)	907 (96%)	35 (4%)	33	43

All (35) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	-7	HIS
1	A	130	VAL
1	A	152	LYS
1	A	175	LYS
1	A	200	TYR
1	A	208	GLU
1	A	212	ASN
1	A	252	ARG
1	A	280	GLU
1	A	312	LEU
1	A	382	THR
1	A	387	THR
1	A	390	LEU
1	A	403	ARG
1	A	405	VAL
1	A	409	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	489	ARG
1	A	546	GLU
1	B	69	ASN
1	B	83	ILE
1	B	189	LEU
1	B	231	LEU
1	B	253	ASP
1	B	290	ASP
1	B	296	GLU
1	B	312	LEU
1	B	315	THR
1	B	383	ARG
1	B	387	THR
1	B	404	LEU
1	B	409	ASN
1	B	419	LYS
1	B	453	GLU
1	B	479	GLU
1	B	525	ASP

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and

the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	ARG	B	1001	-	10,11,11	0.74	1 (10%)	11,13,13	1.09	2 (18%)
2	ARG	A	1001	-	10,11,11	0.73	1 (10%)	11,13,13	1.06	2 (18%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	ARG	B	1001	-	-	1/11/11/11	-
2	ARG	A	1001	-	-	5/11/11/11	-

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	1001	ARG	OXT-C	-2.13	1.23	1.30
2	A	1001	ARG	OXT-C	-2.10	1.23	1.30

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	1001	ARG	OXT-C-O	-2.83	117.67	124.09
2	A	1001	ARG	OXT-C-O	-2.69	117.99	124.09
2	A	1001	ARG	OXT-C-CA	2.20	120.88	113.38
2	B	1001	ARG	OXT-C-CA	2.16	120.74	113.38

There are no chirality outliers.

All (6) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	1001	ARG	O-C-CA-N
2	A	1001	ARG	N-CA-CB-CG
2	A	1001	ARG	C-CA-CB-CG
2	A	1001	ARG	OXT-C-CA-N
2	A	1001	ARG	CA-CB-CG-CD

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
2	B	1001	ARG	NE-CD-CG-CB


There are no ring outliers.

2 monomers are involved in 6 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	B	1001	ARG	3	0
2	A	1001	ARG	3	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	581/586 (99%)	-0.07	20 (3%) 45 43	22, 44, 92, 123	0
1	B	573/586 (97%)	-0.10	16 (2%) 53 51	23, 43, 85, 109	0
All	All	1154/1172 (98%)	-0.08	36 (3%) 49 47	22, 44, 87, 123	0

All (36) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	204	GLU	7.2
1	A	178	GLN	5.3
1	B	202	GLU	4.5
1	A	177	GLN	4.5
1	A	405	VAL	4.3
1	B	-6	HIS	4.1
1	B	406	ALA	3.7
1	A	200	TYR	3.5
1	B	36	PHE	3.4
1	A	205	GLU	3.3
1	A	407	GLU	3.3
1	A	404	LEU	3.2
1	A	175	LYS	3.2
1	B	190	GLU	3.1
1	B	409	ASN	3.0
1	A	409	ASN	3.0
1	B	414	ALA	2.9
1	A	186	LEU	2.7
1	B	413	PRO	2.6
1	B	383	ARG	2.6
1	A	410	PRO	2.5
1	B	45	MET	2.4
1	A	180	ASN	2.4
1	A	231	LEU	2.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	406	ALA	2.3
1	A	36	PHE	2.3
1	A	202	GLU	2.2
1	A	189	LEU	2.2
1	B	-5	HIS	2.2
1	A	197	LYS	2.2
1	A	411	ASP	2.2
1	B	388	VAL	2.2
1	B	80	PRO	2.1
1	B	129	HIS	2.1
1	B	408	LYS	2.1
1	B	194	ARG	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	ARG	A	1001	12/12	0.70	0.30	44,78,81,85	0
2	ARG	B	1001	12/12	0.71	0.24	81,88,95,95	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around ARG A 1001:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around ARG B 1001:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.