



# Full wwPDB X-ray Structure Validation Report i

Jan 23, 2021 – 04:05 PM EST

PDB ID : 1YZY

Title : Crystal structure of Haemophilus influenzae protein HI1011, Pfam DUF1537

Authors : Patskovsky, Y.; Almo, S.C.; Burley, S.K.; New York SGX Research Center for Structural Genomics (NYSGXRC)

Deposited on : 2005-02-28

Resolution : 2.10 Å (reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the i symbol.

---

The following versions of software and data (see [references](#) ①) were used in the production of this report:

MolProbity : 4.02b-467

Xtriage (Phenix) : 1.13

EDS : 2.16

Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)

Refmac : 5.8.0158

CCP4 : 7.0.044 (Gargrove)

Ideal geometry (proteins) : Engh & Huber (2001)

Ideal geometry (DNA, RNA) : Parkinson et al. (1996)

Validation Pipeline (wwPDB-VP) : 2.16


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*


The reported resolution of this entry is 2.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	5197 (2.10-2.10)
Clashscore	141614	5710 (2.10-2.10)
Ramachandran outliers	138981	5647 (2.10-2.10)
Sidechain outliers	138945	5648 (2.10-2.10)
RSRZ outliers	127900	5083 (2.10-2.10)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5%. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.



## 2 Entry composition [\(i\)](#)

There are 2 unique types of molecules in this entry. The entry contains 6681 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Hypothetical protein HI1011.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	412	Total	C	N	O	S	0	0	0
			3146	2006	519	608	13			


- Molecule 2 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	231	Total	O	0	0
			231	231		
2	B	158	Total	O	0	0
			158	158		


### 3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Hypothetical protein HI1011



- Molecule 1: Hypothetical protein HI1011



## 4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	67.24Å    82.39Å    84.44Å 90.00°    108.41°    90.00°	Depositor
Resolution (Å)	20.00 – 2.10 20.00 – 2.10	Depositor EDS
% Data completeness (in resolution range)	90.9 (20.00-2.10) 91.9 (20.00-2.10)	Depositor EDS
$R_{merge}$	0.06	Depositor
$R_{sym}$	0.07	Depositor
$< I/\sigma(I) >$ <sup>1</sup>	2.03 (at 2.09Å)	Xtriage
Refinement program	CNS 1.0	Depositor
$R$ , $R_{free}$	0.213 , 0.245 0.215 , 0.252	Depositor DCC
$R_{free}$ test set	1423 reflections (3.03%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	26.3	Xtriage
Anisotropy	0.146	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.34 , 54.0	EDS
L-test for twinning <sup>2</sup>	$<  L  > = 0.48$ , $< L^2 > = 0.31$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
$F_o, F_c$ correlation	0.94	EDS
Total number of atoms	6681	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	34.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.94% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $< |L| >$ ,  $< L^2 >$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [\(i\)](#)

### 5.1 Standard geometry [\(i\)](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z  > 5$	RMSZ	# $ Z  > 5$
1	A	0.38	0/3208	0.65	0/4347
1	B	0.36	0/3208	0.63	0/4347
All	All	0.37	0/6416	0.64	0/8694

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [\(i\)](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3146	0	3112	47	0
1	B	3146	0	3112	67	0
2	A	231	0	0	8	0
2	B	158	0	0	8	0
All	All	6681	0	6224	114	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 9.

All (114) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:50:ARG:HH11	1:A:50:ARG:HG3	1.37	0.88

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:235:LYS:HE2	2:A:522:HOH:O	1.81	0.79
1:A:298:ASP:HB2	2:A:550:HOH:O	1.85	0.75
1:B:257:MET:HE2	1:B:261:GLN:HG3	1.68	0.73
1:A:302:ALA:H	1:A:408:GLN:HE22	1.39	0.70
1:B:69:LYS:HE3	2:B:519:HOH:O	1.91	0.70
1:B:283:GLU:HG3	2:B:569:HOH:O	1.91	0.69
2:A:533:HOH:O	1:B:35:SER:HB3	1.93	0.68
1:B:400:LYS:HG2	2:B:443:HOH:O	1.95	0.66
1:A:86:SER:HB2	1:A:90:GLY:HA3	1.78	0.65
1:A:8:PHE:HB2	2:A:586:HOH:O	1.96	0.64
1:A:26:VAL:HG23	1:A:40:VAL:HG11	1.80	0.64
1:B:256:VAL:O	1:B:260:LYS:HG3	2.00	0.61
1:A:50:ARG:NH1	1:A:50:ARG:HG3	2.13	0.60
1:A:87:THR:H	1:A:90:GLY:HA3	1.66	0.60
1:B:277:GLU:HG2	1:B:321:PHE:CZ	2.36	0.60
1:B:335:ALA:O	1:B:363:GLU:HG2	2.02	0.60
1:B:235:LYS:HE3	2:B:513:HOH:O	2.00	0.59
1:B:383:LYS:HE2	1:B:388:ASP:HA	1.85	0.59
1:B:49:SER:HA	1:B:52:ASN:OD1	2.03	0.58
1:B:26:VAL:HG23	1:B:40:VAL:HG11	1.85	0.57
1:A:360:VAL:O	1:A:364:LEU:HG	2.05	0.57
1:A:136:SER:O	1:A:139:LYS:HG2	2.05	0.56
1:B:408:GLN:C	1:B:410:MET:H	2.07	0.56
1:B:234:LYS:HE2	1:B:235:LYS:H	1.69	0.56
1:A:335:ALA:O	1:A:363:GLU:HG2	2.07	0.55
1:B:302:ALA:H	1:B:408:GLN:HE22	1.54	0.55
1:B:269:ALA:HB2	1:B:301:PHE:HB2	1.88	0.55
1:A:198:VAL:H	1:A:202:GLN:HE21	1.56	0.54
1:A:167:ALA:HB1	2:A:467:HOH:O	2.07	0.53
1:B:152:MET:N	1:B:152:MET:HE2	2.24	0.53
1:B:198:VAL:H	1:B:202:GLN:HE21	1.55	0.52
1:B:289:LEU:O	1:B:293:VAL:HG23	2.10	0.52
1:B:326:ALA:O	1:B:330:ILE:HD13	2.09	0.52
1:B:284:ASN:HA	2:B:470:HOH:O	2.11	0.51
1:A:117:ASN:HB3	2:A:636:HOH:O	2.10	0.51
1:B:271:HIS:HB2	1:B:306:TYR:HE2	1.76	0.50
1:B:251:SER:HA	1:B:352:ALA:HB3	1.91	0.50
1:B:23:LEU:HG	1:B:41:ASP:HB3	1.94	0.50
1:B:124:GLY:HA3	1:B:152:MET:HE1	1.93	0.50
1:B:256:VAL:HG22	2:B:564:HOH:O	2.12	0.50
1:A:408:GLN:HA	1:A:411:PHE:CE1	2.47	0.49

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:408:GLN:O	1:B:412:LEU:HD23	2.12	0.49
1:B:107:PHE:HA	1:B:191:ARG:O	2.13	0.49
1:B:379:VAL:HG11	1:B:394:LYS:HA	1.94	0.49
1:B:258:THR:O	1:B:262:VAL:HG23	2.13	0.49
1:A:222:LEU:O	1:A:226:MET:HG3	2.13	0.48
1:B:276:VAL:HG11	1:B:317:ILE:CG2	2.44	0.48
1:B:124:GLY:CA	1:B:152:MET:HE1	2.43	0.47
1:B:398:PHE:N	1:B:398:PHE:CD1	2.81	0.47
1:A:19:VAL:HG21	1:A:371:ILE:HB	1.97	0.47
1:B:19:VAL:HG21	1:B:371:ILE:HB	1.96	0.47
1:A:174:GLY:O	1:A:178:VAL:HG23	2.15	0.47
1:A:95:VAL:O	1:A:99:LEU:HG	2.15	0.47
1:B:14:ILE:O	1:B:18:LEU:HG	2.15	0.47
1:B:175:ALA:O	1:B:179:GLN:HG3	2.15	0.47
1:A:269:ALA:HB1	1:A:270:PRO:CD	2.46	0.46
1:B:50:ARG:NH1	1:B:81:CYS:HB2	2.31	0.46
1:B:58:ILE:O	1:B:62:LEU:HG	2.16	0.46
1:A:336:LYS:O	1:A:340:LYS:HG3	2.16	0.46
1:A:269:ALA:HB2	1:A:301:PHE:HB2	1.98	0.46
1:B:379:VAL:HG12	2:B:454:HOH:O	2.16	0.46
1:B:356:THR:O	1:B:360:VAL:HG23	2.16	0.45
1:B:339:ALA:HB2	1:B:363:GLU:HG3	1.98	0.45
1:B:50:ARG:HH11	1:B:50:ARG:HG3	1.81	0.45
1:B:357:SER:O	1:B:361:VAL:HG23	2.16	0.45
1:B:222:LEU:O	1:B:226:MET:HG3	2.15	0.45
1:A:87:THR:O	1:A:90:GLY:N	2.46	0.45
1:A:50:ARG:HH11	1:A:50:ARG:CG	2.16	0.45
1:A:294:ILE:HA	1:A:297:LEU:HG	1.99	0.44
1:B:184:GLU:O	1:B:188:GLN:HG3	2.17	0.44
1:B:240:PHE:CD1	1:B:240:PHE:C	2.90	0.44
1:A:206:LEU:O	1:A:210:VAL:HG22	2.18	0.44
1:A:50:ARG:HD2	2:A:608:HOH:O	2.17	0.44
1:B:29:ASN:HA	1:B:46:SER:HB3	2.00	0.43
1:B:87:THR:H	1:B:90:GLY:CA	2.31	0.43
1:A:269:ALA:HB1	1:A:270:PRO:HD2	2.00	0.43
1:A:317:ILE:HG23	1:A:321:PHE:HD2	1.83	0.43
1:A:246:LYS:HB2	1:A:346:VAL:HA	2.00	0.43
1:A:14:ILE:HD12	1:A:79:LYS:HD3	2.00	0.43
1:B:253:SER:O	1:B:308:THR:HG23	2.19	0.43
1:B:240:PHE:HE2	1:B:370:HIS:HB3	1.84	0.43
1:B:257:MET:HE2	1:B:261:GLN:CG	2.46	0.43

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:124:GLY:HA3	1:B:152:MET:CE	2.48	0.43
1:B:256:VAL:CG2	2:B:564:HOH:O	2.65	0.43
1:A:356:THR:O	1:A:359:ILE:HG22	2.19	0.42
1:A:103:LEU:O	1:A:104:ASN:HB2	2.19	0.42
1:B:148:ASP:HB3	1:B:154:LEU:HD21	2.02	0.42
1:A:43:ILE:HG21	1:A:67:TRP:HZ3	1.84	0.42
1:B:247:THR:HB	1:B:302:ALA:HB2	2.02	0.42
1:A:111:THR:HA	1:A:112:PRO:HD2	1.94	0.42
1:B:307:ALA:O	1:B:309:VAL:HG13	2.20	0.42
1:A:176:SER:O	1:A:180:GLU:HG3	2.20	0.41
1:A:87:THR:C	1:A:90:GLY:H	2.23	0.41
1:A:198:VAL:H	1:A:202:GLN:NE2	2.18	0.41
1:A:254:CYS:HB2	1:A:314:LEU:HD22	2.03	0.41
1:B:276:VAL:HG11	1:B:317:ILE:HG23	2.02	0.41
1:A:149:ALA:HB3	2:A:433:HOH:O	2.21	0.41
1:B:356:THR:O	1:B:359:ILE:HG22	2.21	0.41
1:B:111:THR:HG21	1:B:222:LEU:HD22	2.02	0.41
1:A:50:ARG:CG	1:A:50:ARG:NH1	2.80	0.41
1:A:398:PHE:CD1	1:A:398:PHE:N	2.88	0.41
1:A:321:PHE:O	1:A:325:GLN:HB2	2.21	0.40
1:B:86:SER:HB2	1:B:90:GLY:CA	2.50	0.40
1:B:369:PHE:HE1	1:B:391:LEU:HD13	1.87	0.40
1:A:159:ALA:HB1	1:A:192:TYR:OH	2.22	0.40
1:A:387:GLU:HG3	1:A:389:ILE:HG12	2.04	0.40
1:B:87:THR:H	1:B:90:GLY:HA2	1.85	0.40
1:A:107:PHE:HA	1:A:191:ARG:O	2.20	0.40
1:B:247:THR:HA	1:B:348:ASN:O	2.21	0.40
1:B:89:LYS:HD2	1:B:89:LYS:H	1.86	0.40
1:B:210:VAL:HA	1:B:213:PHE:CD1	2.56	0.40
1:B:259:ASN:ND2	1:B:311:PRO:HD3	2.37	0.40
1:B:58:ILE:HG23	1:B:98:ALA:CB	2.52	0.40

There are no symmetry-related clashes.

### 5.3 Torsion angles [\(i\)](#)

#### 5.3.1 Protein backbone [\(i\)](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	410/413 (99%)	394 (96%)	14 (3%)	2 (0%)	29 26
1	B	410/413 (99%)	386 (94%)	21 (5%)	3 (1%)	22 18
All	All	820/826 (99%)	780 (95%)	35 (4%)	5 (1%)	25 21

All (5) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	90	GLY
1	B	91	ASN
1	A	388	ASP
1	B	308	THR
1	A	197	ALA

### 5.3.2 Protein sidechains [\(i\)](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	334/335 (100%)	319 (96%)	15 (4%)	27 27
1	B	334/335 (100%)	322 (96%)	12 (4%)	35 36
All	All	668/670 (100%)	641 (96%)	27 (4%)	31 32

All (27) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	16	SER
1	A	23	LEU
1	A	46	SER
1	A	83	THR
1	A	85	ASP
1	A	106	ASP
1	A	192	TYR
1	A	202	GLN

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	208	GLU
1	A	243	THR
1	A	244	LYS
1	A	263	GLU
1	A	299	SER
1	A	391	LEU
1	A	395	SER
1	B	66	GLN
1	B	152	MET
1	B	158	GLN
1	B	192	TYR
1	B	202	GLN
1	B	234	LYS
1	B	241	THR
1	B	253	SER
1	B	263	GLU
1	B	272	PHE
1	B	324	ASP
1	B	395	SER

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (12) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	117	ASN
1	A	179	GLN
1	A	202	GLN
1	A	238	ASN
1	A	348	ASN
1	A	408	GLN
1	B	29	ASN
1	B	202	GLN
1	B	319	HIS
1	B	320	GLN
1	B	348	ASN
1	B	408	GLN

### 5.3.3 RNA (i)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [\(i\)](#)

There are no monosaccharides in this entry.

## 5.6 Ligand geometry [\(i\)](#)

There are no ligands in this entry.

## 5.7 Other polymers [\(i\)](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [\(i\)](#)

There are no chain breaks in this entry.

## 6 Fit of model and data (i)

### 6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	412/413 (99%)	-0.23	8 (1%) 66 71	11, 23, 55, 89	0
1	B	412/413 (99%)	0.24	31 (7%) 14 18	16, 36, 76, 90	0
All	All	824/826 (99%)	0.00	39 (4%) 31 37	11, 29, 70, 90	0

All (39) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	412	LEU	6.9
1	B	90	GLY	6.8
1	B	310	PRO	5.4
1	A	90	GLY	5.2
1	A	319	HIS	4.9
1	A	412	LEU	4.3
1	B	326	ALA	4.2
1	B	325	GLN	4.2
1	B	283	GLU	3.8
1	B	321	PHE	3.8
1	A	37	ASN	3.8
1	B	319	HIS	3.7
1	A	315	LYS	3.7
1	B	284	ASN	3.6
1	B	315	LYS	3.5
1	B	328	HIS	3.4
1	B	312	ASP	3.2
1	B	411	PHE	3.2
1	B	281	HIS	3.2
1	B	309	VAL	3.0
1	B	238	ASN	2.9
1	B	409	GLY	2.8
1	B	329	ALA	2.7
1	B	244	LYS	2.7

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	A	312	ASP	2.6
1	B	299	SER	2.5
1	B	313	ALA	2.5
1	A	321	PHE	2.5
1	B	317	ILE	2.5
1	B	256	VAL	2.5
1	B	263	GLU	2.4
1	B	239	ALA	2.4
1	B	314	LEU	2.4
1	B	268	LYS	2.4
1	B	343	GLN	2.2
1	B	37	ASN	2.2
1	B	330	ILE	2.2
1	B	298	ASP	2.2
1	A	249	VAL	2.1

## 6.2 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [\(i\)](#)

There are no monosaccharides in this entry.

## 6.4 Ligands [\(i\)](#)

There are no ligands in this entry.

## 6.5 Other polymers [\(i\)](#)

There are no such residues in this entry.