

Sep 22, 2022 – 07:28 pm BST

PDB ID	:	7Z0S
EMDB ID	:	EMD-14429
Title	:	Structure of the Escherichia coli formate hydrogenlyase complex (anaerobic
		preparation, without formate dehydrogenase H)
Authors	:	Steinhilper, R.; Murphy, B.J.
Deposited on	:	2022-02-23
Resolution	:	2.60 Å(reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org* A user guide is available at https://www.wwpdb.org/validation/2017/EMValidationReportHelp with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (1)) were used in the production of this report:

EMDB validation analysis	:	0.0.1.dev8
Mogul	:	1.8.4, CSD as541be (2020)
MolProbity	:	4.02b-467
buster-report	:	1.1.7(2018)
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.30

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure: $ELECTRON\ MICROSCOPY$

The reported resolution of this entry is 2.60 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric		Whole archive	EM structures
		$(\# { m Entries})$	$(\# { m Entries})$
Clashscore		158937	4297
Ramachandran outli	iers	154571	4023
Sidechain outliers	3	154315	3826

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for $\geq=3, 2, 1$ and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq=5\%$ The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion < 40%). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain		
1	С	608	86%		12% •
2	Е	581	• 74%	17%	• 8%
3	В	203	73%	10%	16%
4	G	255	83%		15% ·
5	F	180	72%	19%	• 9%
6	D	307	75%	24	4% •



2 Entry composition (i)

There are 15 unique types of molecules in this entry. The entry contains 15969 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

• Molecule 1 is a protein called Formate hydrogenlyase subunit 3.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	С	604	Total 4475	C 2958	N 739	0 743	S 35	0	0

• Molecule 2 is a protein called Formate hydrogenlyase subunit 5.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	Е	532	Total 4263	C 2702	N 750	0 784	S 27	0	0

There are 12 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
Е	82B	HIS	-	expression tag	UNP P16431
Е	82C	HIS	-	expression tag	UNP P16431
E	82D	HIS	-	expression tag	UNP P16431
Е	82E	HIS	-	expression tag	UNP P16431
Е	82F	HIS	-	expression tag	UNP P16431
Е	82G	HIS	-	expression tag	UNP P16431
Е	82H	HIS	-	expression tag	UNP P16431
Е	82I	HIS	-	expression tag	UNP P16431
Е	82J	HIS	-	expression tag	UNP P16431
Е	82K	HIS	-	expression tag	UNP P16431
Е	82L	GLY	-	expression tag	UNP P16431
Е	82M	SER	-	expression tag	UNP P16431

• Molecule 3 is a protein called Formate hydrogenlyase subunit 2.

Mol	Chain	Residues		\mathbf{A}	toms	AltConf	Trace		
3	В	170	Total 1254	C 775	N 227	0 232	S 20	0	0

• Molecule 4 is a protein called Formate hydrogenlyase subunit 7.



Mol	Chain	Residues	Atoms					AltConf	Trace
4	G	250	Total 1924	C 1216	N 342	O 354	S 12	0	0

• Molecule 5 is a protein called Formate hydrogenlyase subunit 6.

Mol	Chain	Residues		A	toms	AltConf	Trace		
5	F	164	Total 1284	C 805	N 225	0 240	S 14	0	0

• Molecule 6 is a protein called Formate hydrogenlyase subunit 4.

Mol	Chain	Residues	Atoms					AltConf	Trace
6	D	306	Total 2321	C 1538	N 375	O 397	S 11	0	0

• Molecule 7 is CARDIOLIPIN (three-letter code: CDL) (formula: $C_{81}H_{156}O_{17}P_2$).



\mathbf{M}	ol	Chain	Residues	A		AltConf		
7	,	С	1	Total 62	C 43	0 17	Р 2	0

• Molecule 8 is PHOSPHATIDYLETHANOLAMINE (three-letter code: PTY) (formula: $C_{40}H_{80}NO_8P$).





Mol	Chain	Residues	Atoms					AltConf
8	С	1	Total	С	Ν	Ο	Р	0
0	U	1	92	72	2	16	2	0
0	C	1	Total	С	Ν	Ο	Р	0
0	U	L	92	72	2	16	2	0

• Molecule 9 is NICKEL (II) ION (three-letter code: NI) (formula: Ni) (labeled as "Ligand of Interest" by depositor).

Mol	Chain	Residues	Atoms	AltConf
9	Е	1	Total Ni 1 1	0

• Molecule 10 is CARBONMONOXIDE-(DICYANO) IRON (three-letter code: FCO) (formula: C₃FeN₂O) (labeled as "Ligand of Interest" by depositor).





Mol	Chain	Residues	Atoms					AltConf
10	F	1	Total	С	Fe	Ν	0	0
10	Ľ	L	7	3	1	2	1	0

• Molecule 11 is 1-CIS-9-OCTADECANOYL-2-CIS-9-HEXADECANOYL PHOSPHATIDYL GLYCEROL (three-letter code: DR9) (formula: $C_{40}H_{75}O_{10}P$).



Mol	Chain	Residues	Atoms				AltConf
11	Е	1	Total 51	C 40	O 10	Р 1	0

• Molecule 12 is IRON/SULFUR CLUSTER (three-letter code: SF4) (formula: Fe_4S_4) (labeled as "Ligand of Interest" by depositor).





Mol	Chain	Residues	Atoms	AltConf
12	В	1	Total Fe S 32 16 16	0
12	В	1	Total Fe S 32 16 16	0
12	В	1	Total Fe S 32 16 16	0
12	В	1	Total Fe S 32 16 16	0
12	G	1	TotalFeS844	0
12	F	1	TotalFeS1688	0
12	F	1	TotalFeS1688	0

• Molecule 13 is FE (III) ION (three-letter code: FE) (formula: Fe) (labeled as "Ligand of Interest" by depositor).

Mol	Chain	Residues	Atoms	AltConf
13	F	1	Total Fe 1 1	0

• Molecule 14 is Lauryl Maltose Neopentyl Glycol (three-letter code: LMN) (formula: $C_{47}H_{88}O_{22}$).





Mol	Chain	Residues	Atoms	AltConf
14	D	1	Total C O 69 47 22	0

• Molecule 15 is water.

Mol	Chain	Residues	Atoms	AltConf
15	С	18	Total O 18 18	0
15	Е	38	Total O 38 38	0
15	В	13	Total O 13 13	0
15	G	16	Total O 16 16	0
15	F	11	Total O 11 11	0
15	D	13	Total O 13 13	0



3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Formate hydrogenlyase subunit 3







PHE GLY ASP LEU THR LEU PHE GLN GLN GLN GLN SER GLV GLV GLV CLV SER

• Molecule 4: Formate hydrogenlyase subunit 7



• Molecule 5: Formate hydrogenlyase subunit 6





• Molecule 6: Formate hydrogenlyase subunit 4





4 Experimental information (i)

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	300386	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE	Depositor
	CORRECTION	
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose $(e^-/\text{\AA}^2)$	61	Depositor
Minimum defocus (nm)	1000	Depositor
Maximum defocus (nm)	2500	Depositor
Magnification	Not provided	
Image detector	GATAN K3 BIOQUANTUM (6k x 4k)	Depositor
Maximum map value	3.659	Depositor
Minimum map value	-2.105	Depositor
Average map value	0.004	Depositor
Map value standard deviation	0.145	Depositor
Recommended contour level	0.6	Depositor
Map size (Å)	249.29999, 249.29999, 249.29999	wwPDB
Map dimensions	300, 300, 300	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	0.831, 0.831, 0.831	Depositor



5 Model quality (i)

5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: SF4, LMN, DR9, NI, FE, PTY, FCO, CDL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Chain	Bond	lengths	Bond angles	
	Unam	RMSZ # Z > 5		RMSZ	# Z > 5
1	С	0.35	0/4579	0.62	0/6246
2	Е	0.36	0/4365	0.66	0/5923
3	В	0.30	0/1281	0.61	0/1748
4	G	0.38	0/1968	0.66	0/2673
5	F	0.37	0/1310	0.59	0/1771
6	D	0.43	0/2375	0.72	0/3241
All	All	0.37	0/15878	0.65	0/21602

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	С	4475	0	4728	52	0
2	Е	4263	0	4179	66	0
3	В	1254	0	1235	12	0
4	G	1924	0	1911	23	0
5	F	1284	0	1250	24	0
6	D	2321	0	2430	55	0
7	С	62	0	68	0	0



Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
8	С	92	0	136	6	0
9	Е	1	0	0	0	0
10	Е	7	0	0	0	0
11	Е	51	0	74	3	0
12	В	32	0	0	0	0
12	F	16	0	0	1	0
12	G	8	0	0	1	0
13	F	1	0	0	0	0
14	D	69	0	88	6	0
15	В	13	0	0	0	0
15	С	18	0	0	1	0
15	D	13	0	0	0	0
15	Е	38	0	0	0	0
15	F	11	0	0	1	0
15	G	16	0	0	0	0
All	All	15969	0	16099	218	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All (218) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom 1	Atom 2	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:C:593:LEU:HD12	1:C:593:LEU:O	1.89	0.73
2:E:362:VAL:HG12	5:F:3:THR:HG22	1.71	0.71
1:C:195:SER:HB3	1:C:258:TRP:HZ2	1.57	0.69
6:D:5:TYR:HB3	6:D:6:PRO:HD3	1.74	0.67
5:F:144:ARG:HA	5:F:148:HIS:HD2	1.59	0.66
5:F:144:ARG:HA	5:F:148:HIS:CD2	2.31	0.66
6:D:242:TRP:HH2	14:D:401:LMN:HAZA	1.61	0.65
2:E:266:GLU:HG2	2:E:453:PRO:HG2	1.78	0.65
6:D:111:PHE:HD2	6:D:130:GLU:HG2	1.61	0.65
4:G:61:PRO:HA	6:D:34:ARG:HG2	1.78	0.65
6:D:220:MET:O	6:D:224:ILE:HG12	1.96	0.65
6:D:179:LEU:HD11	14:D:401:LMN:HABA	1.81	0.62
6:D:129:ARG:HD2	6:D:197:LEU:O	2.01	0.60
6:D:301:PHE:CZ	6:D:305:LEU:HD11	2.35	0.60
6:D:242:TRP:CH2	14:D:401:LMN:HAZA	2.36	0.59
8:C:702:PTY:H382	8:C:702:PTY:H241	1.84	0.59
6:D:20:LEU:HD11	6:D:264:LEU:HB3	1.85	0.58
6:D:100:LEU:O	6:D:104:PHE:CD2	2.58	0.57



	1 + 2	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
2:E:46:VAL:HG13	2:E:78:LEU:HD21	1.86	0.56
6:D:111:PHE:CD2	6:D:130:GLU:HG2	2.40	0.56
6:D:140:MET:SD	6:D:293:GLY:HA3	2.45	0.56
2:E:502:THR:HG23	2:E:528:LEU:HD21	1.86	0.56
2:E:339:LYS:O	2:E:343:ILE:N	2.32	0.55
6:D:243:GLY:HA3	6:D:259:ILE:HG21	1.89	0.55
2:E:242:GLY:O	2:E:323:LYS:HE2	2.08	0.54
8:C:703:PTY:HC12	8:C:703:PTY:HC31	1.88	0.54
6:D:4:LEU:O	6:D:8:ILE:HG12	2.07	0.54
1:C:127:LEU:O	1:C:131:VAL:HG23	2.08	0.54
6:D:195:PHE:HA	6:D:197:LEU:HD13	1.89	0.53
2:E:69:ASN:ND2	2:E:93:GLU:OE2	2.41	0.53
1:C:127:LEU:HD13	1:C:181:LEU:HD21	1.89	0.53
1:C:155:PHE:O	1:C:159:ARG:HG2	2.09	0.53
5:F:68:TRP:HB3	5:F:110:SER:HB2	1.90	0.53
2:E:60:LEU:HG	2:E:114:GLY:HA3	1.91	0.53
2:E:403:THR:HB	2:E:475:GLU:HB2	1.90	0.53
6:D:151:VAL:HG23	6:D:304:LEU:HD11	1.91	0.52
6:D:19:LEU:O	6:D:23:ILE:HD12	2.10	0.52
2:E:502:THR:HA	2:E:505:ASN:HB2	1.91	0.52
2:E:502:THR:HG23	2:E:528:LEU:CD2	2.40	0.51
2:E:58:SER:HB3	2:E:482:ILE:HG13	1.91	0.51
1:C:18:ALA:HB1	1:C:109:LEU:HD12	1.93	0.51
6:D:13:LEU:HD12	6:D:79:ALA:HB1	1.93	0.51
1:C:355:ILE:O	1:C:444:ARG:NH2	2.43	0.51
2:E:483:HIS:HE2	2:E:498:CYS:HG	1.58	0.50
2:E:40:ASN:HA	2:E:102:PRO:HG2	1.92	0.50
11:E:603:DR9:HBI2	6:D:270:VAL:HG11	1.91	0.50
4:G:169:ALA:HB2	5:F:105:ASP:HA	1.94	0.50
6:D:186:THR:HG23	6:D:231:VAL:HG12	1.92	0.50
6:D:240:ILE:HG23	14:D:401:LMN:HAY	1.93	0.50
6:D:108:ARG:HG3	6:D:130:GLU:HG3	1.92	0.50
2:E:69:ASN:HD21	2:E:91:ARG:HH22	1.60	0.50
2:E:239:ARG:HG2	12:G:301:SF4:S2	2.52	0.50
2:E:255:SER:HB3	2:E:472:GLY:HA3	1.93	0.50
2:E:287:ASN:HB2	2:E:529:ASP:OD2	2.12	0.50
1:C:355:ILE:HA	1:C:358:LEU:HB2	1.93	0.50
2:E:21:VAL:HG12	2:E:37:VAL:HB	1.94	0.50
1:C:402:SER:HB3	6:D:150:GLN:NE2	2.27	0.49
3:B:75:VAL:O	3:B:142:LYS:NZ	2.44	0.49
1:C:93:LEU:HA	1:C:96:ILE:HD12	1.93	0.49



		Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
2:E:260:MET:HE1	2:E:465:ILE:H	1.78	0.49
2:E:394:VAL:HG22	2:E:399:HIS:HB2	1.95	0.49
5:F:47:VAL:HG21	5:F:57:VAL:HG13	1.93	0.49
6:D:17:ALA:N	6:D:18:PRO:CD	2.75	0.49
11:E:603:DR9:HAE2	6:D:194:PRO:HG3	1.95	0.49
5:F:39:GLN:HE21	5:F:87:THR:HB	1.78	0.49
6:D:301:PHE:CE1	6:D:305:LEU:HD11	2.47	0.49
1:C:355:ILE:HD12	1:C:437:VAL:CG2	2.42	0.48
1:C:36:GLY:HA3	1:C:96:ILE:HG13	1.95	0.48
6:D:75:MET:HB3	6:D:226:LEU:HG	1.94	0.48
4:G:41:TYR:HB3	4:G:82:LEU:HD23	1.95	0.48
6:D:201:GLU:HA	6:D:206:GLU:H	1.78	0.48
1:C:155:PHE:CZ	1:C:591:MET:HG3	2.48	0.48
8:C:702:PTY:H262	8:C:702:PTY:H443	1.95	0.48
4:G:64:ASP:O	4:G:67:ARG:HG2	2.12	0.48
2:E:176:ASP:N	2:E:176:ASP:OD1	2.45	0.48
6:D:164:VAL:HG11	6:D:239:PHE:HA	1.95	0.48
4:G:68:PHE:HE2	4:G:153:LEU:HD22	1.78	0.48
2:E:457:LEU:HG	4:G:202:LEU:O	2.14	0.48
3:B:97:ILE:HG12	3:B:142:LYS:HB3	1.94	0.48
6:D:12:VAL:O	6:D:16:VAL:HG13	2.14	0.47
5:F:46:CYS:HB3	12:F:201:SF4:S3	2.54	0.47
6:D:207:GLY:O	6:D:210:SER:OG	2.26	0.47
6:D:17:ALA:N	6:D:18:PRO:HD3	2.29	0.47
6:D:31:LEU:HD11	6:D:273:LEU:HD23	1.96	0.47
2:E:241:CYS:SG	4:G:49:ASN:ND2	2.86	0.47
1:C:315:PRO:HA	1:C:318:ILE:HD12	1.96	0.47
2:E:81:GLU:HA	2:E:85:LYS:HD3	1.96	0.47
2:E:416:PRO:HD2	2:E:444:MET:HG2	1.96	0.47
5:F:27:LYS:HE3	5:F:28:ASN:ND2	2.29	0.47
6:D:282:ARG:O	6:D:286:THR:OG1	2.30	0.47
1:C:195:SER:HB3	1:C:258:TRP:CZ2	2.45	0.47
1:C:114:LEU:HD22	1:C:232:LEU:HD13	1.97	0.47
1:C:218:VAL:HG12	1:C:289:ALA:HB1	1.95	0.47
1:C:388:PHE:HE2	1:C:498:VAL:HG21	1.79	0.47
1:C:538:GLY:O	4:G:98:ARG:NH1	2.46	0.47
1:C:195:SER:CB	1:C:258:TRP:HZ2	2.27	0.47
2:E:390:VAL:HG12	2:E:401:ARG:HH12	1.80	0.47
2:E:257:GLU:HA	2:E:262:ILE:HD12	1.98	0.46
4:G:80:ASP:HA	6:D:52:ARG:HH21	1.80	0.46
4:G:188:VAL:HG12	4:G:190:PRO:HD2	1.97	0.46



	At 9	Interatomic	Clash
Atom-1	Atom-2	distance (\AA)	overlap (Å)
14:D:401:LMN:HBE	14:D:401:LMN:HBK	1.81	0.46
5:F:33:PRO:HA	5:F:92:LEU:HA	1.96	0.46
1:C:141:ALA:HB1	1:C:154:TRP:CH2	2.50	0.46
1:C:518:MET:HG3	1:C:519:ALA:N	2.30	0.46
3:B:4:PHE:O	3:B:166:LEU:HD23	2.16	0.46
1:C:545:MET:HG3	2:E:181:VAL:HG23	1.98	0.46
2:E:100:GLU:HG2	2:E:125:ILE:HB	1.98	0.46
4:G:110:ILE:HG12	4:G:140:VAL:HB	1.97	0.46
1:C:382:LEU:HB3	6:D:106:ILE:HG12	1.98	0.46
5:F:32:LYS:HD3	5:F:98:LEU:HD22	1.98	0.46
2:E:323:LYS:HE3	2:E:323:LYS:O	2.16	0.46
2:E:367:PRO:CG	5:F:2:PHE:HZ	2.29	0.46
6:D:57:PRO:HG2	6:D:60:SER:HB3	1.98	0.46
1:C:299:ILE:HG21	1:C:329:LEU:HD12	1.99	0.45
2:E:497:ARG:NH1	2:E:498:CYS:O	2.49	0.45
2:E:233:VAL:HA	2:E:236:LEU:HB3	1.98	0.45
2:E:237:SER:HA	2:E:240:VAL:HG23	1.99	0.45
6:D:169:LEU:HD12	6:D:169:LEU:HA	1.76	0.45
6:D:110:PHE:HA	6:D:113:ILE:HG12	1.98	0.45
1:C:72:GLN:O	1:C:72:GLN:HG3	2.17	0.45
2:E:323:LYS:HA	2:E:323:LYS:HD2	1.63	0.45
2:E:333:ILE:HD11	2:E:457:LEU:HD22	1.99	0.45
2:E:367:PRO:O	11:E:603:DR9:PBM	2.74	0.45
8:C:702:PTY:H141	8:C:702:PTY:H112	1.46	0.45
5:F:41:ILE:HD12	5:F:129:GLU:HG3	2.00	0.44
6:D:10:ALA:HB2	6:D:80:THR:HG22	2.00	0.44
1:C:417:ALA:HB1	6:D:142:LEU:HD21	1.99	0.44
4:G:206:ARG:O	4:G:210:GLN:HG3	2.18	0.44
5:F:70:PHE:HB3	5:F:108:GLN:HB2	1.99	0.44
1:C:36:GLY:HA2	1:C:92:SER:HB3	1.99	0.44
3:B:77:LEU:HB2	3:B:142:LYS:HD3	1.98	0.44
14:D:401:LMN:H2	14:D:401:LMN:HBSA	1.79	0.44
2:E:65:GLU:OE1	2:E:91:ARG:NH2	2.51	0.44
2:E:99:PRO:HB2	2:E:124:LEU:HA	1.99	0.44
4:G:89:THR:HA	4:G:128:VAL:HA	2.00	0.44
6:D:21:SER:HB3	6:D:42:GLU:HG2	2.00	0.43
2:E:215:TYR:HA	4:G:91:ALA:HB3	2.00	0.43
5:F:150:GLU:O	5:F:154:THR:OG1	2.37	0.43
6:D:78:ILE:HD13	6:D:104:PHE:CE1	2.53	0.43
1:C:18:ALA:HB2	1:C:112:ASN:HB2	2.00	0.43
8:C:702:PTY:H361	8:C:702:PTY:H392	1.41	0.43



Atom 1	Atom 2	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
6:D:301:PHE:O	6:D:305:LEU:HG	2.18	0.43
1:C:176:TYR:OH	1:C:192:PRO:O	2.36	0.43
2:E:366:THR:HB	2:E:369:MET:HB2	2.00	0.43
2:E:384:ALA:HB1	2:E:394:VAL:HG23	2.00	0.43
6:D:100:LEU:O	6:D:104:PHE:HD2	2.00	0.43
3:B:99:PHE:HB2	3:B:128:THR:HB	2.01	0.43
6:D:9:GLN:NE2	6:D:82:LEU:O	2.42	0.43
1:C:300:LEU:HD23	1:C:300:LEU:HA	1.76	0.43
2:E:310:THR:HG23	2:E:348:LEU:HD22	2.01	0.43
2:E:326:GLY:O	2:E:334:ARG:HD3	2.18	0.43
1:C:339:LEU:HD13	1:C:376:LEU:HD23	2.00	0.43
3:B:86:LYS:HD2	3:B:129:LEU:HA	1.99	0.43
6:D:18:PRO:HG3	6:D:222:TRP:NE1	2.33	0.43
6:D:123:THR:HG21	6:D:211:GLU:HG2	2.01	0.43
2:E:76:TYR:HB2	2:E:90:VAL:HB	2.01	0.43
4:G:221:GLN:HB2	4:G:225:GLN:HG2	2.01	0.43
1:C:72:GLN:HG3	15:C:808:HOH:O	2.18	0.42
1:C:129:MET:O	1:C:133:MET:HG2	2.19	0.42
5:F:8:VAL:HG11	6:D:31:LEU:HD23	2.01	0.42
2:E:42:LEU:HB2	2:E:92:VAL:HG11	1.99	0.42
1:C:44:LEU:HG	1:C:89:LEU:HD13	2.02	0.42
2:E:359:LEU:HA	2:E:362:VAL:HG22	2.01	0.42
5:F:18:TYR:CD1	5:F:19:PRO:HA	2.55	0.42
1:C:11:VAL:HG12	1:C:66:LEU:HD13	2.00	0.42
1:C:327:TYR:O	1:C:331:ASN:ND2	2.36	0.42
1:C:437:VAL:HG21	1:C:549:ALA:HB2	2.02	0.42
2:E:242:GLY:O	2:E:323:LYS:HG3	2.19	0.42
3:B:39:VAL:HA	3:B:48:PRO:HA	2.01	0.42
1:C:526:LEU:HD12	4:G:105:ASP:O	2.20	0.42
2:E:182:VAL:HB	2:E:199:LEU:HB2	2.02	0.42
2:E:193:GLU:CD	4:G:49:ASN:HB3	2.40	0.42
2:E:193:GLU:HB2	2:E:532:TYR:CD1	2.55	0.42
8:C:703:PTY:H312	8:C:703:PTY:HC11	1.56	0.42
2:E:253:THR:HG23	2:E:330:ILE:HD13	2.02	0.42
2:E:374:VAL:HG22	2:E:428:ILE:HG21	2.02	0.42
1:C:46:THR:HG23	1:C:81:LEU:HD22	2.02	0.41
2:E:404:ARG:HG3	2:E:475:GLU:HB3	2.01	0.41
3:B:137:ARG:HG3	5:F:48:ASN:HB3	2.02	0.41
5:F:35:GLN:HE22	5:F:40:CYS:HB2	1.85	0.41
3:B:91:ALA:O	5:F:144:ARG:NH2	2.53	0.41
1:C:420:LEU:HD12	1:C:420:LEU:HA	1.93	0.41



Atom 1	Atom 2	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
2:E:118:VAL:HB	2:E:124:LEU:HD12	2.03	0.41
4:G:63:PHE:HE1	5:F:23:ILE:HD13	1.85	0.41
5:F:82:GLU:HG3	5:F:91:LYS:HA	2.02	0.41
1:C:71:VAL:HG13	1:C:123:ILE:HB	2.02	0.41
1:C:522:LYS:HB2	1:C:525:ARG:NH1	2.35	0.41
2:E:499:ARG:HD2	2:E:499:ARG:C	2.40	0.41
5:F:50:CYS:HB3	15:F:304:HOH:O	2.21	0.41
1:C:17:ALA:HB2	1:C:38:GLY:HA3	2.02	0.41
2:E:420:HIS:NE2	2:E:440:THR:OG1	2.45	0.41
4:G:17:MET:O	4:G:137:PRO:HD3	2.20	0.41
1:C:246:LEU:HD13	1:C:303:LEU:HD13	2.03	0.41
4:G:30:LEU:HD22	4:G:106:PRO:HG2	2.02	0.41
4:G:112:TYR:HH	4:G:152:THR:HG1	1.50	0.41
1:C:298:ILE:HG12	1:C:420:LEU:HD11	2.01	0.41
2:E:121:MET:HA	2:E:147:PRO:HD2	2.02	0.41
2:E:146:TYR:HA	2:E:147:PRO:HD3	1.96	0.41
1:C:323:VAL:HG11	1:C:491:LEU:HD11	2.03	0.41
2:E:519:SER:HA	6:D:203:GLU:HG2	2.03	0.41
1:C:157:LEU:HB3	1:C:207:LEU:HD22	2.02	0.40
1:C:457:LEU:HD23	1:C:457:LEU:HA	1.94	0.40
2:E:21:VAL:O	2:E:37:VAL:HA	2.21	0.40
2:E:150:LYS:NZ	2:E:225:GLU:OE2	2.51	0.40
3:B:1:MET:HA	3:B:169:ASN:O	2.21	0.40
3:B:72:ASP:OD1	3:B:72:ASP:O	2.39	0.40
4:G:67:ARG:NH1	5:F:18:TYR:O	2.54	0.40
6:D:41:GLN:OE1	6:D:44:ARG:NH1	2.54	0.40
2:E:112:VAL:HG13	2:E:113:TRP:CD1	2.56	0.40
2:E:206:ILE:HD11	2:E:521:ALA:HB2	2.02	0.40
2:E:329:LEU:HD23	2:E:329:LEU:HA	1.81	0.40
4:G:235:ASP:HA	4:G:236:PRO:HD3	1.87	0.40
1:C:110:GLN:HB3	1:C:144:LEU:HG	2.03	0.40
1:C:336:LYS:HA	1:C:336:LYS:HD3	1.91	0.40
1:C:421:ALA:HB2	6:D:142:LEU:HD13	2.04	0.40
3:B:3:ARG:HG2	3:B:166:LEU:HD22	2.02	0.40
6:D:52:ARG:HB3	6:D:214:GLY:HA2	2.03	0.40
6:D:68:PRO:HG3	6:D:220:MET:HG2	2.03	0.40

There are no symmetry-related clashes.



5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Perce	ntiles
1	С	602/608~(99%)	590~(98%)	12 (2%)	0	100	100
2	Ε	528/581~(91%)	513 (97%)	14 (3%)	1 (0%)	47	71
3	В	168/203~(83%)	165~(98%)	3 (2%)	0	100	100
4	G	248/255~(97%)	237~(96%)	10 (4%)	1 (0%)	34	57
5	F	162/180~(90%)	155 (96%)	7 (4%)	0	100	100
6	D	304/307~(99%)	296 (97%)	8 (3%)	0	100	100
All	All	2012/2134~(94%)	1956 (97%)	54 (3%)	2(0%)	54	75

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	Е	410	VAL
4	G	88	VAL

5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	С	462/464~(100%)	456 (99%)	6 (1%)	69 86
2	Ε	458/505~(91%)	452 (99%)	6 (1%)	69 86
3	В	142/170~(84%)	138~(97%)	4 (3%)	43 69
4	G	202/207~(98%)	198 (98%)	4 (2%)	55 78
5	F	141/156~(90%)	139~(99%)	2(1%)	67 85



Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
6	D	245/246~(100%)	241 (98%)	4 (2%)	62 82
All	All	1650/1748~(94%)	1624 (98%)	26 (2%)	64 82

All (26) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	С	300	LEU
1	С	356	GLU
1	С	391	GLU
1	С	518	MET
1	С	524	ASP
1	С	593	LEU
2	Е	60	LEU
2	Е	205	ASN
2	Е	211	TYR
2	Е	323	LYS
2	Е	335	ARG
2	Е	499	ARG
3	В	38	ARG
3	В	166	LEU
3	В	168	ASP
3	В	170	THR
4	G	8	ARG
4	G	18	THR
4	G	36	ARG
4	G	107	LYS
5	F	2	PHE
5	F	142	ASP
6	D	19	LEU
6	D	42	GLU
6	D	43	TYR
6	D	210	SER

Sometimes side chains can be flipped to improve hydrogen bonding and reduce clashes. All (2) such side chains are listed below:

Mol	Chain	Res	Type
2	Е	69	ASN
5	F	148	HIS



5.3.3 RNA (i)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates (i)

There are no monosaccharides in this entry.

5.6 Ligand geometry (i)

Of 15 ligands modelled in this entry, 2 are monoatomic - leaving 13 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Tuno	Chain	Dog	Link	Bo	ond leng	$_{\rm sths}$	Bo	ond ang	les
WIOI	Type	Ullalli	nes		Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z >2
12	SF4	F	201	5	$0,\!12,\!12$	-	-	-		
12	SF4	В	301	3	0,12,12	-	-	-		
12	SF4	G	301	4	0,12,12	-	-	-		
14	LMN	D	401	-	72,72,72	0.19	0	96,98,98	0.36	0
12	SF4	F	202	5	0,12,12	-	-	-		
12	SF4	В	304	3	0,12,12	-	-	-		
11	DR9	Е	603	-	$50,\!50,\!50$	0.32	0	$53,\!56,\!56$	0.36	0
10	FCO	Е	602	2	$0,\!6,\!6$	-	-	-		
7	CDL	С	701	-	61,61,99	0.35	0	67,73,111	0.51	0
12	SF4	В	303	3	0,12,12	-	-	-		
8	PTY	С	702	-	49,49,49	0.29	0	52,54,54	0.35	0
12	SF4	В	302	3	$0,\!12,\!12$	-	-	-		
8	PTY	С	703	-	41,41,49	0.31	0	44,46,54	0.37	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.



Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
12	SF4	F	201	5	-	-	0/6/5/5
12	SF4	В	301	3	-	-	0/6/5/5
12	SF4	G	301	4	-	-	0/6/5/5
14	LMN	D	401	-	-	28/50/130/130	0/4/4/4
12	SF4	F	202	5	-	-	0/6/5/5
12	SF4	В	304	3	-	-	0/6/5/5
11	DR9	Е	603	-	-	$\frac{26}{55}/55/55}$	-
7	CDL	С	701	-	-	33/72/72/110	-
12	SF4	В	303	3	-	-	0/6/5/5
8	PTY	С	702	-	-	36/53/53/53	-
12	SF4	В	302	3	-	-	0/6/5/5
8	PTY	С	703	-	_	25/45/45/53	_

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (148) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
7	С	701	CDL	CA3-OA5-PA1-OA2
7	С	701	CDL	CA3-OA5-PA1-OA3
7	С	701	CDL	CA3-OA5-PA1-OA4
7	С	701	CDL	CB2-OB2-PB2-OB3
7	С	701	CDL	CB3-OB5-PB2-OB4
8	С	702	PTY	C11-C8-O7-C6
8	С	702	PTY	C5-O14-P1-O11
8	С	702	PTY	C5-O14-P1-O12
8	С	702	PTY	C5-O14-P1-O13
8	С	703	PTY	C31-C30-O4-C1
8	С	703	PTY	O30-C30-O4-C1
8	С	703	PTY	C3-O11-P1-O13
11	Е	603	DR9	CBK-OBL-PBM-OBN
11	Е	603	DR9	CBO-OBN-PBM-OBU
11	Е	603	DR9	OBJ-CBC-OBD-CBE
11	Е	603	DR9	CBB-CBC-OBD-CBE
14	D	401	LMN	O1-CBS-CCM-CBQ
14	D	401	LMN	O1-CBS-CCM-CBR
14	D	401	LMN	OBV-CBT-CCM-CBQ
14	D	401	LMN	OBV-CBT-CCM-CBR
14	D	401	LMN	OBZ-CCS-OCB-CCQ
14	D	401	LMN	O1-CBS-CCM-CBT



Continued from previous page							
Mol	Chain	Res	Type	Atoms			
7	С	701	CDL	OB7-CB5-OB6-CB4			
8	С	702	PTY	O10-C8-O7-C6			
14	D	401	LMN	CCW-CCS-OCB-CCQ			
7	С	701	CDL	C51-CB5-OB6-CB4			
14	D	401	LMN	OBV-CBT-CCM-CBS			
8	С	702	PTY	C36-C37-C38-C39			
7	С	701	CDL	O1-C1-CA2-OA2			
7	С	701	CDL	O1-C1-CB2-OB2			
8	С	702	PTY	C11-C12-C13-C14			
8	С	702	PTY	C23-C24-C25-C26			
14	D	401	LMN	CBE-CBG-CBI-CBK			
14	D	401	LMN	OBX-CCJ-OBV-CBT			
7	С	701	CDL	CA2-C1-CB2-OB2			
11	E	603	DR9	CAN-CAO-CAP-CAQ			
14	D	401	LMN	OAJ-CBN-CCD-OBZ			
8	С	703	PTY	C8-C11-C12-C13			
7	С	701	CDL	CA5-C11-C12-C13			
14	D	401	LMN	CBI-CBK-CBQ-CCM			
8	С	702	PTY	C8-C11-C12-C13			
14	D	401	LMN	OAJ-CBN-CCD-CCO			
7	С	701	CDL	CB3-OB5-PB2-OB2			
8	С	702	PTY	C3-O11-P1-O14			
8	С	703	PTY	C3-O11-P1-O14			
14	D	401	LMN	CAZ-CBB-CBD-CBF			
11	E	603	DR9	CAW-CAX-CAY-CAZ			
11	E	603	DR9	CAX-CAY-CAZ-CBA			
8	C	702	PTY	C40-C41-C42-C43			
8	C	703	PTY	C33-C34-C35-C36			
8	C	703	PTY	C36-C37-C38-C39			
8	C	703	PTY	C13-C14-C15-C16			
11	E	603	DR9	CAP-CAQ-CBH-CBS			
7	C	701	CDL	C54-C55-C56-C57			
7	C	701	CDL	C11-C12-C13-C14			
8	C	702	PTY	C34-C35-C36-C37			
14	D	401	LMN	CAW-CAY-CBA-CBC			
7	C	701	CDL	CA7-C31-C32-C33			
7	C	701	CDL	C31-C32-C33-C34			
8	C	702	$P'\Gamma Y$	C19-C20-C21-C22			
14	D	401	LMN	CAY-CBA-CBC-CBE			
7	C	701	CDL	C11-CA5-OA6-CA4			
14	D	401	LMN	CBB-CBD-CBF-CBH			
14	D	401	LMN	CBF-CBH-CBJ-CBL			



Conti	Continued from previous page							
Mol	Chain	Res	Type	Atoms				
8	С	702	PTY	C35-C36-C37-C38				
8	С	703	PTY	C31-C32-C33-C34				
14	D	401	LMN	CAX-CAZ-CBB-CBD				
8	С	702	PTY	C18-C19-C20-C21				
8	С	703	PTY	C20-C21-C22-C23				
7	С	701	CDL	C32-C33-C34-C35				
7	С	701	CDL	OA7-CA5-OA6-CA4				
14	D	401	LMN	CBA-CBC-CBE-CBG				
8	С	703	PTY	C21-C22-C23-C24				
8	С	703	PTY	C12-C13-C14-C15				
8	С	702	PTY	C13-C14-C15-C16				
8	С	702	PTY	C26-C27-C28-C29				
8	С	703	PTY	C14-C15-C16-C17				
11	Е	603	DR9	CAZ-CBA-CBB-CBC				
8	С	702	PTY	C15-C16-C17-C18				
11	Е	603	DR9	CAQ-CBH-CBS-CBV				
11	Е	603	DR9	CAU-CAV-CAW-CAX				
7	С	701	CDL	CB2-OB2-PB2-OB5				
7	С	701	CDL	C53-C54-C55-C56				
8	С	702	PTY	C37-C38-C39-C40				
8	С	703	PTY	C15-C16-C17-C18				
11	Е	603	DR9	OAC-CAB-CBE-CBK				
14	D	401	LMN	C2-C1-O1-CBS				
8	С	703	PTY	C37-C38-C39-C40				
11	Е	603	DR9	CAJ-CAK-CAL-CAM				
8	С	702	PTY	C30-C31-C32-C33				
8	С	702	PTY	C12-C13-C14-C15				
8	С	702	PTY	N1-C2-C3-O11				
11	Е	603	DR9	CAG-CAH-CAI-CAJ				
7	С	701	CDL	C1-CB2-OB2-PB2				
11	Е	603	DR9	CAY-CAZ-CBA-CBB				
14	D	401	LMN	CAA-CAW-CAY-CBA				
14	D	401	LMN	CBL-CBR-CCM-CBQ				
14	D	401	LMN	CBG-CBI-CBK-CBQ				
8	С	703	PTY	C17-C18-C19-C20				
8	С	702	PTY	O14-C5-C6-O7				
7	С	701	CDL	C35-C36-C37-C38				
7	С	701	CDL	CB2-C1-CA2-OA2				
7	С	701	CDL	C76-C77-C78-C79				
8	С	703	PTY	O14-C5-C6-C1				
11	Е	603	DR9	CAS-CAR-CBI-CBT				
8	С	702	PTY	C24-C25-C26-C27				
L			Ċ	Continued on next page				



Mol	Chain	Res	Type	Atoms
7	С	701	CDL	CA3-CA4-CA6-OA8
11	Е	603	DR9	OAC-CAB-CBE-OBD
11	Е	603	DR9	OBG-CBP-CBQ-OBR
7	С	701	CDL	C33-C34-C35-C36
8	С	703	PTY	C5-O14-P1-O11
7	С	701	CDL	CB2-OB2-PB2-OB4
8	С	702	PTY	C3-O11-P1-O12
8	С	702	PTY	C3-O11-P1-O13
8	С	703	PTY	C3-O11-P1-O12
8	С	703	PTY	C5-O14-P1-O12
11	Е	603	DR9	CBK-OBL-PBM-OBU
11	Е	603	DR9	CBO-OBN-PBM-OBF
8	С	702	PTY	O14-C5-C6-C1
8	С	703	PTY	C18-C19-C20-C21
11	Е	603	DR9	CBH-CBS-CBV-CBX
14	D	401	LMN	OBY-CCR-O4-C4
8	С	703	PTY	O14-C5-C6-O7
11	Е	603	DR9	CAO-CAP-CAQ-CBH
11	Е	603	DR9	CAF-CAG-CAH-CAI
14	D	401	LMN	CAB-CAX-CAZ-CBB
8	С	702	PTY	C5-C6-O7-C8
8	С	702	PTY	C17-C18-C19-C20
7	С	701	CDL	C51-C52-C53-C54
7	С	701	CDL	OB6-CB4-CB6-OB8
11	Е	603	DR9	CAB-CBE-CBK-OBL
14	D	401	LMN	CCV-CCR-O4-C4
7	С	701	CDL	OA6-CA4-CA6-OA8
14	D	401	LMN	CBL-CBR-CCM-CBT
8	С	702	PTY	C33-C34-C35-C36
7	С	701	CDL	C34-C35-C36-C37
8	С	703	PTY	O10-C8-O7-C6
8	С	702	PTY	C39-C40-C41-C42
8	С	702	PTY	C12-C11-C8-O7
8	С	703	PTY	O4-C1-C6-O7
8	С	702	PTY	C21-C22-C23-C24
8	C	$70\overline{2}$	PTY	C41-C42-C43-C44
11	E	603	DR9	CBO-CBP-CBQ-OBR
7	С	701	CDL	CA2-OA2-PA1-OA3
8	C	$70\overline{2}$	PTT	C12-C11-C8-O10
8	С	702	PTY	C16-C17-C18-C19
8	C	$70\overline{3}$	$PT\overline{Y}$	C2-C3-O11-P1
11	Ε	603	DR9	CAT-CAU-CAV-CAW

Continued from previous page...



There are no ring outliers.

Mol	Chain	Res	Type	Clashes	Symm-Clashes
12	F	201	SF4	1	0
12	G	301	SF4	1	0
14	D	401	LMN	6	0
11	Е	603	DR9	3	0
8	С	702	PTY	4	0
8	С	703	PTY	2	0

6 monomers are involved in 17 short contacts:

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less then 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.







































5.7 Other polymers (i)

There are no such residues in this entry.

5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



6 Map visualisation (i)

This section contains visualisations of the EMDB entry EMD-14429. These allow visual inspection of the internal detail of the map and identification of artifacts.

Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections (i)

6.1.1 Primary map



6.1.2 Raw map



The images above show the map projected in three orthogonal directions.



6.2 Central slices (i)

6.2.1 Primary map



X Index: 150



Y Index: 150



Z Index: 150

6.2.2 Raw map



X Index: 150

Y Index: 150

Z Index: 150

The images above show central slices of the map in three orthogonal directions.



6.3 Largest variance slices (i)

6.3.1 Primary map



X Index: 143





Z Index: 114

6.3.2 Raw map



X Index: 143

Y Index: 173



The images above show the largest variance slices of the map in three orthogonal directions.



6.4 Orthogonal surface views (i)

6.4.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.6. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.4.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.



6.5 Mask visualisation (i)

This section shows the 3D surface view of the primary map at 50% transparency overlaid with the specified mask at 0% transparency

A mask typically either:

- Encompasses the whole structure
- Separates out a domain, a functional unit, a monomer or an area of interest from a larger structure

6.5.1 emd_14429_msk_1.map (i)





7 Map analysis (i)

This section contains the results of statistical analysis of the map.

7.1 Map-value distribution (i)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.



7.2 Volume estimate (i)



The volume at the recommended contour level is 68 nm^3 ; this corresponds to an approximate mass of 61 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.



7.3 Rotationally averaged power spectrum (i)



*Reported resolution corresponds to spatial frequency of 0.385 ${\rm \AA^{-1}}$



8 Fourier-Shell correlation (i)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC (i)



*Reported resolution corresponds to spatial frequency of 0.385 $\mathrm{\AA^{-1}}$



8.2 Resolution estimates (i)

$\begin{array}{ c c c c c c c c c c c c c c c c c c c$	Estimation criterion (FSC cut-off)			
Resolution estimate (A)	0.143	0.5	Half-bit	
Reported by author	2.60	-	-	
Author-provided FSC curve	2.61	2.95	2.66	
Unmasked-calculated*	3.19	3.59	3.21	

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 3.19 differs from the reported value 2.6 by more than 10 %



9 Map-model fit (i)

This section contains information regarding the fit between EMDB map EMD-14429 and PDB model 7Z0S. Per-residue inclusion information can be found in section 3 on page 9.

9.1 Map-model overlay (i)



The images above show the 3D surface view of the map at the recommended contour level 0.6 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.



9.2 Atom inclusion (i)



At the recommended contour level, 87% of all backbone atoms, 84% of all non-hydrogen atoms, are inside the map.

