

Full wwPDB X-ray Structure Validation Report (i)

Dec 3, 2020 - 09:10 am GMT

PDB ID	:	6Z32
Title	:	Human cation-independent mannose 6-phosphate/IGF2 receptor domains 7-11 $$
Authors	:	Bochel, A.J.; Williams, C.; McCoy, A.J.; Hoppe, H.; Winter, A.J.; Nicholls,
		R.D.; Harlos, K.; Jones, Y.E.; Berger, I.; Hassan, B.; Crump, M.P.
Deposited on	:	2020-05-19
$\operatorname{Resolution}$:	3.47 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org A user guide is available at https://www.wwpdb.org/validation/2017/XrayValidationReportHelp with specific help available everywhere you see the (i) symbol.

The following versions of software and data (see references (1)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.8.5 (274361), CSD as 541 be (2020)
Xtriage (Phenix)	:	1.13
EDS	:	2.14.6
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
$\operatorname{CCP4}$:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.14.6

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure: X-RAY DIFFRACTION

The reported resolution of this entry is 3.47 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	$egin{array}{c} { m Whole \ archive} \ (\#{ m Entries}) \end{array}$	${ig } {{\rm Similar\ resolution}} \ (\#{ m Entries,\ resolution\ range}({ m \AA}))$		
R_{free}	130704	1379(3.56-3.40)		
Clashscore	141614	1461 (3.56-3.40)		
Ramachandran outliers	138981	1424 (3.56-3.40)		
Sidechain outliers	138945	1425 (3.56-3.40)		
RSRZ outliers	127900	1289 (3.56-3.40)		

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain	
1	А	737	19%	21% • 7%
1	В	737	18%	19% · 10%
2	С	6	67%	33%
2	D	6	83%	17%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard



residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	NAG	С	2	-	-	Х	-



2 Entry composition (i)

There are 4 unique types of molecules in this entry. The entry contains 10549 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	Δ	686	Total	С	Ν	Ο	S	0	0	0
		000	5257	3312	887	1011	47			
1	р	665	Total	С	Ν	Ο	S	0	0	0
	ГБ	000	5101	3212	858	984	47	0	0	0

• Molecule 1 is a protein called Cation-independent mannose-6-phosphate receptor.

Chain	Residue	Modelled	Actual	$\mathbf{Comment}$	Reference
A	913	GLU	-	expression tag	UNP P11717
A	914	THR	-	expression tag	UNP P11717
A	915	GLY	-	expression tag	UNP P11717
A	916	GLN	-	expression tag	UNP P11717
A	917	LEU	-	expression tag	UNP P11717
A	918	LYS	-	expression tag	UNP P11717
A	919	HIS	-	expression tag	UNP P11717
A	920	HIS	-	expression tag	UNP P11717
A	921	HIS	-	expression tag	UNP P11717
A	922	HIS	-	expression tag	UNP P11717
A	923	HIS	-	expression tag	UNP P11717
A	924	HIS	-	expression tag	UNP P11717
A	925	GLU	-	expression tag	UNP P11717
A	926	PHE	-	expression tag	UNP P11717
A	1619	GLY	ARG	variant	UNP P11717
В	913	GLU	-	expression tag	UNP P11717
В	914	THR	-	expression tag	UNP P11717
В	915	GLY	-	expression tag	UNP P11717
В	916	GLN	-	expression tag	UNP P11717
В	917	LEU	-	expression tag	UNP P11717
В	918	LYS	-	expression tag	UNP P11717
В	919	HIS	-	expression tag	UNP P11717
В	920	HIS	-	expression tag	UNP P11717
В	921	HIS	-	expression tag	UNP P11717
В	922	HIS	-	expression tag	UNP P11717

There are 30 discrepancies between the modelled and reference sequences:



Continu	Continued from precious page									
Chain	Residue	Modelled	Actual	Comment	Reference					
В	923	HIS	-	expression tag	UNP P11717					
В	924	HIS	-	expression tag	UNP P11717					
В	925	GLU	-	expression tag	UNP P11717					
В	926	PHE	-	expression tag	UNP P11717					
В	1619	GLY	ARG	variant	UNP P11717					

• Molecule 2 is an oligosaccharide called alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-3)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
2	С	6	Total 72	C 40	N 2	O 30	0	0	0
2	D	6	Total 72	C 40	N 2	O 30	0	0	0

• Molecule 3 is SULFATE ION (three-letter code: SO4) (formula: O₄S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	А	1	Total 5	0 4	S 1	0	0



• Molecule 4 is 2-acetamido-2-deoxy-beta-D-glucopyranose (three-letter code: NAG) (formula: $C_8H_{15}NO_6$).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	А	1	Total C N O 14 8 1 5	0	0
4	В	1	Total C N O 14 8 1 5	0	0
4	В	1	Total C N O 14 8 1 5	0	0





3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.



• Molecule 1: Cation-independent mannose-6-phosphate receptor

• Molecule 1: Cation-independent mannose-6-phosphate receptor







H1641 C1646 GLU GLN ALA

 $\label{eq:mannopyranose-(1-2)-alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-3)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-bet$

Chain C: 67% 33%



 $\label{eq:mannopyranose-(1-2)-alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-3)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-bet$

Chain D:

83%



17%





4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 41 21 2	Depositor
Cell constants	139.20Å 139.20Å 234.68Å	Deperitor
a, b, c, α , β , γ	90.00° 90.00° 90.00°	Depositor
Bosolution(A)	89.72 - 3.47	Depositor
Resolution (A)	98.43 - 3.47	EDS
% Data completeness	98.5 (89.72-3.47)	Depositor
(in resolution range)	98.6 (98.43 - 3.47)	EDS
R_{merge}	(Not available)	Depositor
R _{sym}	(Not available)	Depositor
$< I/\sigma(I) > 1$	$1.33 (at 3.49 \text{\AA})$	Xtriage
Refinement program	REFMAC 5.8.0258	Depositor
D D.	0.261 , 0.300	Depositor
Π, Π_{free}	0.270 , 0.296	DCC
R_{free} test set	1493 reflections (4.94%)	wwPDB-VP
Wilson B-factor (Å ²)	157.7	Xtriage
Anisotropy	0.196	Xtriage
Bulk solvent $k_{sol}(e/Å^3), B_{sol}(Å^2)$	0.33 , 184.4	EDS
L-test for twinning ²	$ \langle L \rangle = 0.44, \langle L^2\rangle = 0.27$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.92	EDS
Total number of atoms	10549	wwPDB-VP
Average B, all atoms $(Å^2)$	197.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: The largest off-origin peak in the Patterson function is 2.72% of the height of the origin peak. No significant pseudotranslation is detected.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



 $^{^1 {\}rm Intensities}$ estimated from amplitudes.

5 Model quality (i)

5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: SO4, BMA, NAG, MAN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Chain	Bond	lengths	Bo	ond angles
	Chain	RMSZ	# Z > 5	RMSZ	# Z > 5
1	А	0.69	0/5379	0.87	2/7300~(0.0%)
1	В	0.69	0/5213	0.85	5/7067~(0.1%)
All	All	0.69	0/10592	0.86	7/14367~(0.0%)

There are no bond length outliers.

All (7) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
1	В	1255	TYR	CA-CB-CG	5.99	124.78	113.40
1	В	1120	PHE	CB-CA-C	-5.75	98.91	110.40
1	В	1110	ASP	CB-CA-C	5.67	121.73	110.40
1	В	1118	ARG	N-CA-CB	5.49	120.48	110.60
1	А	1065	ARG	NE-CZ-NH2	5.44	123.02	120.30
1	А	1323	TYR	CB-CG-CD2	5.18	124.11	121.00
1	В	1579	LYS	N-CA-C	5.14	124.88	111.00

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	А	5257	0	5051	165	0
1	В	5101	0	4894	128	0



Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	С	72	0	61	10	0
2	D	72	0	61	4	0
3	А	5	0	0	1	0
4	А	14	0	13	0	0
4	В	28	0	26	1	0
All	All	10549	0	10106	275	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 13.

All (275) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom 1	Atom D	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:A:1102:VAL:HG21	1:A:1106:TRP:CZ2	1.74	1.20
1:A:979:ILE:HG21	1:A:1007:ILE:CD1	1.74	1.18
1:A:976:CYS:HB3	1:A:1001:PRO:HB3	1.22	1.16
1:B:1120:PHE:CE1	1:B:1143:LEU:HD12	1.82	1.14
1:A:1338:GLN:HB3	1:B:1130:TYR:CZ	1.81	1.14
1:A:979:ILE:HD13	1:A:1007:ILE:CG1	1.76	1.14
1:A:979:ILE:CD1	1:A:1007:ILE:HG12	1.82	1.09
1:A:1338:GLN:HB3	1:B:1130:TYR:CE1	1.88	1.08
1:A:1335:ARG:HG2	1:A:1335:ARG:HH21	1.17	1.07
1:A:979:ILE:HD13	1:A:1007:ILE:HG12	1.34	1.07
1:B:1120:PHE:CZ	1:B:1143:LEU:CD1	2.54	0.91
1:A:979:ILE:HG21	1:A:1007:ILE:HD13	1.49	0.91
1:A:1102:VAL:HG21	1:A:1106:TRP:HZ2	1.36	0.90
1:B:1120:PHE:CE1	1:B:1143:LEU:CD1	2.55	0.90
1:B:1120:PHE:CZ	1:B:1143:LEU:HD12	2.06	0.90
1:B:1142:CYS:SG	1:B:1142:CYS:O	2.30	0.89
1:A:946:ASN:HD21	1:A:1181:ARG:HD3	1.36	0.89
1:B:1013:LEU:HA	1:B:1018:PHE:O	1.73	0.89
1:A:1337:THR:HG22	1:A:1358:GLN:HG2	1.55	0.89
1:A:1113:VAL:HG23	1:B:1580:ARG:HA	1.53	0.88
1:B:1285:LYS:HD3	1:B:1291:PHE:CE2	2.09	0.86
1:A:1102:VAL:CG2	1:A:1106:TRP:CZ2	2.58	0.85
1:A:976:CYS:CB	1:A:1001:PRO:HB3	2.07	0.84
1:A:1324:GLN:HB2	2:C:2:NAG:C8	2.07	0.84
1:A:1323:TYR:OH	1:B:1320:HIS:CD2	2.31	0.84
1:A:1324:GLN:H	2:C:2:NAG:H81	1.43	0.84
1:A:976:CYS:HB3	1:A:1001:PRO:CB	2.08	0.83
1:B:936:ILE:HD11	1:B:1019:ILE:HG12	1.61	0.81



		Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:A:1102:VAL:CG2	1:A:1106:TRP:HZ2	1.94	0.81
1:A:979:ILE:CD1	1:A:1007:ILE:CG1	2.51	0.81
1:B:1542:TYR:HE2	1:B:1548:VAL:HG23	1.46	0.80
1:B:1027:LEU:HD22	1:B:1031:GLY:HA2	1.64	0.79
1:A:1324:GLN:H	2:C:2:NAG:C8	1.96	0.78
1:A:1111:THR:HG23	1:A:1116:ARG:O	1.85	0.77
1:A:1338:GLN:CB	1:B:1130:TYR:CE1	2.67	0.77
1:A:1335:ARG:NH2	1:A:1335:ARG:HG2	1.92	0.76
1:B:1120:PHE:CD1	1:B:1143:LEU:HD12	2.21	0.76
1:B:1541:ALA:HB3	1:B:1623:ARG:HH22	1.50	0.75
1:A:979:ILE:HG21	1:A:1007:ILE:CG1	2.16	0.75
1:A:1337:THR:HG21	1:A:1359:TYR:CE2	2.22	0.73
1:A:979:ILE:HG21	1:A:1007:ILE:HD11	1.68	0.73
1:A:979:ILE:HD13	1:A:1007:ILE:HG13	1.66	0.73
1:A:934:CYS:HB3	1:A:1011:LEU:CD1	2.18	0.73
1:A:946:ASN:ND2	1:A:1181:ARG:HD3	2.04	0.72
1:A:1113:VAL:CG2	1:B:1580:ARG:HA	2.20	0.72
1:A:1293:LYS:HE2	1:A:1325:ARG:CZ	2.22	0.70
1:A:1337:THR:CG2	1:A:1358:GLN:HG2	2.20	0.70
1:A:1338:GLN:HB3	1:B:1130:TYR:CE2	2.28	0.69
1:B:1019:ILE:HG22	1:B:1040:PHE:HB2	1.73	0.69
1:B:936:ILE:HD12	1:B:1013:LEU:CD2	2.23	0.68
1:B:936:ILE:HD11	1:B:1019:ILE:CG1	2.24	0.68
1:A:979:ILE:HD12	1:A:1007:ILE:HG12	1.72	0.67
1:A:979:ILE:CG2	1:A:1007:ILE:HD13	2.24	0.67
1:A:1324:GLN:HB2	2:C:2:NAG:H81	1.77	0.66
1:A:979:ILE:CG2	1:A:1007:ILE:CD1	2.65	0.66
1:A:1283:GLN:HE21	1:A:1293:LYS:HG3	1.60	0.66
1:B:1255:TYR:OH	2:C:6:MAN:H3	1.96	0.66
1:A:958:VAL:HG11	1:A:1051:LEU:HD22	1.78	0.65
1:A:1143:LEU:HB2	1:A:1152:LEU:HD11	1.79	0.65
1:A:1482:ASN:OD1	1:A:1482:ASN:O	2.15	0.65
1:B:936:ILE:HD12	1:B:1013:LEU:HD21	1.77	0.65
1:B:1159:PRO:HG3	1:B:1169:ILE:HD11	1.79	0.64
1:B:1143:LEU:H	1:B:1152:LEU:CD1	2.10	0.64
1:B:967:PHE:CZ	1:B:1051:LEU:HD11	2.33	0.64
1:B:1323:TYR:CE1	2:D:3:BMA:H61	2.33	0.64
1:B:952:SER:O	1:B:968:ASN:ND2	2.31	0.64
1:B:1542:TYR:CE2	1:B:1548:VAL:HG23	2.32	0.64
1:A:1486:MET:SD	1:B:1614:CYS:HB3	2.38	0.64
1:B:1013:LEU:CA	1:B:1018:PHE:O	2.46	0.63



	A 4 0	Interatomic	Clash
Atom-1	Atom-2	$distance ({ m \AA})$	overlap (Å)
1:A:1542:TYR:HD2	1:A:1546:GLY:HA3	1.61	0.63
1:B:1100:SER:HB2	1:B:1126:ASN:HD22	1.64	0.63
1:A:934:CYS:HB3	1:A:1011:LEU:HD13	1.80	0.63
1:B:1013:LEU:CD2	1:B:1019:ILE:CG1	2.77	0.62
1:A:979:ILE:HG21	1:A:1007:ILE:HG12	1.81	0.62
1:B:1013:LEU:HD23	1:B:1019:ILE:HG12	1.81	0.62
1:A:1167:LEU:HB2	1:A:1188:PHE:HB2	1.81	0.62
1:B:1574:VAL:HA	1:B:1606:TYR:HB3	1.81	0.62
2:C:3:BMA:O4	2:C:3:BMA:O6	2.07	0.62
1:B:1366:LEU:HD23	1:B:1367:THR:N	2.15	0.61
1:B:1048:SER:OG	1:B:1048:SER:O	2.18	0.61
1:B:936:ILE:CD1	1:B:1019:ILE:HG12	2.31	0.60
1:B:1019:ILE:CG2	1:B:1040:PHE:HB2	2.30	0.60
1:A:1159:PRO:HG3	1:A:1169:ILE:HD11	1.83	0.60
1:A:1324:GLN:N	2:C:2:NAG:H81	2.15	0.59
1:A:1393:ALA:HB3	1:A:1403:TYR:HB2	1.85	0.59
1:B:936:ILE:HD11	1:B:1019:ILE:CD1	2.33	0.59
1:B:1013:LEU:CD2	1:B:1019:ILE:HG13	2.32	0.59
1:A:967:PHE:CZ	1:A:1051:LEU:HD11	2.38	0.59
1:B:1233:ARG:HH22	1:B:1413:PRO:HB2	1.68	0.58
1:A:1099:LEU:O	1:A:1106:TRP:NE1	2.36	0.58
1:A:978:THR:HA	1:A:982:LYS:O	2.02	0.58
1:B:1317:ASP:OD1	1:B:1325:ARG:NH1	2.35	0.58
1:A:1338:GLN:O	1:A:1355:TRP:NE1	2.36	0.58
2:C:2:NAG:O7	2:C:2:NAG:O3	2.22	0.58
1:A:1337:THR:O	1:A:1337:THR:OG1	2.21	0.57
1:B:1167:LEU:HB2	1:B:1188:PHE:HB2	1.85	0.57
1:A:1110:ASP:OD2	1:A:1199:PHE:CD2	2.57	0.57
1:B:1013:LEU:CD2	1:B:1019:ILE:HG12	2.35	0.57
1:B:1003:ARG:HB3	1:B:1034:ASP:OD2	2.05	0.57
1:A:1283:GLN:CG	1:A:1293:LYS:HB2	2.35	0.57
1:B:1309:LEU:HB2	1:B:1331:PHE:HB2	1.87	0.57
1:A:1542:TYR:CG	1:A:1542:TYR:O	2.56	0.56
1:A:1086:VAL:HG21	1:A:1159:PRO:HB2	1.87	0.56
1:B:1079:PRO:HB3	1:B:1154:VAL:CG1	2.34	0.56
1:B:1578:ASN:OD1	1:B:1579:LYS:N	2.38	0.56
1:B:1323:TYR:CZ	2:D:3:BMA:H61	2.41	0.56
1:A:938:ASP:HB2	1:A:945:PHE:HE2	1.71	0.56
1:A:1337:THR:HA	1:A:1357:THR:HA	1.88	0.56
1:A:1323:TYR:HH	1:B:1320:HIS:CD2	2.21	0.56
1:B:1177:CYS:SG	1:B:1177:CYS:O	2.63	0.55



	• • • • • •	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:A:1345:GLU:OE2	2:D:6:MAN:O4	2.24	0.55
1:B:1393:ALA:HB3	1:B:1403:TYR:HB2	1.87	0.55
1:B:1257:TYR:CD2	1:B:1353:PHE:HZ	2.25	0.55
1:A:1006:GLY:O	1:A:1009:LYS:NZ	2.34	0.55
1:A:1102:VAL:HG12	1:A:1104:LYS:H	1.72	0.55
1:A:1255:TYR:CD2	1:A:1255:TYR:N	2.76	0.54
1:A:1337:THR:HG21	1:A:1359:TYR:CD2	2.42	0.54
1:A:1229:VAL:HG12	1:A:1302:LEU:HD23	1.90	0.54
1:A:1338:GLN:HB3	1:B:1130:TYR:CD1	2.41	0.54
1:B:1122:LEU:HD23	1:B:1186:ILE:HD11	1.89	0.54
1:B:1056:GLN:HE21	1:B:1058:ILE:HG12	1.71	0.54
1:A:1574:VAL:HA	1:A:1606:TYR:HB3	1.89	0.54
1:A:961:ILE:HG22	1:A:961:ILE:O	2.08	0.54
1:A:1335:ARG:O	1:A:1358:GLN:OE1	2.26	0.54
1:B:1541:ALA:CB	1:B:1623:ARG:HH22	2.18	0.53
1:A:976:CYS:CB	1:A:1001:PRO:CB	2.77	0.53
1:B:1541:ALA:HB3	1:B:1623:ARG:NH2	2.23	0.53
1:B:1073:THR:HG23	1:B:1076:ALA:H	1.73	0.53
1:B:1299:THR:HG22	1:B:1313:PHE:HD1	1.73	0.53
1:A:1542:TYR:O	1:A:1542:TYR:CD2	2.61	0.53
4:B:1701:NAG:O6	4:B:1701:NAG:O4	2.22	0.53
1:B:1086:VAL:HG21	1:B:1159:PRO:HB2	1.89	0.53
1:A:1032:THR:CG2	1:A:1062:GLN:O	2.57	0.53
1:A:1128:LEU:HD12	1:A:1139:VAL:HG12	1.90	0.53
1:A:1255:TYR:HD2	1:A:1255:TYR:N	2.07	0.53
1:A:1324:GLN:HB2	2:C:2:NAG:H82	1.86	0.53
1:A:1103:ARG:O	1:A:1103:ARG:HG2	2.06	0.52
1:A:1056:GLN:HB2	1:A:1067:THR:HG22	1.91	0.52
1:A:964:ILE:HD12	1:A:991:THR:HG22	1.90	0.52
1:B:1285:LYS:CD	1:B:1291:PHE:CE2	2.89	0.52
1:A:1617:GLU:N	1:A:1617:GLU:OE1	2.42	0.52
1:A:1395:THR:HG22	1:A:1487:PHE:HB3	1.92	0.52
1:B:1139:VAL:HG11	1:B:1142:CYS:HB3	1.92	0.52
1:B:936:ILE:CD1	1:B:1013:LEU:HD21	2.40	0.51
1:B:938:ASP:HB2	1:B:945:PHE:HE2	1.76	0.51
1:A:1255:TYR:HD2	1:A:1255:TYR:H	1.59	0.51
1:B:958:VAL:HG11	1:B:1051:LEU:HD22	1.92	0.51
1:A:1228:GLU:HB3	1:A:1237:LEU:HD11	1.93	0.51
1:A:1480:GLN:HB3	1:A:1483:SER:HB3	1.92	0.51
1:B:1442:ASP:OD1	1:B:1443:GLY:N	2.44	0.51
1:A:1203:ASP:HB2	1:B:1607:LYS:HE2	1.93	0.51



	A + 0	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:B:1255:TYR:HB2	1:B:1257:TYR:HE1	1.76	0.50
1:A:1337:THR:HB	1:A:1357:THR:OG1	2.11	0.50
1:B:1285:LYS:HD3	1:B:1291:PHE:HE2	1.73	0.50
1:B:1013:LEU:HD23	1:B:1019:ILE:CG1	2.42	0.50
1:A:961:ILE:HD11	1:A:1053:PHE:HZ	1.76	0.50
1:A:1064:ILE:HD11	1:A:1066:ASN:HD22	1.76	0.50
1:B:1005:VAL:HG23	1:B:1025:GLY:N	2.26	0.50
1:A:1082:VAL:HG23	1:A:1155:VAL:HG12	1.94	0.50
1:B:1308:LEU:HD11	1:B:1330:PHE:HB3	1.94	0.49
1:B:1221:ARG:HA	1:B:1304:TYR:O	2.12	0.49
1:B:938:ASP:HB3	1:B:941:SER:HB3	1.93	0.49
1:A:1442:ASP:OD1	1:A:1443:GLY:N	2.46	0.49
1:A:1073:THR:HG23	1:A:1076:ALA:H	1.78	0.49
1:B:977:GLY:O	1:B:983:PRO:HA	2.13	0.49
1:B:1323:TYR:OH	2:D:3:BMA:H61	2.12	0.49
1:A:1311:MET:O	1:A:1328:ALA:HA	2.13	0.48
1:A:1203:ASP:CG	1:B:1607:LYS:HZ1	2.16	0.48
1:B:1311:MET:O	1:B:1328:ALA:HA	2.13	0.48
1:A:1113:VAL:HG21	1:B:1579:LYS:O	2.13	0.48
1:A:1343:LEU:HD11	1:A:1354:GLU:HB3	1.96	0.48
1:A:1532:LEU:HB2	1:A:1552:ILE:HD11	1.95	0.48
1:A:936:ILE:HD11	1:A:1019:ILE:HG12	1.94	0.48
1:B:1241:LYS:N	1:B:1242:PRO:CD	2.77	0.48
1:A:979:ILE:HD13	1:A:1007:ILE:CD1	2.41	0.48
1:B:1517:GLN:HB2	1:B:1526:LEU:HD21	1.96	0.48
1:A:1293:LYS:HE2	1:A:1325:ARG:NH2	2.29	0.47
1:B:1588:LEU:HB2	1:B:1612:PHE:HB2	1.95	0.47
1:A:1338:GLN:CB	1:B:1130:TYR:CD1	2.96	0.47
1:A:1058:ILE:HG22	1:A:1058:ILE:O	2.15	0.47
1:A:1008:GLU:HB3	1:A:1024:LYS:HB2	1.97	0.47
1:B:1018:PHE:CG	1:B:1039:ARG:NH1	2.82	0.47
1:A:1114:ASP:HB2	1:B:1514:ASP:OD2	2.14	0.47
1:A:1241:LYS:N	1:A:1242:PRO:CD	2.78	0.47
1:A:1486:MET:CE	1:B:1586:GLN:HE21	2.28	0.47
1:A:1056:GLN:CB	1:A:1067:THR:HG22	2.45	0.47
1:A:1334:ASP:O	1:A:1358:GLN:HA	2.15	0.47
1:A:1586:GLN:HB3	1:B:1486:MET:HE1	1.97	0.47
1:A:1185:ARG:NH2	1:B:1633:THR:HG22	2.29	0.47
1:A:1340:PRO:HD3	1:A:1355:TRP:CE2	2.49	0.47
1:A:1283:GLN:HG2	1:A:1293:LYS:HB2	1.97	0.47
1:A:948:ASN:N	1:A:949:PRO:CD	2.78	0.47



	• • • • •	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:A:1308:LEU:HD13	1:A:1332:TYR:CE1	2.50	0.46
1:B:1079:PRO:HB3	1:B:1154:VAL:HG11	1.96	0.46
1:A:1335:ARG:CG	1:A:1335:ARG:HH21	2.05	0.46
1:B:948:ASN:N	1:B:949:PRO:CD	2.78	0.46
1:A:1367:THR:OG1	1:A:1440:VAL:CG1	2.64	0.46
1:B:1366:LEU:HD23	1:B:1367:THR:H	1.79	0.46
1:A:1387:TYR:CD1	1:A:1409:LYS:HE3	2.50	0.46
1:A:1428:LEU:HB3	1:A:1435:VAL:HB	1.97	0.46
1:A:1101:THR:HG22	1:A:1101:THR:O	2.14	0.46
1:A:1322:VAL:CG2	1:A:1322:VAL:O	2.63	0.46
1:B:1257:TYR:CZ	1:B:1283:GLN:OE1	2.69	0.46
1:A:1085:GLN:NE2	1:A:1093:GLU:OE2	2.49	0.46
1:A:1107:THR:HA	1:A:1120:PHE:O	2.15	0.46
1:B:936:ILE:CD1	1:B:1013:LEU:CD2	2.91	0.46
1:A:1578:ASN:ND2	1:A:1591:VAL:O	2.44	0.45
1:B:1008:GLU:HB3	1:B:1024:LYS:HB2	1.98	0.45
1:A:1218:PRO:HB2	1:A:1417:THR:HG23	1.99	0.45
1:A:1077:CYS:O	1:A:1156:GLN:NE2	2.49	0.45
1:B:1142:CYS:HA	1:B:1152:LEU:HD12	1.98	0.45
1:A:1064:ILE:HD11	1:A:1066:ASN:ND2	2.32	0.45
1:A:937:ARG:NH1	1:A:942:GLY:HA2	2.32	0.45
1:B:936:ILE:HD11	1:B:1019:ILE:HD11	1.98	0.45
1:B:1480:GLN:HB3	1:B:1483:SER:HB3	1.99	0.45
1:B:937:ARG:NH1	1:B:942:GLY:HA2	2.32	0.44
1:A:1338:GLN:HG3	1:A:1338:GLN:H	1.50	0.44
1:A:1064:ILE:HG12	1:A:1066:ASN:HB2	1.99	0.44
1:B:1110:ASP:O	1:B:1117:LYS:HA	2.18	0.44
1:A:1309:LEU:HB2	1:A:1331:PHE:HB2	1.99	0.44
1:A:1517:GLN:HB3	1:A:1526:LEU:HD11	2.00	0.44
1:B:1143:LEU:H	1:B:1152:LEU:HD13	1.82	0.44
1:B:1197:PRO:HD3	1:B:1211:TRP:CZ2	2.53	0.44
1:A:1120:PHE:CE2	1:A:1143:LEU:HD13	2.53	0.44
1:A:1283:GLN:HE21	1:A:1293:LYS:CG	2.30	0.44
1:A:950:LEU:O	1:A:951:ASN:C	2.55	0.44
1:B:1257:TYR:HD2	1:B:1353:PHE:HZ	1.64	0.43
1:B:1343:LEU:HD11	1:B:1354:GLU:HB3	1.99	0.43
1:B:1387:TYR:CD1	1:B:1409:LYS:HE3	2.52	0.43
1:A:1586:GLN:HE21	1:B:1486:MET:CE	2.31	0.43
1:A:1005:VAL:HG23	1:A:1025:GLY:N	2.33	0.43
1:A:1257:TYR:CD2	1:A:1353:PHE:HZ	2.36	0.43
1:A:1112:SER:OG	1:A:1116:ARG:HB3	2.18	0.43



		Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:A:1335:ARG:O	1:A:1358:GLN:HB3	2.19	0.43
1:A:1403:TYR:CE1	1:A:1428:LEU:HD13	2.53	0.43
1:B:946:ASN:ND2	1:B:1181:ARG:HD3	2.34	0.43
1:B:977:GLY:HA2	1:B:984:ALA:HB3	1.99	0.43
1:B:1335:ARG:HB2	1:B:1387:TYR:CE2	2.54	0.43
1:A:1120:PHE:CD2	1:A:1143:LEU:HD13	2.53	0.43
1:A:1111:THR:CG2	1:A:1116:ARG:O	2.63	0.42
1:A:1197:PRO:HD3	1:A:1211:TRP:CZ2	2.53	0.42
1:A:1124:VAL:HG12	1:A:1125:CYS:SG	2.59	0.42
1:B:1244:GLY:O	1:B:1260:ARG:HD2	2.19	0.42
1:B:1282:CYS:SG	1:B:1283:GLN:N	2.93	0.42
1:A:946:ASN:HD21	1:A:1181:ARG:CD	2.20	0.42
1:A:1141:SER:OG	1:A:1152:LEU:HB2	2.20	0.42
1:A:1177:CYS:HB2	1:A:1182:PHE:CZ	2.55	0.42
1:B:1335:ARG:HB2	1:B:1387:TYR:CZ	2.55	0.42
1:B:1428:LEU:HB3	1:B:1435:VAL:HB	2.02	0.42
1:A:1486:MET:HE2	1:B:1586:GLN:HE21	1.83	0.42
1:A:1421:PRO:HG2	1:A:1436:ASN:HB2	2.02	0.42
1:B:1222:VAL:HG21	1:B:1232:PRO:HD3	2.01	0.42
1:A:1324:GLN:CB	2:C:2:NAG:H81	2.47	0.41
1:A:1323:TYR:OH	1:B:1320:HIS:NE2	2.38	0.41
1:A:1082:VAL:HG23	1:A:1155:VAL:CG1	2.51	0.41
1:A:1404:LEU:O	1:A:1426:ALA:HA	2.20	0.41
1:A:1102:VAL:HG21	1:A:1106:TRP:CE2	2.45	0.41
1:B:1632:GLN:HG3	1:B:1633:THR:HG23	2.03	0.41
1:A:1021:LEU:HD23	1:A:1022:THR:N	2.35	0.41
1:A:1342:PHE:HA	1:A:1353:PHE:CD1	2.56	0.41
1:A:1588:LEU:HB2	1:A:1612:PHE:HB2	2.01	0.41
1:A:1109:VAL:HG22	1:A:1119:THR:HG23	2.02	0.41
1:A:1256:THR:OG1	1:A:1286:ARG:NH1	2.52	0.41
1:A:1542:TYR:CD2	1:A:1546:GLY:HA3	2.49	0.40
1:A:1386:ARG:HA	3:A:1701:SO4:O3	2.20	0.40
1:B:1059:ASP:HB3	1:B:1064:ILE:HG23	2.04	0.40
1:B:1228:GLU:HB3	1:B:1237:LEU:HD11	2.03	0.40
1:B:1259:PHE:HA	1:B:1280:SER:O	2.21	0.40
1:B:1401:GLU:HB2	1:B:1428:LEU:HD11	2.03	0.40
1:B:1177:CYS:HB3	1:B:1182:PHE:CZ	2.56	0.40
1:A:1110:ASP:OD2	1:A:1199:PHE:HD2	2.02	0.40
1:B:1045:ASP:N	1:B:1045:ASP:OD1	2.52	0.40
1:B:1538:PHE:CE2	1:B:1640:TRP:HH2	2.39	0.40
1:B:968:ASN:HB2	1:B:973:MET:HE2	2.02	0.40



Continuca from previo	na puye		
Atom-1	Atom-2	$\begin{array}{c} {\rm Interatomic}\\ {\rm distance}~({\rm \AA}) \end{array}$	Clash overlap (Å)
1:B:1077:CYS:O	1:B:1156:GLN:NE2	2.51	0.40

There are no symmetry-related clashes.

5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Perce	ntiles
1	А	670/737~(91%)	632 (94%)	34~(5%)	4 (1%)	25	63
1	В	641/737~(87%)	607~(95%)	33~(5%)	1 (0%)	47	80
All	All	1311/1474~(89%)	1239 (94%)	67(5%)	5(0%)	34	70

All (5) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	А	1253	GLY
1	А	1113	VAL
1	А	1125	CYS
1	В	1031	GLY
1	А	961	ILE

5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.



Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	А	589/632~(93%)	564 (96%)	25 (4%)	30 61	
1	В	574/632~(91%)	560 (98%)	14 (2%)	49 75	
All	All	1163/1264~(92%)	1124 (97%)	39~(3%)	37 67	

All (39) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	А	978	THR
1	А	987	CYS
1	А	1007	ILE
1	А	1014	SER
1	А	1030	LYS
1	А	1084	CYS
1	А	1103	ARG
1	А	1112	SER
1	А	1116	ARG
1	А	1118	ARG
1	А	1119	THR
1	А	1135	GLN
1	А	1221	ARG
1	А	1255	TYR
1	А	1257	TYR
1	А	1268	ASP
1	А	1275	LYS
1	А	1322	VAL
1	А	1335	ARG
1	А	1337	THR
1	А	1338	GLN
1	А	1361	CYS
1	А	1369	CYS
1	А	1371	PHE
1	A	1605	SER
1	В	934	CYS
1	В	1015	THR
1	В	1019	ILE
1	В	1048	SER
1	В	1084	CYS
1	В	1119	THR
1	В	1143	LEU



Continued from previous page...

Mol	Chain	Res	Type
1	В	1255	TYR
1	В	1369	CYS
1	В	1378	SER
1	В	1515	ASP
1	В	1516	CYS
1	В	1519	THR
1	В	1547	LEU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (8) such sidechains are listed below:

Mol	Chain	\mathbf{Res}	Type
1	А	1202	GLN
1	А	1283	GLN
1	А	1358	GLN
1	А	1586	GLN
1	В	1056	GLN
1	В	1202	GLN
1	В	1320	HIS
1	В	1586	GLN

5.3.3 RNA (i)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates (i)

12 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).



2

MAN

MAN

D

D

5

6

2

2

Page 22	age 22Full wwPDB X-ray Structure Validation Report									6Z32
Mal	Turne	Chain	Dec	Tink	Bo	ond leng	ths	B	ond ang	gles
IVIOI	туре	Cham	nes		Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	NAG	С	1	1,2	14,14,15	1.01	1 (7%)	17,19,21	3.16	8 (47%)
2	NAG	С	2	2	14,14,15	0.32	0	17,19,21	0.74	0
2	BMA	С	3	2	11,11,12	2.11	6 (54%)	$15,\!15,\!17$	2.79	10 (66%)
2	MAN	С	4	2	11,11,12	0.33	0	$15,\!15,\!17$	1.05	1 (6%)
2	MAN	С	5	2	11,11,12	1.87	3 (27%)	$15,\!15,\!17$	2.45	5 (33%)
2	MAN	С	6	2	11,11,12	1.77	2 (18%)	$15,\!15,\!17$	2.86	7 (46%)
2	NAG	D	1	1,2	14,14,15	1.29	1 (7%)	17,19,21	<mark>3.33</mark>	6(35%)
2	NAG	D	2	2	14,14,15	0.86	0	17,19,21	2.47	9 (52%)
2	BMA	D	3	2	11,11,12	0.25	0	$15,\!15,\!17$	0.84	0
2	MAN	D	4	2	11,11,12	1.98	4 (36%)	$15,\!15,\!17$	2.12	<mark>5 (33%)</mark>

1.22

2.02

3 (27%)

5 (45%)

15, 15, 17

15,15,17

3.16

3.15

10(66%)

9 (60%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

11, 11, 12

11,11,12

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAG	С	1	1,2	-	2/6/23/26	0/1/1/1
2	NAG	С	2	2	-	4/6/23/26	0/1/1/1
2	BMA	С	3	2	-	1/2/19/22	0/1/1/1
2	MAN	С	4	2	-	0/2/19/22	0/1/1/1
2	MAN	С	5	2	-	1/2/19/22	0/1/1/1
2	MAN	С	6	2	-	0/2/19/22	0/1/1/1
2	NAG	D	1	1,2	-	1/6/23/26	0/1/1/1
2	NAG	D	2	2	-	2/6/23/26	0/1/1/1
2	BMA	D	3	2	-	1/2/19/22	0/1/1/1
2	MAN	D	4	2	-	1/2/19/22	0/1/1/1
2	MAN	D	5	2	-	2/2/19/22	0/1/1/1
2	MAN	D	6	2	-	0/2/19/22	0/1/1/1

All (25) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$\operatorname{Observed}(\operatorname{\AA})$	$\operatorname{Ideal}(\operatorname{\AA})$
2	С	6	MAN	C2-C3	-4.34	1.46	1.52
2	D	1	NAG	O5-C1	-3.69	1.37	1.43
2	D	4	MAN	C2-C3	-3.46	1.47	1.52
2	С	3	BMA	O5-C1	-3.40	1.38	1.43



Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	D	6	MAN	C2-C3	-3.31	1.47	1.52
2	D	4	MAN	O5-C1	-3.23	1.38	1.43
2	D	6	MAN	O5-C1	-3.13	1.38	1.43
2	С	5	MAN	O5-C5	-3.05	1.37	1.43
2	D	4	MAN	O2-C2	-3.04	1.36	1.43
2	С	3	BMA	C4-C5	-2.98	1.46	1.53
2	D	6	MAN	C4-C5	-2.96	1.46	1.53
2	D	4	MAN	O5-C5	-2.84	1.37	1.43
2	D	6	MAN	O5-C5	-2.78	1.37	1.43
2	С	5	MAN	C4-C5	-2.72	1.47	1.53
2	С	3	BMA	O5-C5	-2.60	1.38	1.43
2	С	6	MAN	O5-C1	-2.55	1.39	1.43
2	С	3	BMA	C4-C3	-2.52	1.45	1.52
2	С	5	MAN	O3-C3	-2.40	1.37	1.43
2	С	3	BMA	O2-C2	-2.28	1.38	1.43
2	С	3	BMA	C2-C3	-2.20	1.49	1.52
2	С	1	NAG	07-C7	-2.19	1.18	1.23
2	D	5	MAN	C1-C2	2.13	1.57	1.52
2	D	5	MAN	C4-C3	-2.13	1.46	1.52
2	D	6	MAN	C4-C3	-2.05	1.47	1.52
2	D	5	MAN	O5-C1	-2.01	1.40	1.43

All (70) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
2	D	1	NAG	C1-O5-C5	-10.04	98.59	112.19
2	С	6	MAN	O5-C1-C2	-6.91	100.10	110.77
2	С	3	BMA	C1-O5-C5	-6.84	102.93	112.19
2	D	6	MAN	C6-C5-C4	-6.60	97.55	113.00
2	С	5	MAN	C1-C2-C3	-6.50	101.68	109.67
2	D	1	NAG	C1-C2-N2	6.33	121.30	110.49
2	С	1	NAG	C1-O5-C5	5.96	120.27	112.19
2	D	5	MAN	O2-C2-C3	-5.42	99.28	110.14
2	С	1	NAG	C2-N2-C7	-5.39	115.23	122.90
2	D	5	MAN	O4-C4-C3	-5.21	98.29	110.35
2	С	6	MAN	C1-C2-C3	-5.18	103.30	109.67
2	D	5	MAN	O5-C1-C2	-5.07	102.94	110.77
2	D	4	MAN	O2-C2-C3	-4.77	100.58	110.14
2	С	1	NAG	O5-C5-C6	-4.77	99.73	107.20
2	D	6	MAN	O5-C1-C2	-4.46	103.89	110.77
2	С	1	NAG	C1-C2-N2	4.37	117.96	110.49
2	D	2	NAG	C1-O5-C5	4.28	117.99	112.19



Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
2	С	1	NAG	O3-C3-C2	-4.27	100.62	109.47
2	С	5	MAN	O5-C5-C4	-4.25	100.48	110.83
2	С	6	MAN	O2-C2-C1	4.24	117.82	109.15
2	С	1	NAG	O4-C4-C3	-4.22	100.60	110.35
2	D	6	MAN	C1-O5-C5	4.06	117.70	112.19
2	D	4	MAN	O2-C2-C1	4.00	117.33	109.15
2	D	6	MAN	O2-C2-C3	-3.98	102.17	110.14
2	D	2	NAG	C2-N2-C7	3.95	128.53	122.90
2	D	5	MAN	C1-C2-C3	3.88	114.44	109.67
2	D	6	MAN	C1-C2-C3	3.84	114.39	109.67
2	D	1	NAG	C6-C5-C4	3.82	121.94	113.00
2	С	3	BMA	O3-C3-C4	-3.67	101.86	110.35
2	D	5	MAN	O2-C2-C1	3.64	116.59	109.15
2	D	6	MAN	O5-C5-C6	-3.40	101.88	107.20
2	D	2	NAG	O4-C4-C5	3.37	117.68	109.30
2	С	1	NAG	O5-C1-C2	-3.32	106.04	111.29
2	D	2	NAG	C4-C3-C2	-3.24	106.27	111.02
2	D	4	MAN	O3-C3-C4	3.23	117.81	110.35
2	D	2	NAG	O4-C4-C3	3.22	117.80	110.35
2	С	5	MAN	O3-C3-C4	-3.21	102.93	110.35
2	D	6	MAN	O4-C4-C5	-3.12	101.54	109.30
2	С	3	BMA	O5-C5-C6	2.91	111.76	107.20
2	D	4	MAN	C1-C2-C3	-2.87	106.14	109.67
2	D	5	MAN	O3-C3-C4	-2.82	103.82	110.35
2	С	3	BMA	C2-C3-C4	-2.81	106.03	110.89
2	D	6	MAN	O4-C4-C3	-2.78	103.92	110.35
2	D	1	NAG	O3-C3-C2	-2.77	103.72	109.47
2	D	2	NAG	C1-C2-N2	2.76	115.20	110.49
2	D	2	NAG	O5-C1-C2	-2.75	106.94	111.29
2	D	5	MAN	C2-C3-C4	-2.72	106.19	110.89
2	D	2	NAG	07-C7-C8	-2.61	117.22	122.06
2	D	5	MAN	O3-C3-C2	2.60	114.96	109.99
2	D	1	NAG	O4-C4-C3	2.52	116.17	110.35
2	С	4	MAN	O2-C2-C3	-2.51	105.11	110.14
2	С	6	MAN	C2-C3-C4	-2.50	106.57	110.89
2	C	1	NAG	C6-C5-C4	-2.48	107.19	113.00
2	C	3	BMA	O3-C3-C2	2.44	114.67	109.99
2	C	5	MAN	O4-C4-C3	-2.41	104.79	110.35
2	D	2	NAG	O3-C3-C4	-2.39	104.83	110.35
2	C	3	BMA	O5-C1-C2	-2.38	107.09	110.77
2	C	3	BMA	C6-C5-C4	-2.34	107.52	113.00
2	C	3	BMA	O5-C5-C4	-2.30	105.22	110.83

Continued from previous page...



Mol	Chain	\mathbf{Res}	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
2	С	3	BMA	O6-C6-C5	-2.27	103.52	111.29
2	С	6	MAN	O4-C4-C5	-2.24	103.73	109.30
2	D	5	MAN	O4-C4-C5	-2.22	103.78	109.30
2	D	6	MAN	O3-C3-C4	-2.22	105.23	110.35
2	D	1	NAG	O5-C5-C4	-2.21	105.45	110.83
2	С	6	MAN	C6-C5-C4	-2.16	107.95	113.00
2	С	3	BMA	O4-C4-C5	-2.15	103.96	109.30
2	С	6	MAN	O2-C2-C3	-2.15	105.83	110.14
2	D	4	MAN	C2-C3-C4	-2.12	107.22	110.89
2	Ċ	5	MAN	C1-O5-C5	-2.10	109.34	112.19
2	D	5	MAN	O5-C5-C6	2.10	110.49	107.20

There are no chirality outliers.

All (15) torsion outliers are listed below:

Mol	Chain	\mathbf{Res}	Type	Atoms
2	D	1	NAG	C1-C2-N2-C7
2	С	1	NAG	C8-C7-N2-C2
2	С	2	NAG	O5-C5-C6-O6
2	С	2	NAG	C4-C5-C6-O6
2	С	1	NAG	O7-C7-N2-C2
2	D	2	NAG	C4-C5-C6-O6
2	D	2	NAG	O5-C5-C6-O6
2	D	5	MAN	C4-C5-C6-O6
2	D	5	MAN	O5-C5-C6-O6
2	С	2	NAG	C1-C2-N2-C7
2	D	3	BMA	O5-C5-C6-O6
2	С	3	BMA	O5-C5-C6-O6
2	С	5	MAN	C4-C5-C6-O6
2	С	2	NAG	C3-C2-N2-C7
2	D	4	MAN	O5-C5-C6-O6

There are no ring outliers.

5 monomers are involved in 14 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	D	3	BMA	3	0
2	D	6	MAN	1	0
2	С	2	NAG	8	0
2	С	6	MAN	1	0
2	С	3	BMA	1	0





The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.





5.6 Ligand geometry (i)

4 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Mol Tuno Chain		Dec	Tink	Bo	Bond lengths			Bond angles		
	Type	Chain	nes		Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2	
4	NAG	А	1702	1	14,14,15	1.54	3 (21%)	17,19,21	1.67	4 (23%)	
4	NAG	В	1702	1	14,14,15	1.29	2 (14%)	17,19,21	3.42	9 (52%)	
4	NAG	В	1701	1	14,14,15	0.89	0	17,19,21	2.52	<mark>6 (35%)</mark>	
3	SO4	А	1701	-	4,4,4	0.35	0	6,6,6	0.08	0	

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral



centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	NAG	А	1702	1	-	2/6/23/26	0/1/1/1
4	NAG	В	1701	1	-	3/6/23/26	0/1/1/1
4	NAG	В	1702	1	-	2/6/23/26	0/1/1/1

All (5) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(A)	Ideal(Å)
4	А	1702	NAG	O5-C1	-3.71	1.37	1.43
4	В	1702	NAG	O5-C5	-3.17	1.37	1.43
4	А	1702	NAG	O5-C5	-2.64	1.38	1.43
4	В	1702	NAG	C4-C5	-2.54	1.47	1.53
4	А	1702	NAG	C1-C2	-2.19	1.49	1.52

All (19) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
4	В	1702	NAG	O5-C1-C2	-9.02	97.05	111.29
4	В	1701	NAG	C4-C3-C2	-6.39	101.65	111.02
4	В	1702	NAG	C4-C3-C2	-4.34	104.66	111.02
4	В	1701	NAG	O5-C5-C6	4.29	113.93	107.20
4	В	1702	NAG	C1-C2-N2	4.28	117.80	110.49
4	В	1702	NAG	C1-O5-C5	4.06	117.69	112.19
4	В	1702	NAG	O4-C4-C3	3.84	119.23	110.35
4	В	1701	NAG	C6-C5-C4	-3.51	104.79	113.00
4	А	1702	NAG	C2-N2-C7	3.38	127.71	122.90
4	А	1702	NAG	C4-C3-C2	3.26	115.80	111.02
4	В	1702	NAG	C6-C5-C4	-3.24	105.41	113.00
4	В	1702	NAG	O7-C7-N2	3.21	127.85	121.95
4	В	1701	NAG	C1-C2-N2	3.12	115.83	110.49
4	В	1701	NAG	O7-C7-N2	-3.12	116.21	121.95
4	В	1702	NAG	O5-C5-C4	-2.80	104.02	110.83
4	В	1702	NAG	C8-C7-N2	-2.75	111.44	116.10
4	В	1701	NAG	C3-C4-C5	-2.62	105.57	110.24
4	А	1702	NAG	O5-C1-C2	-2.49	107.35	111.29
4	А	1702	NAG	O5-C5-C4	-2.29	105.25	110.83

There are no chirality outliers.

All (7) torsion outliers are listed below:



Mol	Chain	Res	Type	Atoms
4	В	1702	NAG	C8-C7-N2-C2
4	В	1702	NAG	O7-C7-N2-C2
4	А	1702	NAG	O5-C5-C6-O6
4	В	1701	NAG	C8-C7-N2-C2
4	В	1701	NAG	O7-C7-N2-C2
4	А	1702	NAG	C4-C5-C6-O6
4	В	1701	NAG	O5-C5-C6-O6

There are no ring outliers.

2 monomers are involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	В	1701	NAG	1	0
3	А	1701	SO4	1	0

5.7 Other polymers (i)

There are no such residues in this entry.

5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



6 Fit of model and data (i)

6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled '#RSRZ> 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ $>$	#RSRZ>2	$OWAB(Å^2)$	Q<0.9
1	А	686/737~(93%)	1.04	138 (20%) 1 1	113, 187, 275, 334	0
1	В	665/737~(90%)	1.01	135 (20%) 1 1	118, 200, 248, 294	0
All	All	1351/1474~(91%)	1.02	273 (20%) 1 1	113, 195, 266, 334	0

All (273) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	А	1582	ARG	7.7
1	А	1550	MET	7.7
1	А	1612	PHE	7.4
1	А	1572	ILE	7.2
1	В	1474	PHE	6.6
1	В	1056	GLN	6.2
1	А	1529	LEU	6.2
1	В	1416	GLY	6.1
1	А	1624	PRO	6.1
1	А	1538	PHE	6.0
1	В	1529	LEU	5.8
1	А	1585	ASP	5.7
1	А	1581	LEU	5.6
1	В	947	LEU	5.5
1	А	1540	ALA	5.5
1	А	1562	GLY	5.2
1	А	1335	ARG	5.2
1	В	1397	THR	5.0
1	В	1417	THR	5.0
1	A	998	ASN	4.9
1	A	1613	VAL	4.9
1	A	965	PHE	4.8
1	A	1277	LYS	4.8
1	В	1403	TYR	4.8



Mol	Chain	Res	Type	RSRZ
1	А	1541	ALA	4.7
1	В	1550	MET	4.7
1	В	1612	PHE	4.5
1	В	1472	ILE	4.5
1	В	1197	PRO	4.5
1	В	1437	LEU	4.4
1	В	1552	ILE	4.4
1	А	1539	THR	4.4
1	В	1604	LEU	4.3
1	А	1320	HIS	4.3
1	В	1444	PRO	4.3
1	А	1532	LEU	4.3
1	В	1549	TYR	4.2
1	А	1272	THR	4.2
1	А	1548	VAL	4.2
1	В	1058	ILE	4.2
1	В	1329	ILE	4.2
1	В	1069	PHE	4.2
1	А	1552	ILE	4.2
1	В	1034	ASP	4.2
1	В	1120	PHE	4.1
1	В	1211	TRP	4.1
1	В	1040	PHE	4.0
1	В	1626	LEU	4.0
1	A	1567	PHE	4.0
1	A	1614	CYS	4.0
1	В	1234	HIS	3.9
1	A	1279	VAL	3.8
1	A	947	LEU	3.8
1	В	1265	LEU	3.8
1	В	1277	LYS	3.8
1	A	967	PHE	3.8
1	В	1311	MET	3.8
1	A	1188	PHE	3.7
1	В	1640	TRP	3.7
1	B	1243	LEU	3.7
1	A	1591	VAL	3.6
1	В	1453	LEU	3.6
1	A	1199	PHE	3.6
1	A	992	GLN	3.6
1	В	1603	GLY	3.6
1	A	1417	THR	3.6

Continued from previous page...



Mol	Chain	Res	Type	RSRZ
1	А	1031	GLY	3.5
1	В	1451	ILE	3.5
1	В	1381	LEU	3.5
1	В	1473	ARG	3.4
1	А	1590	LEU	3.4
1	В	945	PHE	3.4
1	А	1109	VAL	3.4
1	А	1233	ARG	3.4
1	А	1527	PHE	3.4
1	А	1155	VAL	3.3
1	А	1474	PHE	3.3
1	А	1294	VAL	3.3
1	В	1089	LEU	3.3
1	A	976	CYS	3.3
1	В	965	PHE	3.3
1	А	1594	ASP	3.3
1	А	1395	THR	3.3
1	В	1053	PHE	3.3
1	А	1640	TRP	3.2
1	В	1212	ARG	3.2
1	В	1167	LEU	3.2
1	В	1565	ALA	3.2
1	В	1445	GLN	3.2
1	А	1629	LEU	3.2
1	В	1033	ALA	3.2
1	А	1120	PHE	3.2
1	А	1565	ALA	3.1
1	В	1331	PHE	3.1
1	А	1240	LEU	3.1
1	А	1566	CYS	3.1
1	В	1452	VAL	3.1
1	A	1609	VAL	3.1
1	A	$11\overline{67}$	LEU	3.1
1	B	1188	PHE	3.0
1	В	1019	ILE	3.0
1	A	1243	LEU	3.0
1	A	1030	LYS	3.0
1	В	1532	LEU	3.0
1	Ā	1056	GLN	3.0
1	В	$13\overline{42}$	PHE	3.0
1	A	1542	TYR	3.0
1	A	1171	TYR	3.0



Mol	Chain	Res	Type	RSRZ
1	В	1395	THR	3.0
1	А	1034	ASP	2.9
1	А	1223	GLU	2.9
1	В	1047	TYR	2.9
1	В	1313	PHE	2.9
1	В	1108	ALA	2.9
1	В	1233	ARG	2.9
1	В	1405	ILE	2.9
1	В	1450	ILE	2.9
1	В	1122	LEU	2.9
1	А	1094	TYR	2.9
1	А	956	TYR	2.9
1	В	1173	ASN	2.9
1	A	1574	VAL	2.8
1	А	1519	THR	2.8
1	В	1094	TYR	2.8
1	А	1201	LEU	2.8
1	А	988	GLU	2.8
1	В	1407	VAL	2.8
1	В	1639	SER	2.8
1	А	961	ILE	2.8
1	А	1384	LEU	2.8
1	А	1265	LEU	2.8
1	А	1518	VAL	2.8
1	А	1075	LEU	2.7
1	А	1381	LEU	2.7
1	А	1610	ILE	2.7
1	В	1579	LYS	2.7
1	А	1589	GLN	2.7
1	В	1257	TYR	2.7
1	В	1096	LEU	2.7
1	В	1560	PRO	2.7
1	В	954	GLN	2.7
1	A	934	CYS	2.7
1	В	1186	ILE	2.7
1	B	1067	THR	2.7
1	A	1329	ILE	2.7
1	В	1064	ILE	2.7
1	В	1196	SER	2.6
1	B	1387	TYR	2.6
1	В	1355	TRP	2.6
1	В	1076	ALA	2.6

Continued from previous page...



Mol	Chain	Res	Type	RSRZ
1	В	1201	LEU	2.6
1	В	1442	ASP	2.6
1	В	1302	LEU	2.6
1	В	1610	ILE	2.6
1	А	1234	HIS	2.6
1	В	1493	ASP	2.6
1	В	1608	SER	2.6
1	В	1590	LEU	2.6
1	А	1626	LEU	2.6
1	А	1007	ILE	2.6
1	В	1574	VAL	2.6
1	В	1258	TYR	2.6
1	В	1470	THR	2.6
1	A	1584	VAL	2.5
1	В	1384	LEU	2.5
1	А	1618	ALA	2.5
1	В	1191	ALA	2.5
1	В	1588	LEU	2.5
1	В	1071	PHE	2.5
1	А	1636	LEU	2.5
1	А	979	ILE	2.5
1	В	1254	GLU	2.5
1	А	1124	VAL	2.5
1	А	1416	GLY	2.5
1	В	1279	VAL	2.5
1	А	1321	LYS	2.5
1	В	1060	SER	2.5
1	В	1190	CYS	2.5
1	А	1047	TYR	2.5
1	А	1071	PHE	2.5
1	В	1110	ASP	2.5
1	A	1146	GLU	2.5
1	A	1186	ILE	2.4
1	В	1249	ILE	2.4
1	A	1644	LEU	2.4
1	A	1161	ALA	2.4
1	А	1021	LEU	2.4
1	A	1011	LEU	2.4
1	А	1302	LEU	2.4
1	A	1036	PHE	2.4
1	A	1496	TYR	2.4
1	А	1549	TYR	2.4



Mol	Chain	Res	Type	RSRZ
1	В	988	GLU	2.4
1	А	986	GLY	2.4
1	А	1305	GLU	2.4
1	В	1099	LEU	2.4
1	В	1298	LEU	2.4
1	А	1364	PHE	2.4
1	А	1278	VAL	2.4
1	А	1486	MET	2.4
1	В	1123	SER	2.4
1	В	1641	HIS	2.4
1	В	1200	GLN	2.4
1	В	1340	PRO	2.4
1	В	1209	PHE	2.3
1	В	1364	PHE	2.3
1	А	1311	MET	2.3
1	В	1269	VAL	2.3
1	В	970	CYS	2.3
1	В	1192	GLN	2.3
1	А	1508	MET	2.3
1	В	1075	LEU	2.3
1	В	1011	LEU	2.3
1	В	1240	LEU	2.3
1	А	1504	THR	2.3
1	А	1546	GLY	2.3
1	А	943	PHE	2.3
1	А	1261	VAL	2.3
1	В	1103	ARG	2.3
1	А	1023	TYR	2.3
1	А	1313	PHE	2.3
1	А	1505	ALA	2.2
1	А	1096	LEU	2.2
1	A	1498	PHE	2.2
1	В	1540	ALA	2.2
1	A	1026	PRO	2.2
1	A	$1\overline{295}$	ALA	2.2
1	В	1591	VAL	2.2
1	А	1122	LEU	2.2
1	A	1472	ILE	2.2
1	В	936	ILE	2.2
1	В	946	ASN	2.2
1	В	1391	TRP	2.1
1	А	1207	TYR	2.1

Continued from previous page...



Mol	Chain	Res	Type	RSRZ
1	В	1330	PHE	2.1
1	А	1270	CYS	2.1
1	В	1165	GLY	2.1
1	В	1054	LEU	2.1
1	В	1504	THR	2.1
1	А	1145	SER	2.1
1	А	1444	PRO	2.1
1	В	1143	LEU	2.1
1	В	1219	VAL	2.1
1	В	1436	ASN	2.1
1	А	1528	ASP	2.1
1	А	950	LEU	2.1
1	В	1118	ARG	2.1
1	В	1498	PHE	2.1
1	В	1427	CYS	2.1
1	В	1013	LEU	2.1
1	А	1236	ASN	2.1
1	А	1121	TYR	2.1
1	А	1387	TYR	2.1
1	В	1189	GLU	2.1
1	В	1609	VAL	2.1
1	А	966	MET	2.1
1	В	1558	ASN	2.1
1	А	1264	LYS	2.1
1	А	991	THR	2.1
1	А	1108	ALA	2.1
1	В	1278	VAL	2.1
1	В	1488	ILE	2.1
1	А	1645	ALA	2.0
1	А	1151	ASN	2.0
1	А	963	LYS	2.0
1	В	1156	GLN	2.0
1	В	1036	PHE	2.0
1	А	1608	SER	2.0
1	В	1261	VAL	2.0
1	А	1216	ALA	2.0
1	А	1297	LEU	2.0
1	А	1040	PHE	2.0
1	А	1119	THR	2.0

Continued from previous page...



6.2 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95^{th} percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	$\mathbf{B} ext{-factors}(\mathbf{A}^2)$	Q<0.9
2	NAG	С	1	14/15	0.63	0.33	161,192,236,244	0
2	BMA	D	3	11/12	0.77	0.27	$154,\!166,\!197,\!204$	0
2	MAN	С	4	11/12	0.87	0.24	174,198,211,232	0
2	NAG	С	2	14/15	0.89	0.20	$185,\!230,\!255,\!258$	0
2	MAN	С	6	11/12	0.89	0.25	149,180,211,224	0
2	NAG	D	2	14/15	0.90	0.22	$179,\!233,\!251,\!269$	0
2	NAG	D	1	14/15	0.92	0.24	119,162,218,225	0
2	MAN	D	4	11/12	0.92	0.30	192,207,222,248	0
2	BMA	С	3	11/12	0.92	0.23	$144,\!158,\!181,\!199$	0
2	MAN	D	6	11/12	0.93	0.14	$30,\!30,\!30,\!30$	0
2	MAN	D	5	11/12	0.93	0.16	$30,\!30,\!30,\!30$	0
2	MAN	С	5	11/12	0.95	0.27	$152,\!163,\!183,\!183$	0

The following is a graphical depiction of the model fit to experimental electron density for oligosaccharide. Each fit is shown from different orientation to approximate a three-dimensional view.







6.4 Ligands (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95^{th} percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	$\mathbf{B} ext{-factors}(\mathbf{A}^2)$	Q<0.9
4	NAG	В	1702	14/15	0.71	0.35	155,179,210,226	0
4	NAG	В	1701	14/15	0.75	0.31	192,209,231,234	0
4	NAG	А	1702	14/15	0.81	0.27	$155,\!179,\!185,\!185$	0
3	SO4	А	1701	5/5	0.83	0.22	157, 173, 190, 198	0

6.5 Other polymers (i)

There are no such residues in this entry.

