

Full wwPDB X-ray Structure Validation Report (i)

Oct 25, 2022 - 08:59 pm BST

PDB ID	:	7Z36
Title	:	Crystal structure of the KAP1 tripartite motif in complex with the ZNF93
		KRAB domain
Authors	:	Stoll, G.A.; Modis, Y.
Deposited on	:	2022-03-01
Resolution	:	2.80 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org* A user guide is available at https://www.wwpdb.org/validation/2017/XrayValidationReportHelp with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (1)) were used in the production of this report:

MolProbity	:	4.02b-467
Xtriage (Phenix)	:	1.13
EDS	:	2.31.2
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0267
CCP4	:	7.1.010 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.31.2

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure: $X\text{-}RAY \, DIFFRACTION$

The reported resolution of this entry is 2.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	$egin{array}{c} { m Whole \ archive} \ (\#{ m Entries}) \end{array}$	${f Similar\ resolution}\ (\#{ m Entries,\ resolution\ range}({ m \AA}))$
R _{free}	130704	3140 (2.80-2.80)
Clashscore	141614	3569 (2.80-2.80)
Ramachandran outliers	138981	3498 (2.80-2.80)
Sidechain outliers	138945	3500 (2.80-2.80)
RSRZ outliers	127900	3078 (2.80-2.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length		Quality of chain	
			10%		
1	A	482		78%	10% •• 10%
			11%		
1	В	482		80%	12% 7%
			% •		
2	С	73	56%	5% •	37%
2	S	73	56%	7% •	36%
			36%		
3	D	70	51%	9%	40%



2 Entry composition (i)

There are 4 unique types of molecules in this entry. The entry contains 15589 atoms, of which 7692 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

• Molecule 1 is a protein called Endolysin, Transcription intermediary factor 1-beta, Isoform 2 of Transcription intermediary factor 1-beta.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace		
1	Δ	433	Total	С	Η	Ν	Ο	\mathbf{S}	0	0	0
1	11	100	6799	2145	3378	626	625	25	0	0	0
1	D	446	Total	С	Η	Ν	0	\mathbf{S}	0	0	0
	D	440	6842	2173	3366	632	646	25	0	U	0

Chain	Residue	Modelled	Actual	Comment	Reference
А	1	MET	-	initiating methionine	UNP P00720
А	2	GLY	-	expression tag	UNP P00720
А	3	SER	-	expression tag	UNP P00720
А	4	SER	-	expression tag	UNP P00720
А	5	HIS	-	expression tag	UNP P00720
A	6	HIS	-	expression tag	UNP P00720
А	7	HIS	-	expression tag	UNP P00720
А	8	HIS	-	expression tag	UNP P00720
А	9	HIS	-	expression tag	UNP P00720
А	10	HIS	-	expression tag	UNP P00720
А	11	SER	-	expression tag	UNP P00720
А	12	GLN	-	expression tag	UNP P00720
А	13	ASP	-	expression tag	UNP P00720
А	14	PRO	-	expression tag	UNP P00720
А	15	ASN	-	expression tag	UNP P00720
A	16	SER	-	expression tag	UNP P00720
А	17	SER	-	expression tag	UNP P00720
А	18	SER	-	expression tag	UNP P00720
А	19	GLU	-	expression tag	UNP P00720
А	20	ASN	-	expression tag	UNP P00720
A	21	LEU	-	expression tag	UNP P00720
А	22	TYR	-	expression tag	UNP P00720
A	23	PHE	-	expression tag	UNP P00720
A	24	GLN	-	expression tag	UNP P00720

There are 52 discrepancies between the modelled and reference sequences:



Chain	Residue	Modelled	Actual	Comment	Reference
А	25	GLY	-	expression tag	UNP P00720
А	186	ALA	-	linker	UNP P00720
В	1	MET	-	initiating methionine	UNP P00720
В	2	GLY	-	expression tag	UNP P00720
В	3	SER	-	expression tag	UNP P00720
В	4	SER	-	expression tag	UNP P00720
В	5	HIS	_	expression tag	UNP P00720
В	6	HIS	-	expression tag	UNP P00720
В	7	HIS	-	expression tag	UNP P00720
В	8	HIS	-	expression tag	UNP P00720
В	9	HIS	-	expression tag	UNP P00720
В	10	HIS	-	expression tag	UNP P00720
В	11	SER	-	expression tag	UNP P00720
В	12	GLN	-	expression tag	UNP P00720
В	13	ASP	-	expression tag	UNP P00720
В	14	PRO	-	expression tag	UNP P00720
В	15	ASN	-	expression tag	UNP P00720
В	16	SER	-	expression tag	UNP P00720
В	17	SER	-	expression tag	UNP P00720
В	18	SER	-	expression tag	UNP P00720
В	19	GLU	-	expression tag	UNP P00720
В	20	ASN	-	expression tag	UNP P00720
В	21	LEU	-	expression tag	UNP P00720
В	22	TYR	-	expression tag	UNP P00720
В	23	PHE	-	expression tag	UNP P00720
В	24	GLN	-	expression tag	UNP P00720
В	25	GLY	-	expression tag	UNP P00720
В	186	ALA	-	linker	UNP P00720

Continued from previous page...

• Molecule 2 is a protein called SMARCAD1 CUE1 domain.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace		
2	С	46	Total 718	C 221	Н 365	N 56	0 74	$\begin{array}{c} \mathrm{S} \\ \mathrm{2} \end{array}$	0	0	0
2	S	47	Total 651	C 208	Н 318	N 54	O 70	S 1	0	0	0

• Molecule 3 is a protein called Zinc finger protein 93.

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf	Trace			
3	D	42	Total 571	C 200	Н 265	N 47	O 57	${ m S} { m 2}$	0	0	0



• Molecule 4 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	А	4	Total Zn 4 4	0	0
4	В	4	Total Zn 4 4	0	0



3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

 \bullet Molecule 1: Endolysin, Transcription intermediary factor 1-beta, Isoform 2 of Transcription intermediary factor 1-beta



 \bullet Molecule 1: Endolysin, Transcription intermediary factor 1-beta, Isoform 2 of Transcription intermediary factor 1-beta









4 Data and refinement statistics (i)

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants	190.28Å 68.58Å 149.11Å	Depositor
a, b, c, α , β , γ	90.00° 114.05° 90.00°	Depositor
Bosolution(A)	63.79 - 2.80	Depositor
Resolution (A)	63.79 - 2.80	EDS
% Data completeness	97.3 (63.79-2.80)	Depositor
(in resolution range)	97.3 (63.79-2.80)	EDS
R_{merge}	0.07	Depositor
R_{sym}	(Not available)	Depositor
$< I/\sigma(I) > 1$	2.75 (at 2.81\AA)	Xtriage
Refinement program	PHENIX 1.20.1_4487	Depositor
B B.	0.227 , 0.274	Depositor
Π, Π_{free}	0.225 , 0.269	DCC
R_{free} test set	2224 reflections $(5.23%)$	wwPDB-VP
Wilson B-factor $(Å^2)$	60.1	Xtriage
Anisotropy	0.233	Xtriage
Bulk solvent $k_{sol}(e/Å^3), B_{sol}(Å^2)$	(Not available), (Not available)	EDS
L-test for $twinning^2$	$ < L > = 0.50, < L^2 > = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.90	EDS
Total number of atoms	15589	wwPDB-VP
Average B, all atoms $(Å^2)$	74.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: The largest off-origin peak in the Patterson function is 4.79% of the height of the origin peak. No significant pseudotranslation is detected.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



¹Intensities estimated from amplitudes.

5 Model quality (i)

5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: ZN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Mol Chain		nd lengths	Bond angles		
		RMSZ	# Z > 5	RMSZ	# Z > 5	
1	А	0.56	2/3477~(0.1%)	0.87	9/4696~(0.2%)	
1	В	0.56	3/3535~(0.1%)	0.88	8/4784~(0.2%)	
2	С	0.51	0/354	0.89	2/475~(0.4%)	
2	S	1.21	2/334~(0.6%)	1.09	5/453~(1.1%)	
3	D	0.38	0/311	0.60	0/425	
All	All	0.59	7/8011~(0.1%)	0.87	24/10833~(0.2%)	

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	А	0	1
1	В	0	1
2	S	0	1
All	All	0	3

All (7) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	S	22	ARG	CG-CD	17.00	1.94	1.51
1	В	63	LEU	CG-CD2	9.72	1.87	1.51
2	S	22	ARG	CD-NE	-7.69	1.33	1.46
1	А	278	CYS	CB-SG	7.36	1.94	1.82
1	В	455	HIS	CA-CB	-6.33	1.40	1.53
1	В	63	LEU	CG-CD1	-5.44	1.31	1.51
1	А	290	CYS	CB-SG	5.40	1.91	1.82

All (24) bond angle outliers are listed below:



Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
1	В	63	LEU	CB-CG-CD2	-15.95	83.88	111.00
1	А	318	VAL	CG1-CB-CG2	-14.19	88.20	110.90
1	В	63	LEU	CB-CG-CD1	11.21	130.06	111.00
2	S	22	ARG	NE-CZ-NH2	-10.77	114.92	120.30
1	В	455	HIS	N-CA-CB	-10.49	91.72	110.60
1	В	476	LYS	C-N-CA	10.01	146.72	121.70
1	А	252	LYS	CG-CD-CE	-8.59	86.13	111.90
1	В	63	LEU	CD1-CG-CD2	-7.78	87.16	110.50
1	А	464	LEU	CD1-CG-CD2	-7.54	87.88	110.50
1	В	63	LEU	CA-CB-CG	-7.53	97.99	115.30
1	А	251	CYS	CA-CB-SG	7.18	126.93	114.00
2	S	22	ARG	CB-CG-CD	7.07	129.97	111.60
1	В	84	LYS	CG-CD-CE	-7.06	90.71	111.90
1	А	252	LYS	N-CA-CB	-6.95	98.09	110.60
2	S	22	ARG	NH1-CZ-NH2	-6.29	112.49	119.40
1	А	318	VAL	CA-CB-CG2	-6.21	101.59	110.90
2	С	47	MET	CB-CG-SD	-5.92	94.63	112.40
1	А	251	CYS	CB-CA-C	-5.91	98.59	110.40
1	А	23	PHE	N-CA-C	5.52	125.91	111.00
2	С	47	MET	CG-SD-CE	5.45	108.92	100.20
1	В	455	HIS	CB-CA-C	5.16	120.71	110.40
1	A	252	LYS	CB-CA-C	5.12	120.64	110.40
2	S	22	ARG	N-CA-CB	5.08	119.74	110.60
2	S	30	LEU	CA-CB-CG	5.01	126.83	115.30

There are no chirality outliers.

All (3) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	А	319	ARG	Sidechain
1	В	455	HIS	Sidechain
2	S	22	ARG	Sidechain

5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	А	3421	3378	3374	65	1



• • • • • •	Jerry Jerry Jerry and Fergers							
Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes		
1	В	3476	3366	3364	54	1		
2	С	353	365	365	10	0		
2	S	333	318	320	5	0		
3	D	306	265	265	10	0		
4	А	4	0	0	0	0		
4	В	4	0	0	0	0		
All	All	7897	7692	7688	127	1		

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

All (127) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

A + 1	A + a	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:B:63:LEU:CD2	1:B:63:LEU:CG	1.87	1.51
2:S:22:ARG:CD	2:S:22:ARG:CG	1.94	1.44
2:C:43:ALA:O	2:C:47:MET:HE3	1.35	1.22
1:B:63:LEU:CD2	1:B:63:LEU:CD1	2.23	1.15
2:C:43:ALA:O	2:C:47:MET:CE	1.98	1.11
1:B:63:LEU:CD2	1:B:63:LEU:CB	2.28	1.11
1:B:63:LEU:CD2	1:B:63:LEU:HD13	1.87	0.99
1:A:206:GLU:OE1	1:A:206:GLU:N	2.00	0.93
1:A:457:GLU:N	1:A:457:GLU:OE1	2.06	0.89
1:B:140:ASN:O	1:B:144:MET:HG3	1.77	0.84
1:A:251:CYS:O	1:A:252:LYS:HB2	1.78	0.83
1:A:252:LYS:HD3	2:S:21:GLN:OE1	1.77	0.82
1:A:462:TRP:CH2	1:A:464:LEU:HD12	2.16	0.81
1:B:63:LEU:CD2	1:B:63:LEU:HB3	2.10	0.79
1:B:300:ASP:O	1:B:304:ASN:OD1	2.05	0.74
1:A:302:GLN:HE21	1:A:302:GLN:HA	1.55	0.70
1:B:63:LEU:HD23	1:B:64:ASN:HD21	1.57	0.69
1:A:455:HIS:ND1	1:A:455:HIS:O	2.25	0.69
1:A:366:MET:CE	3:D:43:LEU:HD13	2.23	0.69
1:A:289:PHE:CD2	1:A:291:GLU:HG2	2.29	0.68
2:C:46:LEU:HB3	2:C:47:MET:HE3	1.77	0.67
1:A:366:MET:HE3	3:D:43:LEU:HD13	1.76	0.67
2:C:43:ALA:O	2:C:47:MET:SD	2.53	0.66
1:B:37:LEU:CD2	1:B:84:LYS:HE3	2.26	0.66
2:C:47:MET:CE	2:C:47:MET:N	2.60	0.65
1:A:312:GLN:HA	1:A:312:GLN:OE1	1.96	0.64
1:A:382:LEU:HD22	1:A:460:PHE:HE1	1.62	0.63



		Interatomic	Clash	
Atom-1	Atom-2	distance (Å)	overlap (Å)	
1:B:250:VAL:O	1:B:251:CYS:SG	2.57	0.63	
1:A:366:MET:CE	1:A:369:LEU:HD12	2.28	0.63	
1:A:352:GLN:NE2	1:B:457:GLU:OE1	2.33	0.62	
1:B:37:LEU:HD21	1:B:84:LYS:HE3	1.80	0.62	
1:B:449:VAL:HG23	1:B:449:VAL:O	1.99	0.62	
1:A:251:CYS:O	1:A:252:LYS:CB	2.48	0.61	
3:D:11:ILE:O	3:D:33:MET:HE1	1.99	0.61	
1:B:37:LEU:HD21	1:B:84:LYS:HG3	1.82	0.61	
1:B:71:ASP:OD2	1:B:78:CYS:N	2.32	0.61	
1:B:63:LEU:HD23	1:B:64:ASN:ND2	2.16	0.60	
1:A:302:GLN:HA	1:A:302:GLN:NE2	2.16	0.60	
1:A:315:GLU:O	1:A:318:VAL:HG12	2.00	0.60	
1:A:406:LYS:HD3	2:C:18:LEU:HD23	1.83	0.60	
1:A:457:GLU:H	1:A:457:GLU:CD	2.04	0.59	
3:D:28:LEU:C	3:D:28:LEU:HD23	2.23	0.59	
1:A:462:TRP:HH2	1:A:464:LEU:HD12	1.66	0.59	
1:A:289:PHE:CE2	1:A:291:GLU:HG2	2.38	0.59	
1:A:318:VAL:CG1	1:A:319:ARG:N	2.66	0.58	
1:A:318:VAL:CG1	1:A:319:ARG:H	2.17	0.58	
1:A:318:VAL:HG13	1:A:319:ARG:N	2.20	0.57	
2:S:22:ARG:NH2	2:S:47:MET:HA	2.19	0.57	
1:B:471:ALA:O	1:B:472:GLU:HB2	2.05	0.57	
2:S:24:ASP:O	2:S:28:LEU:HD12	2.04	0.57	
1:B:248:CYS:SG	1:B:250:VAL:O	2.64	0.56	
2:C:47:MET:CE	2:C:47:MET:H	2.18	0.56	
1:B:46:GLU:HB3	1:B:48:TYR:HE2	1.69	0.56	
1:B:63:LEU:HB3	1:B:63:LEU:HD23	1.87	0.55	
1:B:262:GLU:OE1	1:B:267:ARG:HD2	2.06	0.55	
1:A:291:GLU:CD	1:A:312:GLN:HG2	2.26	0.55	
1:B:38:ARG:HG3	1:B:42:TYR:CE1	2.42	0.55	
1:A:370:GLN:HE22	1:A:373:LYS:HD3	1.73	0.54	
1:B:455:HIS:C	1:B:455:HIS:HD1	2.11	0.53	
2:C:46:LEU:HB3	2:C:47:MET:CE	2.40	0.52	
1:A:370:GLN:NE2	1:A:373:LYS:HD3	2.25	0.52	
2:C:44:ALA:HA	2:C:47:MET:SD	2.50	0.52	
1:B:112:TYR:CE1	1:B:120:ARG:HD3	2.45	0.52	
3:D:28:LEU:HD23	3:D:28:LEU:O	2.09	0.51	
1:A:213:PRO:HA	1:B:436:LEU:HD22	1.92	0.51	
1:A:302:GLN:HE21	1:A:302:GLN:CA	2.23	0.51	
1:A:378:ARG:HG2	1:B:474:PHE:HB3	1.91	0.51	
1:A:302:GLN:OE1	1:A:311:TYR:HD1	1.94	0.50	



		Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:A:455:HIS:O	1:A:455:HIS:CG	2.63	0.50
1:B:37:LEU:CD2	1:B:84:LYS:CE	2.89	0.50
1:B:455:HIS:C	1:B:455:HIS:ND1	2.65	0.50
1:A:321:GLN:HA	1:A:321:GLN:OE1	2.11	0.50
1:B:70:LEU:HD11	1:B:82:ILE:CG2	2.43	0.49
1:A:378:ARG:NH2	1:B:475:GLY:O	2.44	0.49
2:S:22:ARG:HH22	2:S:47:MET:HA	1.76	0.49
1:A:246:VAL:HG11	1:A:260:ILE:HD11	1.94	0.48
1:A:302:GLN:OE1	1:A:311:TYR:CD1	2.66	0.48
1:A:461:GLN:N	1:B:476:LYS:O	2.40	0.48
1:B:471:ALA:O	1:B:473:ALA:N	2.41	0.48
1:A:191:GLU:OE2	1:A:202:ARG:NH2	2.45	0.48
1:A:163:TYR:C	1:A:163:TYR:CD1	2.87	0.48
1:A:366:MET:CE	1:A:366:MET:HA	2.44	0.48
3:D:4:LEU:C	3:D:4:LEU:HD23	2.34	0.48
1:B:449:VAL:O	1:B:449:VAL:CG2	2.61	0.47
1:A:366:MET:HE1	3:D:43:LEU:HD13	1.94	0.47
2:C:47:MET:SD	2:C:47:MET:N	2.87	0.47
1:A:321:GLN:OE1	1:A:321:GLN:CA	2.62	0.47
1:A:371:ILE:HD11	1:B:467:TRP:CG	2.50	0.46
1:A:23:PHE:O	1:A:23:PHE:CG	2.69	0.46
1:B:63:LEU:CD1	1:B:63:LEU:HD21	2.35	0.46
1:A:380:ARG:HH11	1:A:380:ARG:HD3	1.52	0.46
1:B:70:LEU:HD11	1:B:82:ILE:HG21	1.99	0.45
1:B:63:LEU:HD13	1:B:63:LEU:HD21	1.89	0.45
1:A:387:GLN:OE1	1:A:391:GLU:HG3	2.17	0.45
1:A:379:GLY:HA2	1:A:382:LEU:HD12	1.98	0.45
1:A:460:PHE:CD1	1:B:364:VAL:HG22	2.52	0.45
1:B:372:MET:HE1	3:D:9:VAL:O	2.17	0.44
1:A:317:ALA:O	1:A:321:GLN:HG2	2.18	0.44
1:A:366:MET:HE2	1:A:369:LEU:HD12	1.99	0.44
1:A:23:PHE:O	1:A:24:GLN:HB2	2.18	0.43
1:A:205:PRO:N	1:A:206:GLU:OE1	2.51	0.43
1:A:371:ILE:HD11	1:B:467:TRP:CB	2.48	0.43
1:B:48:TYR:HD1	1:B:59:LYS:HA	1.83	0.43
1:B:455:HIS:ND1	1:B:455:HIS:O	2.43	0.43
1:B:320:ASN:O	1:B:324:LEU:HG	2.18	0.43
3:D:11:ILE:O	3:D:33:MET:CE	2.66	0.43
1:B:36:ARG:HD2	1:B:38:ARG:HD3	2.01	0.43
1:A:465:ASN:HD22	1:A:465:ASN:HA	1.67	0.42
1:A:434:LYS:HE3	1:B:321:GLN:OE1	2.18	0.42



Atom 1	Atom 2	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:B:95:VAL:O	1:B:99:VAL:HG23	2.19	0.42
1:B:40:LYS:HG2	1:B:81:VAL:HG22	2.02	0.42
1:A:246:VAL:CG1	1:A:260:ILE:HD11	2.50	0.42
1:A:302:GLN:NE2	1:A:306:HIS:HB2	2.35	0.41
1:A:369:LEU:HB3	3:D:4:LEU:HD11	2.01	0.41
1:B:427:ASN:O	1:B:431:LEU:HD13	2.20	0.41
1:A:372:MET:HG2	1:B:372:MET:HG2	2.02	0.41
1:B:115:LEU:O	1:B:120:ARG:NH2	2.54	0.41
1:A:366:MET:HE3	1:A:366:MET:HA	2.01	0.41
1:B:62:SER:HB3	1:B:65:ALA:HB3	2.01	0.41
1:A:291:GLU:HB3	1:A:310:GLN:OE1	2.21	0.41
1:A:318:VAL:HG12	1:A:319:ARG:H	1.85	0.41
1:A:356:VAL:O	1:A:360:VAL:HG23	2.21	0.41
1:B:102:ILE:HG21	1:B:112:TYR:CD2	2.55	0.41
1:B:46:GLU:CB	1:B:48:TYR:HE2	2.33	0.41
1:B:144:MET:CE	1:B:152:GLU:HB3	2.51	0.40
1:A:452:VAL:O	1:A:452:VAL:HG13	2.22	0.40
1:A:453:GLU:OE1	1:A:453:GLU:N	2.50	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1 Atom-2		Interatomic distance (Å)	Clash overlap (Å)	
1:A:311:TYR:HH	1:B:303:LEU:O[1_454]	1.58	0.02	

5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Perce	entiles
1	А	427/482~(89%)	415 (97%)	10 (2%)	2~(0%)	29	61
1	В	442/482~(92%)	426 (96%)	13 (3%)	3 (1%)	22	53



Mol	Chain	Analysed	Favoured	Allowed	Outliers	Perce	entiles
2	С	44/73~(60%)	44 (100%)	0	0	100	100
2	S	45/73~(62%)	45 (100%)	0	0	100	100
3	D	40/70~(57%)	40 (100%)	0	0	100	100
All	All	998/1180~(85%)	970~(97%)	23~(2%)	5~(0%)	29	61

Continued from previous page...

All (5) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	А	455	HIS
1	В	63	LEU
1	В	80	GLY
1	В	477	ILE
1	А	309	HIS

5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Perce	ntiles
1	А	362/415~(87%)	353~(98%)	9(2%)	47	80
1	В	364/415~(88%)	355~(98%)	9 (2%)	47	80
2	С	40/65~(62%)	39~(98%)	1 (2%)	47	80
2	S	33/65~(51%)	33 (100%)	0	100	100
3	D	28/64~(44%)	28 (100%)	0	100	100
All	All	827/1024 (81%)	808 (98%)	19 (2%)	50	82

All (19) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	А	165	GLN
1	А	252	LYS
1	А	302	GLN
1	А	310	GLN
1	А	318	VAL



Mol	Chain	Res	Type
1	А	321	GLN
1	А	330	LYS
1	А	425	ASP
1	А	464	LEU
1	В	63	LEU
1	В	85	ASP
1	В	132	GLU
1	В	279	ASN
1	В	319	ARG
1	В	388	LYS
1	В	395	GLU
1	В	396	ARG
1	В	455	HIS
2	С	47	MET

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (9) such sidechains are listed below:

Mol	Chain	Res	Type
1	А	302	GLN
1	А	370	GLN
1	А	455	HIS
1	А	465	ASN
1	В	64	ASN
1	В	304	ASN
1	В	370	GLN
1	В	387	GLN
2	С	21	GLN

5.3.3 RNA (i)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates (i)

There are no monosaccharides in this entry.



5.6 Ligand geometry (i)

Of 8 ligands modelled in this entry, 8 are monoatomic - leaving 0 for Mogul analysis. There are no bond length outliers. There are no bond angle outliers. There are no chirality outliers. There are no torsion outliers. There are no ring outliers. No monomer is involved in short contacts.

5.7 Other polymers (i)

There are no such residues in this entry.

5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



6 Fit of model and data (i)

6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled '#RSRZ> 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95^{th} percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<rsrz></rsrz>	#RSRZ>2	$\mathbf{OWAB}(\mathbf{A}^2)$	Q<0.9
1	А	433/482~(89%)	0.95	46 (10%) 6 3	27, 55, 121, 157	0
1	В	446/482~(92%)	0.96	55~(12%) 4 2	27,66,116,154	0
2	С	46/73~(63%)	0.45	1 (2%) 62 52	34, 50, 87, 111	0
2	S	47/73~(64%)	0.36	0 100 100	60, 80, 141, 151	0
3	D	42/70~(60%)	2.25	25~(59%) 0 0	81, 104, 120, 126	0
All	All	1014/1180 (85%)	0.96	127 (12%) 3 2	27, 64, 121, 157	0

All (127) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
3	D	33	MET	8.7
1	А	296	LEU	8.3
1	А	317	ALA	7.0
1	А	314	LEU	7.0
1	А	320	ASN	6.3
3	D	15	LEU	5.9
1	В	454	PRO	5.7
1	В	432	LEU	5.6
1	А	318	VAL	5.5
1	А	462	TRP	5.3
1	А	371	ILE	5.2
1	А	460	PHE	4.9
3	D	6	PHE	4.6
3	D	29	TYR	4.4
1	В	375	LEU	4.3
1	А	319	ARG	4.3
1	В	456	GLY	4.2
3	D	8	ASP	4.2
1	А	478	VAL	4.2
1	А	304	ASN	4.2



α \cdot \cdot \cdot	C	•	
Continued	trom	previous	<i>paae</i>
• • • • • • • • • • • •	J	P	r

Mol	Chain	Res	Type	RSRZ
1	А	289	PHE	3.9
1	А	295	THR	3.9
1	В	438	TYR	3.9
1	В	455	HIS	3.8
1	В	437	ILE	3.8
3	D	17	GLU	3.8
3	D	24	ALA	3.8
1	В	462	TRP	3.7
1	В	108	LEU	3.7
1	В	366	MET	3.7
1	В	66	ALA	3.7
1	В	225	PRO	3.6
1	В	451	PRO	3.6
1	В	457	GLU	3.5
1	В	369	LEU	3.5
1	В	57	LEU	3.5
3	D	21	LEU	3.4
3	D	40	LEU	3.4
1	В	436	LEU	3.4
1	А	464	LEU	3.3
1	А	299	ARG	3.3
1	А	467	TRP	3.3
1	В	362	VAL	3.3
3	D	32	VAL	3.2
1	В	452	VAL	3.2
1	А	316	ASP	3.2
1	В	303	LEU	3.2
3	D	16	GLU	3.2
1	В	428	THR	3.1
3	D	28	LEU	3.1
1	А	321	GLN	3.1
1	A	376	ASN	3.1
3	D	25	GLN	3.1
1	В	141	SER	3.0
3	D	13	PHE	3.0
1	А	286	LEU	3.0
1	В	145	LEU	3.0
1	А	379	GLY	3.0
1	А	386	ALA	3.0
3	D	9	VAL	3.0
1	В	448	ILE	2.9
1	В	133	THR	2.9



Continued from previous page...MolChainResTypeRSRZ

1	А	264	TYR	2.9
1	А	223	LEU	2.9
1	А	303	LEU	2.9
1	А	324	LEU	2.9
3	D	18	TRP	2.9
1	А	282	LYS	2.9
1	В	431	LEU	2.9
1	А	325	LEU	2.8
1	В	368	ILE	2.8
1	В	112	TYR	2.8
1	В	461	GLN	2.8
1	В	414	ILE	2.7
1	А	480	GLU	2.7
3	D	27	ASN	2.7
1	В	20	ASN	2.7
1	В	286	LEU	2.7
1	В	16	SER	2.7
1	В	477	ILE	2.7
1	В	304	ASN	2.6
1	В	440	GLN	2.6
1	В	357	GLN	2.5
1	А	291	GLU	2.5
3	D	4	LEU	2.5
1	А	287	VAL	2.5
1	А	380	ARG	2.5
3	D	36	ASN	2.5
1	А	360	VAL	2.5
3	D	26	ARG	2.5
1	В	430	LEU	2.5
1	В	467	TRP	2.4
3	D	45	ILE	2.4
1	В	136	ALA	2.4
1	В	371	ILE	2.4
1	A	375	LEU	2.4
3	D	37	TYR	2.4
1	В	444	ALA	2.4
3	D	20	CYS	2.4
1	A	292	SER	2.4
1	А	383	VAL	2.3
2	C	47	MET	2.3
1	A	215	LEU	2.3
3	D	11	11 ILE 2	



Mol	Chain	Res	Type	RSRZ
1	В	407	ILE	2.3
1	А	405	THR	2.2
1	В	314	LEU	2.2
1	А	294	ASP	2.2
1	В	465	ASN	2.2
1	В	422	LEU	2.2
1	В	102	ILE	2.2
1	В	433	SER	2.2
1	В	270	GLY	2.2
1	А	312	GLN	2.2
1	В	177	PHE	2.1
1	А	211	LEU	2.1
1	В	157	LEU	2.1
1	А	418	ALA	2.1
1	В	361	GLN	2.1
1	А	284	GLU	2.1
1	А	457	GLU	2.1
1	В	478	VAL	2.1
3	D	23	THR	2.0
1	В	245	VAL	2.0
1	А	474	PHE	2.0
1	А	431	LEU	2.0
1	В	373	LYS	2.0

6.2 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates (i)

There are no monosaccharides in this entry.

6.4 Ligands (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95^{th} percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.



Mol	Type	Chain	Res	Atoms	RSCC	RSR	$B-factors(Å^2)$	Q<0.9
	-				Daga	Dap		
Mol	Type	Chain	Res	Atoms	RSCC	RSR	B -factors(A^2)	$\mathbf{Q}{<}0.9$
4	ZN	А	503	1/1	0.43	0.13	138,138,138,138	0
4	ZN	А	504	1/1	0.85	0.10	132,132,132,132	0
4	ZN	В	503	1/1	0.94	0.16	91,91,91,91	0
4	ZN	В	504	1/1	0.94	0.20	74,74,74,74	0
4	ZN	В	502	1/1	0.96	0.26	39,39,39,39	0
4	ZN	В	501	1/1	0.97	0.28	$39,\!39,\!39,\!39$	0
4	ZN	А	501	1/1	0.97	0.22	66,66,66,66	0
4	ZN	А	502	1/1	0.98	0.22	77,77,77,77	0

6.5 Other polymers (i)

There are no such residues in this entry.

