



Full wwPDB X-ray Structure Validation Report ⓘ

Nov 14, 2023 – 11:48 AM JST

PDB ID : 5Z7J
Title : Crystal structure of a lactonase double mutant in complex with ligand 1
Authors : Zheng, Y.Y.; Liu, W.D.; Chen, C.C.; Guo, R.T.
Deposited on : 2018-01-29
Resolution : 1.98 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.36
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.36


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.98 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.





Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	11647 (2.00-1.96)
Clashscore	141614	1014 (1.98-1.98)
Ramachandran outliers	138981	1006 (1.98-1.98)
Sidechain outliers	138945	1006 (1.98-1.98)
RSRZ outliers	127900	11410 (2.00-1.96)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	264	
1	B	264	
1	C	264	
1	D	264	
1	E	264	
1	F	264	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	G	264	 3% 84% 15%
1	H	264	 10% 84% 14%

2 Entry composition [i](#)

There are 4 unique types of molecules in this entry. The entry contains 18446 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Lactonase for protein.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	263	2048	1300	347	392	9	0	0	0
1	B	263	2048	1300	347	392	9	0	0	0
1	C	264	2053	1303	348	393	9	0	0	0
1	D	264	2053	1303	348	393	9	0	0	0
1	E	263	2043	1297	346	391	9	0	0	0
1	F	263	2048	1300	347	392	9	0	0	0
1	G	263	2043	1297	346	391	9	0	0	0
1	H	263	2048	1300	347	392	9	0	0	0

There are 16 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	105	ALA	SER	engineered mutation	UNP A0A0D2ILK1
A	160	ALA	TYR	engineered mutation	UNP A0A0D2ILK1
B	105	ALA	SER	engineered mutation	UNP A0A0D2ILK1
B	160	ALA	TYR	engineered mutation	UNP A0A0D2ILK1
C	105	ALA	SER	engineered mutation	UNP A0A0D2ILK1
C	160	ALA	TYR	engineered mutation	UNP A0A0D2ILK1
D	105	ALA	SER	engineered mutation	UNP A0A0D2ILK1
D	160	ALA	TYR	engineered mutation	UNP A0A0D2ILK1
E	105	ALA	SER	engineered mutation	UNP A0A0D2ILK1
E	160	ALA	TYR	engineered mutation	UNP A0A0D2ILK1
F	105	ALA	SER	engineered mutation	UNP A0A0D2ILK1
F	160	ALA	TYR	engineered mutation	UNP A0A0D2ILK1
G	105	ALA	SER	engineered mutation	UNP A0A0D2ILK1

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
G	160	ALA	TYR	engineered mutation	UNP A0A0D2ILK1
H	105	ALA	SER	engineered mutation	UNP A0A0D2ILK1
H	160	ALA	TYR	engineered mutation	UNP A0A0D2ILK1

- Molecule 2 is (3S,7R,11E)-7,14,16-trihydroxy-3-methyl-3,4,5,6,7,8,9,10-octahydro-1H-2-benzoxacyclotetradecin-1-one (three-letter code: 36J) (formula: C₁₈H₂₄O₅).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	1	Total C O 23 18 5	0	0
2	B	1	Total C O 23 18 5	0	0
2	C	1	Total C O 23 18 5	0	0
2	D	1	Total C O 23 18 5	0	0
2	E	1	Total C O 23 18 5	0	0
2	F	1	Total C O 23 18 5	0	0
2	G	1	Total C O 23 18 5	0	0
2	H	1	Total C O 23 18 5	0	0

- Molecule 3 is DI(HYDROXYETHYL)ETHER (three-letter code: PEG) (formula: C₄H₁₀O₃).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	B	1	Total C O 7 4 3	0	0
3	B	1	Total C O 7 4 3	0	0


- Molecule 4 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	286	Total O 286 286	0	0
4	B	297	Total O 297 297	0	0
4	C	226	Total O 226 226	0	0
4	D	204	Total O 204 204	0	0
4	E	217	Total O 217 217	0	0
4	F	190	Total O 190 190	0	0
4	G	268	Total O 268 268	0	0
4	H	176	Total O 176 176	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Lactonase for protein




- Molecule 1: Lactonase for protein




- Molecule 1: Lactonase for protein





- Molecule 1: Lactonase for protein









• Molecule 1: Lactonase for protein





• Molecule 1: Lactonase for protein



• Molecule 1: Lactonase for protein



• Molecule 1: Lactonase for protein



4 Data and refinement statistics i

Property	Value	Source
Space group	P 1	Depositor
Cell constants a, b, c, α , β , γ	75.33Å 94.76Å 100.45Å 90.73° 92.36° 91.59°	Depositor
Resolution (Å)	24.71 – 1.98 24.71 – 1.98	Depositor EDS
% Data completeness (in resolution range)	97.3 (24.71-1.98) 92.0 (24.71-1.98)	Depositor EDS
R_{merge}	0.07	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.76 (at 1.98Å)	Xtrriage
Refinement program	PHENIX (1.12_2829: ???)	Depositor
R, R_{free}	0.166 , 0.209 0.177 , 0.202	Depositor DCC
R_{free} test set	2003 reflections (1.06%)	wwPDB-VP
Wilson B-factor (Å ²)	28.5	Xtrriage
Anisotropy	0.173	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.36 , 47.2	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtrriage
Estimated twinning fraction	0.026 for h,-k,-l 0.016 for -h,k,-l 0.016 for -h,-k,l	Xtrriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	18446	wwPDB-VP
Average B, all atoms (Å ²)	36.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.53% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: PEG, 36J

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.40	0/2106	0.56	0/2875
1	B	0.40	0/2106	0.57	0/2875
1	C	0.39	0/2111	0.56	0/2882
1	D	0.39	0/2111	0.55	0/2882
1	E	0.39	0/2101	0.56	0/2871
1	F	0.38	0/2106	0.54	0/2875
1	G	0.39	0/2101	0.56	0/2871
1	H	0.38	0/2106	0.55	0/2875
All	All	0.39	0/16848	0.56	0/23006

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2048	0	1989	25	0
1	B	2048	0	1989	29	0
1	C	2053	0	1994	41	0
1	D	2053	0	1994	36	0
1	E	2043	0	1981	36	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	F	2048	0	1989	29	0
1	G	2043	0	1981	24	0
1	H	2048	0	1989	31	0
2	A	23	0	22	4	0
2	B	23	0	22	3	0
2	C	23	0	22	3	0
2	D	23	0	22	2	0
2	E	23	0	22	5	0
2	F	23	0	23	4	0
2	G	23	0	22	1	0
2	H	23	0	22	1	0
3	B	14	0	20	2	0
4	A	286	0	0	3	0
4	B	297	0	0	3	0
4	C	226	0	0	3	0
4	D	204	0	0	3	0
4	E	217	0	0	1	0
4	F	190	0	0	3	0
4	G	268	0	0	2	0
4	H	176	0	0	1	0
All	All	18446	0	16103	264	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

All (264) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:144:VAL:HB	1:C:148:THR:HG21	1.52	0.91
1:G:133:GLU:O	1:G:135:PRO:HD3	1.71	0.91
1:E:144:VAL:HB	1:E:148:THR:HG21	1.52	0.91
1:C:140:HIS:HB3	1:C:143:GLU:OE1	1.76	0.85
1:H:142:HIS:ND1	1:H:191:ARG:NH2	2.26	0.84
1:E:256:TYR:O	1:E:260:THR:HG23	1.78	0.82
1:C:194:PRO:HB2	1:C:195:PRO:HD3	1.66	0.78
1:B:158:ARG:HD2	3:B:303:PEG:H32	1.66	0.77
1:E:256:TYR:O	1:E:260:THR:CG2	2.34	0.76
1:E:136:ASP:HA	1:E:139:LEU:HG	1.68	0.76
1:H:182:TYR:HB2	1:H:183:PRO:HD3	1.68	0.75
1:D:40:GLN:NE2	4:D:401:HOH:O	2.21	0.73
1:A:165:GLU:HG3	4:A:577:HOH:O	1.88	0.72

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:243:HIS:CD2	2:D:301:36J:H5	2.24	0.72
1:B:128:HIS:CD2	1:B:129:GLU:HG3	2.25	0.70
1:G:165:GLU:HG3	4:G:569:HOH:O	1.90	0.70
1:E:144:VAL:CB	1:E:148:THR:HG21	2.21	0.70
1:H:189:TYR:H	1:H:190:PRO:HD2	1.57	0.69
1:F:139:LEU:O	1:F:139:LEU:HD12	1.93	0.69
1:E:144:VAL:HB	1:E:148:THR:CG2	2.23	0.68
2:C:301:36J:H15	2:C:301:36J:H21	1.74	0.68
1:E:144:VAL:CG2	1:E:148:THR:CG2	2.72	0.68
1:G:194:PRO:HB2	1:G:195:PRO:HD3	1.75	0.67
1:H:194:PRO:HB2	1:H:195:PRO:HD3	1.76	0.67
1:C:144:VAL:HG23	1:C:149:ILE:HG13	1.77	0.66
1:C:144:VAL:HB	1:C:148:THR:CG2	2.26	0.66
1:F:182:TYR:HB2	1:F:183:PRO:HD3	1.76	0.66
1:D:10:VAL:HG21	1:D:93:THR:HG21	1.79	0.64
1:F:189:TYR:H	1:F:190:PRO:HD2	1.63	0.64
1:B:194:PRO:HB2	1:B:195:PRO:HD3	1.80	0.63
1:C:256:TYR:O	1:C:260:THR:HG23	1.98	0.63
1:F:194:PRO:HB2	1:F:195:PRO:HD3	1.81	0.62
1:A:128:HIS:CD2	1:A:129:GLU:HG3	2.33	0.62
1:D:40:GLN:HG2	1:D:174:VAL:CG2	2.30	0.62
1:D:182:TYR:HB2	1:D:183:PRO:HD3	1.82	0.61
1:H:142:HIS:CE1	1:H:191:ARG:HH21	2.17	0.61
1:D:194:PRO:HB2	1:D:195:PRO:HD3	1.83	0.61
1:E:194:PRO:HB2	1:E:195:PRO:HD3	1.82	0.61
1:E:144:VAL:HG21	1:E:148:THR:CG2	2.30	0.60
1:H:4:THR:HG23	1:H:4:THR:O	2.00	0.60
1:B:243:HIS:CD2	2:B:301:36J:H5	2.37	0.60
1:H:76:GLN:O	1:H:82:LYS:NZ	2.34	0.60
1:B:182:TYR:HB2	1:B:183:PRO:HD3	1.84	0.60
2:F:301:36J:OAP	2:F:301:36J:H15	2.01	0.60
1:C:140:HIS:O	1:C:143:GLU:HG3	2.02	0.59
1:G:260:THR:O	1:G:263:LYS:HG2	2.02	0.59
1:H:189:TYR:N	1:H:190:PRO:HD2	2.17	0.59
1:H:72:PRO:HA	1:H:75:TYR:CE1	2.37	0.59
1:H:144:VAL:HG23	1:H:149:ILE:HG12	1.84	0.59
1:H:145:ASP:O	1:H:149:ILE:HG13	2.03	0.59
1:C:133:GLU:OE1	1:C:224:GLU:HG3	2.04	0.58
1:A:194:PRO:HB2	1:A:195:PRO:HD3	1.86	0.58
1:F:194:PRO:HB2	1:F:195:PRO:CD	2.34	0.58
1:A:243:HIS:CD2	2:A:301:36J:H5	2.38	0.57

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:189:TYR:H	1:C:190:PRO:HD2	1.68	0.57
1:B:72:PRO:HA	1:B:75:TYR:CZ	2.39	0.57
1:C:144:VAL:CB	1:C:148:THR:HG21	2.30	0.57
1:D:60:ASP:OD2	1:D:66:ARG:HB2	2.04	0.57
1:A:135:PRO:HD2	1:A:138:LEU:HD12	1.86	0.57
1:C:182:TYR:HB2	1:C:183:PRO:HD3	1.86	0.57
1:C:194:PRO:CB	1:C:195:PRO:HD3	2.34	0.57
1:F:76:GLN:O	1:F:82:LYS:NZ	2.38	0.57
2:D:301:36J:OAP	2:D:301:36J:H15	2.05	0.56
1:E:260:THR:O	1:E:263:LYS:HG2	2.06	0.56
2:B:301:36J:OAP	2:B:301:36J:H15	2.05	0.56
1:G:145:ASP:CG	1:G:146:PRO:HD2	2.26	0.56
1:H:193:ILE:HB	1:H:194:PRO:HD3	1.87	0.56
1:H:194:PRO:HB2	1:H:195:PRO:CD	2.35	0.56
1:H:249:HIS:HB3	1:H:252:GLU:OE1	2.04	0.56
2:A:301:36J:OAP	2:A:301:36J:H15	2.06	0.56
1:G:128:HIS:CD2	1:G:129:GLU:HG3	2.41	0.56
2:E:301:36J:CAG	2:E:301:36J:H22	2.36	0.55
1:H:211:TRP:HB3	1:H:236:ILE:HD12	1.87	0.55
1:H:4:THR:N	4:H:403:HOH:O	2.39	0.55
1:D:260:THR:O	1:D:263:LYS:HG2	2.06	0.55
2:F:301:36J:H22	2:F:301:36J:CAG	2.35	0.55
1:D:40:GLN:HG3	1:D:40:GLN:O	2.06	0.55
1:F:249:HIS:HB3	1:F:252:GLU:OE1	2.06	0.54
1:A:182:TYR:HB2	1:A:183:PRO:HD3	1.90	0.54
1:A:260:THR:O	1:A:263:LYS:HG2	2.06	0.54
1:G:87:ILE:HD12	1:G:110:THR:HG21	1.89	0.54
1:C:83:LEU:O	1:C:87:ILE:HG12	2.08	0.54
1:E:73:GLU:HG2	1:E:73:GLU:O	2.07	0.54
1:D:189:TYR:H	1:D:190:PRO:HD2	1.72	0.53
1:F:135:PRO:HD2	1:F:138:LEU:HD12	1.90	0.53
1:E:128:HIS:CD2	1:E:129:GLU:HG3	2.43	0.53
2:C:301:36J:H15	2:C:301:36J:OAP	2.08	0.53
1:E:189:TYR:H	1:E:190:PRO:HD2	1.72	0.53
1:F:128:HIS:CD2	1:F:129:GLU:HG3	2.43	0.53
1:E:144:VAL:CB	1:E:148:THR:CG2	2.86	0.52
1:G:194:PRO:CB	1:G:195:PRO:HD3	2.40	0.52
1:C:105:ALA:HB2	1:C:243:HIS:CE1	2.44	0.52
1:F:262:ARG:NH1	4:F:404:HOH:O	2.42	0.52
1:C:158:ARG:HG3	1:C:167:TRP:CD1	2.44	0.52
1:B:158:ARG:HD2	3:B:303:PEG:C3	2.38	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:144:VAL:HG23	1:D:149:ILE:HG13	1.90	0.52
1:F:193:ILE:HB	1:F:194:PRO:HD3	1.90	0.52
1:B:258:VAL:O	1:B:262:ARG:HB2	2.10	0.52
1:G:182:TYR:HB2	1:G:183:PRO:HD3	1.92	0.52
1:A:72:PRO:HA	1:A:75:TYR:CZ	2.45	0.51
1:A:193:ILE:HB	1:A:194:PRO:HD3	1.91	0.51
1:C:140:HIS:CB	1:C:143:GLU:OE1	2.53	0.51
2:E:301:36J:H15	2:E:301:36J:OAP	2.11	0.51
1:D:218:PRO:HD2	1:D:221:LEU:HD12	1.93	0.51
1:E:182:TYR:HB2	1:E:183:PRO:HD3	1.92	0.51
2:G:301:36J:H8	2:G:301:36J:OAB	2.10	0.51
1:B:249:HIS:HB3	1:B:252:GLU:OE1	2.11	0.50
1:B:263:LYS:NZ	4:B:407:HOH:O	2.43	0.50
1:C:193:ILE:HB	1:C:194:PRO:HD3	1.93	0.50
1:E:194:PRO:CB	1:E:195:PRO:HD3	2.40	0.50
1:D:136:ASP:HA	1:D:139:LEU:HD22	1.93	0.50
1:E:118:TYR:N	1:E:119:PRO:CD	2.75	0.50
1:F:97:LYS:HE2	4:F:525:HOH:O	2.11	0.50
1:B:224:GLU:OE2	4:B:401:HOH:O	2.20	0.50
1:E:185:TRP:CE2	2:E:301:36J:H8	2.46	0.50
1:A:108:ALA:HB1	1:A:130:VAL:HG22	1.94	0.50
1:C:44:LYS:HB2	1:C:45:PRO:HD3	1.94	0.50
1:D:4:THR:O	1:D:4:THR:OG1	2.26	0.49
1:F:72:PRO:HA	1:F:75:TYR:CZ	2.47	0.49
1:C:72:PRO:HA	1:C:75:TYR:CZ	2.47	0.49
1:E:138:LEU:HD11	2:E:301:36J:H21	1.95	0.49
1:A:105:ALA:HB2	1:A:243:HIS:CE1	2.47	0.49
1:B:194:PRO:CB	1:B:195:PRO:HD3	2.41	0.49
1:H:137:ILE:HG13	1:H:138:LEU:HG	1.94	0.49
1:B:165:GLU:HG3	4:B:589:HOH:O	2.12	0.49
2:F:301:36J:H15	2:F:301:36J:H22	1.94	0.49
1:D:194:PRO:CB	1:D:195:PRO:HD3	2.43	0.48
1:H:263:LYS:HE3	1:H:264:TYR:CZ	2.48	0.48
1:E:72:PRO:HA	1:E:75:TYR:CZ	2.48	0.48
1:F:222:PHE:O	1:F:225:ASN:HB2	2.13	0.48
1:B:189:TYR:H	1:B:190:PRO:HD2	1.78	0.48
1:A:94:LEU:O	4:A:401:HOH:O	2.20	0.47
1:C:194:PRO:HB2	1:C:195:PRO:CD	2.41	0.47
1:C:151:GLN:NE2	4:C:403:HOH:O	2.38	0.47
1:C:243:HIS:CD2	2:C:301:36J:H5	2.49	0.47
1:F:153:MET:HB3	1:F:182:TYR:CD1	2.48	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:27:PRO:HD2	1:C:53:GLY:O	2.15	0.47
1:E:83:LEU:O	1:E:87:ILE:HG12	2.14	0.47
1:C:17:LYS:HD3	4:C:583:HOH:O	2.14	0.47
1:G:189:TYR:H	1:G:190:PRO:HD2	1.79	0.47
2:A:301:36J:H15	2:A:301:36J:H21	1.96	0.47
1:D:40:GLN:HG2	1:D:174:VAL:HG22	1.96	0.47
1:D:149:ILE:HG21	1:D:183:PRO:HA	1.96	0.47
1:E:13:LYS:NZ	4:E:402:HOH:O	2.44	0.47
1:F:44:LYS:N	1:F:45:PRO:HD2	2.30	0.47
1:D:202:GLU:HG3	4:D:507:HOH:O	2.15	0.47
1:E:24:GLY:O	1:E:55:ARG:HD2	2.14	0.47
1:A:101:VAL:HG12	1:A:111:VAL:HG22	1.96	0.47
1:E:144:VAL:HG23	1:E:149:ILE:CG1	2.44	0.47
1:A:105:ALA:HB1	2:A:301:36J:CAQ	2.45	0.47
1:E:222:PHE:O	1:E:225:ASN:HB2	2.15	0.47
1:E:144:VAL:HG23	1:E:149:ILE:HG13	1.97	0.46
1:H:142:HIS:CE1	1:H:191:ARG:HD3	2.51	0.46
1:C:44:LYS:HB2	1:C:45:PRO:CD	2.45	0.46
1:A:255:LYS:O	1:A:259:GLU:HG3	2.15	0.46
1:C:149:ILE:HG21	1:C:183:PRO:HA	1.98	0.46
1:F:72:PRO:HA	1:F:75:TYR:CE2	2.50	0.46
1:H:118:TYR:N	1:H:119:PRO:CD	2.79	0.46
1:B:134:ASN:ND2	1:B:190:PRO:O	2.47	0.46
1:E:138:LEU:HD13	1:E:185:TRP:HH2	1.81	0.46
1:A:134:ASN:OD1	1:A:134:ASN:N	2.35	0.46
1:B:222:PHE:O	1:B:225:ASN:HB2	2.15	0.46
1:C:189:TYR:N	1:C:190:PRO:HD2	2.31	0.46
1:G:123:ARG:NH1	4:G:407:HOH:O	2.45	0.46
1:E:193:ILE:HB	1:E:194:PRO:HD3	1.98	0.45
1:B:193:ILE:HB	1:B:194:PRO:HD3	1.98	0.45
1:D:158:ARG:NH1	1:D:168:ASP:OD2	2.26	0.45
1:G:7:ARG:HG2	1:G:21:GLU:HG2	1.97	0.45
1:D:71:PRO:HA	1:D:72:PRO:HD3	1.85	0.45
1:D:193:ILE:HB	1:D:194:PRO:HD3	1.98	0.45
1:G:149:ILE:HG21	1:G:183:PRO:HA	1.98	0.45
1:G:211:TRP:HB3	1:G:236:ILE:HD12	1.98	0.45
1:C:256:TYR:CE1	1:C:260:THR:HG21	2.51	0.45
1:F:94:LEU:O	4:F:401:HOH:O	2.21	0.45
1:F:36:LEU:HD21	2:F:301:36J:H9	1.99	0.45
1:G:44:LYS:N	1:G:45:PRO:HD2	2.32	0.45
1:C:123:ARG:NH1	4:C:407:HOH:O	2.41	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:108:ALA:HB1	1:C:130:VAL:HG22	1.98	0.45
1:D:255:LYS:HD2	4:D:501:HOH:O	2.17	0.45
1:F:137:ILE:HG13	1:F:138:LEU:HG	2.00	0.44
1:E:256:TYR:O	1:E:260:THR:HG22	2.14	0.44
1:H:71:PRO:HA	1:H:72:PRO:HD3	1.81	0.44
1:A:222:PHE:O	1:A:225:ASN:HB2	2.18	0.44
1:A:158:ARG:HG3	1:A:167:TRP:CD1	2.53	0.44
2:E:301:36J:H22	2:E:301:36J:H15	2.00	0.44
1:F:118:TYR:N	1:F:119:PRO:CD	2.80	0.44
1:G:44:LYS:HB2	1:G:45:PRO:HD3	2.00	0.44
1:H:182:TYR:CB	1:H:183:PRO:HD3	2.43	0.43
1:A:135:PRO:HG2	1:A:138:LEU:HG	2.00	0.43
1:F:193:ILE:CB	1:F:194:PRO:HD3	2.47	0.43
1:G:72:PRO:HA	1:G:75:TYR:CZ	2.53	0.43
1:G:249:HIS:HB3	1:G:252:GLU:OE1	2.16	0.43
1:A:83:LEU:O	1:A:87:ILE:HG12	2.18	0.43
1:C:60:ASP:OD2	1:C:66:ARG:HB2	2.17	0.43
1:C:141:ILE:O	1:C:141:ILE:HG13	2.18	0.43
1:E:108:ALA:HB1	1:E:130:VAL:HG22	2.00	0.43
1:C:148:THR:HG22	1:C:149:ILE:N	2.34	0.43
1:D:10:VAL:HG21	1:D:93:THR:CG2	2.48	0.43
1:D:19:TYR:CB	1:D:66:ARG:HB3	2.49	0.43
1:A:194:PRO:CB	1:A:195:PRO:HD3	2.47	0.43
4:A:414:HOH:O	1:D:231:ARG:HG2	2.18	0.43
1:B:197:ALA:HA	1:B:198:PRO:HD3	1.90	0.43
1:H:193:ILE:CB	1:H:194:PRO:HD3	2.49	0.43
1:E:144:VAL:HG21	1:E:148:THR:HG23	1.99	0.43
1:C:129:GLU:HB3	1:C:222:PHE:CZ	2.54	0.42
1:B:105:ALA:HB1	2:B:301:36J:CAQ	2.49	0.42
1:E:137:ILE:HG21	1:E:156:ASN:OD1	2.19	0.42
1:D:189:TYR:N	1:D:190:PRO:HD2	2.34	0.42
1:B:204:LEU:HB3	1:B:234:ILE:HD11	2.01	0.42
1:D:72:PRO:HA	1:D:75:TYR:CZ	2.53	0.42
1:D:185:TRP:O	1:D:189:TYR:HB2	2.19	0.42
1:F:193:ILE:N	1:F:194:PRO:CD	2.83	0.42
1:G:44:LYS:HB2	1:G:45:PRO:CD	2.49	0.42
1:D:44:LYS:N	1:D:45:PRO:HD2	2.35	0.42
1:D:118:TYR:N	1:D:119:PRO:CD	2.82	0.42
1:F:189:TYR:N	1:F:190:PRO:HD2	2.29	0.42
1:B:44:LYS:HB2	1:B:45:PRO:CD	2.50	0.42
1:C:72:PRO:HA	1:C:75:TYR:CE2	2.54	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:197:ALA:HA	1:E:198:PRO:HD3	1.87	0.42
1:D:104:CYS:HA	1:D:128:HIS:O	2.19	0.42
1:C:132:THR:O	1:C:133:GLU:HG3	2.20	0.41
1:C:144:VAL:CG2	1:C:148:THR:CG2	2.98	0.41
1:F:44:LYS:HB2	1:F:45:PRO:CD	2.50	0.41
1:G:193:ILE:HD13	1:G:193:ILE:HA	1.92	0.41
1:H:189:TYR:CB	1:H:190:PRO:CD	2.99	0.41
1:A:189:TYR:H	1:A:190:PRO:HD2	1.85	0.41
1:B:71:PRO:HA	1:B:72:PRO:HD3	1.94	0.41
1:H:128:HIS:CD2	1:H:129:GLU:HG3	2.54	0.41
1:C:148:THR:CG2	1:C:149:ILE:N	2.82	0.41
1:D:222:PHE:O	1:D:225:ASN:HB2	2.20	0.41
1:H:142:HIS:ND1	1:H:191:ARG:HD3	2.36	0.41
1:C:139:LEU:HD12	1:C:139:LEU:O	2.20	0.41
1:E:221:LEU:HD23	1:E:221:LEU:HA	1.90	0.41
1:G:108:ALA:HB1	1:G:130:VAL:HG22	2.03	0.41
1:A:118:TYR:N	1:A:119:PRO:CD	2.83	0.41
1:B:44:LYS:HB2	1:B:45:PRO:HD3	2.03	0.41
1:H:194:PRO:CB	1:H:195:PRO:CD	2.98	0.41
1:F:44:LYS:HB2	1:F:45:PRO:HD3	2.02	0.41
1:F:211:TRP:HB3	1:F:236:ILE:HD12	2.03	0.41
1:B:44:LYS:N	1:B:45:PRO:HD2	2.36	0.41
1:B:90:LEU:O	1:B:93:THR:HG22	2.20	0.41
1:B:104:CYS:HA	1:B:128:HIS:O	2.20	0.41
1:C:44:LYS:N	1:C:45:PRO:HD2	2.36	0.41
1:D:27:PRO:HD2	1:D:53:GLY:O	2.20	0.41
1:E:144:VAL:CG2	1:E:148:THR:HG22	2.49	0.41
1:G:145:ASP:OD1	1:G:146:PRO:HD2	2.21	0.41
1:H:36:LEU:HG	2:H:301:36J:H9	2.02	0.41
1:A:104:CYS:SG	1:A:105:ALA:N	2.94	0.41
1:E:35:GLY:HA2	1:E:106:SER:OG	2.21	0.41
1:G:263:LYS:HE3	1:G:264:TYR:CZ	2.56	0.41
1:H:133:GLU:O	1:H:133:GLU:HG3	2.21	0.40
1:B:72:PRO:HA	1:B:75:TYR:CE2	2.56	0.40
1:G:130:VAL:HA	1:G:131:PRO:HD3	1.96	0.40
1:H:104:CYS:HA	1:H:128:HIS:O	2.21	0.40
1:B:263:LYS:HE3	1:B:264:TYR:CZ	2.56	0.40
1:D:263:LYS:HE3	1:D:264:TYR:CZ	2.56	0.40
1:F:221:LEU:HD23	1:F:221:LEU:HA	1.94	0.40
1:H:14:ASP:OD1	1:H:16:ILE:HG13	2.21	0.40
1:A:71:PRO:HA	1:A:72:PRO:HD3	1.97	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:227:VAL:CG1	1:C:231:ARG:CZ	2.99	0.40
1:D:34:ASP:OD2	1:D:246:TYR:OH	2.31	0.40
1:B:141:ILE:HD12	1:B:141:ILE:HA	1.93	0.40
1:D:135:PRO:HG2	1:D:137:ILE:HG22	2.03	0.40
1:F:104:CYS:HA	1:F:128:HIS:O	2.22	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	261/264 (99%)	254 (97%)	6 (2%)	1 (0%)	34	22
1	B	261/264 (99%)	251 (96%)	8 (3%)	2 (1%)	19	9
1	C	262/264 (99%)	255 (97%)	5 (2%)	2 (1%)	19	9
1	D	262/264 (99%)	253 (97%)	7 (3%)	2 (1%)	19	9
1	E	261/264 (99%)	250 (96%)	9 (3%)	2 (1%)	19	9
1	F	261/264 (99%)	250 (96%)	9 (3%)	2 (1%)	19	9
1	G	261/264 (99%)	250 (96%)	10 (4%)	1 (0%)	34	22
1	H	261/264 (99%)	252 (97%)	8 (3%)	1 (0%)	34	22
All	All	2090/2112 (99%)	2015 (96%)	62 (3%)	13 (1%)	25	14

All (13) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	C	163	ASN
1	E	163	ASN
1	B	189	TYR
1	C	189	TYR
1	D	189	TYR

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	E	189	TYR
1	F	163	ASN
1	F	189	TYR
1	H	189	TYR
1	A	189	TYR
1	D	163	ASN
1	G	189	TYR
1	B	163	ASN

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	222/222 (100%)	217 (98%)	5 (2%)	50	44
1	B	222/222 (100%)	218 (98%)	4 (2%)	59	51
1	C	222/222 (100%)	217 (98%)	5 (2%)	50	44
1	D	222/222 (100%)	217 (98%)	5 (2%)	50	44
1	E	221/222 (100%)	213 (96%)	8 (4%)	35	23
1	F	222/222 (100%)	212 (96%)	10 (4%)	27	15
1	G	221/222 (100%)	214 (97%)	7 (3%)	39	28
1	H	222/222 (100%)	215 (97%)	7 (3%)	39	28
All	All	1774/1776 (100%)	1723 (97%)	51 (3%)	42	31

All (51) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	134	ASN
1	A	139	LEU
1	A	173	GLU
1	A	225	ASN
1	A	246	TYR
1	B	39	CYS
1	B	133	GLU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	246	TYR
1	B	266	LYS
1	C	39	CYS
1	C	46	MET
1	C	143	GLU
1	C	148	THR
1	C	225	ASN
1	D	39	CYS
1	D	66	ARG
1	D	148	THR
1	D	262	ARG
1	D	266	LYS
1	E	5	ARG
1	E	39	CYS
1	E	55	ARG
1	E	148	THR
1	E	225	ASN
1	E	236	ILE
1	E	246	TYR
1	E	260	THR
1	F	4	THR
1	F	5	ARG
1	F	12	THR
1	F	39	CYS
1	F	98	ILE
1	F	139	LEU
1	F	144	VAL
1	F	148	THR
1	F	225	ASN
1	F	246	TYR
1	G	6	THR
1	G	39	CYS
1	G	46	MET
1	G	200	LYS
1	G	221	LEU
1	G	225	ASN
1	G	246	TYR
1	H	5	ARG
1	H	12	THR
1	H	39	CYS
1	H	95	ASP
1	H	138	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	H	225	ASN
1	H	236	ILE

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

10 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	36J	A	301	-	24,24,24	0.34	0	32,32,32	0.43	0
2	36J	G	301	-	24,24,24	0.34	0	32,32,32	0.46	0
3	PEG	B	302	-	6,6,6	0.42	0	5,5,5	0.18	0
2	36J	D	301	-	24,24,24	0.34	0	32,32,32	0.41	0
2	36J	H	301	-	24,24,24	0.33	0	32,32,32	0.53	0
3	PEG	B	303	-	6,6,6	0.35	0	5,5,5	0.39	0
2	36J	C	301	-	24,24,24	0.34	0	32,32,32	0.46	0
2	36J	B	301	-	24,24,24	0.35	0	32,32,32	0.43	0
2	36J	F	301	-	24,24,24	0.34	0	32,32,32	0.45	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	36J	E	301	-	24,24,24	0.35	0	32,32,32	0.42	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	36J	A	301	-	-	8/22/22/22	0/1/2/2
2	36J	G	301	-	-	13/22/22/22	0/1/2/2
3	PEG	B	302	-	-	3/4/4/4	-
2	36J	D	301	-	-	13/22/22/22	0/1/2/2
2	36J	H	301	-	-	7/22/22/22	0/1/2/2
3	PEG	B	303	-	-	2/4/4/4	-
2	36J	C	301	-	-	7/22/22/22	0/1/2/2
2	36J	B	301	-	-	11/22/22/22	0/1/2/2
2	36J	F	301	-	-	8/22/22/22	0/1/2/2
2	36J	E	301	-	-	9/22/22/22	0/1/2/2

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (81) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	E	301	36J	CAU-CAQ-OAP-CAV
2	G	301	36J	CAL-CAO-CAW-CAN
2	G	301	36J	CAL-CAO-CAW-OAE
2	G	301	36J	CAA-CAV-OAP-CAQ
2	G	301	36J	CAU-CAQ-OAP-CAV
2	G	301	36J	CAK-CAN-CAW-CAO
2	G	301	36J	CAK-CAN-CAW-OAE
2	B	301	36J	CAU-CAQ-OAP-CAV
2	C	301	36J	CAU-CAQ-OAP-CAV
2	F	301	36J	CAU-CAQ-OAP-CAV
2	A	301	36J	CAU-CAQ-OAP-CAV
2	G	301	36J	OAB-CAQ-OAP-CAV
2	E	301	36J	OAB-CAQ-OAP-CAV

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
3	B	303	PEG	C4-C3-O2-C2
2	D	301	36J	CAU-CAQ-OAP-CAV
2	F	301	36J	OAB-CAQ-OAP-CAV
2	C	301	36J	CAL-CAM-CAV-CAA
2	G	301	36J	CAL-CAM-CAV-CAA
2	C	301	36J	CAL-CAM-CAV-OAP
2	G	301	36J	CAL-CAM-CAV-OAP
2	C	301	36J	CAA-CAV-OAP-CAQ
2	B	301	36J	OAB-CAQ-OAP-CAV
2	C	301	36J	OAB-CAQ-OAP-CAV
2	D	301	36J	CAL-CAO-CAW-OAE
3	B	302	PEG	O2-C3-C4-O4
2	A	301	36J	OAB-CAQ-OAP-CAV
3	B	302	PEG	O1-C1-C2-O2
3	B	303	PEG	O1-C1-C2-O2
2	D	301	36J	OAB-CAQ-OAP-CAV
2	A	301	36J	CAL-CAM-CAV-CAA
2	B	301	36J	CAL-CAM-CAV-CAA
2	C	301	36J	CAM-CAV-OAP-CAQ
2	B	301	36J	CAK-CAN-CAW-OAE
2	F	301	36J	CAK-CAN-CAW-OAE
2	H	301	36J	CAG-CAF-CAJ-CAK
2	B	301	36J	CAF-CAJ-CAK-CAN
2	D	301	36J	CAL-CAO-CAW-CAN
2	E	301	36J	CAK-CAN-CAW-CAO
2	D	301	36J	CAL-CAM-CAV-CAA
2	C	301	36J	CAG-CAF-CAJ-CAK
2	D	301	36J	CAF-CAJ-CAK-CAN
2	F	301	36J	CAF-CAJ-CAK-CAN
2	G	301	36J	CAG-CAF-CAJ-CAK
2	E	301	36J	CAK-CAN-CAW-OAE
2	B	301	36J	CAK-CAN-CAW-CAO
2	A	301	36J	CAL-CAM-CAV-OAP
2	D	301	36J	CAK-CAN-CAW-OAE
2	E	301	36J	CAJ-CAK-CAN-CAW
2	D	301	36J	CAK-CAN-CAW-CAO
3	B	302	PEG	C4-C3-O2-C2
2	D	301	36J	CAJ-CAK-CAN-CAW
2	H	301	36J	CAM-CAL-CAO-CAW
2	B	301	36J	CAM-CAL-CAO-CAW
2	D	301	36J	CAM-CAL-CAO-CAW
2	B	301	36J	CAL-CAM-CAV-OAP

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
2	E	301	36J	OAB-CAQ-CAU-CAT
2	B	301	36J	CAG-CAF-CAJ-CAK
2	H	301	36J	CAU-CAQ-OAP-CAV
2	A	301	36J	CAG-CAF-CAJ-CAK
2	D	301	36J	CAL-CAM-CAV-OAP
2	E	301	36J	CAO-CAL-CAM-CAV
2	G	301	36J	OAB-CAQ-CAU-CAT
2	F	301	36J	CAJ-CAK-CAN-CAW
2	H	301	36J	OAB-CAQ-CAU-CAT
2	A	301	36J	OAB-CAQ-CAU-CAT
2	D	301	36J	OAB-CAQ-CAU-CAT
2	F	301	36J	OAB-CAQ-CAU-CAT
2	D	301	36J	CAG-CAF-CAJ-CAK
2	G	301	36J	CAO-CAL-CAM-CAV
2	E	301	36J	OAP-CAQ-CAU-CAT
2	A	301	36J	CAM-CAL-CAO-CAW
2	F	301	36J	CAM-CAL-CAO-CAW
2	H	301	36J	CAA-CAV-OAP-CAQ
2	B	301	36J	OAB-CAQ-CAU-CAT
2	H	301	36J	CAF-CAJ-CAK-CAN
2	F	301	36J	CAK-CAN-CAW-CAO
2	B	301	36J	CAJ-CAK-CAN-CAW
2	H	301	36J	CAM-CAV-OAP-CAQ
2	G	301	36J	CAF-CAJ-CAK-CAN
2	A	301	36J	OAP-CAQ-CAU-CAT
2	E	301	36J	OAB-CAQ-CAU-CAS


There are no ring outliers.


9 monomers are involved in 25 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	301	36J	4	0
2	G	301	36J	1	0
2	D	301	36J	2	0
2	H	301	36J	1	0
3	B	303	PEG	2	0
2	C	301	36J	3	0
2	B	301	36J	3	0
2	F	301	36J	4	0
2	E	301	36J	5	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths,


bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.




















5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	263/264 (99%)	-0.09	6 (2%) 60 62	22, 29, 40, 58	0
1	B	263/264 (99%)	-0.10	6 (2%) 60 62	22, 28, 41, 56	0
1	C	264/264 (100%)	0.12	15 (5%) 23 25	23, 33, 55, 74	0
1	D	264/264 (100%)	0.20	16 (6%) 21 23	23, 34, 60, 76	0
1	E	263/264 (99%)	0.16	15 (5%) 23 25	25, 34, 50, 67	0
1	F	263/264 (99%)	0.40	28 (10%) 6 7	27, 38, 62, 77	0
1	G	263/264 (99%)	0.07	9 (3%) 45 48	24, 32, 45, 55	0
1	H	263/264 (99%)	0.45	27 (10%) 6 7	27, 38, 64, 83	0
All	All	2106/2112 (99%)	0.15	122 (5%) 23 25	22, 33, 53, 83	0

All (122) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	D	266	LYS	6.1
1	D	3	ALA	5.6
1	H	139	LEU	5.5
1	E	3	ALA	5.2
1	H	140	HIS	5.0
1	D	144	VAL	4.7
1	F	140	HIS	4.5
1	H	32	ILE	4.3
1	F	32	ILE	4.2
1	F	136	ASP	4.2
1	C	136	ASP	4.2
1	F	139	LEU	4.2
1	C	140	HIS	4.0
1	C	139	LEU	3.9
1	F	31	LEU	3.9
1	D	145	ASP	3.8

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	137	ILE	3.8
1	H	136	ASP	3.7
1	C	36	LEU	3.7
1	D	36	LEU	3.6
1	D	35	GLY	3.6
1	D	140	HIS	3.5
1	F	36	LEU	3.4
1	E	136	ASP	3.4
1	E	32	ILE	3.4
1	B	139	LEU	3.4
1	G	3	ALA	3.3
1	H	31	LEU	3.2
1	C	144	VAL	3.2
1	F	104	CYS	3.1
1	D	136	ASP	3.1
1	E	137	ILE	3.1
1	F	33	PRO	3.1
1	F	42	PHE	3.1
1	H	36	LEU	3.0
1	H	105	ALA	3.0
1	H	33	PRO	3.0
1	A	139	LEU	3.0
1	H	151	GLN	3.0
1	E	31	LEU	2.9
1	H	16	ILE	2.9
1	D	137	ILE	2.9
1	F	34	ASP	2.8
1	C	141	ILE	2.8
1	G	134	ASN	2.8
1	F	35	GLY	2.8
1	C	266	LYS	2.8
1	G	145	ASP	2.8
1	F	151	GLN	2.8
1	F	106	SER	2.8
1	H	134	ASN	2.7
1	G	111	VAL	2.7
1	A	134	ASN	2.7
1	H	102	TRP	2.7
1	F	145	ASP	2.6
1	C	104	CYS	2.6
1	F	103	GLY	2.6
1	B	30	VAL	2.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	F	171	GLY	2.6
1	F	164	VAL	2.6
1	C	35	GLY	2.6
1	E	105	ALA	2.6
1	H	144	VAL	2.6
1	F	146	PRO	2.5
1	E	30	VAL	2.5
1	H	111	VAL	2.5
1	A	4	THR	2.5
1	G	32	ILE	2.5
1	B	136	ASP	2.5
1	H	15	GLY	2.5
1	F	105	ALA	2.5
1	G	30	VAL	2.5
1	F	187	TYR	2.5
1	D	151	GLN	2.5
1	F	102	TRP	2.5
1	H	148	THR	2.5
1	A	247	VAL	2.4
1	D	34	ASP	2.4
1	E	140	HIS	2.4
1	F	4	THR	2.4
1	H	30	VAL	2.4
1	E	202	GLU	2.4
1	F	111	VAL	2.4
1	C	32	ILE	2.4
1	D	32	ILE	2.4
1	H	101	VAL	2.4
1	A	136	ASP	2.3
1	B	104	CYS	2.3
1	E	59	PHE	2.3
1	E	102	TRP	2.3
1	D	164	VAL	2.3
1	H	34	ASP	2.3
1	H	104	CYS	2.3
1	G	59	PHE	2.2
1	C	148	THR	2.2
1	E	57	THR	2.2
1	H	133	GLU	2.2
1	E	104	CYS	2.2
1	D	148	THR	2.2
1	C	3	ALA	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	101	VAL	2.2
1	D	185	TRP	2.2
1	H	103	GLY	2.2
1	C	143	GLU	2.1
1	D	143	GLU	2.1
1	E	111	VAL	2.1
1	F	133	GLU	2.1
1	B	32	ILE	2.1
1	H	95	ASP	2.1
1	F	135	PRO	2.1
1	G	102	TRP	2.1
1	F	108	ALA	2.1
1	H	73	GLU	2.1
1	H	107	GLY	2.1
1	C	187	TYR	2.1
1	A	29	VAL	2.1
1	H	35	GLY	2.1
1	H	164	VAL	2.0
1	F	73	GLU	2.0
1	E	130	VAL	2.0
1	F	59	PHE	2.0
1	G	127	PRO	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [\(i\)](#)

There are no monosaccharides in this entry.

6.4 Ligands [\(i\)](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	PEG	B	302	7/7	0.73	0.35	32,35,37,44	0

Continued on next page...

Continued from previous page...




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
2	36J	F	301	23/23	0.83	0.23	41,50,58,61	0
2	36J	B	301	23/23	0.84	0.19	27,37,45,48	0
2	36J	E	301	23/23	0.84	0.17	29,42,50,54	0
2	36J	H	301	23/23	0.85	0.20	41,49,54,57	0
2	36J	C	301	23/23	0.86	0.19	29,43,50,55	0
2	36J	D	301	23/23	0.86	0.20	33,44,53,58	0
2	36J	G	301	23/23	0.88	0.15	28,39,44,46	0
2	36J	A	301	23/23	0.90	0.15	29,40,45,49	0
3	PEG	B	303	7/7	0.91	0.20	32,35,37,44	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.






Electron density around 36J B 301:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around 36J E 301:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around 36J H 301:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around 36J C 301:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around 36J D 301:


$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around 36J G 301:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers [i](#)

There are no such residues in this entry.