

# Full wwPDB X-ray Structure Validation Report (i)

Dec 3, 2020 - 09:07 AM GMT

PDB ID : 6Z89

Title: human GTP cyclohydrolase I in complex with allosteric inhibitor

Authors: Ebenhoch, R.; Nar, H.

Deposited on : 2020-06-02

Resolution : 2.37 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

https://www.wwpdb.org/validation/2017/XrayValidationReportHelp with specific help available everywhere you see the (i) symbol.

The following versions of software and data (see references (1)) were used in the production of this report:

MolProbity : 4.02b-467

Mogul : 1.8.5 (274361), CSD as541be (2020)

Xtriage (Phenix) : 1.13

EDS : 2.14.6

 $buster\text{-report} \quad : \quad 1.1.7 \ (2018)$ 

Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)

Refmac: 5.8.0158

CCP4 : 7.0.044 (Gargrove)

Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)


Validation Pipeline (wwPDB-VP) : 2.14.6

## 1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure: X-RAY DIFFRACTION

The reported resolution of this entry is 2.37 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive	Similar resolution
Metric	$(\# { m Entries})$	$(\#  ext{Entries},  ext{resolution range}( ext{Å}))$
$R_{free}$	130704	1164 (2.36-2.36)
Clashscore	141614	1232 (2.36-2.36)
Ramachandran outliers	138981	1211 (2.36-2.36)
Sidechain outliers	138945	1212 (2.36-2.36)
RSRZ outliers	127900	1150 (2.36-2.36)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length		C	Quality of ch	ain	
			4%				
1	A	224		75%	6	5%	19%
			5%				
1	В	224		66%		12%	23%
			8%				
1	С	224		46%	8%	46%	
			9%				
1	D	224		64%		15%	• 20%
			11%				
1	E	224		61%		13% •	25%



# 2 Entry composition (i)

There are 4 unique types of molecules in this entry. The entry contains 6619 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

• Molecule 1 is a protein called GTP cyclohydrolase 1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	181	Total	С	N	О	S	0	0	0
1	A	101	1427	903	246	271	7	0	0	0
1	В	173	Total	С	N	О	S	0	1	0
1	Б	175	1372	870	238	254	10	0	1	
1	C	120	Total	С	N	О	S	0	0	0
1		120	954	609	166	171	8	0	U	
1	D	180	Total	С	N	О	S	0	0	0
1	ש	100	1422	900	247	269	6	0	0	0
1	Е	167	Total	С	N	О	S	0	0	0
1	<u> 1</u> 2	107	1317	834	231	243	9		U	

There are 70 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	27	MET	-	initiating methionine	UNP P30793
A	28	HIS	-	expression tag	UNP P30793
A	29	HIS	-	expression tag	UNP P30793
A	30	HIS	-	expression tag	UNP P30793
A	31	HIS	-	expression tag	UNP P30793
A	32	HIS	-	expression tag	UNP P30793
A	33	HIS	-	expression tag	UNP P30793
A	34	GLY	_	expression tag	UNP P30793
A	35	SER	_	expression tag	UNP P30793
A	36	ASP	_	expression tag	UNP P30793
A	37	ASP	_	expression tag	UNP P30793
A	38	ASP	-	expression tag	UNP P30793
A	39	ASP	_	expression tag	UNP P30793
A	40	LYS	-	expression tag	UNP P30793
В	27	MET	_	initiating methionine	UNP P30793
В	28	HIS	-	expression tag	UNP P30793
В	29	HIS	-	expression tag	UNP P30793
В	30	HIS	-	expression tag	UNP P30793
В	31	HIS	_	expression tag	UNP P30793



Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
В	32	HIS	-	expression tag	UNP P30793
В	33	HIS	-	expression tag	UNP P30793
В	34	GLY	-	expression tag	UNP P30793
В	35	SER	_	expression tag	UNP P30793
В	36	ASP	_	expression tag	UNP P30793
В	37	ASP	_	expression tag	UNP P30793
В	38	ASP	-	expression tag	UNP P30793
В	39	ASP	_	expression tag	UNP P30793
В	40	LYS	_	expression tag	UNP P30793
С	27	MET	_	initiating methionine	UNP P30793
С	28	HIS	_	expression tag	UNP P30793
С	29	HIS	_	expression tag	UNP P30793
С	30	HIS	_	expression tag	UNP P30793
С	31	HIS	_	expression tag	UNP P30793
С	32	HIS	_	expression tag	UNP P30793
С	33	HIS	_	expression tag	UNP P30793
С	34	GLY	-	expression tag	UNP P30793
С	35	SER	_	expression tag	UNP P30793
С	36	ASP	_	expression tag	UNP P30793
С	37	ASP	-	expression tag	UNP P30793
С	38	ASP	-	expression tag	UNP P30793
С	39	ASP	-	expression tag	UNP P30793
С	40	LYS	-	expression tag	UNP P30793
D	27	MET	-	initiating methionine	UNP P30793
D	28	HIS	_	expression tag	UNP P30793
D	29	HIS	-	expression tag	UNP P30793
D	30	HIS	_	expression tag	UNP P30793
D	31	HIS	-	expression tag	UNP P30793
D	32	HIS	_	expression tag	UNP P30793
D	33	HIS	_	expression tag	UNP P30793
D	34	GLY	_	expression tag	UNP P30793
D	35	SER	_	expression tag	UNP P30793
D	36	ASP	-	expression tag	UNP P30793
D	37	ASP	-	expression tag	UNP P30793
D	38	ASP	-	expression tag	UNP P30793
D	39	ASP	=	expression tag	UNP P30793
D	40	LYS		expression tag	UNP P30793
Е	27	MET		initiating methionine	UNP P30793
E	28	HIS		expression tag	UNP P30793
E	29	HIS	-	expression tag	UNP P30793
E	30	HIS	-	expression tag	UNP P30793
E	31	HIS	-	expression tag	UNP P30793



~ · · 1	e		
Continued	trom	previous	paae

Chain	Residue	Modelled	Actual	Comment	Reference
E	32	HIS	_	expression tag	UNP P30793
E	33	HIS	-	expression tag	UNP P30793
Е	34	GLY	_	expression tag	UNP P30793
E	35	SER	_	expression tag	UNP P30793
Е	36	ASP	_	expression tag	UNP P30793
E	37	ASP	_	expression tag	UNP P30793
E	38	ASP	-	expression tag	UNP P30793
Ε	39	ASP	_	expression tag	UNP P30793
Е	40	LYS	-	expression tag	UNP P30793

• Molecule 2 is 5-azanyl-[1,3]thiazolo[5,4-d]pyrimidine-2,7-dione (three-letter code: QBK) (formula: C<sub>5</sub>H<sub>2</sub>N<sub>4</sub>O<sub>2</sub>S) (labeled as "Ligand of Interest" by author).



Mol	Chain	Residues		Ato	oms			ZeroOcc	AltConf
2	Δ	1	Total	С	N	О	S	0	0
	Λ	1	12	5	4	2	1	0	U
2	T.	1	Total	С	N	О	S	0	0
	ינו	1	12	5	4	2	1		U

• Molecule 3 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	${f Atoms}$	ZeroOcc	AltConf
3	В	1	Total Zn 1 1	0	0
3	A	1	Total Zn 1 1	0	0



### Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	D	1	Total Zn 1 1	0	0
3	С	1	Total Zn 1 1	0	0
3	Е	1	Total Zn 1 1	0	0

### • Molecule 4 is water.


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	36	Total O 36 36	0	0
4	В	23	Total O 23 23	0	0
4	С	6	Total O 6 6	0	0
4	D	15	Total O 15 15	0	0
4	Е	18	Total O 18 18	0	0




## 3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: GTP cyclohydrolase 1









# 4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 65 2 2	Depositor
Cell constants	121.79Å 121.79Å 357.15Å	Depositor
a, b, c, $\alpha$ , $\beta$ , $\gamma$	$90.00^{\circ}$ $90.00^{\circ}$ $120.00^{\circ}$	Depositor
Resolution (Å)	105.47 - 2.37	Depositor
Resolution (A)	105.47 - 2.36	EDS
% Data completeness	68.3 (105.47-2.37)	Depositor
(in resolution range)	68.3 (105.47-2.36)	EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	(Not available)	Depositor
$< I/\sigma(I) > 1$	1.26 (at 2.37Å)	Xtriage
Refinement program	BUSTER 2.11.7	Depositor
P. P.	0.234 , $0.238$	Depositor
$R, R_{free}$	0.236 , $0.244$	DCC
$R_{free}$ test set	2220  reflections  (4.97%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	68.5	Xtriage
Anisotropy	0.053	Xtriage
Bulk solvent $k_{sol}(e/Å^3)$ , $B_{sol}(Å^2)$	0.34, 57.9	EDS
L-test for twinning <sup>2</sup>	$ < L >=0.51, < L^2>=0.34$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
$F_o, F_c$ correlation	0.92	EDS
Total number of atoms	6619	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	77.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: The largest off-origin peak in the Patterson function is 3.45% of the height of the origin peak. No significant pseudotranslation is detected.

<sup>&</sup>lt;sup>2</sup>Theoretical values of <|L|>,  $< L^2>$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



<sup>&</sup>lt;sup>1</sup>Intensities estimated from amplitudes.

## 5 Model quality (i)

### 5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: ZN, QBK

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Mol Chain		Bond lengths		angles
MIOI	Chain	RMSZ	# Z >5	RMSZ	# Z  > 5
1	A	0.43	0/1451	0.64	0/1962
1	В	0.45	0/1394	0.65	0/1880
1	С	0.37	0/968	0.61	0/1304
1	D	0.41	0/1446	0.65	0/1955
1	E	0.43	0/1337	0.62	0/1801
All	All	0.42	0/6596	0.64	0/8902

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1427	0	1440	5	0
1	В	1372	0	1389	15	0
1	С	954	0	987	10	0
1	D	1422	0	1438	25	0
1	E	1317	0	1340	21	0
2	A	12	0	0	0	0
2	E	12	0	0	0	0
3	A	1	0	0	0	0



Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	В	1	0	0	0	0
3	С	1	0	0	0	0
3	D	1	0	0	0	0
3	Ε	1	0	0	0	0
4	A	36	0	0	0	0
4	В	23	0	0	0	0
4	С	6	0	0	0	0
4	D	15	0	0	0	0
4	Ε	18	0	0	0	0
All	All	6619	0	6594	66	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (66) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic	Clash
		${\rm distance}\;({\rm \AA})$	overlap (Å)
1:E:126:HIS:CE1	1:E:162:VAL:HG11	2.01	0.94
1:D:59:ARG:HD3	1:D:64:ASN:OD1	1.70	0.89
1:E:167:LYS:NZ	1:E:170:ARG:HD3	1.95	0.80
1:D:126:HIS:NE2	1:D:128:GLU:HA	1.98	0.79
1:E:186:THR:HG22	1:E:229:THR:HG22	1.65	0.79
1:A:223:SER:HB2	1:B:133:LYS:O	1.86	0.75
1:D:128:GLU:O	1:D:158:PRO:HD2	1.91	0.70
1:E:167:LYS:HA	1:E:170:ARG:HB2	1.79	0.64
1:D:116:VAL:HG11	1:D:174:ILE:HD11	1.80	0.63
1:B:207:GLU:HG2	1:B:224:LYS:HD3	1.81	0.63
1:E:167:LYS:HZ2	1:E:170:ARG:HD3	1.62	0.62
1:D:249:ARG:HE	1:E:249:ARG:HD3	1.63	0.62
1:B:163:LEU:HB2	1:B:197:LEU:HD21	1.82	0.62
1:E:167:LYS:HZ3	1:E:170:ARG:HD3	1.64	0.60
1:C:121:ILE:HD12	1:C:197:LEU:HD23	1.83	0.60
1:A:125:ASP:HA	1:A:160:LYS:HD2	1.84	0.59
1:D:228:SER:O	1:E:128:GLU:HB2	2.03	0.58
1:C:124:GLU:O	1:C:160:LYS:O	2.23	0.56
1:C:138:PHE:HD1	1:C:177:ARG:NH1	2.04	0.56
1:D:59:ARG:HD2	1:D:110:GLN:HG2	1.88	0.56
1:D:116:VAL:CG1	1:D:174:ILE:HD11	2.35	0.55
1:D:141:CYS:HG	1:D:144:HIS:CD2	2.25	0.55
1:D:163:LEU:HB2	1:D:197:LEU:HD11	1.89	0.54
1:B:141:CYS:SG	1:B:212:CYS:SG	3.05	0.54



Continued from previous page...

Continued from prev		Interatomic	Clash	
Atom-1	Atom-2	${\rm distance}({\rm \AA})$	overlap (Å)	
1:D:126:HIS:HB3	1:D:160:LYS:HD3	1.91	0.53	
1:B:135:ILE:CD1	1:B:168:LEU:HD21	2.39	0.52	
1:D:249:ARG:NE	1:E:249:ARG:HD3	2.25	0.52	
1:D:238:PRO:HB3	1:E:239:LYS:HG3	1.92	0.51	
1:E:207:GLU:HB3	1:E:224:LYS:CE	2.40	0.51	
1:E:146:VAL:HG12	1:E:211:MET:HB2	1.93	0.51	
1:D:59:ARG:HD2	1:D:110:GLN:CG	2.41	0.51	
1:D:238:PRO:HB3	1:E:239:LYS:CG	2.42	0.50	
1:D:61:GLU:O	1:D:65:GLU:HG2	2.11	0.50	
1:D:107:LYS:HE3	1:D:177:ARG:HD2	1.95	0.49	
1:B:144:HIS:ND1	1:B:212:CYS:SG	2.84	0.49	
1:C:146:VAL:HG21	1:C:212:CYS:HB3	1.95	0.49	
1:D:127:ASP:O	1:D:128:GLU:O	2.32	0.48	
1:B:163:LEU:HD23	1:B:168:LEU:HD12	1.95	0.48	
1:D:126:HIS:CD2	1:D:128:GLU:HA	2.47	0.48	
1:B:230:MET:HG3	1:B:241:ARG:NH2	2.29	0.48	
1:D:245:LEU:HD11	1:E:243:GLU:HG3	1.95	0.47	
1:E:163:LEU:HD21	1:E:168:LEU:HD12	1.97	0.46	
1:B:135:ILE:HD11	1:B:168:LEU:HD21	1.98	0.46	
1:E:194:THR:OG1	1:E:202:VAL:HG11	2.15	0.46	
1:C:183:GLU:HB3	1:D:127:ASP:CB	2.46	0.45	
1:E:163:LEU:HB3	1:E:197:LEU:HD21	1.97	0.45	
1:B:137:MET:HB2	1:B:152:VAL:HG23	1.99	0.45	
1:D:194:THR:HG22	1:D:198:ARG:HH21	1.82	0.45	
1:D:141:CYS:SG	1:D:144:HIS:CD2	3.10	0.45	
1:E:137:MET:HB2	1:E:152:VAL:HG23	1.99	0.45	
1:A:141:CYS:HG	1:A:144:HIS:CD2	2.34	0.45	
1:B:152:VAL:HG13	1:B:206:VAL:HG22	1.98	0.45	
1:E:107:LYS:HE3	1:E:177:ARG:HD2	1.98	0.44	
1:B:107:LYS:HE3	1:B:177:ARG:HD2	1.99	0.44	
1:C:138:PHE:CD1	1:C:177:ARG:NH1	2.85	0.44	
1:D:163:LEU:HD23	1:D:168:LEU:HD12	2.02	0.42	
1:C:234:PHE:O	1:C:241:ARG:HD2	2.19	0.42	
1:E:224:LYS:HE2	1:E:224:LYS:HB3	1.80	0.41	
1:A:221:MET:HE1	1:B:135:ILE:HA	2.03	0.41	
1:B:135:ILE:HD13	1:B:168:LEU:HD21	2.02	0.41	
1:A:141:CYS:SG	1:A:144:HIS:CD2	3.14	0.40	
1:C:183:GLU:HB3	1:D:127:ASP:HB2	2.03	0.40	
1:E:164:GLY:O	1:E:166:SER:O	2.39	0.40	
1:C:163:LEU:HD23	1:C:168:LEU:HD12	2.04	0.40	
1:C:198:ARG:N	1:C:199:PRO:HD3	2.37	0.40	



Continued from previous page...

Atom-1	Atom-1 Atom-2		$egin{array}{c}  ext{Clash} \  ext{overlap } ( ext{Å}) \end{array}$
1:B:198:ARG:N	1:B:199:PRO:HD3	2.36	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles (i)

#### 5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Perce	ntiles
1	A	177/224~(79%)	174 (98%)	3 (2%)	0	100	100
1	В	168/224~(75%)	165 (98%)	3 (2%)	0	100	100
1	С	$116/224\ (52\%)$	113 (97%)	3 (3%)	0	100	100
1	D	$176/224 \ (79\%)$	171 (97%)	3 (2%)	2 (1%)	14	13
1	E	159/224~(71%)	155 (98%)	4 (2%)	0	100	100
All	All	$796/1120 \ (71\%)$	778 (98%)	16 (2%)	2 (0%)	41	47

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	D	128	GLU
1	D	126	HIS

#### 5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.



Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	159/195~(82%)	151 (95%)	8 (5%)	24 28
1	В	152/195~(78%)	145 (95%)	7 (5%)	27 32
1	C	107/195~(55%)	105 (98%)	2 (2%)	57 68
1	D	158/195~(81%)	144 (91%)	14 (9%)	9 8
1	E	146/195~(75%)	139 (95%)	7 (5%)	25 30
All	All	722/975 (74%)	684 (95%)	38 (5%)	22 26

All (38) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Dec	T
		Res	Type
1	A	66	LEU
1	A	70	ASN
1	A	76	SER
1	A	114	SER
1	A	119	ASP
1	A	144	HIS
1	A	173	GLU
1	A	181	VAL
1	В	76	SER
1	В	89	GLN
1	В	112	THR
1	В	162	VAL
1	В	173	GLU
1	В	181	VAL
1	В	221	MET
1	С	173	GLU
1	С	181	VAL
1	D	66	LEU
1	D	70	ASN
1	D	76	SER
1	D	112	THR
1	D	119	ASP
1	D	126	HIS
1	D	130	VAL
1	D	140	MET
1	D	144	HIS
1	D	165	LEU
1	D	170	ARG
1	D	173	GLU
1	D	226	VAL
1	D	241	ARG



Continued from previous page...

Mol	Chain	Res	Type
1	Е	59	ARG
1	E	76	SER
1	Е	110	GLN
1	E	163	LEU
1	Е	165	LEU
1	Е	173	GLU
1	Ε	239	LYS

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (7) such sidechains are listed below:

Mol	Chain	${f Res}$	Type
1	A	70	ASN
1	В	70	ASN
1	В	126	HIS
1	D	70	ASN
1	E	70	ASN
1	Ε	110	GLN
1	Ε	126	HIS

#### 5.3.3 RNA (i)

There are no RNA molecules in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates (i)

There are no monosaccharides in this entry.

## 5.6 Ligand geometry (i)

Of 7 ligands modelled in this entry, 5 are monoatomic - leaving 2 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond



length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Chain	Chain	Chain	Chain	Chain	Chain	Chain	Chain	Chain	Chain	Chain	Chain	Chain	Chain Res	Link	Bo	Bond lengths			Bond angles		
Moi Type	Chain	nes	LIIIK	Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2															
2	QBK	Е	302	-	10,13,13	0.60	0	8,19,19	2.08	2 (25%)														
2	QBK	A	301	-	10,13,13	0.59	0	8,19,19	2.12	2 (25%)														

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	QBK	Ε	302	_	-	_	0/2/2/2
2	QBK	A	301	-	-	-	0/2/2/2

There are no bond length outliers.

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$Observed(^o)$	$\operatorname{Ideal}({}^o)$
2	A	301	QBK	C5-C2-C1	-4.78	118.43	122.09
2	E	302	QBK	C5-C2-C1	-4.65	118.53	122.09
2	A	301	QBK	N4-C8-N9	-2.53	122.33	126.43
2	Ε	302	QBK	N4-C8-N9	-2.48	122.40	126.43

There are no chirality outliers.

There are no torsion outliers.


There are no ring outliers.

No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less then 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient



equivalents in the CSD to analyse the geometry.





Rings

Torsions

# 5.7 Other polymers (i)

There are no such residues in this entry.

## 5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



## 6 Fit of model and data (i)

### 6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled '#RSRZ>2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median,  $95^{th}$  percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ $>$	$\#\mathrm{RSRZ}{>}2$	$OWAB(\AA^2)$	Q < 0.9
1	A	181/224~(80%)	0.75	9 (4%) 28 41	50, 63, 85, 109	0
1	В	173/224 (77%)	0.78	11 (6%) 19 28	55, 68, 101, 107	0
1	С	120/224~(53%)	0.97	17 (14%) 2 4	59, 90, 120, 126	0
1	D	180/224~(80%)	0.89	21 (11%) 4 7	53, 79, 127, 138	0
1	E	167/224 (74%)	1.05	25 (14%) 2 3	53, 75, 109, 121	0
All	All	821/1120 (73%)	0.88	83 (10%) 7 11	50, 73, 110, 138	0

All (83) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	Е	165	LEU	9.0
1	E	163	LEU	8.6
1	Е	167	LYS	5.3
1	E	130	VAL	4.6
1	С	138	PHE	4.6
1	Е	162	VAL	4.6
1	A	138	PHE	4.5
1	D	138	PHE	4.5
1	В	138[A]	PHE	4.4
1	E	197	LEU	4.1
1	D	165	LEU	4.1
1	С	193	ILE	3.9
1	D	127	ASP	3.9
1	E	156	TYR	3.8
1	С	163	LEU	3.7
1	D	163	LEU	3.7
1	E	201	GLY	3.5
1	D	66	LEU	3.4
1	D	117	LEU	3.4
1	D	116	VAL	3.3



Continued from previous page...

Mol Chain		Res	Type	RSRZ	
1	В	211	MET	3.3	
1	D	229	THR	3.3	
1	В	105	PHE	3.2	
1	Е	168	LEU	3.2	
1	Е	131	ILE	3.1	
1	С	145	LEU	3.1	
1	Е	244	PHE	3.1	
1	Е	154	ILE	3.0	
1	С	120	ALA	3.0	
1	С	189	ILE	2.9	
1	С	157	LEU	2.9	
1	A	174	ILE	2.8	
1	E	132	VAL	2.8	
1	В	213	MET	2.8	
1	Е	171	ILE	2.8	
1	D	122	PHE	2.8	
1	С	168	LEU	2.7	
1	В	193	ILE	2.7	
1	Е	138	PHE	2.7	
1	В	168	LEU	2.7	
1	D	105	PHE	2.6	
1	A	105	PHE	2.6	
1	С	197	LEU	2.6	
1	С	200	ALA	2.6	
1	Е	196	ALA	2.6	
1	D	226	VAL	2.6	
1	Е	200	ALA	2.5	
1	С	162	VAL	2.5	
1	С	166	SER	2.5	
1	A	221	MET	2.5	
1	D	238	PRO	2.4	
1	A	171	ILE	2.4	
1	С	206	VAL	2.4	
1	D	104	PHE	2.4	
1	D	149	VAL	2.4	
1	D	120	ALA	2.4	
1	С	132	VAL	2.4	
1	Е	202	VAL	2.4	
1	В	146	VAL	2.4	
1	С	165	LEU	2.3	
1	В	82	LEU	2.3	
1	A	226	VAL	2.3	



Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	D	82	LEU	2.3
1	A	163	LEU	2.2
1	A	170	ARG	2.2
1	С	159	ASN	2.2
1	D	154	ILE	2.2
1	A	149	VAL	2.2
1	E	190	ALA	2.2
1	E	59	ARG	2.2
1	E	166	SER	2.2
1	E	164	GLY	2.2
1	С	160	LYS	2.1
1	В	89	GLN	2.1
1	E	135	ILE	2.1
1	В	163	LEU	2.1
1	D	224	LYS	2.1
1	E	195	GLU	2.1
1	В	197	LEU	2.1
1	E	128	GLU	2.1
1	D	113	ILE	2.0
1	D	247	LEU	2.0
1	D	168	LEU	2.0

### 6.2 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates (i)

There are no monosaccharides in this entry.

### 6.4 Ligands (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median,  $95^{th}$  percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	${f B\text{-factors}}({f \AA}^2)$	Q < 0.9
3	ZN	С	301	1/1	0.47	0.05	177,177,177,177	0
3	ZN	A	302	1/1	0.73	0.06	182,182,182,182	0




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	${f B\text{-}factors}({f A}^2)$	Q < 0.9
3	ZN	D	301	1/1	0.83	0.14	162,162,162,162	0
2	QBK	E	302	12/12	0.87	0.22	101,102,102,102	12
3	ZN	E	301	1/1	0.94	0.12	93,93,93,93	0
2	QBK	A	301	12/12	0.97	0.15	71,73,76,76	0
3	ZN	В	301	1/1	0.99	0.12	150,150,150,150	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.







## 6.5 Other polymers (i)

There are no such residues in this entry.

