

# Full wwPDB X-ray Structure Validation Report (i)

#### Mar 18, 2024 – 12:14 PM JST

PDB ID	:	5ZE2
Title	:	Hairpin Complex, RAG1/2-hairpin 12RSS/23RSS complex in 5mM Mn2+ for
		$2 \min \text{ at } 4^{\circ}\text{C}$
Authors	:	Kim, M.S.; Chuenchor, W.; Chen, X.; Gellert, M.; Yang, W.
Deposited on	:	2018-02-25
Resolution	:	3.30  Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org A user guide is available at https://www.wwpdb.org/validation/2017/XrayValidationReportHelp with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (1)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix)	:	1.13
$\mathrm{EDS}$	:	2.36
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.36

# 1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure:  $X\text{-}RAY \, DIFFRACTION$ 

The reported resolution of this entry is 3.30 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	$egin{array}{c} { m Whole \ archive} \ (\#{ m Entries}) \end{array}$	${f Similar\ resolution}\ (\#{ m Entries,\ resolution\ range(Å)})$				
$R_{free}$	130704	1149 (3.34 - 3.26)				
Clashscore	141614	1205 (3.34-3.26)				
Ramachandran outliers	138981	1183 (3.34-3.26)				
Sidechain outliers	138945	1182 (3.34-3.26)				
RSRZ outliers	127900	1115 (3.34-3.26)				

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain							
1	Δ	697	5%							
	A	027	68%			29%	••			
	~		8%							
1	С	627	70%			28%	••			
			6%							
2	В	389	62%		24%	•	12%			
			4%							
2	D	389	60%		25%	•	13%			
			13%							
3	N	163	60%	12%		28%				
			10%							
4	Ι	31	39%	48%			13%			



Mol	Chain	Length		Quality of chain						
5	т	21	6%	60%						
- 5	J	- 51	32%	68%						
6	G	40	28%	68%	5%					
7	т	20	220/							
1	L		12%	50%	17%					
8	М	40	50%	50%						
9	F	30	3% 	43%	13%					

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
12	EDO	С	2004	-	-	-	Х



## 2 Entry composition (i)

There are 14 unique types of molecules in this entry. The entry contains 20278 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

• Molecule 1 is a protein called mouse RAG1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	1 A	618	Total	С	Ν	0	$\mathbf{S}$	0	0	0
	Л		4964	3124	883	923	34	0		
1	С	623	Total	С	Ν	0	S	0	0	0
1	U		5010	3152	897	927	34	0	0	

There are 4 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
А	382	GLY	-	cloning artifact	UNP P15919
А	383	PRO	-	cloning artifact	UNP P15919
С	382	GLY	-	cloning artifact	UNP P15919
С	383	PRO	-	cloning artifact	UNP P15919

• Molecule 2 is a protein called mouse RAG2.

Mol	Chain	Residues		At	oms		ZeroOcc	AltConf	Trace	
2	В	341	Total 2653	C 1695	N 449	0 491	S 18	0	0	0
2	D	340	Total 2657	C 1698	N 451	O 490	S 18	0	1	0

There are 6 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
В	-1	GLY	-	cloning artifact	UNP P21784
В	0	PRO	-	cloning artifact	UNP P21784
В	1	VAL	MET	engineered mutation	UNP P21784
D	-1	GLY	-	cloning artifact	UNP P21784
D	0	PRO	-	cloning artifact	UNP P21784
D	1	VAL	MET	engineered mutation	UNP P21784

• Molecule 3 is a protein called HMGB1 A-B box.



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	Ν	117	Total 833	C 529	N 141	O 156	${f S}$ 7	0	0	0

• Molecule 4 is a DNA chain called DNA (31-MER).

Mol	Chain	Residues		A	toms			ZeroOcc	AltConf	Trace
4	Ι	31	Total 633	C 303	N 117	O 183	Р 30	0	0	0

• Molecule 5 is a DNA chain called DNA (31-MER).

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
5	J	31	Total 632	C 303	N 114	O 185	Р 30	0	0	0

• Molecule 6 is a DNA chain called DNA (40-MER).

Mol	Chain	Residues		$\mathbf{A}^{\dagger}$	toms			ZeroOcc	AltConf	Trace
6	G	40	Total	С	Ν	0	Р	0	0	0
0	ŭ	10	814	391	131	252	40	Ŭ	Ŭ	Ŭ

• Molecule 7 is a DNA chain called DNA (30-MER).

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf	Trace		
7	L	30	Total 611	C 290	N 118	0 173	Р 30	0	0	0

• Molecule 8 is a DNA chain called DNA (40-MER).

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
8	М	40	Total 824	C 390	N 165	O 229	Р 40	0	0	0

• Molecule 9 is a DNA chain called DNA (30-MER).

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
9	F	30	Total 617	C 296	N 106	0 186	Р 29	0	0	0

• Molecule 10 is ZINC ION (three-letter code: ZN) (formula: Zn).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
10	А	1	Total Zn 1 1	0	0
10	С	1	Total Zn 1 1	0	0

• Molecule 11 is MANGANESE (II) ION (three-letter code: MN) (formula: Mn).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
11	А	2	Total Mn 2 2	0	0
11	С	2	Total Mn 2 2	0	0

• Molecule 12 is 1,2-ETHANEDIOL (three-letter code: EDO) (formula:  $C_2H_6O_2$ ).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
12	А	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{O} \\ 4 & 2 & 2 \end{array}$	0	0
12	А	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{O} \\ 4 & 2 & 2 \end{array}$	0	0
12	С	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{O} \\ 4 & 2 & 2 \end{array}$	0	0

• Molecule 13 is POTASSIUM ION (three-letter code: K) (formula: K).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
13	А	1	Total K 1 1	0	0
13	С	1	Total K 1 1	0	0

• Molecule 14 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
14	А	2	Total O 2 2	0	0
14	В	1	Total O 1 1	0	0
14	С	4	Total O 4 4	0	0
14	D	1	Total O 1 1	0	0
14	L	1	Total O 1 1	0	0
14	F	1	Total O 1 1	0	0



# 3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.



• Molecule 1: mouse RAG1



• Molecule 3: HMGB1 A-B box













## 4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants	132.77Å 108.12Å 155.74Å	Deperitor
a, b, c, $\alpha$ , $\beta$ , $\gamma$	$90.00^{\circ}$ $114.45^{\circ}$ $90.00^{\circ}$	Depositor
$\mathbf{P}_{\text{acclution}}(\hat{\mathbf{A}})$	37.63 - 3.30	Depositor
Resolution (A)	$85.97 \ - \ 3.30$	EDS
% Data completeness	99.1 (37.63-3.30)	Depositor
(in resolution range)	$89.8 \ (85.97 \text{-} 3.30)$	EDS
R <sub>merge</sub>	(Not available)	Depositor
$R_{sym}$	(Not available)	Depositor
$< I/\sigma(I) > 1$	1.07 (at 3.33Å)	Xtriage
Refinement program	PHENIX (1.12_2829: ???)	Depositor
D D.	0.200 , $0.237$	Depositor
$\Pi, \Pi_{free}$	0.199 , $0.231$	DCC
$R_{free}$ test set	3003 reflections $(5.01%)$	wwPDB-VP
Wilson B-factor $(Å^2)$	92.7	Xtriage
Anisotropy	0.639	Xtriage
Bulk solvent $k_{sol}(e/Å^3), B_{sol}(Å^2)$	0.26 , $61.5$	EDS
L-test for twinning <sup>2</sup>	$< L >=0.47, < L^2>=0.30$	Xtriage
Estimated twinning fraction	0.027 for h,-k,-h-l	Xtriage
$F_o, F_c$ correlation	0.88	EDS
Total number of atoms	20278	wwPDB-VP
Average B, all atoms $(Å^2)$	123.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: The largest off-origin peak in the Patterson function is 2.78% of the height of the origin peak. No significant pseudotranslation is detected.

<sup>&</sup>lt;sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



<sup>&</sup>lt;sup>1</sup>Intensities estimated from amplitudes.

# 5 Model quality (i)

### 5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: K, MN, EDO, ZN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Chain	Bo	ond lengths	B	ond angles
WIOI	Unam	RMSZ	# Z  > 5	RMSZ	# Z  > 5
1	А	0.51	1/5067~(0.0%)	0.66	1/6826~(0.0%)
1	С	0.51	1/5114~(0.0%)	0.65	4/6887~(0.1%)
2	В	0.45	0/2720	0.64	0/3690
2	D	0.46	0/2725	0.68	0/3697
3	Ν	0.36	0/847	0.46	0/1135
4	Ι	1.17	6/710~(0.8%)	1.18	6/1094~(0.5%)
5	J	0.90	0/708	1.07	1/1091~(0.1%)
6	G	0.96	3/907~(0.3%)	1.13	4/1398~(0.3%)
7	L	1.18	2/686~(0.3%)	1.15	7/1052~(0.7%)
8	М	0.97	2/928~(0.2%)	0.96	1/1427~(0.1%)
9	F	1.12	2/690~(0.3%)	1.25	6/1066~(0.6%)
All	All	0.65	17/21102~(0.1%)	0.79	30/29363~(0.1%)

All (17) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
8	М	17	DC	OP3-P	-10.77	1.48	1.61
7	L	17	DC	OP3-P	-10.57	1.48	1.61
4	Ι	17	DT	C3'-O3'	7.74	1.54	1.44
4	Ι	14	DT	C1'-N1	7.53	1.59	1.49
9	F	28	DG	C3'-O3'	-7.30	1.34	1.44
4	Ι	15	DT	N3-C4	7.17	1.44	1.38
7	L	19	DC	C3'-O3'	-6.85	1.35	1.44
9	F	16	DG	C3'-O3'	-6.18	1.35	1.44
4	Ι	20	DG	C3'-O3'	-6.15	1.35	1.44
4	Ι	14	DT	C3'-O3'	-5.89	1.36	1.44
8	М	23	DG	C3'-O3'	-5.72	1.36	1.44
6	G	39	DG	C3'-O3'	-5.61	1.36	1.44
4	Ι	15	DT	C1'-N1	-5.35	1.39	1.47
1	С	945	GLU	CG-CD	5.33	1.59	1.51
6	G	38	DT	C3'-O3'	-5.10	1.37	1.44



001100	naca ji cii	Proces	page				
Mol	Chain	$\operatorname{Res}$	Type	Atoms	Z	Observed(Å)	Ideal(Å)
6	G	40	DT	C3'-O3'	-5.08	1.37	1.44
1	А	962	GLU	CG-CD	5.02	1.59	1.51

All (30) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
9	F	30	DG	O4'-C1'-N9	8.89	114.22	108.00
8	М	22	DT	O4'-C4'-C3'	-8.19	101.09	106.00
9	F	9	DT	O4'-C4'-C3'	-7.86	101.28	106.00
4	Ι	15	DT	N3-C4-O4	7.80	124.58	119.90
9	F	30	DG	O5'-P-OP2	7.11	119.23	110.70
4	Ι	15	DT	O4'-C1'-N1	-6.95	103.13	108.00
1	С	600	ASP	CB-CG-OD1	6.60	124.24	118.30
6	G	41	DG	C1'-O4'-C4'	-6.43	103.67	110.10
7	L	32	DC	O4'-C4'-C3'	-6.11	102.06	104.50
7	L	19	DC	O4'-C1'-C2'	-6.09	101.03	105.90
6	G	38	DT	N3-C4-O4	6.05	123.53	119.90
7	L	38	DA	O4'-C1'-N9	5.98	112.19	108.00
6	G	4	DG	O4'-C4'-C3'	-5.98	102.11	104.50
1	С	741	LEU	CA-CB-CG	5.82	128.68	115.30
9	F	29	DT	N3-C4-O4	5.79	123.38	119.90
9	F	29	DT	C5-C4-O4	-5.76	120.87	124.90
9	F	27	DT	OP2-P-O3'	5.74	117.84	105.20
4	Ι	15	DT	N3-C2-O2	5.66	125.70	122.30
4	Ι	15	DT	C3'-C2'-C1'	-5.45	95.96	102.50
5	J	19	DA	O4'-C1'-N9	5.44	111.81	108.00
1	А	741	LEU	CA-CB-CG	5.37	127.66	115.30
4	Ι	15	DT	P-O3'-C3'	-5.28	113.36	119.70
4	Ι	14	DT	N3-C4-O4	5.26	123.05	119.90
1	С	541	LEU	CA-CB-CG	5.25	127.39	115.30
7	L	25	DT	C5-C4-O4	-5.22	121.25	124.90
6	G	38	DT	C5-C4-O4	-5.21	121.25	124.90
7	L	18	DA	O4'-C4'-C3'	-5.19	102.42	104.50
7	L	18	DA	O4'-C1'-N9	-5.12	104.42	108.00
1	С	675	LEU	CB-CG-CD1	-5.05	102.42	111.00
7	L	25	DT	N3-C4-O4	5.03	122.92	119.90

There are no chirality outliers.

There are no planarity outliers.



### 5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	А	4964	0	4933	129	0
1	С	5010	0	4988	128	0
2	В	2653	0	2587	57	0
2	D	2657	0	2588	65	0
3	N	833	0	706	13	0
4	Ι	633	0	351	20	0
5	J	632	0	352	20	0
6	G	814	0	457	25	0
7	L	611	0	335	22	0
8	М	824	0	446	20	0
9	F	617	0	343	18	0
10	А	1	0	0	0	0
10	С	1	0	0	0	0
11	А	2	0	0	0	0
11	С	2	0	0	0	0
12	А	8	0	12	0	0
12	С	4	0	6	0	0
13	А	1	0	0	0	0
13	С	1	0	0	0	0
14	А	2	0	0	0	0
14	В	1	0	0	0	0
14	С	4	0	0	0	0
14	D	1	0	0	0	0
14	F	1	0	0	0	0
14	L	1	0	0	0	0
All	All	20278	0	18104	472	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 12.

All (472) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:741:LEU:HG	1:A:917:ALA:HB1	1.62	0.81
6:G:10:DG:H2'	6:G:11:DT:C6	2.20	0.76



	<b>A</b> 4 <b>O</b>	Interatomic	Clash
Atom-1	Atom-2	distance $(\text{\AA})$	overlap (Å)
7:L:34:DT:H3	9:F:13:DA:H61	1.34	0.75
1:C:709:GLU:OE2	1:C:713:ARG:NH2	2.20	0.74
1:C:394:GLN:O	1:C:407:ARG:NH1	2.21	0.73
6:G:23:DC:H42	8:M:35:DG:H1	1.35	0.72
1:C:741:LEU:HG	1:C:917:ALA:HB1	1.70	0.72
6:G:27:DA:H2"	6:G:28:DT:H5"	1.70	0.72
4:I:6:DG:H1	4:I:27:DC:H42	1.36	0.72
4:I:3:DT:H2'	4:I:4:DC:C6	2.26	0.71
9:F:9:DT:H2'	9:F:10:DG:C8	2.25	0.71
2:B:78:CYS:HB2	2:B:142:ILE:HG23	1.73	0.70
1:A:713:ARG:NH2	1:A:725:TYR:O	2.25	0.70
1:C:653:LYS:HG2	1:C:995:THR:HG21	1.73	0.70
1:A:482:HIS:HB2	1:A:500:LEU:HD11	1.73	0.69
2:D:79:SER:HG	2:D:89:HIS:HE2	1.39	0.69
6:G:23:DC:N4	8:M:35:DG:H1	1.90	0.69
7:L:45:DC:H2"	7:L:46:DG:C8	2.28	0.69
2:D:145:VAL:HG21	2:D:238:VAL:HG21	1.74	0.68
1:A:552:THR:HG21	1:A:667:THR:HG21	1.75	0.68
1:A:810:LEU:HD23	1:A:815:VAL:HG21	1.73	0.68
9:F:9:DT:H2'	9:F:10:DG:H8	1.58	0.68
2:D:4:GLN:HB2	2:D:347:THR:HG23	1.76	0.68
9:F:12:DT:H2'	9:F:13:DA:C8	2.29	0.66
1:C:761:ARG:NH2	2:D:126:GLU:OE1	2.29	0.66
6:G:23:DC:H2'	6:G:24:DT:C6	2.32	0.66
2:D:236:ILE:HG12	2:D:249:CYS:HB2	1.78	0.65
5:J:16:DA:H2'	5:J:17:DT:H5'	1.76	0.65
2:D:265:GLN:HA	2:D:271:PHE:HD2	1.61	0.65
1:C:396:LEU:O	1:C:404:GLN:NE2	2.27	0.65
6:G:2:DC:H2"	6:G:3:DG:C8	2.31	0.65
2:D:95:GLY:HA2	2:D:104:SER:O	1.96	0.65
7:L:39:DA:H2"	7:L:40:DA:H8	1.62	0.65
1:C:758:GLU:OE1	1:C:761:ARG:NH1	2.30	0.64
1:C:388:LYS:HB3	9:F:5:DT:H4'	1.79	0.64
6:G:19:DC:H2"	6:G:20:DA:C8	2.33	0.64
2:B:278:GLN:HG3	2:B:284:ARG:HB2	1.81	0.63
1:C:492:THR:O	1:C:494:ARG:HG3	1.98	0.63
2:B:67:CYS:N	2:B:124:CYS:O	2.24	0.63
1:C:523:LEU:HB3	1:C:681:ALA:HB1	1.80	0.63
8:M:50:DA:H2'	8:M:51:DA:C8	2.33	0.63
4:I:2:DA:H2'	4:I:3:DT:C6	2.34	0.62
2:B:41:CYS:HB2	2:B:59:PRO:HB3	1.81	0.62



	A L O	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:A:621:ARG:HG2	1:A:657:LEU:CD2	2.29	0.62
1:A:894:ARG:NH2	1:A:959:GLU:OE1	2.32	0.62
2:D:278:GLN:O	2:D:279:LEU:HD12	1.99	0.62
9:F:20:DG:H2"	9:F:21:DT:H5'	1.81	0.61
1:C:655:LEU:HD23	1:C:675:LEU:HD13	1.83	0.61
2:D:228:ILE:O	2:D:230:PRO:HD3	2.00	0.61
2:B:1:VAL:HA	2:B:349:ARG:O	2.00	0.61
1:C:683:LYS:NZ	1:C:786:GLU:OE2	2.22	0.61
1:A:836:HIS:CG	1:A:869:LEU:HD11	2.36	0.61
3:N:113:ILE:HD12	3:N:129:LEU:HG	1.83	0.61
1:A:423:GLU:OE2	1:C:407:ARG:NH2	2.35	0.60
1:A:510:LEU:HD13	1:A:999:LEU:HD11	1.82	0.60
1:C:630:THR:HG21	1:C:637:ASN:HB3	1.83	0.60
2:D:199:GLU:HB2	2:D:249:CYS:SG	2.41	0.60
1:C:519:TRP:CH2	1:C:682:MET:HE3	2.36	0.60
2:D:274:VAL:HG11	2:D:327:ILE:HG13	1.83	0.60
1:A:560:ASP:OD1	1:A:561:SER:N	2.35	0.60
1:A:727:CYS:SG	1:A:729:LEU:HB2	2.42	0.60
1:C:629:ILE:HG13	1:C:641:PHE:HD2	1.66	0.60
7:L:30:DC:H2'	7:L:31:DC:C6	2.36	0.60
9:F:15:DG:H2'	9:F:16:DG:C8	2.37	0.60
2:D:235:ARG:HD3	2:D:237:ARG:HG3	1.82	0.60
1:A:394:GLN:HB2	1:A:399:LEU:HD21	1.84	0.60
2:D:137:ARG:HH11	2:D:157:GLY:HA2	1.67	0.60
2:B:281:ASN:OD1	2:B:281:ASN:N	2.34	0.59
7:L:45:DC:H2"	7:L:46:DG:N7	2.17	0.59
3:N:19:PHE:HZ	3:N:48:ARG:HB3	1.66	0.59
4:I:14:DT:H3'	4:I:15:DT:H2'	1.84	0.59
1:A:892:VAL:HG21	1:A:909:TYR:HD2	1.66	0.59
1:C:664:ASP:OD1	2:D:34:LYS:NZ	2.35	0.59
1:A:399:LEU:HD22	6:G:8:DT:H5'	1.84	0.59
2:D:210:ILE:HG23	2:D:217:TYR:HB2	1.85	0.59
4:I:14:DT:H5"	4:I:14:DT:H6	1.68	0.58
2:D:61:ILE:HG13	2:D:121:THR:HG23	1.85	0.58
1:C:949:ARG:HD2	1:C:950:ASP:OD1	2.03	0.58
1:C:591:PHE:HB2	1:C:698:PHE:CD2	2.38	0.58
7:L:38:DA:H2"	7:L:39:DA:C8	2.38	0.58
8:M:50:DA:H5"	8:M:50:DA:H8	1.68	0.58
8:M:40:DA:H1'	8:M:41:DA:H5'	1.85	0.57
1:C:705:THR:OG1	1:C:956:TRP:HB3	2.04	0.57
2:D:65:ASP:OD2	2:D:123:ARG:HD3	2.05	0.57



Atom 1	Atom 2	Interatomic	Clash
Atom-1	Atom-2	distance $(\text{\AA})$	overlap (Å)
2:D:171:LYS:HB3	2:D:174:SER:OG	2.05	0.57
3:N:106:CYS:SG	3:N:129:LEU:HD13	2.44	0.57
1:C:391:ARG:HD2	9:F:7:DT:H1'	1.86	0.57
1:A:399:LEU:HB3	1:A:403:ALA:HB3	1.86	0.57
2:B:51:LYS:NZ	2:B:52:GLN:HG3	2.19	0.57
2:B:289:LEU:HB2	2:B:302:MET:HE3	1.86	0.57
1:A:598:SER:OG	1:A:706:GLY:HA3	2.04	0.57
2:B:80:TYR:HB2	2:B:92:ILE:HD11	1.87	0.56
2:B:238:VAL:HG22	2:B:247:VAL:HG22	1.88	0.56
2:D:166:GLN:N	2:D:166:GLN:OE1	2.38	0.56
2:D:283:LYS:HD2	2:D:317:TRP:CD1	2.41	0.56
2:D:282:GLN:HG2	2:D:283:LYS:H	1.71	0.56
6:G:11:DT:H5"	6:G:11:DT:H6	1.70	0.56
1:A:716:GLU:HA	1:A:783:PRO:HB3	1.88	0.56
1:A:838:ARG:NH2	1:C:607:GLU:OE2	2.38	0.56
1:A:648:SER:HB2	7:L:19:DC:H5"	1.87	0.56
1:A:752:GLU:O	1:A:756:ARG:HG3	2.06	0.56
1:A:823:LYS:O	1:A:827:LYS:HG2	2.05	0.56
1:A:688:THR:HG22	1:A:697:THR:HG22	1.88	0.56
8:M:49:DA:H2"	8:M:50:DA:C8	2.41	0.55
1:A:772:LEU:O	1:A:776:VAL:HG22	2.06	0.55
1:A:977:ARG:HG3	1:A:986:ASP:OD1	2.07	0.55
1:C:678:GLU:O	1:C:682:MET:HG3	2.06	0.55
1:A:803:GLU:HG3	1:A:933:THR:HG21	1.87	0.55
2:D:265:GLN:HA	2:D:271:PHE:CD2	2.39	0.55
1:A:447:GLN:OE1	1:A:447:GLN:N	2.39	0.55
1:A:426:ASP:O	1:A:430:VAL:HG12	2.07	0.55
6:G:4:DG:N2	8:M:55:DC:N3	2.55	0.55
1:A:790:SER:OG	1:A:791:ILE:N	2.39	0.55
9:F:11:DT:H2'	9:F:12:DT:H6	1.72	0.55
6:G:29:DT:H1'	6:G:30:DT:H5"	1.89	0.54
1:A:850:ASN:HB3	1:A:853:PHE:H	1.72	0.54
1:A:767:GLU:CD	1:A:775:ARG:HE	2.10	0.54
1:C:517:PHE:CE2	1:C:530:THR:HB	2.42	0.54
2:B:51:LYS:HZ3	2:B:52:GLN:HG3	1.72	0.54
2:D:238:VAL:HG12	2:D:247:VAL:HG12	1.89	0.54
8:M:39:DG:H2"	8:M:40:DA:H8	1.72	0.54
1:A:730:CYS:O	1:A:748:ARG:NH1	2.40	0.54
1:C:674:PRO:HG3	2:D:172:TRP:HB3	1.90	0.54
5:J:14:DT:H2'	5:J:15:DT:O4'	2.06	0.54
1:A:680:GLU:OE2	1:A:683:LYS:HE2	2.07	0.54



	A L O	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:C:770:GLU:CD	1:C:770:GLU:H	2.11	0.54
3:N:27:HIS:CE1	3:N:36:VAL:HG22	2.43	0.54
2:B:283:LYS:HD2	2:B:317:TRP:CE2	2.43	0.54
7:L:20:DA:H2"	7:L:21:DG:H5"	1.90	0.54
1:A:885:LEU:O	1:A:889:MET:HG3	2.08	0.53
7:L:32:DC:H2'	7:L:33:DT:C6	2.43	0.53
1:A:548:TYR:OH	2:B:34:LYS:HE3	2.07	0.53
2:B:6:VAL:HG21	2:B:347:THR:HG23	1.90	0.53
7:L:31:DC:H2'	7:L:32:DC:C6	2.44	0.53
2:B:293:GLY:N	2:B:296:THR:O	2.30	0.53
4:I:23:DA:H2"	4:I:24:DG:C8	2.44	0.53
1:A:532:VAL:HG21	1:A:558:ARG:NH1	2.24	0.53
2:B:147:SER:HB3	2:B:240:LEU:HG	1.90	0.53
1:A:474:THR:HA	1:C:480:GLN:OE1	2.09	0.53
1:A:757:TYR:CE2	1:A:782:LYS:HB2	2.44	0.53
7:L:39:DA:H2"	7:L:40:DA:C8	2.44	0.53
2:D:326:THR:HG23	2:D:349:ARG:HG2	1.90	0.53
4:I:5:DT:H2'	4:I:6:DG:C8	2.44	0.53
8:M:51:DA:H2'	8:M:52:DA:C8	2.44	0.53
1:A:460:SER:HB3	1:C:494:ARG:NH1	2.24	0.52
1:A:805:TYR:OH	1:A:834:ASP:OD1	2.21	0.52
1:A:715:VAL:HG12	1:A:784:PHE:HE1	1.74	0.52
2:D:305:PRO:HG2	2:D:307:TRP:CE2	2.44	0.52
1:A:715:VAL:HG12	1:A:784:PHE:CE1	2.45	0.52
6:G:23:DC:H42	8:M:35:DG:H22	1.56	0.52
1:A:966:LYS:HA	9:F:29:DT:H5'	1.92	0.52
3:N:28:LYS:NZ	6:G:14:DG:OP1	2.39	0.52
2:B:279:LEU:HB2	2:B:282:GLN:HB3	1.91	0.52
3:N:98:PRO:HB3	3:N:151:LEU:HD13	1.92	0.52
1:A:400:THR:O	1:A:404:GLN:HG2	2.10	0.52
1:C:420:ASP:HA	1:C:425:GLY:N	2.24	0.52
1:A:978:GLN:HG2	6:G:38:DT:O4'	2.10	0.52
2:B:311:ILE:HD11	2:B:346:TYR:CE1	2.45	0.51
1:C:857:LEU:HD12	1:C:862:THR:HG21	1.92	0.51
5:J:6:DG:H2"	5:J:7:DG:C8	2.46	0.51
2:B:263:LEU:HD11	2:B:271:PHE:HB3	1.93	0.51
1:C:467:CYS:HB2	1:C:503:LEU:HD11	1.91	0.51
2:D:141:SER:OG	2:D:207:HIS:NE2	2.26	0.51
4:I:9:DC:H2"	4:I:10:DT:O5'	2.09	0.51
6:G:32:DC:H2"	6:G:33:DA:C8	2.46	0.51
1:A:627:MET:HG3	1:A:956:TRP:CZ3	2.45	0.51



	to as pagem	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:A:559:TYR:CE2	1:A:679:ARG:HB2	2.46	0.51
1:C:925:LYS:HG3	1:C:929:GLU:HB2	1.91	0.51
2:B:80:TYR:HB3	2:B:90:GLN:HG3	1.92	0.51
1:A:432:LEU:O	1:A:436:LEU:HG	2.11	0.51
2:B:289:LEU:HB2	2:B:302:MET:CE	2.41	0.51
2:D:22:MET:HE1	2:D:93:ILE:HD11	1.93	0.51
8:M:42:DG:H1'	8:M:43:DC:H5'	1.93	0.51
9:F:10:DG:H2'	9:F:11:DT:C6	2.46	0.50
1:A:570:MET:HE1	1:A:626:VAL:HG11	1.92	0.50
1:C:878:ALA:HB2	1:C:923:LYS:HD3	1.93	0.50
1:C:748:ARG:NH2	1:C:777:LYS:O	2.38	0.50
1:C:851:GLY:O	1:C:855:ARG:HG3	2.11	0.50
1:A:770:GLU:OE1	1:A:770:GLU:N	2.29	0.50
2:D:162:MET:HB2	2:D:167:ARG:HB2	1.91	0.50
1:C:602:MET:SD	1:C:965:ASN:ND2	2.79	0.50
1:A:599:CYS:HA	1:A:621:ARG:O	2.12	0.50
8:M:50:DA:H5"	8:M:50:DA:C8	2.47	0.50
1:A:798:ILE:HG23	1:A:849:MET:HG3	1.93	0.50
1:C:523:LEU:HB2	1:C:526:VAL:HB	1.93	0.50
2:B:94:HIS:CE1	2:B:155:LEU:HD11	2.47	0.49
1:C:756:ARG:HD2	1:C:776:VAL:O	2.13	0.49
2:D:47[A]:HIS:HD2	2:D:49:ASP:HB2	1.77	0.49
1:A:415:VAL:HG22	1:C:411:LEU:HD11	1.92	0.49
2:D:270:GLU:HG2	2:D:289:LEU:HD11	1.93	0.49
5:J:8:DC:H2"	5:J:9:DC:H5'	1.94	0.49
1:A:483:LYS:NZ	1:C:473:ASN:O	2.45	0.49
2:D:123:ARG:HG2	2:D:125:THR:HG23	1.93	0.49
1:A:515:HIS:ND1	1:A:568:MET:HG3	2.28	0.49
1:A:836:HIS:ND1	1:A:869:LEU:HD11	2.27	0.49
3:N:126:ALA:HA	3:N:129:LEU:HD12	1.94	0.49
1:C:489:LYS:NZ	9:F:20:DG:OP1	2.42	0.49
1:C:889:MET:HE1	1:C:940:LEU:HD23	1.94	0.49
4:I:17:DT:H2"	4:I:18:DA:H5"	1.93	0.49
2:B:290:VAL:HA	2:B:298:GLU:O	2.13	0.49
1:C:748:ARG:HA	1:C:752:GLU:OE1	2.12	0.49
1:C:400:THR:O	1:C:404:GLN:HG3	2.12	0.49
7:L:32:DC:H2'	7:L:33:DT:C5	2.48	0.48
2:D:226:SER:HB2	2:D:228:ILE:HG13	1.96	0.48
2:B:200:LEU:HD11	2:B:236:ILE:HD11	1.94	0.48
1:C:409:ARG:O	1:C:413:ILE:HG13	2.13	0.48
5:J:26:DC:H2"	5:J:27:DC:H5"	1.94	0.48



	i agem	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:A:496:ILE:HD12	1:A:496:ILE:H	1.79	0.48
2:D:233:LEU:HG	2:D:252:LEU:HB2	1.96	0.48
2:B:65:ASP:OD1	2:B:123:ARG:HD3	2.14	0.48
1:C:750:HIS:CD2	1:C:786:GLU:HB2	2.49	0.48
2:B:291:SER:HB2	2:B:298:GLU:HB3	1.95	0.48
1:A:422:GLU:OE1	1:C:393:ARG:NH1	2.37	0.48
2:B:271:PHE:HB2	2:B:290:VAL:CG2	2.44	0.48
2:B:274:VAL:CG2	2:B:327:ILE:HD12	2.44	0.47
1:C:515:HIS:NE2	1:C:568:MET:HG2	2.29	0.47
9:F:11:DT:H2'	9:F:12:DT:C6	2.48	0.47
1:C:557:PHE:HE2	1:C:992:TRP:CE3	2.32	0.47
5:J:3:DT:H2"	5:J:4:DC:C6	2.49	0.47
1:A:559:TYR:CD2	1:A:679:ARG:HB2	2.49	0.47
1:A:643:GLU:OE2	1:A:644:PRO:HD2	2.15	0.47
2:B:275:GLY:HA2	2:B:317:TRP:CZ2	2.49	0.47
1:C:632:GLU:HG2	1:C:634:GLY:H	1.78	0.47
1:C:653:LYS:CG	1:C:995:THR:HG21	2.42	0.47
1:C:709:GLU:N	5:J:16:DA:OP1	2.46	0.47
1:C:917:ALA:O	1:C:921:SER:OG	2.32	0.47
3:N:18:PHE:HE2	3:N:64:ALA:HA	1.79	0.47
9:F:21:DT:H1'	9:F:22:DA:H5'	1.96	0.47
2:B:71:PRO:O	2:B:99:PRO:HD3	2.14	0.47
5:J:24:DG:OP2	5:J:24:DG:H2'	2.14	0.47
1:A:729:LEU:HD21	1:A:946:ILE:HD11	1.96	0.47
1:C:919:LEU:HD12	1:C:919:LEU:HA	1.77	0.47
1:A:709:GLU:OE1	1:A:713:ARG:NH1	2.47	0.47
1:A:560:ASP:O	1:A:563:LEU:N	2.47	0.47
1:A:748:ARG:NH2	1:A:777:LYS:O	2.47	0.47
1:C:570:MET:O	1:C:574:ILE:HG13	2.13	0.47
1:C:644:PRO:O	1:C:646:PRO:HD3	2.15	0.47
1:C:656:CYS:O	1:C:657:LEU:HD23	2.15	0.47
2:D:258:VAL:HG11	2:D:261:ALA:HB2	1.97	0.47
6:G:3:DG:H2"	6:G:4:DG:H5'	1.96	0.47
1:A:841:MET:HE3	1:A:856:LYS:HE2	1.97	0.47
1:A:972:ARG:NH1	1:A:983:GLU:OE2	2.46	0.47
1:C:435:PHE:CE1	1:C:439:LEU:HG	2.50	0.47
1:C:519:TRP:CZ2	1:C:687:LEU:HD13	2.50	0.47
1:C:921:SER:O	1:C:925:LYS:HB2	2.14	0.47
2:B:150:LYS:HD2	2:B:240:LEU:HB3	1.97	0.47
1:C:467:CYS:CB	1:C:503:LEU:HD11	2.44	0.47
2:D:235:ARG:NH1	2:D:250:THR:OG1	2.48	0.47



		Interatomic	Clash
Atom-1	Atom-2	distance $(\text{\AA})$	overlap (Å)
6:G:13:DT:H2'	6:G:14:DG:C8	2.49	0.47
1:A:733:THR:HG23	1:A:736:GLU:H	1.80	0.46
2:B:158:GLY:HA2	2:B:205:SER:HB3	1.96	0.46
1:C:412:LYS:O	1:C:416:LYS:HG3	2.16	0.46
1:A:587:LEU:HD21	1:A:633:HIS:CD2	2.50	0.46
2:B:324:ASN:O	2:B:326:THR:HG23	2.15	0.46
5:J:5:DT:O4	5:J:27:DC:N4	2.48	0.46
1:A:466:VAL:HG22	1:A:1002:PHE:CE1	2.51	0.46
1:A:551:ASP:O	1:A:615:VAL:HA	2.16	0.46
1:A:650:LEU:HD11	7:L:20:DA:H5"	1.97	0.46
2:B:106:LYS:HD2	2:B:126:GLU:OE2	2.15	0.46
2:B:137:ARG:HG2	2:B:178:CYS:SG	2.55	0.46
4:I:19:DA:H2"	4:I:20:DG:C8	2.51	0.46
1:C:557:PHE:CE2	1:C:992:TRP:CE3	3.04	0.46
1:C:621:ARG:HE	1:C:965:ASN:ND2	2.14	0.46
4:I:3:DT:H2"	4:I:4:DC:O5'	2.15	0.46
4:I:15:DT:O3'	4:I:16:DA:H2'	2.15	0.46
5:J:15:DT:H73	5:J:15:DT:OP2	2.15	0.46
1:C:392:PRO:CG	7:L:43:DC:H5'	2.46	0.46
1:C:811:GLU:OE1	1:C:926:TYR:OH	2.21	0.46
2:D:156:PHE:CD1	2:D:218:ILE:HD13	2.51	0.46
2:B:5:MET:HG2	2:B:346:TYR:CE2	2.50	0.46
2:D:144:VAL:HG12	2:D:187:PHE:HE2	1.80	0.46
2:B:233:LEU:HD21	2:B:297:ILE:HD13	1.97	0.46
2:B:263:LEU:HD12	2:B:272:VAL:O	2.15	0.46
2:B:265:GLN:OE1	2:B:271:PHE:HE2	1.99	0.46
1:C:440:ARG:HD3	1:C:445:HIS:CE1	2.51	0.46
2:D:76:ALA:HB2	2:D:140:HIS:CD2	2.51	0.46
4:I:9:DC:H2'	4:I:10:DT:C6	2.50	0.46
1:A:896:SER:OG	7:L:17:DC:OP1	2.31	0.46
2:B:290:VAL:HG12	2:B:299:ILE:HG12	1.98	0.46
4:I:3:DT:H4'	4:I:4:DC:OP1	2.16	0.46
1:C:918:GLU:O	1:C:921:SER:N	2.49	0.45
3:N:123:GLY:O	3:N:127:LYS:HG3	2.16	0.45
1:A:721:SER:OG	4:I:15:DT:O4	2.17	0.45
1:A:811:GLU:OE1	1:A:926:TYR:OH	2.23	0.45
1:A:858:MET:O	1:A:887:LEU:HD21	2.16	0.45
1:C:590:PRO:HB2	1:C:699:LYS:HE2	1.96	0.45
1:A:555:LYS:HD2	1:A:985:GLU:HB3	1.99	0.45
5:J:7:DG:C4	5:J:8:DC:C5	3.04	0.45
7:L:38:DA:H2"	7:L:39:DA:N7	2.30	0.45



	A de la construction de la const	Interatomic	Clash	
Atom-1	Atom-2	distance (Å)	overlap (Å)	
1:A:733:THR:HG22	1:A:736:GLU:HB2	1.98	0.45	
2:B:19:PHE:CD2	2:B:30:PHE:HE1	2.33	0.45	
1:C:492:THR:C	1:C:494:ARG:H	2.20	0.45	
8:M:18:DA:H1'	8:M:19:DC:H5'	1.97	0.45	
1:A:480:GLN:OE1	1:C:474:THR:HA	2.16	0.45	
1:C:624:PHE:HE2	1:C:655:LEU:HD13	1.82	0.45	
1:C:650:LEU:O	1:C:995:THR:HA	2.17	0.45	
1:C:971:PHE:CD1	1:C:971:PHE:N	2.84	0.45	
2:D:318:PHE:O	2:D:330:GLY:N	2.50	0.45	
8:M:37:DG:C2'	8:M:38:DT:H71	2.47	0.45	
1:C:920:LEU:HD22	1:C:928:TYR:CD2	2.52	0.45	
1:A:466:VAL:HG22	1:A:1002:PHE:HE1	1.82	0.45	
1:A:836:HIS:CD2	1:A:840:ARG:HG3	2.52	0.45	
2:B:78:CYS:SG	2:B:143:ASP:HA	2.57	0.45	
8:M:49:DA:H2"	8:M:50:DA:N7	2.32	0.45	
9:F:29:DT:H2'	9:F:30:DG:O4'	2.17	0.45	
1:A:592:THR:O	1:A:629:ILE:HA	2.17	0.44	
2:B:130:VAL:O	2:B:191:CYS:HA	2.16	0.44	
1:C:519:TRP:CZ2	1:C:682:MET:HE3	2.52	0.44	
1:C:741:LEU:CD1	1:C:932:ILE:HD12	2.47	0.44	
6:G:16:DC:H2"	6:G:17:DT:H5'	1.98	0.44	
1:A:591:PHE:CE2	1:A:631:ILE:HD12	2.52	0.44	
1:A:813:GLY:HA3	1:A:829:TRP:CE2	2.53	0.44	
1:A:820:ASN:OD1	1:A:820:ASN:N	2.49	0.44	
1:C:816:TYR:OH	1:C:875:ARG:HD3	2.16	0.44	
2:D:80:TYR:HB3	2:D:90:GLN:HG3	1.98	0.44	
2:D:286:VAL:HG12	2:D:304:THR:HG22	2.00	0.44	
5:J:13:DC:H2"	5:J:14:DT:H72	1.99	0.44	
6:G:10:DG:C2	8:M:49:DA:C2	3.05	0.44	
1:A:552:THR:HG21	1:A:660:ALA:HB2	2.00	0.44	
1:C:478:CYS:HB2	7:L:23:DG:OP2	2.17	0.44	
1:C:618:LYS:NZ	5:J:18:DA:N3	2.66	0.44	
1:A:627:MET:HG3	1:A:956:TRP:CH2	2.53	0.44	
1:C:645:LYS:HE3	1:C:645:LYS:HB2	1.88	0.44	
6:G:7:DT:H2'	6:G:8:DT:H71	2.00	0.44	
8:M:54:DC:H2'	8:M:55:DC:C6	2.53	0.44	
1:C:481:TYR:OH	1:C:497:PHE:HB3	2.18	0.44	
2:D:299:ILE:O	2:D:299:ILE:HG13	2.18	0.44	
6:G:31:DG:C2	8:M:28:DA:C2	3.06	0.44	
1:A:395:HIS:CE1	1:A:397:LEU:HD13	2.52	0.44	
1:A:427:VAL:HA	1:A:430:VAL:CG1	2.48	0.44	



	A de la construction de la const	Interatomic	Clash	
Atom-1	Atom-2	distance (Å)	overlap (Å)	
1:A:532:VAL:HG23	1:A:532:VAL:O	2.17	0.44	
1:A:674:PRO:HG3	2:B:172:TRP:HB3	2.00	0.44	
1:C:841:MET:HE1	1:C:861:GLU:HG3	2.00	0.44	
2:D:47[A]:HIS:CD2	2:D:49:ASP:HB2	2.53	0.44	
1:A:427:VAL:HA	1:A:430:VAL:HG12	2.00	0.44	
1:C:553:ILE:CD1	1:C:984:MET:HG2	2.47	0.44	
1:A:443:ASN:HD22	9:F:17:DG:H1'	1.83	0.43	
1:C:695:PRO:O	1:C:696:ARG:HD3	2.18	0.43	
2:D:47[A]:HIS:NE2	2:D:49:ASP:OD2	2.46	0.43	
2:D:208:VAL:HB	2:D:219:LEU:HB2	2.00	0.43	
1:A:567:LEU:HD23	1:A:570:MET:CE	2.47	0.43	
1:A:858:MET:HE3	1:A:886:TYR:CE1	2.53	0.43	
1:C:1001:LYS:HE2	1:C:1001:LYS:HB2	1.90	0.43	
1:C:673:SER:OG	1:C:674:PRO:HD3	2.18	0.43	
1:C:591:PHE:O	1:C:698:PHE:HA	2.19	0.43	
9:F:12:DT:H2'	9:F:13:DA:H8	1.81	0.43	
1:A:553:ILE:HD11	1:A:659:LEU:HD12	1.99	0.43	
1:A:650:LEU:O	1:A:995:THR:HA	2.18	0.43	
2:B:239:ASP:O	2:B:245:PRO:HB3	2.19	0.43	
5:J:11:DG:C8	5:J:12:DT:H72	2.54	0.43	
1:A:841:MET:CE	1:A:856:LYS:HE2	2.49	0.43	
1:C:503:LEU:O	1:C:506:ALA:N	2.52	0.43	
1:C:538:LEU:HD22	1:C:541:LEU:HD23	2.01	0.43	
1:C:790:SER:OG	1:C:791:ILE:N	2.51	0.43	
2:D:33:GLN:NE2	2:D:37:PRO:HA	2.33	0.43	
2:D:284:ARG:HG2	2:D:284:ARG:HH21	1.84	0.43	
5:J:8:DC:H2'	5:J:9:DC:C6	2.53	0.43	
7:L:44:DC:H4'	7:L:45:DC:OP1	2.18	0.43	
1:A:803:GLU:CG	1:A:933:THR:HG21	2.48	0.43	
2:B:123:ARG:HG2	2:B:125:THR:HG23	2.00	0.43	
1:C:843:LEU:HD23	1:C:843:LEU:HA	1.88	0.43	
5:J:17:DT:H4'	5:J:18:DA:OP2	2.19	0.43	
6:G:22:DA:H5'	6:G:23:DC:O5'	2.19	0.43	
9:F:9:DT:C2	9:F:10:DG:C8	3.07	0.43	
1:C:471:ARG:HD3	1:C:476:LEU:O	2.19	0.43	
1:C:553:ILE:HD12	1:C:984:MET:HG2	2.00	0.43	
1:A:919:LEU:CD1	1:A:923:LYS:HE3	2.49	0.42	
1:A:452:GLU:O	1:A:456:GLN:HG3	2.19	0.42	
1:A:463:GLN:HB2	1:A:466:VAL:HG23	2.01	0.42	
1:C:897:CYS:SG	1:C:900:LYS:HG3	2.59	0.42	
2:D:235:ARG:NH2	2:D:295:ASN:OD1	2.51	0.42	



	i agem	Interatomic	Clash	
Atom-1	Atom-2	distance (Å)	overlap (Å)	
1:A:658:MET:HG3	1:A:660:ALA:HB3	2.01	0.42	
2:B:92:ILE:HG23	2:B:107:ILE:HD11	2.02	0.42	
1:C:788:VAL:CG1	1:C:949:ARG:HH12	2.32	0.42	
4:I:4:DC:H2"	4:I:5:DT:H6	1.85	0.42	
1:A:895:SER:HB2	1:A:901:GLU:OE1	2.20	0.42	
2:B:58:LYS:HD2	2:B:58:LYS:HA	1.61	0.42	
1:C:538:LEU:HD23	1:C:671:ILE:HD11	2.00	0.42	
1:A:519:TRP:CE2	1:A:523:LEU:HD11	2.54	0.42	
1:A:536:ASP:OD1	1:A:538:LEU:HB2	2.19	0.42	
1:A:586:TYR:CD1	1:A:586:TYR:N	2.86	0.42	
1:C:718:LEU:HD12	1:C:728:THR:HG22	2.02	0.42	
1:C:919:LEU:HD11	1:C:923:LYS:HD2	2.00	0.42	
2:D:181:HIS:CE1	2:D:196:ILE:HG12	2.54	0.42	
1:A:733:THR:HG22	1:A:736:GLU:CD	2.40	0.42	
1:A:855:ARG:NH1	7:L:18:DA:OP2	2.53	0.42	
2:B:29:PHE:CD2	2:B:47:HIS:HA	2.55	0.42	
1:C:489:LYS:O	1:C:493:GLY:N	2.52	0.42	
2:D:269:ASP:OD1	2:D:292:LEU:HB2	2.20	0.42	
6:G:21:DC:H2"	6:G:22:DA:C8	2.55	0.42	
1:A:621:ARG:HG2	1:A:657:LEU:HD22	2.02	0.42	
2:B:199:GLU:CD	2:B:249:CYS:HB3	2.40	0.42	
2:B:50:ILE:HG12	2:B:55:LEU:HB2	2.02	0.42	
1:C:889:MET:HE3	1:C:909:TYR:CZ	2.54	0.42	
2:D:22:MET:HE2	2:D:91:TYR:CD2	2.55	0.42	
3:N:16:TYR:O	3:N:19:PHE:HB3	2.20	0.42	
3:N:57:LYS:O	3:N:61:GLU:HG3	2.20	0.42	
1:A:765:TYR:CD1	1:A:765:TYR:N	2.87	0.42	
1:A:836:HIS:HE1	2:D:313:HIS:CD2	2.38	0.42	
1:C:616:PRO:HG3	1:C:660:ALA:HA	2.02	0.42	
5:J:27:DC:H2"	5:J:28:DA:C8	2.55	0.42	
1:A:421:LYS:NZ	1:A:422:GLU:OE2	2.53	0.41	
1:A:676:ILE:HG13	1:A:785:ILE:HG12	2.02	0.41	
1:A:711:LEU:HD12	1:A:711:LEU:HA	1.71	0.41	
1:A:797:ASP:HB2	1:A:894:ARG:NH1	2.34	0.41	
2:B:12:ILE:HD13	2:B:341:GLU:HB3	2.03	0.41	
2:B:293:GLY:HA3	2:B:296:THR:CG2	2.50	0.41	
1:C:602:MET:SD	1:C:965:ASN:HB3	2.60	0.41	
2:D:50:ILE:HG12	2:D:55:LEU:HB2	2.02	0.41	
2:D:142:ILE:HA	2:D:154:VAL:O	2.20	0.41	
1:C:897:CYS:O	1:C:901:GLU:HG3	2.20	0.41	
4:I:2:DA:H2"	4:I:3:DT:O5'	2.20	0.41	



	to as pagem	Interatomic	Clash	
Atom-1	Atom-2	distance $(\text{\AA})$	overlap (Å)	
1:A:947:ILE:HD13	1:A:947:ILE:HA	1.81	0.41	
1:C:558:ARG:NH1	2:D:170:GLU:OE2	2.45	0.41	
5:J:16:DA:C2'	5:J:17:DT:H5'	2.45	0.41	
2:B:115:LYS:HG3	2:B:120:VAL:HG22	2.01	0.41	
1:C:392:PRO:HG3	7:L:43:DC:H5'	2.02	0.41	
1:C:525:ASN:O	2:D:169:THR:HG23	2.21	0.41	
1:C:879:LEU:HD23	1:C:879:LEU:HA	1.74	0.41	
3:N:98:PRO:HD2	3:N:155:TYR:HB2	2.02	0.41	
1:C:672:LEU:O	1:C:676:ILE:HG12	2.20	0.41	
1:C:943:VAL:HB	1:C:944:PRO:HD3	2.03	0.41	
2:D:331:ILE:HD13	2:D:331:ILE:HA	1.68	0.41	
1:C:419:ALA:O	1:C:423:GLU:N	2.22	0.41	
1:C:668:LEU:HD11	1:C:672:LEU:HD12	2.02	0.41	
1:C:890:LYS:HA	1:C:893:TRP:CZ3	2.56	0.41	
2:D:80:TYR:O	2:D:89:HIS:HD2	2.03	0.41	
2:D:264:THR:HA	2:D:321:ASN:ND2	2.36	0.41	
2:D:273:ILE:O	2:D:273:ILE:HG13	2.21	0.41	
1:A:568:MET:SD	1:A:689:LEU:HD21	2.60	0.41	
1:A:609:HIS:ND1	1:C:844:LYS:HB3	2.35	0.41	
1:A:691:MET:SD	1:A:698:PHE:HZ	2.43	0.41	
1:C:391:ARG:HA	1:C:392:PRO:HD3	1.96	0.41	
2:D:7:THR:HB	2:D:54:HIS:ND1	2.36	0.41	
2:B:229:ARG:NE	2:B:259:SER:OG	2.36	0.41	
2:B:285:MET:HE3	2:B:307:TRP:NE1	2.36	0.41	
1:C:654:PRO:HG3	1:C:991:HIS:HB3	2.03	0.41	
1:C:720:ALA:HB3	5:J:21:DA:C5'	2.51	0.41	
1:C:737:ALA:O	1:C:741:LEU:HA	2.21	0.41	
4:I:9:DC:H4'	4:I:10:DT:OP1	2.20	0.41	
1:A:513:GLY:O	1:A:531:ASP:HA	2.21	0.41	
1:A:563:LEU:O	1:A:566:ALA:HB3	2.20	0.41	
1:A:682:MET:HB2	1:A:682:MET:HE3	1.94	0.41	
1:A:978:GLN:O	6:G:37:DC:H1'	2.21	0.41	
1:C:708:ASP:OD1	1:C:708:ASP:N	2.50	0.41	
1:C:875:ARG:HE	1:C:875:ARG:HB3	1.68	0.41	
2:D:169:THR:HA	2:D:172:TRP:HB2	2.03	0.41	
8:M:39:DG:H2"	8:M:40:DA:C8	2.54	0.41	
8:M:39:DG:C2	8:M:40:DA:C5	3.09	0.41	
1:A:399:LEU:HB3	1:A:403:ALA:CB	2.50	0.40	
1:A:574:ILE:HD13	1:A:574:ILE:HG21	1.88	0.40	
1:A:935:TYR:O	1:A:939:THR:OG1	2.29	0.40	
1:A:569:ASP:OD2	1:A:997:LYS:N	2.52	0.40	



Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:584:ASP:HB3	1:A:587:LEU:HB2	2.02	0.40
1:A:715:VAL:HB	1:A:785:ILE:HB	2.03	0.40
1:C:426:ASP:O	1:C:430:VAL:HG23	2.21	0.40
1:C:450:GLU:O	1:C:454:ILE:HD13	2.21	0.40
2:D:258:VAL:CG1	2:D:261:ALA:HB2	2.51	0.40
7:L:44:DC:H2'	7:L:45:DC:C6	2.56	0.40
2:B:74:TYR:HB2	2:B:138:TYR:HB2	2.02	0.40
1:C:534:ILE:HG12	1:C:557:PHE:CE1	2.56	0.40
1:C:720:ALA:HB3	5:J:21:DA:H5'	2.03	0.40
2:D:256:ILE:HG13	2:D:258:VAL:HG23	2.03	0.40
4:I:13:DC:H2'	4:I:14:DT:C6	2.56	0.40
1:C:591:PHE:HB2	1:C:698:PHE:HD2	1.82	0.40
1:C:890:LYS:HB3	1:C:891:PRO:HD3	2.01	0.40
4:I:5:DT:O2	4:I:29:DG:N2	2.55	0.40
1:C:603:GLY:HA2	1:C:618:LYS:HG2	2.03	0.40
1:C:682:MET:HG3	1:C:682:MET:H	1.66	0.40
3:N:98:PRO:CD	3:N:155:TYR:HB2	2.52	0.40
6:G:37:DC:H2'	6:G:38:DT:C6	2.57	0.40
7:L:40:DA:C6	7:L:41:DA:C6	3.09	0.40

There are no symmetry-related clashes.

### 5.3 Torsion angles (i)

#### 5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Perce	entiles
1	А	616/627~(98%)	578 (94%)	38~(6%)	0	100	100
1	С	621/627~(99%)	585 (94%)	36 (6%)	0	100	100
2	В	335/389~(86%)	328~(98%)	7 (2%)	0	100	100
2	D	335/389~(86%)	325 (97%)	10 (3%)	0	100	100
3	Ν	107/163~(66%)	107 (100%)	0	0	100	100



Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percer	ntiles
All	All	2014/2195~(92%)	1923~(96%)	91 (4%)	0	100	100

There are no Ramachandran outliers to report.

#### 5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent side chain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the side chain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Perce	entiles
1	А	542/550~(98%)	523~(96%)	19 (4%)	36	64
1	С	547/550~(100%)	524 (96%)	23~(4%)	30	60
2	В	294/344~(86%)	281 (96%)	13 (4%)	28	59
2	D	294/344~(86%)	273~(93%)	21 (7%)	14	42
3	Ν	69/139~(50%)	68~(99%)	1 (1%)	67	82
All	All	1746/1927~(91%)	1669 (96%)	77 (4%)	28	59

All (77) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	А	402	ARG
1	А	559	TYR
1	А	571	GLU
1	А	585	ASP
1	А	586	TYR
1	А	628	ARG
1	А	714	GLU
1	А	721	SER
1	А	734	ARG
1	А	754	LEU
1	А	780	SER
1	А	811	GLU
1	А	820	ASN
1	А	931	LYS
1	А	932	ILE
1	А	933	THR



1       A       979       SER         1       A       980       LYS         1       A       996       SER         2       B       2       SER         2       B       2       SER         2       B       20       SER         2       B       34       LYS         2       B       58       LYS         2       B       168       THR         2       B       205       SER         2       B       226       SER         2       B       250       THR         2       B       268       ASN         2       B       268       ASN	
1       A       980       LYS         1       A       996       SER         2       B       2       SER         2       B       20       SER         2       B       34       LYS         2       B       58       LYS         2       B       168       THR         2       B       205       SER         2       B       226       SER         2       B       250       THR         2       B       268       ASN         2       B       268       ASN	
1       A       996       SER         2       B       2       SER         2       B       20       SER         2       B       34       LYS         2       B       58       LYS         2       B       168       THR         2       B       205       SER         2       B       226       SER         2       B       250       THR         2       B       268       ASN         2       B       268       ASN	
2       B       2       SER         2       B       20       SER         2       B       34       LYS         2       B       58       LYS         2       B       168       THR         2       B       205       SER         2       B       226       SER         2       B       250       THR         2       B       268       ASN         2       B       281       ASN	
2       B       20       SER         2       B       34       LYS         2       B       58       LYS         2       B       168       THR         2       B       205       SER         2       B       226       SER         2       B       250       THR         2       B       268       ASN         2       B       268       ASN	
2       B       34       LYS         2       B       58       LYS         2       B       168       THR         2       B       205       SER         2       B       226       SER         2       B       250       THR         2       B       268       ASN         2       B       268       ASN	
2     B     58     LYS       2     B     168     THR       2     B     205     SER       2     B     226     SER       2     B     250     THR       2     B     268     ASN       2     B     268     ASN	
2     B     168     THR       2     B     205     SER       2     B     226     SER       2     B     250     THR       2     B     268     ASN       2     B     281     ASN	
2         B         205         SER           2         B         226         SER           2         B         250         THR           2         B         268         ASN           2         B         281         ASN	_
2         B         226         SER           2         B         250         THR           2         B         268         ASN           2         B         281         ASN	_
2         B         250         THR           2         B         268         ASN           2         B         281         ASN	_
2 B 268 ASN 2 B 281 ASN	
2 B 281 ASN	- 1
2 D 201 ADN	
2 B 317 TRP	┥
2 B 329 LEU	
2 B 348 LEU	$\neg$
1 C 391 ARG	-
1 C 402 ARG	
1 C 559 TYR	
1 C 561 SER	
1 C 569 ASP	
1 C 580 SER	
1 C 633 HIS	
1 C 684 SER	
1 C 707 TYR	
1 C 714 GLU	
1 C 721 SER	
1 C 756 ARG	
1 C 784 PHE	٦
1 C 796 CYS	
1 C 797 ASP	
1 C 816 TYR	7
1 C 823 LYS	┨
1 C 848 ARG	
1 C 875 ARG	٦
1 C 921 SER	
1 C 922 THR	7
1 C 984 MET	٦
1 C 996 SER	
2 D 2 SER	٦
2 D 20 SER	7
2 D 49 ASP	



Mol	Chain	Res	Type
2	D	64	LYS
2	D	80	TYR
2	D	97	LYS
2	D	104	SER
2	D	119	LYS
2	D	129	LEU
2	D	233	LEU
2	D	235	ARG
2	D	237	ARG
2	D	249	CYS
2	D	281	ASN
2	D	284	ARG
2	D	290	VAL
2	D	291	SER
2	D	297	ILE
2	D	317	TRP
2	D	331	ILE
2	D	347	THR
3	N	73	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (6) such sidechains are listed below:

Mol	Chain	Res	Type
1	А	633	HIS
1	А	753	ASN
1	А	961	ASN
2	В	4	GLN
1	С	990	HIS
2	D	313	HIS

#### 5.3.3 RNA (i)

There are no RNA molecules in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.



### 5.5 Carbohydrates (i)

There are no monosaccharides in this entry.

### 5.6 Ligand geometry (i)

Of 11 ligands modelled in this entry, 8 are monoatomic - leaving 3 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol Ty	Turne	Chain	Chain Reg Link Bond lengths			Bond angles				
	туре	Unain	nes		Counts	RMSZ	# Z >2	Counts	RMSZ	# Z  > 2
12	EDO	C	2004	-	3,3,3	0.70	0	2,2,2	0.25	0
12	EDO	А	2005	-	3,3,3	0.67	0	2,2,2	0.18	0
12	EDO	А	2004	-	3,3,3	0.58	0	2,2,2	0.55	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
12	EDO	С	2004	-	-	1/1/1/1	-
12	EDO	А	2005	-	-	1/1/1/1	-
12	EDO	А	2004	-	-	1/1/1/1	-

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (3) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
12	А	2005	EDO	O1-C1-C2-O2
12	А	2004	EDO	O1-C1-C2-O2
12	С	2004	EDO	O1-C1-C2-O2

There are no ring outliers.



No monomer is involved in short contacts.

### 5.7 Other polymers (i)

There are no such residues in this entry.

## 5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



# 6 Fit of model and data (i)

### 6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled '#RSRZ> 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median,  $95^{th}$  percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	$\langle RSRZ \rangle$	#RSRZ>2	$\mathbf{OWAB}(\mathrm{\AA}^2)$	$Q{<}0.9$
1	А	618/627~(98%)	0.51	32 (5%) 27 25	69, 98, 144, 196	0
1	С	623/627~(99%)	0.60	52 (8%) 11 11	65, 98, 143, 174	0
2	В	341/389~(87%)	0.44	24 (7%) 16 16	79,117,151,170	0
2	D	340/389~(87%)	0.43	17 (5%) 28 27	78,111,157,181	0
3	Ν	117/163~(71%)	0.64	22 (18%) 1 1	157, 205, 230, 235	0
4	Ι	31/31~(100%)	0.26	3 (9%) 7 8	124, 192, 247, 255	4 (12%)
5	J	31/31~(100%)	0.20	2 (6%) 18 18	108, 184, 244, 258	4 (12%)
6	G	40/40~(100%)	0.26	2 (5%) 28 27	79,191,264,271	0
7	L	30/30~(100%)	0.04	0 100 100	81, 117, 165, 173	0
8	М	40/40 (100%)	0.44	5 (12%) 3 3	95, 182, 236, 253	0
9	F	30/30~(100%)	0.29	1 (3%) 46 44	77, 112, 162, 168	0
All	All	2241/2397~(93%)	0.50	160 (7%) 16 16	65, 107, 204, 271	8 (0%)

All (160) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
4	Ι	15	DT	5.5
5	J	16	DA	5.3
4	Ι	16	DA	5.1
3	Ν	13	MET	5.1
3	Ν	41	PHE	5.0
3	Ν	16	TYR	4.9
1	С	742	VAL	4.8
3	Ν	49	TRP	4.8
1	С	394	GLN	4.7
2	В	206	PHE	4.7
2	В	91	TYR	4.5
1	С	741	LEU	4.4



Mol	Chain	Res	Type	RSRZ
2	В	139	GLY	4.3
1	А	402	ARG	4.2
3	N	113	ILE	4.2
2	В	21	LEU	4.1
1	А	408	LEU	4.0
1	С	399	LEU	3.8
3	Ν	37	ASN	3.8
1	С	396	LEU	3.7
2	D	297	ILE	3.6
1	А	396	LEU	3.6
2	В	22	MET	3.5
1	А	955	ALA	3.4
1	С	500	LEU	3.4
1	С	437	LEU	3.4
1	А	409	ARG	3.4
3	N	44	LYS	3.4
3	N	45	CYS	3.4
1	А	718	LEU	3.3
1	С	395	HIS	3.3
2	В	100	ASN	3.3
1	С	393	ARG	3.3
1	А	415	VAL	3.2
1	С	385	HIS	3.2
1	С	968	PHE	3.2
1	А	391	ARG	3.2
2	В	31	PHE	3.2
8	М	46	DG	3.2
1	С	932	ILE	3.1
1	А	779	VAL	3.1
1	С	886	TYR	3.1
2	В	92	ILE	3.1
3	N	17	ALA	3.0
2	В	159	ARG	3.0
3	Ν	21	GLN	3.0
6	G	12	DC	3.0
2	В	219	LEU	3.0
1	А	893	TRP	3.0
3	N	26	GLU	3.0
5	J	15	DT	3.0
1	A	403	ALA	2.9
2	В	57	LEU	2.9
1	С	495	GLN	2.9



Mol	Chain	Res	Type	RSRZ
2	В	110	MET	2.9
2	D	156	PHE	2.9
3	N	12	LYS	2.9
3	N	38	PHE	2.9
1	С	940	LEU	2.9
1	С	812	ILE	2.8
2	В	118	LYS	2.8
2	В	58	LYS	2.8
1	А	753	ASN	2.8
1	С	599	CYS	2.8
1	С	709	GLU	2.8
1	С	935	TYR	2.7
1	А	781	ALA	2.7
8	М	49	DA	2.7
3	N	20	VAL	2.7
2	D	92	ILE	2.7
2	D	263	LEU	2.7
1	А	940	LEU	2.6
1	А	435	PHE	2.6
1	С	655	LEU	2.6
8	М	48	DC	2.6
1	А	748	ARG	2.6
1	С	869	LEU	2.6
1	С	795	HIS	2.5
2	D	80	TYR	2.5
2	В	36	TRP	2.5
1	С	800	ASN	2.5
1	С	559	TYR	2.4
2	D	187	PHE	2.4
2	В	96	GLY	2.4
3	N	11	GLY	2.4
2	D	57	LEU	2.4
1	С	504	ARG	2.4
1	С	691	MET	2.4
1	С	482	HIS	2.4
1	С	938	LYS	2.4
2	В	40	SER	2.4
3	N	48	ARG	2.4
1	С	907	CYS	2.4
1	С	939	THR	2.4
1	С	794	LEU	2.3
3	N	60	PHE	2.3



Mol	Chain	Res	Type	RSRZ
1	А	952	SER	2.3
1	С	464	PRO	2.3
1	С	481	TYR	2.3
1	С	621	ARG	2.3
2	В	93	ILE	2.3
1	С	796	CYS	2.3
3	N	27	HIS	2.3
1	С	936	PHE	2.3
1	С	402	ARG	2.3
1	С	791	ILE	2.3
1	А	741	LEU	2.3
1	А	404	GLN	2.3
1	А	460	SER	2.3
1	С	702	PHE	2.2
9	F	10	DG	2.2
2	D	93	ILE	2.2
1	А	932	ILE	2.2
1	С	926	TYR	2.2
8	М	45	DA	2.2
3	Ν	143	PRO	2.2
2	D	273	ILE	2.2
2	D	21	LEU	2.2
1	А	784	PHE	2.2
3	N	36	VAL	2.2
1	А	624	PHE	2.2
1	А	497	PHE	2.1
1	А	879	LEU	2.1
8	М	35	DG	2.1
1	А	714	GLU	2.1
4	Ι	18	DA	2.1
1	С	920	LEU	2.1
1	А	728	THR	2.1
2	В	349	ARG	2.1
3	N	23	CYS	2.1
1	А	892	VAL	2.1
1	С	620	VAL	2.1
1	С	497	PHE	2.1
2	D	19	PHE	2.1
2	D	62	PHE	2.1
2	D	216	VAL	2.1
1	С	657	LEU	2.1
1	А	656	CYS	2.1



Mol	Chain	Res	Type	RSRZ
1	А	707	TYR	2.1
2	D	292	LEU	2.1
2	В	122	PHE	2.1
2	В	152	MET	2.1
1	С	928	TYR	2.1
1	С	397	LEU	2.1
2	D	60	ALA	2.1
2	В	48	PHE	2.1
1	С	707	TYR	2.1
2	В	99	PRO	2.1
1	С	386	ILE	2.1
6	G	13	DT	2.0
1	С	772	LEU	2.0
1	С	602	MET	2.0
2	D	14	LEU	2.0
3	Ν	155	TYR	2.0
2	D	24	PHE	2.0
2	В	120	VAL	2.0
1	А	807	ILE	2.0
1	С	451	LEU	2.0
1	A	407	ARG	2.0
1	С	816	TYR	2.0

### 6.2 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

### 6.3 Carbohydrates (i)

There are no monosaccharides in this entry.

### 6.4 Ligands (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median,  $95^{th}$  percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	$B-factors(Å^2)$	Q<0.9
12	EDO	С	2004	4/4	0.41	0.91	111,112,113,120	0



Mol	Type	Chain	Res	Atoms	RSCC	RSR	$B-factors(A^2)$	Q<0.9
11	MN	С	2002	1/1	0.78	0.36	93,93,93,93	0
12	EDO	А	2005	4/4	0.84	1.55	83,85,93,94	0
11	MN	С	2003	1/1	0.86	0.33	85,85,85,85	0
11	MN	А	2003	1/1	0.90	0.39	81,81,81,81	0
13	Κ	А	2006	1/1	0.90	0.15	95,95,95,95	0
12	EDO	А	2004	4/4	0.91	0.49	92,95,105,106	0
11	MN	А	2002	1/1	0.94	0.36	92,92,92,92	0
13	Κ	С	2005	1/1	0.95	0.10	92,92,92,92	0
10	ZN	А	2001	1/1	0.97	0.26	90,90,90,90	0
10	ZN	С	2001	1/1	0.98	0.26	89,89,89,89	0

## 6.5 Other polymers (i)

There are no such residues in this entry.

