



# Full wwPDB X-ray Structure Validation Report i

Dec 8, 2022 – 06:14 pm GMT

PDB ID : 7ZHV  
Title : Leishmania donovani Glucose 6-Phosphate Dehydrogenase complexed with Glucose 6-Phosphate  
Authors : Fritz-Wolf, K.; Berneburg, I.  
Deposited on : 2022-04-07  
Resolution : 3.30 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at  
<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>  
with specific help available everywhere you see the i symbol.

The types of validation reports are described at  
<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references](#) i) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.4, CSD as541be (2020)  
Xtriage (Phenix) : 1.13  
EDS : 2.31.3  
buster-report : 1.1.7 (2018)  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0267  
CCP4 : 7.1.010 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.31.3


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

## X-RAY DIFFRACTION


The reported resolution of this entry is 3.30 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	1149 (3.34-3.26)
Clashscore	141614	1205 (3.34-3.26)
Ramachandran outliers	138981	1183 (3.34-3.26)
Sidechain outliers	138945	1182 (3.34-3.26)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5%



## 2 Entry composition [\(i\)](#)


There are 4 unique types of molecules in this entry. The entry contains 8367 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Glucose-6-phosphate 1-dehydrogenase.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	533	4211	2671	725	797	18	0	0	0
1	B	522	4131	2628	708	779	16	0	0	0

- Molecule 2 is 6-O-phosphono-beta-D-glucopyranose (three-letter code: BG6) (formula: C<sub>6</sub>H<sub>13</sub>O<sub>9</sub>P) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
			Total	C	O	P		
2	B	1	16	6	9	1	0	0

- Molecule 3 is SULFATE ION (three-letter code: SO4) (formula: O<sub>4</sub>S).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	B	1	Total    O    S 5    4    1	0	0


- Molecule 4 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	3	Total    O 3    3	0	0
4	B	1	Total    O 1    1	0	0

### 3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Glucose-6-phosphate 1-dehydrogenase



## 4 Data and refinement statistics (i)

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	218.74Å    67.82Å    120.75Å 90.00°    121.67°    90.00°	Depositor
Resolution (Å)	39.10 – 3.30 49.56 – 3.10	Depositor EDS
% Data completeness (in resolution range)	96.8 (39.10-3.30) 97.2 (49.56-3.10)	Depositor EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle^1$	0.96 (at 3.12Å)	Xtriage
Refinement program	PHENIX 1.19.2_4158, PHENIX 1.19.2_4158	Depositor
$R$ , $R_{free}$	0.250 , 0.309 0.246 , 0.305	Depositor DCC
$R_{free}$ test set	2697 reflections (10.00%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	130.3	Xtriage
Anisotropy	0.497	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	(Not available) , (Not available)	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.47$ , $\langle L^2 \rangle = 0.30$	Xtriage
Estimated twinning fraction	0.026 for -h-2*l,-k,l	Xtriage
$F_o, F_c$ correlation	0.93	EDS
Total number of atoms	8367	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	138.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.27% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality i

### 5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: BG6, SO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z  > 5$	RMSZ	# $ Z  > 5$
1	A	0.51	0/4295	0.71	0/5805
1	B	0.50	0/4214	0.72	3/5696 (0.1%)
All	All	0.51	0/8509	0.72	3/11501 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1

There are no bond length outliers.

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed( $^{\circ}$ )	Ideal( $^{\circ}$ )
1	B	420	ARG	CG-CD-NE	5.42	123.18	111.80
1	B	225	ASP	CB-CG-OD1	5.14	122.92	118.30
1	B	92	LEU	CB-CG-CD1	-5.09	102.34	111.00

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	424	HIS	Peptide

## 5.2 Too-close contacts [\(i\)](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4211	0	4184	98	0
1	B	4131	0	4105	103	0
2	B	16	0	10	1	0
3	B	5	0	0	1	0
4	A	3	0	0	0	0
4	B	1	0	0	0	0
All	All	8367	0	8299	184	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 11.

All (184) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:112:ARG:NH1	1:A:154:TYR:OH	2.02	0.92
1:A:345:GLU:OE2	1:A:391:ASN:ND2	2.10	0.85
1:A:433:ASN:HD22	1:B:269:ILE:HG13	1.43	0.81
1:A:424:HIS:O	1:A:424:HIS:ND1	2.16	0.78
1:B:186:TYR:OH	1:B:484:TYR:OH	2.05	0.74
1:B:100:LEU:HD23	1:B:489:ASN:HD22	1.53	0.73
1:A:241:ASP:OD1	1:A:243:SER:OG	2.05	0.72
1:B:420:ARG:HH21	1:B:432:ARG:HD3	1.53	0.72
1:A:388:LEU:HD13	1:A:402:LEU:HD13	1.73	0.71
1:A:440:GLN:HG3	1:A:441:PRO:HA	1.74	0.70
1:B:67:GLN:HG2	1:B:102:PRO:HG3	1.73	0.70
1:B:534:ARG:NH1	1:B:540:ASP:OD1	2.24	0.69
1:B:251:TYR:HA	1:B:254:LYS:HG2	1.73	0.69
1:B:142:ASP:HA	1:B:145:LYS:HE2	1.74	0.68
1:A:254:LYS:NZ	1:A:440:GLN:OE1	2.24	0.68
1:A:344:ILE:HD12	1:A:344:ILE:O	1.95	0.67
1:B:496:SER:HA	1:B:499:PHE:HD2	1.60	0.67
1:B:82:ASP:HA	1:B:85:LYS:HE2	1.77	0.67
1:A:461:ARG:HG2	1:B:328:LEU:HD23	1.77	0.66
1:B:288:GLU:OE1	1:B:406:LYS:NZ	2.26	0.66
1:B:484:TYR:HA	1:B:487:LEU:HD12	1.78	0.66

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:344:ILE:CD1	1:A:511:ILE:HG12	2.27	0.64
1:A:315:GLN:NE2	1:A:504:GLU:OE2	2.19	0.63
1:A:509:TRP:O	1:A:513:THR:HG23	1.98	0.62
1:B:100:LEU:HD23	1:B:489:ASN:ND2	2.15	0.61
1:A:338:VAL:HG12	1:A:504:GLU:HB2	1.81	0.60
1:B:318:ALA:HB1	1:B:337:LYS:HG3	1.82	0.60
1:B:70:ARG:HD2	1:B:182:ASN:HD21	1.65	0.60
1:B:97:CYS:SG	1:B:136:ARG:HD2	2.42	0.59
1:B:287:LYS:NZ	1:B:409:GLU:OE2	2.28	0.59
1:A:371:ASP:O	1:A:374:VAL:HG12	2.02	0.59
1:A:433:ASN:HD21	1:B:267:ASN:HB3	1.68	0.59
1:A:468:LEU:HB3	1:B:468:LEU:HD22	1.86	0.58
1:B:348:THR:HG22	1:B:349:LYS:H	1.67	0.58
1:A:284:ILE:HD13	1:A:316:ILE:HG22	1.87	0.57
1:B:26:ALA:HB1	1:B:128:LYS:HA	1.86	0.57
1:A:280:ALA:HB2	1:A:420:ARG:HA	1.87	0.56
1:B:186:TYR:OH	1:B:219:GLU:OE1	2.23	0.56
1:A:86:LYS:O	1:A:90:PRO:HG2	2.05	0.56
1:B:264:ARG:NH1	1:B:320:LEU:O	2.38	0.56
1:B:334:ARG:NH1	1:B:499:PHE:O	2.31	0.56
1:A:416:ARG:HG3	1:A:436:VAL:HG22	1.88	0.56
1:A:242:GLU:OE1	1:A:247:ARG:NH2	2.39	0.56
1:B:131:SER:O	1:B:136:ARG:NH2	2.33	0.55
1:B:23:VAL:HG13	1:B:133:LEU:HB3	1.89	0.55
1:B:224:ARG:NH2	1:B:301:ASN:O	2.34	0.54
1:A:379:THR:HG21	1:A:525:LYS:HE3	1.89	0.54
1:B:345:GLU:HG2	1:B:346:PRO:HD2	1.88	0.54
1:B:96:TYR:HB2	1:B:101:LEU:HD12	1.90	0.54
1:B:421:ASP:HB3	1:B:432:ARG:HA	1.90	0.53
1:B:215:ARG:NH1	1:B:491:ALA:O	2.41	0.53
1:B:395:TRP:O	1:B:398:VAL:HG23	2.07	0.53
1:B:315:GLN:NE2	1:B:504:GLU:OE2	2.25	0.53
1:A:344:ILE:HD13	1:A:511:ILE:HG12	1.91	0.53
1:B:327:SER:HG	1:B:332:CYS:HG	1.57	0.53
1:A:503:ASP:N	1:A:503:ASP:OD1	2.41	0.53
1:B:434:GLU:HB2	1:B:448:LYS:HB2	1.91	0.53
1:A:33:PRO:HG3	1:A:39:PHE:CD2	2.44	0.52
1:A:318:ALA:HB1	1:A:337:LYS:HG3	1.90	0.52
1:B:485:GLU:N	1:B:485:GLU:OE1	2.42	0.52
1:A:71:ALA:HB2	1:A:174:PHE:HB2	1.91	0.52
1:A:433:ASN:HD22	1:B:269:ILE:CG1	2.16	0.52

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:425:PRO:HB3	1:B:324:LYS:HG3	1.92	0.51
1:B:263:THR:HG21	1:B:445:MET:SD	2.50	0.51
1:B:250:HIS:H	1:B:250:HIS:CD2	2.27	0.51
1:A:482:ASP:HB3	1:A:485:GLU:CD	2.30	0.51
1:A:513:THR:OG1	1:A:514:PRO:HD3	2.11	0.51
1:B:242:GLU:OE1	1:B:247:ARG:NH2	2.44	0.51
1:A:34:ASP:HB2	1:B:472:TYR:CE1	2.46	0.50
1:B:287:LYS:HD3	1:B:403:LYS:NZ	2.26	0.50
1:A:501:ARG:NH2	1:A:503:ASP:OD2	2.44	0.50
1:A:61:CYS:HA	1:A:99:GLY:HA3	1.93	0.50
1:B:260:ILE:HG21	1:B:320:LEU:HD23	1.93	0.50
1:B:260:ILE:HD13	1:B:320:LEU:HD21	1.93	0.49
1:A:226:THR:H	1:A:513:THR:HG21	1.77	0.49
1:B:25:ARG:CZ	1:B:124:GLU:HG2	2.42	0.49
1:A:96:TYR:HB2	1:A:101:LEU:HD12	1.94	0.49
1:A:185:PHE:CG	1:A:201:ILE:HD11	2.48	0.49
1:B:251:TYR:CD1	1:B:254:LYS:HE3	2.47	0.49
1:B:317:LEU:HD12	1:B:402:LEU:HD21	1.93	0.49
1:A:490:ASP:O	1:A:494:GLY:N	2.46	0.48
1:B:191:PRO:HA	1:B:194:PHE:CE2	2.47	0.48
1:A:324:LYS:NZ	1:B:422:GLU:HG2	2.29	0.48
1:A:324:LYS:HZ1	1:B:422:GLU:HG2	1.79	0.48
1:B:329:ASP:HB2	1:B:332:CYS:HG	1.79	0.48
1:A:467:GLU:HG2	1:A:469:ASP:OD1	2.13	0.48
1:B:117:ASP:HB3	1:B:120:LYS:HD3	1.96	0.48
1:A:354:LEU:HD12	1:A:354:LEU:N	2.29	0.48
1:A:286:PHE:CD2	1:A:308:VAL:HG11	2.49	0.48
1:A:323:GLU:OE2	1:A:394:ARG:NE	2.44	0.47
1:B:335:ASP:OD1	1:B:501:ARG:NH2	2.36	0.47
1:A:268:ARG:HD2	1:B:420:ARG:O	2.14	0.47
1:B:83:LEU:HD11	1:B:219:GLU:CD	2.34	0.47
1:A:185:PHE:CD1	1:A:201:ILE:HD11	2.50	0.47
1:B:432:ARG:HH22	1:B:549:LYS:H	1.63	0.47
1:A:310:GLN:NE2	1:A:509:TRP:CE2	2.83	0.46
1:A:249:ASP:CG	1:A:312:HIS:HD1	2.18	0.46
1:A:194:PHE:CE2	1:A:218:ILE:HG23	2.50	0.46
1:B:191:PRO:HD3	1:B:220:LYS:HD3	1.97	0.46
1:B:329:ASP:HB2	1:B:332:CYS:SG	2.55	0.46
1:A:180:GLY:HA3	1:A:211:GLY:O	2.15	0.46
1:A:220:LYS:HD3	1:A:220:LYS:HA	1.80	0.46
1:B:86:LYS:O	1:B:90:PRO:HG2	2.15	0.46

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:77:PHE:HB3	1:A:189:LEU:HD11	1.98	0.46
1:A:264:ARG:HD2	1:A:274:TRP:CZ2	2.51	0.46
1:B:67:GLN:HE21	1:B:102:PRO:HD3	1.81	0.46
1:A:111:ALA:HB3	1:A:149:TYR:OH	2.15	0.46
1:B:264:ARG:NH2	1:B:322:MET:O	2.48	0.46
1:A:45:LEU:O	1:A:48:GLN:HG3	2.16	0.45
1:B:418:GLN:HG2	1:B:434:GLU:HG2	1.98	0.45
1:B:452:LYS:HA	1:B:463:THR:HG22	1.97	0.45
1:B:534:ARG:NH2	3:B:602:SO4:O3	2.48	0.45
1:B:133:LEU:HD23	1:B:133:LEU:HA	1.76	0.45
1:A:185:PHE:CD2	1:A:201:ILE:HD11	2.51	0.45
1:B:328:LEU:HD12	1:B:333:ILE:HD11	1.99	0.45
1:A:347:ILE:HD13	1:A:386:MET:SD	2.56	0.45
1:A:185:PHE:CE1	1:A:201:ILE:HD11	2.52	0.45
1:A:254:LYS:O	1:A:258:GLN:HG3	2.17	0.45
1:A:34:ASP:HB2	1:B:472:TYR:CZ	2.51	0.45
1:B:488:ILE:O	1:B:491:ALA:HB3	2.16	0.44
1:B:480:LEU:N	1:B:481:PRO:HD2	2.32	0.44
1:B:191:PRO:HA	1:B:194:PHE:CD2	2.53	0.44
1:A:233:SER:O	1:A:237:GLU:HG3	2.17	0.44
1:A:414:ALA:HB2	1:A:438:ARG:HG3	2.00	0.44
1:A:431:GLN:HE21	1:A:465:GLN:NE2	2.16	0.44
1:B:260:ILE:HD13	1:B:320:LEU:CD2	2.46	0.43
1:A:112:ARG:HH11	1:A:154:TYR:HE2	1.64	0.43
1:B:215:ARG:HD3	1:B:246:TYR:CE2	2.53	0.43
1:A:425:PRO:HB3	1:B:324:LYS:CG	2.48	0.43
1:A:522:GLY:O	1:A:525:LYS:NZ	2.52	0.43
1:B:83:LEU:HD21	1:B:219:GLU:OE1	2.17	0.43
1:B:316:ILE:CG2	1:B:415:ILE:HD11	2.48	0.43
1:A:185:PHE:CE2	1:A:201:ILE:HD11	2.53	0.43
1:B:419:PHE:O	1:B:432:ARG:HB3	2.18	0.43
1:A:45:LEU:HD13	1:A:48:GLN:HG2	2.01	0.43
1:B:83:LEU:HD11	1:B:219:GLU:OE2	2.19	0.43
1:A:185:PHE:CZ	1:A:201:ILE:HD11	2.54	0.42
1:A:280:ALA:HB3	1:A:432:ARG:HH21	1.83	0.42
1:A:320:LEU:HD21	1:A:415:ILE:HD13	2.01	0.42
1:A:226:THR:OG1	1:A:513:THR:HG21	2.18	0.42
1:A:341:LEU:O	1:A:344:ILE:HG13	2.18	0.42
1:A:260:ILE:HD13	1:A:320:LEU:CD2	2.49	0.42
1:A:468:LEU:HB3	1:B:468:LEU:CD2	2.48	0.42
1:B:249:ASP:OD1	1:B:312:HIS:HD2	2.02	0.42

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:119:GLU:O	1:A:123:HIS:ND1	2.46	0.42
1:B:250:HIS:HD2	1:B:312:HIS:NE2	2.17	0.42
1:A:434:GLU:HB2	1:A:448:LYS:HB2	2.01	0.42
1:B:183:ARG:NH1	1:B:206:MET:O	2.53	0.42
1:A:264:ARG:NH1	1:A:320:LEU:O	2.52	0.42
1:B:219:GLU:HG3	1:B:248:ILE:CG2	2.50	0.42
1:B:347:ILE:HD13	1:B:386:MET:SD	2.59	0.42
1:B:453:VAL:HA	1:B:454:PRO:HD3	1.87	0.42
1:A:191:PRO:HA	1:A:194:PHE:CE2	2.55	0.42
1:A:82:ASP:HA	1:A:85:LYS:HE2	2.02	0.42
1:B:25:ARG:NH1	1:B:124:GLU:HA	2.34	0.42
1:A:220:LYS:HB3	1:A:221:PRO:HD2	2.02	0.42
1:A:287:LYS:HD3	1:A:403:LYS:NZ	2.34	0.42
1:A:310:GLN:NE2	1:A:509:TRP:CD2	2.88	0.42
1:A:490:ASP:OD1	1:B:457:SER:OG	2.35	0.42
1:B:354:LEU:HD23	1:B:381:PRO:HB3	2.02	0.42
1:A:183:ARG:O	1:A:214:VAL:HA	2.19	0.41
1:A:21:LEU:HA	1:A:24:LEU:HD12	2.02	0.41
1:A:104:GLU:OE2	1:A:175:LYS:HE2	2.19	0.41
1:A:265:PHE:HB3	1:B:425:PRO:CD	2.50	0.41
1:A:82:ASP:O	1:A:85:LYS:HG2	2.20	0.41
1:B:348:THR:HG22	1:B:349:LYS:N	2.34	0.41
1:A:468:LEU:O	1:B:468:LEU:HD21	2.21	0.41
1:B:415:ILE:O	1:B:436:VAL:HA	2.21	0.41
1:B:344:ILE:HD12	1:B:511:ILE:HD13	2.01	0.41
1:A:71:ALA:HB2	1:A:174:PHE:CG	2.56	0.41
1:A:91:ALA:HB1	1:A:485:GLU:HB3	2.01	0.41
1:A:132:ASN:O	1:A:135:GLU:HB2	2.21	0.41
1:A:280:ALA:CB	1:A:432:ARG:HH21	2.34	0.41
1:A:433:ASN:ND2	1:B:269:ILE:H	2.19	0.41
1:B:286:PHE:HB2	1:B:313:LEU:HD21	2.03	0.41
1:B:432:ARG:NH2	1:B:549:LYS:H	2.18	0.41
1:B:525:LYS:HB2	1:B:525:LYS:HE2	1.86	0.40
1:A:411:LYS:HE2	1:A:440:GLN:HE21	1.86	0.40
1:B:171:GLU:OE1	1:B:208:GLN:NE2	2.27	0.40
1:A:184:LEU:HD21	1:A:217:ILE:HD11	2.03	0.40
1:B:67:GLN:HE21	1:B:102:PRO:CD	2.35	0.40
1:B:254:LYS:HE2	2:B:601:BG6:HC1	2.02	0.40
1:B:26:ALA:CB	1:B:128:LYS:HA	2.51	0.40
1:B:361:ALA:HB2	1:B:530:GLN:OE1	2.21	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [\(i\)](#)

### 5.3.1 Protein backbone [\(i\)](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	529/562 (94%)	510 (96%)	19 (4%)	0	100 100
1	B	514/562 (92%)	503 (98%)	11 (2%)	0	100 100
All	All	1043/1124 (93%)	1013 (97%)	30 (3%)	0	100 100

There are no Ramachandran outliers to report.

### 5.3.2 Protein sidechains [\(i\)](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	455/482 (94%)	450 (99%)	5 (1%)	73 85
1	B	445/482 (92%)	437 (98%)	8 (2%)	59 78
All	All	900/964 (93%)	887 (99%)	13 (1%)	67 82

All (13) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	34	ASP
1	A	47	LEU
1	A	136	ARG
1	A	452	LYS
1	A	469	ASP
1	B	22	ASP
1	B	37	PHE
1	B	39	PHE

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	B	66	GLU
1	B	464	HIS
1	B	469	ASP
1	B	472	TYR
1	B	484	TYR

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (5) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	310	GLN
1	A	431	GLN
1	A	433	ASN
1	A	465	GLN
1	B	67	GLN

### 5.3.3 RNA [\(i\)](#)

There are no RNA molecules in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates [\(i\)](#)

There are no monosaccharides in this entry.

### 5.6 Ligand geometry [\(i\)](#)

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
2	BG6	B	601	-	16,16,16	1.59	5 (31%)	24,24,24	2.21	8 (33%)
3	SO4	B	602	-	4,4,4	0.12	0	6,6,6	0.69	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	BG6	B	601	-	-	6/6/26/26	0/1/1/1

All (5) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	601	BG6	O5-C1	3.59	1.51	1.42
2	B	601	BG6	P-O6	2.40	1.67	1.60
2	B	601	BG6	C4-C5	2.22	1.57	1.53
2	B	601	BG6	C1-C2	2.07	1.57	1.52
2	B	601	BG6	O5-C5	2.03	1.49	1.44

All (8) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	601	BG6	C3-C4-C5	4.72	118.66	110.24
2	B	601	BG6	C4-C3-C2	4.17	118.10	110.82
2	B	601	BG6	O5-C5-C4	4.00	116.95	109.69
2	B	601	BG6	O2-C2-C1	3.94	118.29	109.16
2	B	601	BG6	O1-C1-C2	3.42	118.67	109.03
2	B	601	BG6	O4-C4-C3	-2.44	104.71	110.35
2	B	601	BG6	O2-C2-C3	-2.43	104.73	110.35
2	B	601	BG6	O2P-P-O6	2.27	112.78	106.73

There are no chirality outliers.

All (6) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	B	601	BG6	O5-C5-C6-O6
2	B	601	BG6	C4-C5-C6-O6
2	B	601	BG6	C6-O6-P-O1P
2	B	601	BG6	C6-O6-P-O2P
2	B	601	BG6	C5-C6-O6-P

*Continued on next page...*

*Continued from previous page...*


Mol	Chain	Res	Type	Atoms
2	B	601	BG6	C6-O6-P-O3P

There are no ring outliers.

2 monomers are involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	B	601	BG6	1	0
3	B	602	SO4	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



## 5.7 Other polymers [\(i\)](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [\(i\)](#)

There are no chain breaks in this entry.

## 6 Fit of model and data [\(i\)](#)

### 6.1 Protein, DNA and RNA chains [\(i\)](#)

Unable to reproduce the depositors R factor - this section is therefore empty.

### 6.2 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

Unable to reproduce the depositors R factor - this section is therefore empty.


### 6.3 Carbohydrates [\(i\)](#)

Unable to reproduce the depositors R factor - this section is therefore empty.

### 6.4 Ligands [\(i\)](#)

Unable to reproduce the depositors R factor - this section is therefore empty.

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.



## 6.5 Other polymers [\(i\)](#)

Unable to reproduce the depositors R factor - this section is therefore empty.