



Full wwPDB X-ray Structure Validation Report ⓘ

Oct 31, 2021 – 11:18 AM EDT

PDB ID : 2ZI9
Title : C4S-E247A dCK variant of dCK in complex with cladribine+ADP
Authors : Sabini, E.; Lavie, A.
Deposited on : 2008-02-13
Resolution : 2.51 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.23.2
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.23.2


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.51 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	4661 (2.50-2.50)
Clashscore	141614	5346 (2.50-2.50)
Ramachandran outliers	138981	5231 (2.50-2.50)
Sidechain outliers	138945	5233 (2.50-2.50)
RSRZ outliers	127900	4559 (2.50-2.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	279	 4% 56% 28% 13%
1	B	279	 6% 43% 35% 18%

2 Entry composition [i](#)

There are 4 unique types of molecules in this entry. The entry contains 4092 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Deoxycytidine kinase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	242	1977	1267	327	376	7	0	0	0
1	B	228	1861	1196	310	349	6	0	0	0

There are 48 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	-18	MET	-	expression tag	UNP P27707
A	-17	GLY	-	expression tag	UNP P27707
A	-16	SER	-	expression tag	UNP P27707
A	-15	SER	-	expression tag	UNP P27707
A	-14	HIS	-	expression tag	UNP P27707
A	-13	HIS	-	expression tag	UNP P27707
A	-12	HIS	-	expression tag	UNP P27707
A	-11	HIS	-	expression tag	UNP P27707
A	-10	HIS	-	expression tag	UNP P27707
A	-9	HIS	-	expression tag	UNP P27707
A	-8	SER	-	expression tag	UNP P27707
A	-7	GLY	-	expression tag	UNP P27707
A	-6	LEU	-	expression tag	UNP P27707
A	-5	VAL	-	expression tag	UNP P27707
A	-4	PRO	-	expression tag	UNP P27707
A	-3	ARG	-	expression tag	UNP P27707
A	-2	GLY	-	expression tag	UNP P27707
A	-1	SER	-	expression tag	UNP P27707
A	0	HIS	-	expression tag	UNP P27707
A	9	SER	CYS	engineered mutation	UNP P27707
A	45	SER	CYS	engineered mutation	UNP P27707
A	59	SER	CYS	engineered mutation	UNP P27707
A	146	SER	CYS	engineered mutation	UNP P27707
A	247	ALA	GLU	engineered mutation	UNP P27707
B	-18	MET	-	expression tag	UNP P27707

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
B	-17	GLY	-	expression tag	UNP P27707
B	-16	SER	-	expression tag	UNP P27707
B	-15	SER	-	expression tag	UNP P27707
B	-14	HIS	-	expression tag	UNP P27707
B	-13	HIS	-	expression tag	UNP P27707
B	-12	HIS	-	expression tag	UNP P27707
B	-11	HIS	-	expression tag	UNP P27707
B	-10	HIS	-	expression tag	UNP P27707
B	-9	HIS	-	expression tag	UNP P27707
B	-8	SER	-	expression tag	UNP P27707
B	-7	GLY	-	expression tag	UNP P27707
B	-6	LEU	-	expression tag	UNP P27707
B	-5	VAL	-	expression tag	UNP P27707
B	-4	PRO	-	expression tag	UNP P27707
B	-3	ARG	-	expression tag	UNP P27707
B	-2	GLY	-	expression tag	UNP P27707
B	-1	SER	-	expression tag	UNP P27707
B	0	HIS	-	expression tag	UNP P27707
B	9	SER	CYS	engineered mutation	UNP P27707
B	45	SER	CYS	engineered mutation	UNP P27707
B	59	SER	CYS	engineered mutation	UNP P27707
B	146	SER	CYS	engineered mutation	UNP P27707
B	247	ALA	GLU	engineered mutation	UNP P27707

- Molecule 2 is ADENOSINE-5'-DIPHOSPHATE (three-letter code: ADP) (formula: $C_{10}H_{15}N_5O_{10}P_2$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
			Total	C	N	O	P		
2	A	1	27	10	5	10	2	0	0
2	B	1	27	10	5	10	2	0	0

- Molecule 3 is 2-chloro-2'-deoxyadenosine (three-letter code: CL9) (formula: C₁₀H₁₂ClN₅O₃).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
			Total	C	Cl	N	O		
3	A	1	19	10	1	5	3	0	0
3	B	1	19	10	1	5	3	0	0

- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
			Total	O		
4	A	89	89	89	0	0
4	B	73	73	73	0	0

4 Data and refinement statistics

Property	Value	Source
Space group	C 2 2 21	Depositor
Cell constants a, b, c, α , β , γ	56.39Å 132.71Å 157.47Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	30.00 – 2.51 29.01 – 2.51	Depositor EDS
% Data completeness (in resolution range)	97.6 (30.00-2.51) 97.6 (29.01-2.51)	Depositor EDS
R_{merge}	0.08	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.52 (at 2.51Å)	Xtrriage
Refinement program	REFMAC 5.2.0019	Depositor
R, R_{free}	0.228 , 0.332 0.222 , 0.326	Depositor DCC
R_{free} test set	2080 reflections (10.15%)	wwPDB-VP
Wilson B-factor (Å ²)	56.8	Xtrriage
Anisotropy	0.392	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.31 , 48.7	EDS
L-test for twinning ²	$\langle L \rangle = 0.47$, $\langle L^2 \rangle = 0.30$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	4092	wwPDB-VP
Average B, all atoms (Å ²)	59.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.81% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: ADP, CL9

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	0.65	1/2025 (0.0%)	0.76	1/2744 (0.0%)
1	B	0.57	0/1906	0.70	0/2584
All	All	0.61	1/3931 (0.0%)	0.73	1/5328 (0.0%)

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	101	CYS	CB-SG	-5.21	1.73	1.81

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	101	CYS	CA-CB-SG	-6.89	101.60	114.00

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1977	0	1889	62	0
1	B	1861	0	1784	73	0
2	A	27	0	12	1	0
2	B	27	0	12	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	A	19	0	12	3	0
3	B	19	0	12	2	0
4	A	89	0	0	3	0
4	B	73	0	0	6	0
All	All	4092	0	3721	129	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 17.

All (129) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:57:ARG:HG2	1:A:57:ARG:HH11	1.13	1.08
1:A:184:THR:CG2	1:A:188:ARG:HH11	1.66	1.07
1:A:184:THR:HG21	1:A:188:ARG:HH11	1.28	0.97
1:A:184:THR:HG21	1:A:188:ARG:NH1	1.85	0.90
1:A:134:ARG:NH1	1:A:159:HIS:ND1	2.21	0.87
1:B:90:GLU:OE2	1:B:146:SER:HA	1.75	0.86
1:B:186:LEU:HG	1:B:202:LEU:HD22	1.59	0.84
1:A:184:THR:CG2	1:A:188:ARG:NH1	2.40	0.83
1:A:57:ARG:HG2	1:A:57:ARG:NH1	1.91	0.83
1:A:57:ARG:HH11	1:A:57:ARG:CG	1.95	0.79
1:B:251:GLU:OE2	1:B:251:GLU:HA	1.85	0.76
1:A:60:ASN:C	1:A:60:ASN:HD22	1.88	0.76
1:A:23:LYS:NZ	1:A:171:GLU:O	2.17	0.75
1:B:136:ILE:HD11	1:B:215:TRP:HE3	1.53	0.73
1:B:227:TYR:HA	4:B:461:HOH:O	1.92	0.70
1:B:230:GLU:HB2	4:B:416:HOH:O	1.92	0.69
1:A:158:TRP:HD1	1:B:102:LEU:HD13	1.58	0.67
1:B:259:THR:HA	4:B:441:HOH:O	1.95	0.67
1:A:203:GLU:H	1:A:203:GLU:CD	1.99	0.66
1:B:60:ASN:HD22	1:B:60:ASN:C	2.00	0.65
1:A:219:ARG:CZ	1:A:233:ILE:HD12	2.27	0.65
1:A:184:THR:HG22	1:A:188:ARG:HD2	1.77	0.64
1:B:42:LYS:HG2	4:B:412:HOH:O	1.97	0.63
1:A:66:ASP:HB3	1:A:69:GLU:HB2	1.80	0.62
1:A:169:SER:HB3	1:A:170:LEU:HD12	1.82	0.61
1:A:89:PRO:HD2	1:A:90:GLU:OE1	2.00	0.60
1:B:21:ILE:HD13	1:B:112:LEU:HD22	1.83	0.60
1:B:136:ILE:HD11	1:B:215:TRP:CE3	2.36	0.60
1:B:234:LEU:HB2	1:B:256:PHE:CE2	2.37	0.60

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:23:LYS:HD3	1:A:112:LEU:HD21	1.83	0.60
1:A:99:TYR:CD1	1:B:154:ILE:HG23	2.38	0.59
1:A:104:ARG:O	1:A:108:GLN:HG3	2.03	0.59
1:B:203:GLU:HA	1:B:206:GLU:OE1	2.02	0.59
1:A:60:ASN:C	1:A:60:ASN:ND2	2.51	0.58
1:B:175:ILE:HB	1:B:233:ILE:HG12	1.84	0.58
1:A:234:LEU:HD12	4:A:402:HOH:O	2.04	0.58
1:B:45:SER:OG	1:B:47:ASP:HB2	2.04	0.58
1:A:120:GLU:O	1:A:122:PRO:HD3	2.04	0.57
1:B:115:LYS:HG3	1:B:116:LEU:H	1.70	0.57
1:B:181:THR:H	1:B:239:ASN:HD21	1.52	0.56
1:B:53:GLU:OE2	3:B:401:CL9:H8	2.06	0.55
1:A:177:TYR:HE2	1:A:217:LEU:CD2	2.18	0.55
1:B:49:GLU:HG2	4:B:444:HOH:O	2.07	0.55
1:A:105:ILE:HG12	1:A:130:VAL:HG11	1.89	0.54
1:A:245:LYS:O	1:A:249:LEU:HG	2.06	0.54
1:A:219:ARG:NH1	1:A:229:GLN:O	2.40	0.54
1:A:96:PHE:HE2	3:A:401:CL9:C2	2.21	0.54
1:A:85:MET:SD	3:A:401:CL9:CL	3.03	0.54
1:B:49:GLU:HG3	1:B:115:LYS:HD3	1.89	0.53
1:A:105:ILE:HG22	1:A:109:LEU:HD12	1.90	0.53
1:A:201:PRO:HB2	1:A:203:GLU:OE2	2.08	0.52
1:A:192:ARG:NH1	2:A:301:ADP:O2A	2.43	0.52
1:B:179:GLN:O	1:B:238:VAL:HG22	2.10	0.52
1:A:148:ASN:ND2	1:B:92:TRP:CH2	2.77	0.52
1:B:134:ARG:HD3	1:B:159:HIS:ND1	2.25	0.51
1:B:251:GLU:C	1:B:253:VAL:N	2.64	0.51
1:B:236:LEU:HB3	1:B:249:LEU:HD22	1.92	0.51
1:B:30:ILE:O	1:B:31:ALA:HB3	2.11	0.51
1:B:104:ARG:NH1	1:B:128:ARG:HB2	2.26	0.50
1:A:196:GLU:OE1	1:A:196:GLU:N	2.40	0.50
1:A:105:ILE:O	1:A:109:LEU:HB2	2.11	0.50
1:A:49:GLU:HB2	1:A:116:LEU:HD21	1.94	0.49
1:B:32:ALA:O	1:B:188:ARG:NH1	2.44	0.49
1:B:253:VAL:O	1:B:256:PHE:N	2.46	0.49
1:B:256:PHE:CD1	1:B:256:PHE:C	2.85	0.49
1:A:148:ASN:ND2	1:B:92:TRP:HH2	2.11	0.49
1:B:116:LEU:HD13	1:B:122:PRO:HB3	1.95	0.49
1:A:223:THR:OG1	1:A:224:ASN:N	2.46	0.49
1:A:65:GLN:HB2	4:A:464:HOH:O	2.12	0.48
1:B:255:GLU:O	1:B:259:THR:HG23	2.14	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:101:CYS:O	1:B:105:ILE:HG13	2.13	0.48
1:A:82:LEU:HD23	1:A:196:GLU:HG3	1.94	0.48
1:A:89:PRO:O	1:A:91:ARG:N	2.47	0.47
1:B:48:TRP:CD1	1:B:123:VAL:HB	2.50	0.47
1:B:231:VAL:HA	1:B:232:PRO:HD3	1.76	0.47
1:B:83:GLN:HB2	1:B:196:GLU:HG2	1.97	0.47
1:B:20:ARG:H	1:B:20:ARG:HG2	1.50	0.47
1:B:52:PRO:HA	1:B:127:GLU:HB2	1.97	0.47
1:B:234:LEU:HB2	1:B:256:PHE:CD2	2.50	0.47
1:B:209:HIS:NE2	1:B:213:GLU:OE2	2.49	0.46
1:B:251:GLU:C	1:B:253:VAL:H	2.19	0.46
1:A:196:GLU:H	1:A:196:GLU:CD	2.20	0.46
1:B:45:SER:C	1:B:47:ASP:H	2.19	0.45
1:B:186:LEU:HG	1:B:202:LEU:CD2	2.40	0.45
1:B:251:GLU:O	1:B:253:VAL:N	2.49	0.45
1:A:105:ILE:HD12	1:A:162:MET:HE2	1.98	0.45
1:A:184:THR:HG22	1:A:188:ARG:HH11	1.71	0.45
1:B:116:LEU:O	1:B:117:LYS:C	2.55	0.45
1:B:136:ILE:HG23	1:B:211:LYS:HB2	1.99	0.45
1:B:235:THR:O	1:B:236:LEU:HD23	2.17	0.45
1:B:134:ARG:HH22	1:B:224:ASN:HD21	1.63	0.45
1:B:155:TYR:O	1:B:158:TRP:HB3	2.17	0.44
1:B:41:LEU:HD13	1:B:250:VAL:HG22	1.99	0.44
1:A:176:ILE:HG12	1:A:234:LEU:HD23	1.99	0.44
1:B:204:TYR:HE2	1:B:208:LEU:HD11	1.82	0.44
1:A:29:ASN:ND2	1:A:205:LEU:O	2.49	0.44
1:A:76:LYS:N	4:A:427:HOH:O	2.51	0.44
1:B:247:ALA:O	1:B:250:VAL:HB	2.17	0.44
1:B:139:SER:O	1:B:142:TYR:HB3	2.18	0.44
1:B:142:TYR:CZ	1:B:152:TRP:CD1	3.06	0.44
1:B:61:VAL:O	1:B:78:GLY:HA3	2.19	0.43
1:A:97:GLN:O	1:A:98:THR:C	2.57	0.43
1:A:60:ASN:ND2	1:A:60:ASN:O	2.52	0.43
1:A:61:VAL:HG11	1:B:154:ILE:HG13	2.00	0.43
1:A:96:PHE:CE2	3:A:401:CL9:C2	3.01	0.43
1:A:50:VAL:O	1:A:52:PRO:HD3	2.19	0.43
1:A:30:ILE:HD12	1:A:205:LEU:HD23	1.99	0.42
1:B:51:VAL:HB	1:B:126:PHE:HD2	1.84	0.42
1:B:143:GLU:C	1:B:145:GLU:H	2.23	0.42
1:B:60:ASN:C	1:B:60:ASN:ND2	2.71	0.42
1:B:47:ASP:OD2	1:B:120:GLU:HB3	2.19	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:132:SER:HB3	1:A:215:TRP:CZ3	2.55	0.42
1:B:204:TYR:CE2	1:B:208:LEU:HD11	2.55	0.42
1:A:203:GLU:CD	1:A:203:GLU:N	2.70	0.41
1:B:23:LYS:NZ	4:B:450:HOH:O	2.52	0.41
1:A:102:LEU:CD2	1:B:161:TRP:CE3	3.03	0.41
1:B:183:GLU:HG3	1:B:202:LEU:HD21	2.02	0.41
1:A:162:MET:O	1:A:166:PHE:HD1	2.04	0.41
1:A:181:THR:HG23	1:A:239:ASN:OD1	2.20	0.41
1:B:143:GLU:H	1:B:143:GLU:HG2	1.54	0.41
1:A:153:THR:O	1:A:154:ILE:C	2.58	0.41
1:B:251:GLU:OE2	1:B:251:GLU:CA	2.62	0.41
1:A:34:LYS:O	1:A:38:VAL:HG12	2.21	0.41
1:B:38:VAL:HG22	1:B:50:VAL:HG22	2.03	0.41
1:B:253:VAL:O	1:B:254:LYS:C	2.58	0.41
1:A:24:ILE:O	1:A:125:PHE:HA	2.21	0.41
1:B:53:GLU:CD	3:B:401:CL9:H8	2.41	0.41
1:A:97:GLN:HB3	1:A:155:TYR:CE1	2.56	0.40
1:B:201:PRO:HG2	1:B:204:TYR:HB2	2.02	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	240/279 (86%)	202 (84%)	29 (12%)	9 (4%)	3	4
1	B	224/279 (80%)	161 (72%)	53 (24%)	10 (4%)	2	3
All	All	464/558 (83%)	363 (78%)	82 (18%)	19 (4%)	3	3

All (19) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	245	LYS
1	A	57	ARG
1	A	90	GLU
1	A	145	GLU
1	A	167	GLY
1	B	252	LYS
1	A	79	GLY
1	A	120	GLU
1	B	105	ILE
1	B	250	VAL
1	B	31	ALA
1	B	199	GLY
1	B	223	THR
1	A	54	PRO
1	B	257	LEU
1	A	128	ARG
1	B	182	PRO
1	B	33	GLY
1	A	154	ILE

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	212/254 (84%)	195 (92%)	17 (8%)	12	23
1	B	198/254 (78%)	176 (89%)	22 (11%)	6	11
All	All	410/508 (81%)	371 (90%)	39 (10%)	8	17

All (39) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	49	GLU
1	A	57	ARG
1	A	60	ASN
1	A	67	GLU
1	A	77	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	87	GLU
1	A	93	SER
1	A	101	CYS
1	A	120	GLU
1	A	134	ARG
1	A	139	SER
1	A	162	MET
1	A	189	ILE
1	A	226	ASP
1	A	244	ASP
1	A	250	VAL
1	A	255	GLU
1	B	20	ARG
1	B	42	LYS
1	B	47	ASP
1	B	55	VAL
1	B	60	ASN
1	B	88	LYS
1	B	132	SER
1	B	140	ASN
1	B	143	GLU
1	B	147	MET
1	B	162	MET
1	B	168	GLN
1	B	183	GLU
1	B	194	ARG
1	B	198	GLN
1	B	202	LEU
1	B	220	THR
1	B	231	VAL
1	B	240	GLU
1	B	242	PHE
1	B	248	SER
1	B	260	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (8) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	60	ASN
1	A	62	GLN
1	A	156	GLN
1	A	195	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	60	ASN
1	B	97	GLN
1	B	198	GLN
1	B	224	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

4 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	CL9	A	401	-	19,21,21	1.35	1 (5%)	20,31,31	2.50	6 (30%)
3	CL9	B	401	-	19,21,21	1.31	1 (5%)	20,31,31	2.92	7 (35%)
2	ADP	B	301	-	24,29,29	2.51	2 (8%)	29,45,45	2.27	4 (13%)
2	ADP	A	301	-	24,29,29	2.50	3 (12%)	29,45,45	2.16	3 (10%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	CL9	A	401	-	-	2/2/18/18	0/3/3/3
3	CL9	B	401	-	-	2/2/18/18	0/3/3/3
2	ADP	B	301	-	-	1/12/32/32	0/3/3/3
2	ADP	A	301	-	-	3/12/32/32	0/3/3/3

All (7) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	301	ADP	C2-N3	8.97	1.46	1.32
2	B	301	ADP	C2-N3	8.92	1.46	1.32
2	B	301	ADP	C2-N1	6.86	1.46	1.33
2	A	301	ADP	C2-N1	6.16	1.45	1.33
3	B	401	CL9	C2-N3	4.75	1.34	1.30
3	A	401	CL9	C2-N3	4.06	1.33	1.30
2	A	301	ADP	O4'-C1'	3.59	1.46	1.41

All (20) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	301	ADP	N3-C2-N1	-9.80	113.36	128.68
2	A	301	ADP	N3-C2-N1	-9.66	113.58	128.68
3	B	401	CL9	N3-C2-N1	-8.07	122.49	130.62
3	A	401	CL9	N3-C2-N1	-7.12	123.45	130.62
3	B	401	CL9	C2-N3-C4	7.07	119.69	114.09
3	A	401	CL9	C5-C6-N1	-4.46	118.08	121.01
3	A	401	CL9	C2-N3-C4	4.30	117.50	114.09
2	B	301	ADP	C4-C5-N7	-3.75	105.49	109.40
3	B	401	CL9	C5-C6-N1	-3.62	118.63	121.01
2	A	301	ADP	C4-C5-N7	-3.33	105.92	109.40
2	B	301	ADP	C2-N1-C6	3.29	124.38	118.75
2	A	301	ADP	C2-N1-C6	3.27	124.35	118.75
3	B	401	CL9	C2-N1-C6	2.94	120.28	116.64
3	B	401	CL9	CL-C2-N1	2.94	119.34	115.15
3	B	401	CL9	CL-C2-N3	2.88	118.16	115.70
3	A	401	CL9	CL-C2-N1	2.81	119.17	115.15
3	A	401	CL9	C2-N1-C6	2.66	119.94	116.64
3	B	401	CL9	C4-C5-N7	-2.64	106.65	109.40
2	B	301	ADP	C3'-C2'-C1'	2.25	104.36	100.98
3	A	401	CL9	O4'-C4'-C5'	-2.12	104.63	109.21

There are no chirality outliers.

All (8) torsion outliers are listed below:



Mol	Chain	Res	Type	Atoms
3	A	401	CL9	O4'-C4'-C5'-O5'
3	A	401	CL9	C3'-C4'-C5'-O5'
3	B	401	CL9	C3'-C4'-C5'-O5'
3	B	401	CL9	O4'-C4'-C5'-O5'
2	A	301	ADP	PA-O3A-PB-O1B
2	B	301	ADP	PA-O3A-PB-O2B
2	A	301	ADP	PA-O3A-PB-O2B
2	A	301	ADP	PA-O3A-PB-O3B


There are no ring outliers.

3 monomers are involved in 6 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	401	CL9	3	0
3	B	401	CL9	2	0
2	A	301	ADP	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [\(i\)](#)

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	242/279 (86%)	0.12	11 (4%) 33 36	32, 53, 67, 73	0
1	B	228/279 (81%)	0.39	18 (7%) 12 12	48, 64, 88, 93	0
All	All	470/558 (84%)	0.25	29 (6%) 20 21	32, 58, 81, 93	0

All (29) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	114	GLY	5.5
1	B	260	LEU	5.0
1	A	120	GLU	4.5
1	B	247	ALA	3.4
1	B	77	ASN	3.3
1	A	260	LEU	3.2
1	B	79	GLY	2.9
1	B	115	LYS	2.9
1	A	129	SER	2.8
1	A	128	ARG	2.7
1	B	129	SER	2.7
1	B	244	ASP	2.5
1	A	130	VAL	2.5
1	A	99	TYR	2.5
1	B	226	ASP	2.5
1	B	240	GLU	2.5
1	B	98	THR	2.4
1	B	60	ASN	2.4
1	A	222	LYS	2.4
1	B	101	CYS	2.4
1	B	120	GLU	2.3
1	A	167	GLY	2.2
1	A	127	GLU	2.2
1	A	133	ASP	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	130	VAL	2.1
1	B	78	GLY	2.1
1	A	132	SER	2.1
1	B	113	ASN	2.0
1	B	186	LEU	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	CL9	B	401	19/19	0.86	0.32	82,84,85,85	0
3	CL9	A	401	19/19	0.88	0.30	56,60,62,63	0
2	ADP	A	301	27/27	0.95	0.16	42,49,51,52	0
2	ADP	B	301	27/27	0.96	0.13	47,62,67,67	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around CL9 B 401:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around CL9 A 401:


$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around ADP A 301:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers [i](#)

There are no such residues in this entry.