

wwPDB EM Validation Summary Report (i)

Nov 6, 2023 – 07:42 pm GMT

PDB ID : 7ZL3

EMDB ID : EMD-14776

Title: Signal peptide mimicry primes Sec61 for client-selective inhibition

Authors : Rehan, S.; Paavilainen O, V.

Deposited on : 2022-04-13

Resolution : 3.20 Å(reported)

Based on initial model : 3JC2

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (1)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev70

Mogul : NOT EXECUTED

MolProbity : FAILED

buster-report : NOT EXECUTED
Percentile statistics : NOT EXECUTED

MapQ : FAILED

Ideal geometry (proteins) : Engh & Huber (2001) Ideal geometry (DNA, RNA) : Parkinson et al. (1996)

Validation Pipeline (wwPDB-VP) : 2.36

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure: $ELECTRON\ MICROSCOPY$

The reported resolution of this entry is 3.20 Å.

There are no overall percentile quality scores available for this entry.

MolProbity failed to run properly - the sequence quality summary graphics cannot be shown.



2 Entry composition (i)

There are 4 unique types of molecules in this entry. The entry contains 3692 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

• Molecule 1 is a protein called Protein transport protein Sec61 subunit alpha.

| Mol | Chain | Residues | | \mathbf{At} | oms | | | AltConf | Trace |
|-----|-------|----------|---------------|---------------|----------|----------|---------|---------|-------|
| 1 | A | 388 | Total 3020 | C 1992 | N 487 | O 522 | S 19 | 0 | 0 |

There are 5 discrepancies between the modelled and reference sequences:

| Chain | Residue | Modelled | Actual | Comment | Reference |
|-------|---------|----------|--------|----------|----------------|
| A | ? | - | PHE | deletion | UNP A0A6P3YN15 |
| A | 77 | ALA | GLU | conflict | UNP A0A6P3YN15 |
| A | 342 | HIS | TYR | conflict | UNP A0A6P3YN15 |
| A | 362 | VAL | ALA | conflict | UNP A0A6P3YN15 |
| A | 364 | ILE | VAL | conflict | UNP A0A6P3YN15 |

• Molecule 2 is a protein called Protein transport protein Sec61 subunit gamma.

| Mol | Chain | Residues | | Ato | ms | AltConf | Trace | | |
|-----|-------|----------|--------------|----------|---------|---------|--------|---|---|
| 2 | В | 57 | Total 462 | C 305 | N 81 | O 73 | S 3 | 0 | 0 |

There is a discrepancy between the modelled and reference sequences:

| Chain | Residue | Modelled | Actual | Comment | Reference |
|-------|---------|----------|--------|----------|------------|
| В | 29 | ASP | VAL | conflict | UNP W5PP18 |

• Molecule 3 is a protein called Protein transport protein Sec61 subunit beta.

| Mol | Chain | Residues | 1 | Ator | ns | AltConf | Trace | |
|-----|-------|----------|-------|------|----|---------|-------|---|
| 3 | С | 28 | Total | С | N | 0 | 0 | 0 |
| | | | 138 | 82 | 28 | 28 | | |

• Molecule 4 is a protein called Cyclic depsipeptide signal peptide mimic.



| Mol | Chain | Residues | | Atoms | | | | | | Trace |
|-----|-------|----------|-------|-------|----|---|---|---|---|-------|
| 1 | F | 6 | Total | Br | С | F | N | О | 0 | 0 |
| 4 | l Li | 0 | 72 | 1 | 49 | 6 | 8 | 8 | 0 | |

MolProbity failed to run properly - this section is therefore empty.



3 Experimental information (i)

| Property | Value | Source |
|----------------------------------|------------------------------|-----------|
| EM reconstruction method | SINGLE PARTICLE | Depositor |
| Imposed symmetry | POINT, Not provided | |
| Number of particles used | 136000 | Depositor |
| Resolution determination method | FSC 0.143 CUT-OFF | Depositor |
| CTF correction method | PHASE FLIPPING AND AMPLITUDE | Depositor |
| | CORRECTION | |
| Microscope | FEI TITAN KRIOS | Depositor |
| Voltage (kV) | 300 | Depositor |
| Electron dose $(e^-/\text{Å}^2)$ | 47 | Depositor |
| Minimum defocus (nm) | 600 | Depositor |
| Maximum defocus (nm) | 1200 | Depositor |
| Magnification | Not provided | |
| Image detector | GATAN K3 (6k x 4k) | Depositor |



4 Model quality (i)

4.1 Standard geometry (i)

MolProbity failed to run properly - this section is therefore empty.

4.2 Too-close contacts (i)

MolProbity failed to run properly - this section is therefore empty.

4.3 Torsion angles (i)

4.3.1 Protein backbone (i)

MolProbity failed to run properly - this section is therefore empty.

4.3.2 Protein sidechains (i)

MolProbity failed to run properly - this section is therefore empty.

4.3.3 RNA (i)

MolProbity failed to run properly - this section is therefore empty.

4.4 Non-standard residues in protein, DNA, RNA chains (i)

Mogul was not executed - this section is therefore empty.

4.5 Carbohydrates (i)

Mogul was not executed - this section is therefore empty.

4.6 Ligand geometry (i)

Mogul was not executed - this section is therefore empty.

4.7 Other polymers (i)

Mogul was not executed - this section is therefore empty.



4.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



5 Map visualisation (i)

This section contains visualisations of the EMDB entry EMD-14776. These allow visual inspection of the internal detail of the map and identification of artifacts.

Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

5.1 Orthogonal projections (i)

This section was not generated.

5.2 Central slices (i)

This section was not generated.

5.3 Largest variance slices (i)

This section was not generated.

5.4 Orthogonal standard-deviation projections (False-color) (i)

This section was not generated.

5.5 Orthogonal surface views (i)

This section was not generated.

5.6 Mask visualisation (i)

This section was not generated. No masks/segmentation were deposited.



6 Map analysis (i)

This section contains the results of statistical analysis of the map.

6.1 Map-value distribution (i)

This section was not generated.

6.2 Volume estimate versus contour level (i)

This section was not generated.

6.3 Rotationally averaged power spectrum (i)

This section was not generated. The rotationally averaged power spectrum had issues being displayed.



7 Fourier-Shell correlation (i)

This section was not generated. No FSC curve or half-maps provided.



8 Map-model fit (i)

This section was not generated.

