



## Full wwPDB EM Validation Report ⓘ

Dec 17, 2022 – 07:30 pm GMT

PDB ID : 6ZY7  
EMDB ID : EMD-11553  
Title : Cryo-EM structure of the entire Human topoisomerase II alpha in State 1  
Authors : Vanden Broeck, A.; Lamour, V.  
Deposited on : 2020-07-30  
Resolution : 4.64 Å(reported)  
Based on initial models : 5GWK, 1ZXM

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev43  
Mogul : 1.8.4, CSD as541be (2020)  
MolProbity : 4.02b-467  
buster-report : 1.1.7 (2018)  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
MapQ : 1.9.9  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.31.3


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*ELECTRON MICROSCOPY*

The reported resolution of this entry is 4.64 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	158937	4297
Ramachandran outliers	154571	4023
Sidechain outliers	154315	3826

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion  $< 40\%$ ). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	1531	
1	B	1531	
2	D	17	
2	F	17	
3	C	13	
3	E	13	

## 2 Entry composition [i](#)

There are 5 unique types of molecules in this entry. The entry contains 19979 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called DNA topoisomerase 2-alpha.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
1	B	1160	Total	C	N	O	S	0	0
			9310	5935	1589	1740	46		
1	A	1159	Total	C	N	O	S	0	0
			9305	5932	1588	1739	46		


- Molecule 2 is a DNA chain called DNA (5'-D(\*CP\*GP\*CP\*GP\*CP\*AP\*TP\*CP\*GP\*TP\*CP\*AP\*TP\*CP\*CP\*TP\*C)-3').

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	P		
2	D	17	Total	C	N	O	P	0	0
			337	162	57	102	16		
2	F	17	Total	C	N	O	P	0	0
			337	162	57	102	16		

- Molecule 3 is a DNA chain called DNA (5'-D(\*GP\*AP\*GP\*GP\*AP\*TP\*GP\*AP\*CP\*GP\*AP\*TP\*G)-3').


Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	P		
3	E	13	Total	C	N	O	P	0	0
			272	129	57	74	12		
3	C	13	Total	C	N	O	P	0	0
			272	129	57	74	12		

- Molecule 4 is PHOSPHOAMINOPHOSPHONIC ACID-ADENYLATE ESTER (three-letter code: ANP) (formula: C<sub>10</sub>H<sub>17</sub>N<sub>6</sub>O<sub>12</sub>P<sub>3</sub>).



Mol	Chain	Residues	Atoms					AltConf
			Total	C	N	O	P	
4	B	1	31	10	6	12	3	0
4	A	1	31	10	6	12	3	0

- Molecule 5 is (5S,5aR,8aR,9R)-9-(4-hydroxy-3,5-dimethoxyphenyl)-8-oxo-5,5a,6,8,8a,9-hexahydrofuro[3',4':6,7]naphtho[2,3-d][1,3]dioxol-5-yl 4,6-O-[(1R)-ethylidene]-beta-D-glucopyranoside (three-letter code: EVP) (formula: C<sub>29</sub>H<sub>32</sub>O<sub>13</sub>).



Mol	Chain	Residues	Atoms			AltConf
			Total	C	O	
5	D	1	42	29	13	0

*Continued on next page...*


*Continued from previous page...*

Mol	Chain	Residues	Atoms			AltConf
			Total	C	O	
5	F	1	42	29	13	0

### 3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

#### • Molecule 1: DNA topoisomerase 2-alpha



ALA	SER	PRO	PRO	THR	THR	LYS	THR	LYS	THR	ALA	SER	PRO	LYS	LYS	GLN	LEU	SER	SER	ASN
ASN	VAL	THR	VAL	LYS	PRO	LYS	THR	LYS	THR	ALA	ALA	LYS	PRO	LYS	GLN	LEU	SER	SER	ASN
ASP	SER	ASP	SER	ASN	PHE	LYS	THR	LYS	VAL	ILE	VAL	ASN	THR	LYS	GLN	LEU	ASP	VAL	THR

● Molecule 1: DNA topoisomerase 2-alpha




MET	GLU	VAL	SER	PRO	LEU	GLN	PRO	VAL	ASN	GLU	ASN	GLN	VAL	THR	ASN	THR	VAL	THR	ASN
G124	I125	H130	K131	E133	K134	M135	L140	I141	F142	N150	Y151	D152	D153	D154	E155	K156	K157	G160	R162
S230	L231	D232	V240	R241	R242	Y244	L257	N260	Y270	L279	D280	E281	T282	G283	N284	S285	L286	Q292	R296
L394	S395	E396	K397	K400	I403	G404	Y408	L412	Q422	L423	N424	K425	C427	S428	A429	V430	K431	H432	M433
Q544	H558	L565	L570	F573	V580	H605	K606	R607	K622	I658	K662	D683	Y684	M696	N700	F706	P716	R727	L730
A801	R804	Y805	I806	L810	F818	P819	P820	T825	Q834	R835	V836	Y841	I842	P843	M847	I850	A853	N866	M875
K976	H986	Q992	T996	L1027	Y1030	G1031	L1032	R1033	K1034	A1044	S1045	A1052	D1060	K1061	K1062	M1067	K1071	K1075	I1078
GLU	THR	GLU	LYS	ASN	THR	ASP	S1121	T1124	F1125	L1128	P1132	Y1135	E1139	R1148	E1152	P1163	M1167	D1188	K1196
LYS	LYS	ILE	LYS	ASN	THR	GLY	ASN	PRO	GLN	GLU	VAL	GLU	GLY	LYS	ARG	LEU	LYS	LYS	ARG
ASP	SER	GLU	THR	ARG	SER	ASP	PHE	ASP	VAL	PRO	ARG	THR	PRO	ARG	ALA	THR	THR	MET	ASP
PRO	LYS	THR	THR	ALA	LYS	SER	THR	LEU	LYS	PRO	LYS	VAL	ALA	GLY	ALA	ASP	VAL	VAL	PRO
VAL	LYS	THR	ALA	LYS	SER	THR	THR	THR	THR	GLY	ALA	ARG	ALA	THR	LYS	ARG	ASP	VAL	GLY

SER ASN PHE GLU LYS ILE VAL SER LYS ALA VAL THR SER LYS SER LYS GLY GLU SER ASP ASP PHE HIS MET ASP PHE ASP SER ALA VAL ALA PRO ARG LYS SER VAL ARG ALA LYS PRO ILE LYS TYR LEU LEU GLU SER ASP ASP ASP LEU PHE

- Molecule 2: DNA (5'-D(\*CP\*GP\*CP\*GP\*CP\*AP\*TP\*CP\*GP\*TP\*CP\*AP\*TP\*CP\*CP\*TP\*C)-3')

Chain D:  53% 47%





- Molecule 2: DNA (5'-D(\*CP\*GP\*CP\*GP\*CP\*AP\*TP\*CP\*GP\*TP\*CP\*AP\*TP\*CP\*CP\*TP\*C)-3')

Chain F:  53% 47%





- Molecule 3: DNA (5'-D(\*GP\*AP\*GP\*GP\*AP\*TP\*GP\*AP\*CP\*GP\*AP\*TP\*G)-3')

Chain E:  38% 62%



- Molecule 3: DNA (5'-D(\*GP\*AP\*GP\*GP\*AP\*TP\*GP\*AP\*CP\*GP\*AP\*TP\*G)-3')

Chain C:  38% 62%





## 4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, C1	Depositor
Number of particles used	26506	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ( $e^-/\text{\AA}^2$ )	50	Depositor
Minimum defocus (nm)	1000	Depositor
Maximum defocus (nm)	3000	Depositor
Magnification	105000	Depositor
Image detector	GATAN K2 SUMMIT (4k x 4k)	Depositor
Maximum map value	1.274	Depositor
Minimum map value	-0.232	Depositor
Average map value	0.004	Depositor
Map value standard deviation	0.060	Depositor
Recommended contour level	0.275	Depositor
Map size (Å)	325.512, 325.512, 325.512	wwPDB
Map dimensions	216, 216, 216	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	1.507, 1.507, 1.507	Depositor

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: EVP, ANP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.49	0/9490	0.52	0/12794
1	B	0.49	0/9495	0.52	0/12801
2	D	0.30	0/375	0.65	0/575
2	F	0.31	0/375	0.65	0/575
3	C	0.32	0/307	0.62	0/474
3	E	0.31	0/307	0.61	0/474
All	All	0.48	0/20349	0.53	0/27693

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	9305	0	9345	119	0
1	B	9310	0	9350	122	0
2	D	337	0	193	8	0
2	F	337	0	193	8	0
3	C	272	0	147	6	0
3	E	272	0	147	7	0
4	A	31	0	13	0	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
4	B	31	0	13	0	0
5	D	42	0	32	4	0
5	F	42	0	32	2	0
All	All	19979	0	19465	249	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (249) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:743:LYS:H	1:A:746:GLN:HE21	1.30	0.80
1:B:1030:TYR:HB3	1:B:1163:PRO:HB2	1.65	0.78
1:A:426:LYS:O	1:A:430:VAL:HG23	1.85	0.77
1:B:743:LYS:H	1:B:746:GLN:HE21	1.30	0.77
1:B:1043:ALA:HB1	1:B:1086:PRO:HB2	1.74	0.70
1:B:760:GLY:HA2	1:A:804:ARG:HD3	1.76	0.68
1:B:180:GLU:HB3	1:B:216:CYS:HB3	1.76	0.68
1:A:920:THR:HG22	1:A:971:LYS:HG2	1.76	0.68
1:B:36:LYS:HD2	1:A:140:LEU:HD11	1.76	0.67
1:B:920:THR:HG22	1:B:971:LYS:HG2	1.76	0.67
1:A:1043:ALA:HB1	1:A:1086:PRO:HB2	1.74	0.67
1:A:341:VAL:HG13	1:A:412:LEU:HD23	1.75	0.67
1:B:804:ARG:HD3	1:A:760:GLY:HA2	1.75	0.66
1:B:916:LEU:HD21	1:B:1200:ALA:HB1	1.77	0.66
2:D:4:DG:N1	5:D:101:EVP:H12	2.11	0.66
1:A:430:VAL:HA	1:A:436:LYS:HE3	1.78	0.66
1:A:916:LEU:HD21	1:A:1200:ALA:HB1	1.78	0.64
1:B:834:GLN:O	1:B:836:VAL:HG13	1.99	0.63
1:A:834:GLN:O	1:A:836:VAL:HG13	1.99	0.62
1:B:438:ILE:HG23	1:B:441:LEU:HB3	1.80	0.62
1:B:716:PRO:HG3	1:B:853:ALA:HB1	1.82	0.61
1:A:1030:TYR:HB3	1:A:1163:PRO:HB2	1.81	0.61
1:B:1094:GLN:OE1	1:B:1095:GLN:NE2	2.35	0.60
1:A:716:PRO:HG3	1:A:853:ALA:HB1	1.82	0.60
1:B:825:THR:HG23	1:B:1032:LEU:HD22	1.83	0.60
1:A:539:MET:HB3	1:A:573:PHE:HB3	1.84	0.59
1:A:825:THR:HG23	1:A:1032:LEU:HD22	1.83	0.59
1:B:1132:PRO:HD2	1:B:1135:TYR:HE2	1.68	0.59
1:B:384:GLN:NE2	1:A:56:LEU:O	2.35	0.58
1:A:1094:GLN:OE1	1:A:1095:GLN:NE2	2.35	0.58

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:1132:PRO:HD2	1:A:1135:TYR:HE2	1.67	0.58
1:B:539:MET:HB3	1:B:573:PHE:HB3	1.84	0.58
1:B:1188:ASP:HA	1:A:622:LYS:HE3	1.86	0.58
1:B:296:ARG:HG2	1:B:367:LEU:HB2	1.86	0.57
1:B:622:LYS:HE3	1:A:1188:ASP:HA	1.86	0.57
1:B:916:LEU:CD2	1:B:1200:ALA:HB1	2.34	0.57
1:B:954:ILE:HA	1:B:972:MET:HG2	1.86	0.57
1:A:286:LEU:HD13	1:A:302:THR:HG21	1.85	0.57
1:A:954:ILE:HA	1:A:972:MET:HG2	1.86	0.57
1:B:804:ARG:CD	1:A:760:GLY:HA2	2.35	0.57
1:B:875:ASN:ND2	1:B:888:MET:SD	2.78	0.57
1:A:875:ASN:ND2	1:A:888:MET:SD	2.78	0.57
1:B:876:ILE:HG21	1:B:1167:TRP:HZ2	1.69	0.57
1:B:149:SER:HB2	1:A:33:ILE:HG22	1.87	0.56
1:B:760:GLY:HA2	1:A:804:ARG:CD	2.35	0.56
1:B:996:THR:HG23	2:F:12:DA:OP1	2.06	0.56
1:A:403:ILE:HG12	1:A:408:VAL:HG21	1.87	0.56
1:A:916:LEU:CD2	1:A:1200:ALA:HB1	2.35	0.56
1:A:430:VAL:HA	1:A:436:LYS:CE	2.36	0.55
1:A:796:GLY:HA2	1:A:931:TRP:CE2	2.42	0.55
1:A:111:PRO:HA	1:A:231:LEU:HD12	1.88	0.54
1:B:796:GLY:HA2	1:B:931:TRP:CE2	2.42	0.54
3:C:13:DG:H21	1:A:489:LYS:H	1.54	0.54
1:A:1027:LEU:HA	1:A:1030:TYR:CE2	2.43	0.54
1:A:730:LEU:HD21	1:A:818:PHE:HE2	1.73	0.54
1:B:290:HIS:NE2	1:B:298:GLU:OE2	2.35	0.54
1:B:1027:LEU:HA	1:B:1030:TYR:CE2	2.43	0.54
1:B:111:PRO:HB3	1:B:231:LEU:HB2	1.90	0.53
1:B:730:LEU:HD21	1:B:818:PHE:HE2	1.73	0.53
1:A:37:LYS:HE3	1:A:45:LEU:HD22	1.90	0.53
1:A:86:ASP:OD1	1:A:242:ARG:NE	2.36	0.53
1:A:696:ASN:OD1	1:A:700:ASN:ND2	2.41	0.53
1:A:876:ILE:HG21	1:A:1167:TRP:HZ2	1.73	0.53
1:B:696:ASN:OD1	1:B:700:ASN:ND2	2.41	0.53
3:E:8:DA:N7	3:E:9:DC:N4	2.57	0.53
1:A:1084:SER:HB2	1:A:1124:THR:HB	1.90	0.53
1:A:906:GLN:HG2	1:A:996:THR:HG22	1.91	0.53
1:A:580:VAL:HB	1:A:608:TRP:HB3	1.91	0.53
1:A:336:LYS:NZ	1:A:394:LEU:O	2.42	0.53
2:D:6:DA:H1'	1:A:489:LYS:HB2	1.91	0.52
3:E:1:DG:H2''	3:E:2:DA:H5'	1.91	0.52

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:C:8:DA:N7	3:C:9:DC:N4	2.57	0.52
1:B:86:ASP:OD1	1:B:242:ARG:NE	2.37	0.52
1:B:580:VAL:HB	1:B:608:TRP:HB3	1.90	0.52
3:C:12:DT:H5'	1:A:759:HIS:HB3	1.91	0.52
1:B:310:GLN:NE2	1:B:320:SER:O	2.42	0.52
1:B:1084:SER:HB2	1:B:1124:THR:HB	1.90	0.52
1:B:818:PHE:HE1	1:B:843:PRO:HB3	1.74	0.52
1:A:1034:LYS:HD2	1:A:1163:PRO:HD3	1.92	0.52
1:A:960:TYR:HB2	1:A:967:LYS:HB3	1.92	0.52
1:B:906:GLN:HG2	1:B:996:THR:HG22	1.91	0.52
1:A:130:HIS:CE1	1:A:132:VAL:HB	2.46	0.51
1:A:743:LYS:HB2	1:A:746:GLN:HG2	1.93	0.51
1:A:818:PHE:HE1	1:A:843:PRO:HB3	1.74	0.50
5:D:101:EVP:H20A	2:F:1:DC:O2	2.11	0.50
1:B:953:LEU:HD12	1:B:976:LYS:HD3	1.93	0.50
1:B:78:VAL:HG12	1:B:80:GLY:H	1.77	0.50
1:B:1043:ALA:HB2	1:B:1090:TRP:HE1	1.77	0.50
2:D:12:DA:H2''	2:D:13:DT:H5''	1.94	0.50
1:A:953:LEU:HD12	1:A:976:LYS:HD3	1.93	0.50
1:B:743:LYS:HB2	1:B:746:GLN:HG2	1.93	0.50
3:E:13:DG:O6	5:F:101:EVP:O13	2.22	0.50
3:C:1:DG:H2''	3:C:2:DA:H5'	1.93	0.50
1:A:312:SER:OG	1:A:319:THR:OG1	2.30	0.50
1:A:786:PRO:HA	1:A:790:PHE:CE2	2.47	0.50
1:B:106:ARG:HA	1:B:256:PHE:HB2	1.94	0.50
1:B:456:THR:HG22	1:B:535:LYS:HB2	1.94	0.49
1:B:786:PRO:HA	1:B:790:PHE:CE2	2.47	0.49
1:B:431:LYS:HG2	1:B:512:LYS:HE3	1.94	0.49
1:B:960:TYR:HB2	1:B:967:LYS:HB3	1.92	0.49
2:D:4:DG:C2	5:D:101:EVP:H12	2.47	0.49
1:A:743:LYS:H	1:A:746:GLN:NE2	2.06	0.49
1:B:118:ILE:HB	1:B:217:ILE:HB	1.95	0.49
1:B:46:ARG:NH1	1:A:162:ARG:O	2.45	0.49
1:B:254:LYS:HG3	1:B:261:LYS:HE3	1.95	0.49
1:B:438:ILE:HG23	1:B:441:LEU:CB	2.43	0.49
1:A:757:TYR:CZ	1:A:759:HIS:HB2	2.48	0.49
1:B:743:LYS:H	1:B:746:GLN:NE2	2.06	0.49
1:B:757:TYR:CZ	1:B:759:HIS:HB2	2.48	0.49
1:A:456:THR:HG22	1:A:535:LYS:HB2	1.94	0.49
1:A:1043:ALA:HB2	1:A:1090:TRP:HE1	1.77	0.49
1:A:160:GLY:O	1:A:378:LYS:NZ	2.39	0.48

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:F:12:DA:H2''	2:F:13:DT:H5''	1.95	0.48
1:B:127:VAL:HG13	1:B:138:PRO:HG2	1.96	0.48
1:A:63:VAL:HG11	1:A:75:VAL:HG21	1.94	0.48
1:B:458:ILE:HD11	1:B:481:TYR:HD1	1.78	0.48
1:A:111:PRO:HB3	1:A:231:LEU:HB2	1.96	0.48
1:B:1026:ARG:HG2	1:B:1167:TRP:CZ3	2.48	0.48
1:A:344:LYS:HD2	1:A:412:LEU:HD21	1.95	0.48
1:A:1132:PRO:HD2	1:A:1135:TYR:CE2	2.49	0.48
1:B:325:HIS:CD2	1:B:364:VAL:HG11	2.48	0.48
1:B:790:PHE:HE1	1:B:806:ILE:HB	1.79	0.48
1:A:458:ILE:HD11	1:A:481:TYR:HD1	1.78	0.47
1:B:733:CYS:HB3	1:B:810:LEU:HD21	1.96	0.47
1:A:790:PHE:HE1	1:A:806:ILE:HB	1.79	0.47
1:B:1027:LEU:HA	1:B:1030:TYR:CD2	2.50	0.47
1:B:759:HIS:HB3	3:E:12:DT:H5'	1.96	0.47
1:A:1027:LEU:HA	1:A:1030:TYR:CD2	2.50	0.47
1:A:451:ASN:O	1:A:480:LYS:NZ	2.48	0.47
1:B:727:ARG:HG3	1:B:841:TYR:HE2	1.80	0.47
1:A:774:ASN:ND2	1:A:786:PRO:HG3	2.30	0.47
1:B:1069:PRO:HA	1:A:1139:GLU:OE2	2.15	0.47
1:B:796:GLY:HA2	1:B:931:TRP:CD2	2.50	0.46
1:A:1052:ALA:CB	1:A:1148:ARG:NH2	2.78	0.46
1:A:796:GLY:HA2	1:A:931:TRP:CD2	2.50	0.46
1:B:658:ILE:HG22	1:B:662:LYS:HE2	1.97	0.46
1:A:727:ARG:HG3	1:A:841:TYR:HE2	1.80	0.46
1:B:65:ASP:HB2	1:B:68:VAL:HB	1.98	0.46
1:B:108:THR:HB	1:B:117:SER:HB3	1.96	0.46
1:B:1138:LYS:H	1:A:1067:ASN:HA	1.80	0.46
1:A:733:CYS:HB3	1:A:810:LEU:HD21	1.96	0.46
1:B:451:ASN:O	1:B:480:LYS:NZ	2.48	0.46
1:A:658:ILE:HG22	1:A:662:LYS:HE2	1.97	0.46
1:A:774:ASN:HD21	1:A:786:PRO:HG3	1.80	0.46
1:B:499:LYS:O	1:B:503:GLU:HG2	2.16	0.46
1:B:774:ASN:HD21	1:B:786:PRO:HG3	1.80	0.46
1:A:125:ILE:HD13	1:A:141:ILE:HD11	1.98	0.46
1:B:774:ASN:ND2	1:B:786:PRO:HG3	2.31	0.45
1:A:499:LYS:O	1:A:503:GLU:HG2	2.16	0.45
1:B:307:GLY:HA2	1:B:358:ASN:HA	1.98	0.45
1:B:328:TYR:HE2	1:B:392:CYS:H	1.63	0.45
1:B:876:ILE:HG21	1:B:1167:TRP:CZ2	2.51	0.45
1:B:46:ARG:NH2	1:A:150:ASN:O	2.50	0.45

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:1052:ALA:CB	1:B:1148:ARG:NH2	2.78	0.45
2:D:4:DG:C2	5:D:101:EVP:C12	3.00	0.45
1:B:301:LEU:HD13	1:B:362:ILE:HB	1.99	0.45
1:B:1034:LYS:HD2	1:B:1163:PRO:HD3	1.99	0.45
1:B:287:LYS:NZ	1:B:404:GLY:O	2.48	0.45
1:B:558:HIS:HD2	1:B:565:LEU:HD22	1.82	0.44
1:B:1132:PRO:HD2	1:B:1135:TYR:CE2	2.49	0.44
2:D:13:DT:H2''	2:D:14:DC:H5'	1.99	0.44
1:A:558:HIS:HD2	1:A:565:LEU:HD22	1.82	0.44
1:B:124:GLY:H	1:B:213:ASP:HB3	1.83	0.44
1:B:986:HIS:HB3	1:B:992:GLN:HG3	1.99	0.44
2:F:2:DG:H5''	1:A:463:ASP:OD2	2.17	0.44
1:B:130:HIS:HE1	1:B:132:VAL:HB	1.81	0.44
1:B:1125:PHE:HD1	1:B:1128:LEU:HD12	1.83	0.44
1:A:1125:PHE:HD1	1:A:1128:LEU:HD12	1.83	0.44
2:D:2:DG:N1	2:F:4:DG:N2	2.65	0.44
1:A:801:ALA:HB1	1:A:805:TYR:HD2	1.83	0.44
1:A:986:HIS:HB3	1:A:992:GLN:HG3	1.99	0.44
1:A:240:VAL:HG22	1:A:257:LEU:HD21	2.00	0.44
1:A:923:ILE:HB	1:A:968:PHE:HB2	2.00	0.44
1:B:102:MET:HE2	1:B:105:ILE:HD11	2.00	0.44
1:A:280:ASP:HB3	1:A:284:ASN:H	1.82	0.44
1:A:130:HIS:N	1:A:135:MET:O	2.49	0.44
1:A:1071:LYS:HD2	1:A:1071:LYS:HA	1.87	0.44
1:B:110:ASP:HB3	1:B:115:LEU:HB2	2.01	0.43
1:B:1161:LYS:HD3	1:B:1166:LEU:HD21	2.00	0.43
1:B:780:ASN:ND2	1:B:866:ASN:HB3	2.33	0.43
1:B:994:SER:HG	2:F:12:DA:H3'	1.83	0.43
1:B:801:ALA:HB1	1:B:805:TYR:HD2	1.83	0.43
2:F:13:DT:H2''	2:F:14:DC:H5'	2.00	0.43
1:B:130:HIS:CE1	1:B:132:VAL:HB	2.53	0.43
1:B:293:VAL:HB	1:B:297:TRP:HB2	2.00	0.43
1:B:683:ASP:OD1	1:B:684:TYR:N	2.49	0.43
2:D:8:DC:H2''	2:D:9:DG:C8	2.54	0.43
1:A:455:CYS:O	1:A:534:GLY:N	2.40	0.43
1:B:267:PHE:HZ	1:B:363:PHE:HB3	1.83	0.43
1:B:923:ILE:HB	1:B:968:PHE:HB2	2.00	0.43
3:C:7:DG:H2''	3:C:8:DA:C8	2.54	0.43
1:A:683:ASP:OD1	1:A:684:TYR:N	2.49	0.43
1:A:780:ASN:ND2	1:A:866:ASN:HB3	2.33	0.43
1:A:180:GLU:HB3	1:A:216:CYS:HB3	2.01	0.43

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:302:THR:HG22	1:A:361:TRP:HE3	1.84	0.43
1:B:102:MET:HE3	1:B:120:ASN:HB2	2.01	0.42
1:B:605:HIS:O	1:B:606:LYS:HB2	2.19	0.42
3:E:7:DG:H2''	3:E:8:DA:C8	2.53	0.42
1:A:152:ASP:O	1:A:157:LYS:NZ	2.52	0.42
1:A:1078:ILE:HG23	1:A:1079:GLN:N	2.34	0.42
1:A:182:ALA:HB3	1:A:214:TYR:H	1.84	0.42
1:A:292:GLN:HG3	1:A:298:GLU:HG2	2.01	0.42
1:B:550:LYS:NZ	1:B:572:GLU:OE2	2.51	0.42
1:A:280:ASP:N	1:A:284:ASN:O	2.51	0.42
1:A:605:HIS:O	1:A:606:LYS:HB2	2.19	0.42
1:B:145:LEU:HD23	1:B:168:LYS:HB3	2.01	0.42
1:A:87:GLU:HB3	1:A:166:GLY:HA2	2.02	0.42
1:A:297:TRP:CD2	1:A:392:CYS:HB2	2.55	0.42
1:A:793:ARG:HA	1:A:931:TRP:HZ3	1.85	0.42
1:A:819:PRO:HA	1:A:820:PRO:HD3	1.94	0.42
1:B:63:VAL:HG11	1:B:75:VAL:HG11	2.01	0.42
1:B:793:ARG:HA	1:B:931:TRP:HZ3	1.84	0.42
1:B:1078:ILE:HG23	1:B:1079:GLN:N	2.34	0.42
1:A:65:ASP:HB2	1:A:68:VAL:HB	2.02	0.42
1:B:1060:ASP:OD2	1:B:1062:LYS:HG3	2.18	0.42
2:F:8:DC:H2''	2:F:9:DG:C8	2.54	0.42
1:A:847:MET:HA	1:A:850:ILE:HG22	2.02	0.42
1:A:1060:ASP:OD2	1:A:1062:LYS:HG3	2.18	0.42
1:B:130:HIS:N	1:B:135:MET:O	2.52	0.42
1:B:427:CYS:O	1:B:430:VAL:HG22	2.20	0.42
1:B:312:SER:HA	1:B:364:VAL:HB	2.02	0.41
1:B:403:ILE:HG13	1:B:408:VAL:HG21	2.03	0.41
1:B:1075:LYS:HE2	1:B:1075:LYS:HB3	1.88	0.41
1:B:1092:GLU:O	1:B:1096:LYS:HG3	2.21	0.41
3:E:6:DT:H2''	3:E:7:DG:C8	2.55	0.41
1:A:181:THR:HG22	1:A:190:PHE:HB3	2.02	0.41
1:B:847:MET:HA	1:B:850:ILE:HG22	2.02	0.41
1:A:244:TYR:HB3	1:A:270:TYR:HE1	1.84	0.41
1:A:536:ILE:HB	1:A:570:LEU:HD23	2.02	0.41
1:B:544:GLN:HB3	1:B:706:PHE:HD1	1.86	0.41
1:A:544:GLN:HB3	1:A:706:PHE:HD1	1.86	0.41
1:B:417:PHE:O	1:B:420:GLN:HB3	2.21	0.41
1:A:296:ARG:HG2	1:A:367:LEU:HD12	2.03	0.41
3:E:13:DG:H2'	5:F:101:EVP:H19	2.02	0.41
1:A:1045:SER:OG	1:A:1152:GLU:OE2	2.35	0.41

*Continued on next page...*



Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:111:PRO:HA	1:B:231:LEU:HD12	2.02	0.41
1:A:81:LEU:HD12	1:A:84:ILE:HD11	2.03	0.41
1:A:124:GLY:H	1:A:213:ASP:HB3	1.85	0.41
1:A:507:ILE:HD13	1:A:510:ILE:HD12	2.03	0.41
1:B:612:TYR:CE2	1:B:832:ASP:HA	2.56	0.41
1:A:1075:LYS:HE2	1:A:1075:LYS:HB3	1.86	0.40
1:B:507:ILE:HD13	1:B:510:ILE:HD12	2.03	0.40
1:A:434:ARG:HD2	1:A:443:ASP:OD2	2.21	0.40
1:B:48:ASP:HA	1:B:52:GLY:O	2.21	0.40
1:B:302:THR:HG22	1:B:361:TRP:HE3	1.87	0.40
1:B:455:CYS:O	1:B:534:GLY:N	2.40	0.40
3:C:6:DT:H2''	3:C:7:DG:C8	2.55	0.40
1:A:1092:GLU:O	1:A:1096:LYS:HG3	2.20	0.40
1:A:141:ILE:HG13	1:A:142:PHE:CD2	2.56	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	1153/1531 (75%)	1133 (98%)	20 (2%)	0	100	100
1	B	1154/1531 (75%)	1135 (98%)	19 (2%)	0	100	100
All	All	2307/3062 (75%)	2268 (98%)	39 (2%)	0	100	100

There are no Ramachandran outliers to report.

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	1023/1375 (74%)	1023 (100%)	0	100	100
1	B	1023/1375 (74%)	1023 (100%)	0	100	100
All	All	2046/2750 (74%)	2046 (100%)	0	100	100

There are no protein residues with a non-rotameric sidechain to report.

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (4) such sidechains are listed below:

Mol	Chain	Res	Type
1	B	746	GLN
1	B	875	ASN
1	A	746	GLN
1	A	875	ASN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 5.6 Ligand geometry [i](#)

4 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
5	EVP	D	101	-	48,48,48	0.59	0	72,73,73	0.89	3 (4%)
4	ANP	B	1601	-	29,33,33	1.20	5 (17%)	31,52,52	1.19	3 (9%)
5	EVP	F	101	-	48,48,48	0.58	0	72,73,73	0.89	3 (4%)
4	ANP	A	1601	-	29,33,33	1.23	5 (17%)	31,52,52	1.08	3 (9%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	EVP	D	101	-	-	0/12/76/76	0/7/7/7
4	ANP	B	1601	-	-	6/14/38/38	0/3/3/3
5	EVP	F	101	-	-	0/12/76/76	0/7/7/7
4	ANP	A	1601	-	-	6/14/38/38	0/3/3/3

All (10) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	A	1601	ANP	PG-O1G	3.27	1.51	1.46
4	B	1601	ANP	PG-O1G	3.20	1.51	1.46
4	A	1601	ANP	PB-O1B	2.98	1.50	1.46
4	B	1601	ANP	PB-O1B	2.89	1.50	1.46
4	A	1601	ANP	PG-O3G	-2.33	1.50	1.56
4	A	1601	ANP	PB-O2B	-2.23	1.50	1.56
4	B	1601	ANP	PB-O2B	-2.21	1.50	1.56
4	B	1601	ANP	PG-O3G	-2.14	1.51	1.56
4	A	1601	ANP	PG-O2G	-2.10	1.51	1.56
4	B	1601	ANP	PG-O2G	-2.09	1.51	1.56

All (12) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	B	1601	ANP	O2B-PB-O1B	4.14	118.59	109.92
4	A	1601	ANP	O2B-PB-O1B	3.87	118.03	109.92
5	D	101	EVP	C11-C4-C5	3.59	123.89	114.40
5	F	101	EVP	C11-C4-C5	3.57	123.83	114.40
4	B	1601	ANP	O2G-PG-O1G	-2.40	107.42	113.45
4	B	1601	ANP	C5-C6-N6	2.36	123.94	120.35
4	A	1601	ANP	C5-C6-N6	2.29	123.84	120.35
5	F	101	EVP	C14-C5-C4	-2.22	109.52	112.86

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	D	101	EVP	C14-C5-C4	-2.20	109.53	112.86
4	A	1601	ANP	O3G-PG-O1G	-2.14	108.08	113.45
5	D	101	EVP	O3-C8-C9	-2.07	101.68	104.71
5	F	101	EVP	O3-C8-C9	-2.07	101.69	104.71

There are no chirality outliers.

All (12) torsion outliers are listed below:



Mol	Chain	Res	Type	Atoms
4	B	1601	ANP	PG-N3B-PB-O1B
4	B	1601	ANP	C5'-O5'-PA-O2A
4	B	1601	ANP	C5'-O5'-PA-O3A
4	A	1601	ANP	PA-O3A-PB-O1B
4	A	1601	ANP	PA-O3A-PB-O2B
4	B	1601	ANP	O4'-C4'-C5'-O5'
4	A	1601	ANP	O4'-C4'-C5'-O5'
4	A	1601	ANP	C3'-C4'-C5'-O5'
4	B	1601	ANP	PB-O3A-PA-O5'
4	A	1601	ANP	PB-O3A-PA-O5'
4	A	1601	ANP	PG-N3B-PB-O3A
4	B	1601	ANP	C3'-C4'-C5'-O5'



There are no ring outliers.

2 monomers are involved in 6 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	D	101	EVP	4	0
5	F	101	EVP	2	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





## 5.7 Other polymers

There are no such residues in this entry.

## 5.8 Polymer linkage issues

There are no chain breaks in this entry.


## 6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-11553. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

### 6.1 Orthogonal projections [i](#)


#### 6.1.1 Primary map



X




Y




Z


#### 6.1.2 Raw map



X



Y




Z

The images above show the map projected in three orthogonal directions.




## 6.2 Central slices [i](#)


### 6.2.1 Primary map



X Index: 108




Y Index: 108




Z Index: 108


### 6.2.2 Raw map



X Index: 108



Y Index: 108




Z Index: 108


The images above show central slices of the map in three orthogonal directions.

## 6.3 Largest variance slices [i](#)


### 6.3.1 Primary map



X Index: 103




Y Index: 104




Z Index: 106


### 6.3.2 Raw map



X Index: 103



Y Index: 104




Z Index: 106

The images above show the largest variance slices of the map in three orthogonal directions.


## 6.4 Orthogonal surface views [i](#)

### 6.4.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.275. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

### 6.4.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


## 6.5 Mask visualisation [i](#)

This section shows the 3D surface view of the primary map at 50% transparency overlaid with the specified mask at 0% transparency


A mask typically either:

- Encompasses the whole structure
- Separates out a domain, a functional unit, a monomer or an area of interest from a larger structure


### 6.5.1 emd\_11553\_msk\_1.map [i](#)



X



Y




Z

## 7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

### 7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


## 7.2 Volume estimate [i](#)



The volume at the recommended contour level is 392 nm<sup>3</sup>; this corresponds to an approximate mass of 354 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

### 7.3 Rotationally averaged power spectrum i




\*Reported resolution corresponds to spatial frequency of 0.216 Å<sup>-1</sup>

## 8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

### 8.1 FSC [i](#)



\*Reported resolution corresponds to spatial frequency of 0.216 Å<sup>-1</sup>



## 8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	4.64	-	-
Author-provided FSC curve	4.90	7.36	5.12
Unmasked-calculated*	4.86	7.24	5.08

\*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps.

## 9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-11553 and PDB model 6ZY7. Per-residue inclusion information can be found in section 3 on page 6.

### 9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.275 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

## 9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

## 9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.275).















## 9.4 Atom inclusion [i](#)



At the recommended contour level, 96% of all backbone atoms, 90% of all non-hydrogen atoms, are inside the map.

## 9.5 Map-model fit summary [i](#)

The table lists the average atom inclusion at the recommended contour level (0.275) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.9013	 0.1630
A	 0.8928	 0.1570
B	 0.9006	 0.1580
C	 0.9853	 0.2730
D	 0.9578	 0.2320
E	 0.9743	 0.2780
F	 0.9551	 0.2290

