



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 24, 2024 – 09:57 AM EST

PDB ID : 5ADH
Title : INTERDOMAIN MOTION IN LIVER ALCOHOL DEHYDROGENASE.
STRUCTURAL AND ENERGETIC ANALYSIS OF THE HINGE BENDING
MODE
Authors : Eklund, H.; Jones, T.A.
Deposited on : 1984-01-16
Resolution : 2.90 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtrriage (Phenix) : **NOT EXECUTED**
EDS : **NOT EXECUTED**
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.36


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	141614	2172 (2.90-2.90)
Ramachandran outliers	138981	2115 (2.90-2.90)
Sidechain outliers	138945	2117 (2.90-2.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$.

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	A	374	 52% 35% 12% .

2 Entry composition [i](#)

There are 5 unique types of molecules in this entry. The entry contains 3126 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called APO-LIVER ALCOHOL DEHYDROGENASE.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	374	2785	1769	472	521	23	27	0	0

- Molecule 2 is ZINC ION (three-letter code: ZN) (formula: Zn).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
			Total	Zn		
2	A	2	2	2	0	0

- Molecule 3 is ADENOSINE-5-DIPHOSPHORIBOSE (three-letter code: APR) (formula: C₁₅H₂₃N₅O₁₄P₂).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
			Total	C	N	O	P		
3	A	1	36	15	5	14	2	0	0

- Molecule 4 is (4S)-2-METHYL-2,4-PENTANEDIOL (three-letter code: MPD) (formula: C₆H₁₄O₂).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	C	O	0	0
			8	6	2		

- Molecule 5 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	295	Total	O	0	0
			295	295		

3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

Note EDS was not executed.

- Molecule 1: APO-LIVER ALCOHOL DEHYDROGENASE



4 Data and refinement statistics

Xtrriage (Phenix) and EDS were not executed - this section is therefore incomplete.

Property	Value	Source
Space group	C 2 2 21	Depositor
Cell constants a, b, c, α , β , γ	56.00Å 75.20Å 181.70Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	(Not available) – 2.90	Depositor
% Data completeness (in resolution range)	(Not available) ((Not available)-2.90)	Depositor
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
Refinement program	unknown	Depositor
R, R_{free}	(Not available) , (Not available)	Depositor
Estimated twinning fraction	No twinning to report.	Xtrriage
Total number of atoms	3126	wwPDB-VP
Average B, all atoms (Å ²)	19.0	wwPDB-VP

5 Model quality i

5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: ZN, APR, MPD

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	1.03	4/2837 (0.1%)	1.32	29/3834 (0.8%)

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	46	CYS	C-N	13.31	1.64	1.34
1	A	228	LYS	CE-NZ	-10.87	1.21	1.49
1	A	228	LYS	CB-CG	-5.34	1.38	1.52
1	A	314	TRP	NE1-CE2	-5.14	1.30	1.37

All (29) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	228	LYS	CB-CG-CD	-9.70	86.39	111.60
1	A	129	ARG	NE-CZ-NH2	8.07	124.33	120.30
1	A	369	ARG	NE-CZ-NH2	7.82	124.21	120.30
1	A	84	ARG	NE-CZ-NH2	7.76	124.18	120.30
1	A	271	ARG	NE-CZ-NH2	7.27	123.93	120.30
1	A	47	ARG	NE-CZ-NH2	7.20	123.90	120.30
1	A	120	ARG	NE-CZ-NH2	7.17	123.89	120.30
1	A	37	ARG	NE-CZ-NH2	7.11	123.86	120.30
1	A	133	ARG	NE-CZ-NH2	6.99	123.80	120.30
1	A	273	ASP	CA-CB-CG	6.99	128.78	113.40
1	A	366	GLU	O-C-N	6.98	133.87	122.70
1	A	312	ARG	NE-CZ-NH2	6.84	123.72	120.30
1	A	101	ARG	NE-CZ-NH2	6.80	123.70	120.30
1	A	363	ARG	NE-CZ-NH2	6.69	123.65	120.30
1	A	218	ARG	NE-CZ-NH2	6.62	123.61	120.30
1	A	223	ASP	CB-CG-OD2	6.49	124.14	118.30
1	A	306	MET	CG-SD-CE	6.34	110.35	100.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	118	MET	CG-SD-CE	6.14	110.02	100.20
1	A	275	MET	CG-SD-CE	6.13	110.00	100.20
1	A	336	MET	CG-SD-CE	5.97	109.75	100.20
1	A	257	MET	CG-SD-CE	5.84	109.55	100.20
1	A	366	GLU	CA-C-N	-5.81	104.41	117.20
1	A	303	MET	CG-SD-CE	5.80	109.48	100.20
1	A	209	MET	CG-SD-CE	5.79	109.47	100.20
1	A	123	MET	CG-SD-CE	5.75	109.41	100.20
1	A	365	GLY	O-C-N	5.70	131.81	122.70
1	A	245	ASP	CB-CA-C	-5.69	99.02	110.40
1	A	40	MET	CG-SD-CE	5.62	109.20	100.20
1	A	47	ARG	CB-CA-C	-5.20	100.01	110.40

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2785	0	2848	145	0
2	A	2	0	0	0	0
3	A	36	0	21	2	0
4	A	8	0	14	2	0
5	A	295	0	0	9	0
All	All	3126	0	2883	146	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 26.

All (146) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:74:GLU:OE1	1:A:75:SER:HB3	1.40	1.21
1:A:268:VAL:HG23	1:A:268:VAL:O	1.54	1.01
1:A:243:PRO:HB3	1:A:250:ILE:HG21	1.43	1.01

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:248:LYS:NZ	1:A:256:GLU:OE1	1.95	1.00
1:A:250:ILE:HA	1:A:253:VAL:HG13	1.41	0.99
1:A:347:THR:HG23	1:A:348:HIS:ND1	1.79	0.97
1:A:337:ALA:O	1:A:338:LYS:HB2	1.67	0.94
1:A:268:VAL:O	1:A:268:VAL:CG2	2.20	0.88
1:A:226:LYS:HD3	1:A:242:ASN:HD22	1.38	0.86
1:A:243:PRO:HB3	1:A:250:ILE:CG2	2.05	0.86
1:A:353:GLU:HG2	5:A:452:HOH:O	1.76	0.84
1:A:334:ASP:O	1:A:339:LYS:HB2	1.77	0.84
1:A:229:PHE:O	1:A:233:LYS:HG3	1.78	0.83
1:A:226:LYS:HD3	1:A:242:ASN:ND2	1.93	0.82
1:A:328:VAL:N	1:A:329:PRO:HD2	1.96	0.81
1:A:56:THR:HG22	1:A:296:PRO:HG2	1.63	0.81
1:A:353:GLU:CG	5:A:452:HOH:O	2.33	0.76
1:A:248:LYS:HG3	1:A:253:VAL:HG12	1.66	0.75
1:A:74:GLU:HG3	1:A:75:SER:N	2.01	0.75
1:A:328:VAL:HB	1:A:329:PRO:HD3	1.70	0.73
1:A:72:ILE:HD11	1:A:88:LYS:HD3	1.71	0.72
1:A:10:LYS:O	1:A:148:GLN:HG3	1.90	0.70
1:A:74:GLU:OE1	1:A:75:SER:CB	2.31	0.68
1:A:91:PRO:HB2	1:A:143:THR:HG22	1.76	0.68
1:A:328:VAL:N	1:A:329:PRO:CD	2.55	0.68
1:A:132:CYS:O	1:A:133:ARG:HB2	1.94	0.67
1:A:15:TRP:HA	1:A:62:PRO:HB3	1.75	0.67
1:A:72:ILE:HD11	1:A:88:LYS:CD	2.24	0.67
1:A:16:GLU:OE1	1:A:19:LYS:HD3	1.94	0.66
1:A:334:ASP:O	1:A:339:LYS:CB	2.43	0.66
1:A:349:VAL:C	1:A:350:LEU:HD23	2.16	0.66
1:A:347:THR:HG21	1:A:368:ILE:N	2.11	0.65
1:A:250:ILE:O	1:A:254:LEU:HB2	1.95	0.65
1:A:254:LEU:O	1:A:258:SER:OG	2.14	0.65
1:A:359:PHE:O	1:A:363:ARG:HG3	1.97	0.64
1:A:284:GLU:HG2	1:A:285:ALA:N	2.10	0.64
1:A:293:GLY:HA3	3:A:377:APR:HR'1	1.80	0.64
1:A:272:LEU:HD22	1:A:301:LEU:HB3	1.78	0.64
1:A:301:LEU:HD12	1:A:301:LEU:O	1.99	0.63
1:A:269:ILE:HD12	1:A:274:THR:HG21	1.81	0.62
1:A:74:GLU:CD	1:A:75:SER:HB3	2.17	0.61
1:A:5:LYS:HA	1:A:30:PRO:HG3	1.83	0.61
1:A:100:CYS:HB2	1:A:112:LEU:HD12	1.84	0.60
1:A:215:GLY:O	1:A:216:ALA:O	2.20	0.60

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:346:ILE:HG23	1:A:371:ILE:HG13	1.82	0.60
1:A:204:GLY:CA	1:A:268:VAL:HG21	2.32	0.60
1:A:243:PRO:CB	1:A:250:ILE:HG21	2.26	0.59
1:A:284:GLU:HG3	1:A:310:SER:HB3	1.85	0.59
1:A:225:ASN:ND2	1:A:227:ASP:HB2	2.17	0.59
1:A:347:THR:HG22	1:A:369:ARG:H	1.69	0.58
1:A:37:ARG:HG3	1:A:151:VAL:HG22	1.86	0.58
1:A:249:PRO:O	1:A:252:GLU:HB2	2.05	0.57
1:A:231:LYS:NZ	1:A:344:PRO:O	2.37	0.56
1:A:96:GLN:HG3	1:A:325:LYS:H	1.69	0.56
1:A:347:THR:HG21	1:A:367:SER:HA	1.87	0.56
1:A:56:THR:CG2	1:A:296:PRO:HG2	2.35	0.56
1:A:69:ALA:O	1:A:91:PRO:HD2	2.06	0.55
1:A:225:ASN:HD22	1:A:227:ASP:HB2	1.70	0.54
1:A:226:LYS:CD	1:A:242:ASN:HD22	2.13	0.54
1:A:350:LEU:HD23	1:A:350:LEU:N	2.22	0.54
1:A:10:LYS:HA	1:A:24:GLU:O	2.08	0.54
1:A:140:PHE:CE1	1:A:141:LEU:HD22	2.42	0.53
1:A:123:MET:HE3	1:A:151:VAL:O	2.07	0.53
1:A:74:GLU:CG	1:A:75:SER:N	2.71	0.53
1:A:250:ILE:CD1	1:A:250:ILE:H	2.22	0.53
1:A:250:ILE:H	1:A:250:ILE:HD13	1.72	0.53
1:A:48:SER:HA	1:A:51:HIS:CD2	2.44	0.53
1:A:63:VAL:HG22	1:A:64:ILE:N	2.25	0.52
1:A:250:ILE:HD13	1:A:250:ILE:N	2.24	0.52
1:A:72:ILE:HD12	1:A:166:LEU:HD11	1.91	0.52
1:A:64:ILE:HG13	1:A:137:ILE:HG21	1.92	0.52
1:A:347:THR:HG21	1:A:368:ILE:H	1.73	0.52
1:A:355:ILE:HG23	1:A:356:ASN:N	2.25	0.52
1:A:131:THR:HA	1:A:135:LYS:O	2.10	0.51
1:A:185:LYS:NZ	5:A:477:HOH:O	2.44	0.50
1:A:192:GLY:HA2	1:A:217:ALA:HB2	1.93	0.50
1:A:105:HIS:CG	1:A:106:PRO:HD2	2.46	0.50
1:A:16:GLU:OE1	1:A:19:LYS:CD	2.59	0.50
1:A:143:THR:HB	1:A:145:THR:HG23	1.93	0.50
1:A:74:GLU:HG3	1:A:75:SER:H	1.71	0.49
1:A:264:PHE:HA	1:A:288:VAL:O	2.12	0.49
1:A:123:MET:HE1	1:A:152:VAL:HA	1.95	0.49
1:A:203:VAL:O	1:A:206:SER:HB2	2.12	0.49
1:A:59:THR:OG1	1:A:60:PRO:HD2	2.13	0.49
1:A:225:ASN:HB3	1:A:228:LYS:HG2	1.94	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:129:ARG:HG3	1:A:151:VAL:HG21	1.94	0.49
1:A:282:CYS:SG	1:A:288:VAL:N	2.86	0.49
1:A:307:LEU:O	1:A:312:ARG:HD2	2.13	0.49
1:A:7:ILE:O	1:A:27:GLU:HA	2.13	0.48
1:A:171:LEU:C	1:A:173:GLY:H	2.16	0.48
1:A:200:LEU:HD12	1:A:200:LEU:HA	1.71	0.48
1:A:327:SER:C	1:A:329:PRO:HD2	2.34	0.48
1:A:88:LYS:HD2	1:A:166:LEU:HD11	1.95	0.48
1:A:31:PRO:HD2	5:A:411:HOH:O	2.13	0.48
1:A:15:TRP:HE3	1:A:62:PRO:HG3	1.79	0.47
1:A:14:LEU:HD11	1:A:53:VAL:HA	1.96	0.47
1:A:31:PRO:HG3	1:A:37:ARG:HB2	1.96	0.47
1:A:23:ILE:HD11	1:A:353:GLU:HA	1.97	0.47
1:A:88:LYS:HB2	1:A:160:ILE:HG13	1.97	0.47
1:A:171:LEU:HD12	1:A:171:LEU:HA	1.79	0.47
1:A:170:CYS:SG	1:A:371:ILE:HD13	2.55	0.47
1:A:132:CYS:O	1:A:133:ARG:CB	2.59	0.46
1:A:200:LEU:HB2	1:A:223:ASP:OD1	2.14	0.46
1:A:16:GLU:HG2	5:A:594:HOH:O	2.15	0.46
1:A:116:LEU:HG	4:A:378:MPD:H11	1.98	0.46
1:A:14:LEU:O	1:A:62:PRO:HA	2.16	0.45
1:A:139:HIS:HA	1:A:144:SER:OG	2.16	0.45
1:A:7:ILE:HG22	1:A:8:LYS:N	2.32	0.45
1:A:88:LYS:HG3	1:A:162:ALA:HA	1.99	0.45
1:A:68:GLU:OE2	1:A:174:CYS:HB3	2.17	0.45
1:A:98:GLY:HA3	5:A:565:HOH:O	2.16	0.44
1:A:140:PHE:CZ	1:A:141:LEU:HD22	2.53	0.44
1:A:171:LEU:HD11	1:A:369:ARG:HG3	1.99	0.44
1:A:243:PRO:HB3	1:A:250:ILE:HG23	1.96	0.44
1:A:210:GLY:O	1:A:214:ALA:HB2	2.18	0.44
1:A:100:CYS:O	1:A:104:LYS:HG3	2.17	0.44
1:A:129:ARG:HB2	1:A:139:HIS:CE1	2.52	0.44
1:A:172:ILE:O	1:A:172:ILE:HG22	2.17	0.44
1:A:96:GLN:C	1:A:98:GLY:N	2.71	0.44
1:A:141:LEU:HD12	1:A:141:LEU:HA	1.81	0.44
1:A:104:LYS:NZ	5:A:563:HOH:O	2.50	0.44
1:A:353:GLU:HG3	5:A:452:HOH:O	2.09	0.43
1:A:301:LEU:HD12	1:A:301:LEU:C	2.38	0.43
1:A:64:ILE:HG13	1:A:137:ILE:CG2	2.49	0.43
1:A:72:ILE:HD12	1:A:166:LEU:CD1	2.49	0.43
1:A:328:VAL:HB	1:A:329:PRO:CD	2.43	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:51:HIS:HB3	1:A:57:LEU:HB2	2.00	0.43
1:A:339:LYS:HB3	1:A:340:PHE:H	1.67	0.42
1:A:96:GLN:HB2	1:A:325:LYS:HB2	2.00	0.42
1:A:72:ILE:CD1	1:A:88:LYS:HD2	2.49	0.42
1:A:328:VAL:CB	1:A:329:PRO:CD	2.98	0.42
1:A:107:GLU:O	5:A:414:HOH:O	2.22	0.42
1:A:10:LYS:NZ	1:A:353:GLU:OE2	2.33	0.41
1:A:279:LEU:HD22	1:A:279:LEU:O	2.20	0.41
1:A:72:ILE:CD1	1:A:88:LYS:CD	2.98	0.41
1:A:221:GLY:O	1:A:240:CYS:HA	2.20	0.41
1:A:283:GLN:O	1:A:287:GLY:N	2.52	0.41
1:A:23:ILE:CD1	1:A:353:GLU:HA	2.51	0.41
1:A:270:GLY:HA2	1:A:293:GLY:O	2.20	0.41
1:A:269:ILE:O	3:A:377:APR:HR'4	2.20	0.41
1:A:347:THR:HG21	1:A:367:SER:CA	2.50	0.41
1:A:231:LYS:O	1:A:235:VAL:HB	2.22	0.40
1:A:76:ILE:HD13	1:A:76:ILE:HG21	1.88	0.40
1:A:171:LEU:C	1:A:173:GLY:N	2.75	0.40
1:A:133:ARG:HB3	1:A:134:GLY:H	1.67	0.40
4:A:378:MPD:HM3	4:A:378:MPD:H4	1.62	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	372/374 (100%)	339 (91%)	25 (7%)	8 (2%)	6 24

All (8) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	216	ALA

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	339	LYS
1	A	133	ARG
1	A	338	LYS
1	A	4	GLY
1	A	174	CYS
1	A	65	ALA
1	A	172	ILE

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	308/308 (100%)	254 (82%)	54 (18%)	2 6

All (54) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	5	LYS
1	A	10	LYS
1	A	14	LEU
1	A	37	ARG
1	A	54	SER
1	A	56	THR
1	A	72	ILE
1	A	74	GLU
1	A	75	SER
1	A	84	ARG
1	A	96	GLN
1	A	104	LYS
1	A	116	LEU
1	A	117	SER
1	A	129	ARG
1	A	131	THR
1	A	133	ARG
1	A	135	LYS
1	A	141	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	153	ASP
1	A	167	GLU
1	A	171	LEU
1	A	185	LYS
1	A	200	LEU
1	A	205	LEU
1	A	222	VAL
1	A	226	LYS
1	A	234	GLU
1	A	235	VAL
1	A	239	GLU
1	A	245	ASP
1	A	247	LYS
1	A	248	LYS
1	A	250	ILE
1	A	254	LEU
1	A	255	THR
1	A	258	SER
1	A	273	ASP
1	A	279	LEU
1	A	280	SER
1	A	282	CYS
1	A	284	GLU
1	A	294	VAL
1	A	302	SER
1	A	303	MET
1	A	306	MET
1	A	314	TRP
1	A	315	LYS
1	A	331	LEU
1	A	350	LEU
1	A	367	SER
1	A	369	ARG
1	A	371	ILE
1	A	372	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (3) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	225	ASN
1	A	259	ASN
1	A	299	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 4 ligands modelled in this entry, 2 are monoatomic - leaving 2 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	MPD	A	378	-	7,7,7	0.31	0	9,10,10	0.37	0
3	APR	A	377	-	34,39,39	1.02	2 (5%)	40,60,60	0.92	2 (5%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	MPD	A	378	-	-	3/5/5/5	-
3	APR	A	377	-	-	8/18/54/54	0/4/4/4

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	377	APR	O4D-C1D	-2.87	1.39	1.43

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	377	APR	O1D-C1D	2.49	1.47	1.39

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	377	APR	C1'-N9-C4	-2.64	122.00	126.64
3	A	377	APR	C5-C6-N6	2.38	123.97	120.35

There are no chirality outliers.

All (11) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	A	377	APR	O4'-C4'-C5'-O5'
3	A	377	APR	C5'-O5'-PA-O1A
3	A	377	APR	C5'-O5'-PA-O2A
3	A	377	APR	PB-O3A-PA-O5'
3	A	377	APR	C3'-C4'-C5'-O5'
3	A	377	APR	PA-O3A-PB-O1B
4	A	378	MPD	O2-C2-C3-C4
3	A	377	APR	C5'-O5'-PA-O3A
3	A	377	APR	PA-O3A-PB-O2B
4	A	378	MPD	C2-C3-C4-C5
4	A	378	MPD	C2-C3-C4-O4


There are no ring outliers.

2 monomers are involved in 4 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	A	378	MPD	2	0
3	A	377	APR	2	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier.

The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

The following chains have linkage breaks:

Mol	Chain	Number of breaks
1	A	1

All chain breaks are listed below:

Model	Chain	Residue-1	Atom-1	Residue-2	Atom-2	Distance (Å)
1	A	46:CYS	C	47:ARG	N	1.64

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

EDS was not executed - this section is therefore empty.

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

EDS was not executed - this section is therefore empty.

6.3 Carbohydrates [i](#)

EDS was not executed - this section is therefore empty.

6.4 Ligands [i](#)

EDS was not executed - this section is therefore empty.

6.5 Other polymers [i](#)

EDS was not executed - this section is therefore empty.