



Full wwPDB EM Validation Report (i)

Mar 20, 2024 – 04:42 AM JST

PDB ID : 6KS8
EMDB ID : EMD-0760
Title : TRiC at 0.1 mM ADP-AlFx, Conformation 4, 0.1-C4
Authors : Jin, M.; Cong, Y.
Deposited on : 2019-08-23
Resolution : 4.69 Å(reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>
with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at
<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references \(i\)](#)) were used in the production of this report:


EMDB validation analysis : 0.0.1.dev70
MolProbitY : 4.02b-467
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.36

1 Overall quality at a glance

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY


The reported resolution of this entry is 4.69 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Ramachandran outliers	154571	4023
Sidechain outliers	154315	3826

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5%. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion < 40%). The numeric value is given above the bar.



Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain		
5	g	594	35%	83%	17%
6	H	550	50%	92%	8%
6	h	550	39%	92%	8%
7	Q	568	41%	92%	8%
7	q	568	39%	92%	8%
8	Z	546	34%	97%	.
8	z	546	35%	97%	.

2 Entry composition (i)

There are 8 unique types of molecules in this entry. The entry contains 61943 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called T-complex protein 1 subunit alpha.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
1	a	519	3908	2447	682	759	20	0	0
1	A	512	3859	2417	673	750	19	0	0

- Molecule 2 is a protein called T-complex protein 1 subunit beta.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
2	b	502	3811	2385	658	754	14	0	0
2	B	489	3708	2316	642	736	14	0	0

- Molecule 3 is a protein called T-complex protein 1 subunit delta.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
3	d	499	3816	2384	675	740	17	0	0
3	D	480	3655	2284	647	708	16	0	0

- Molecule 4 is a protein called T-complex protein 1 subunit epsilon.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
4	e	518	3982	2500	678	783	21	0	0
4	E	502	3848	2416	656	755	21	0	0

- Molecule 5 is a protein called fusion protein of T-complex protein 1 subunit gamma, rep-His-CBP and T-complex protein 1 subunit gamma.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
5	g	493	3775	2374	661	715	25	0	0
5	G	485	3709	2332	648	704	25	0	0

There are 120 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
g	375	LEU	-	see sequence details	UNP P39077
g	376	GLU	-	see sequence details	UNP P39077
g	377	GLY	-	see sequence details	UNP P39077
g	378	SER	-	see sequence details	UNP P39077
g	379	GLY	-	see sequence details	UNP P39077
g	380	SER	-	see sequence details	UNP P39077
g	381	GLY	-	see sequence details	UNP P39077
g	382	TRP	-	see sequence details	UNP P39077
g	383	SER	-	see sequence details	UNP P39077
g	384	HIS	-	see sequence details	UNP P39077
g	385	PRO	-	see sequence details	UNP P39077
g	386	GLN	-	see sequence details	UNP P39077
g	387	PHE	-	see sequence details	UNP P39077
g	388	GLU	-	see sequence details	UNP P39077
g	389	LYS	-	see sequence details	UNP P39077
g	390	GLY	-	see sequence details	UNP P39077
g	391	SER	-	see sequence details	UNP P39077
g	392	GLY	-	see sequence details	UNP P39077
g	393	LYS	-	see sequence details	UNP P39077
g	394	ARG	-	see sequence details	UNP P39077
g	395	ARG	-	see sequence details	UNP P39077
g	396	TRP	-	see sequence details	UNP P39077
g	397	LYS	-	see sequence details	UNP P39077
g	398	LYS	-	see sequence details	UNP P39077
g	399	ASN	-	see sequence details	UNP P39077
g	400	PHE	-	see sequence details	UNP P39077
g	401	ILE	-	see sequence details	UNP P39077
g	402	ALA	-	see sequence details	UNP P39077
g	403	VAL	-	see sequence details	UNP P39077
g	404	SER	-	see sequence details	UNP P39077
g	405	ALA	-	see sequence details	UNP P39077
g	406	ALA	-	see sequence details	UNP P39077
g	407	ASN	-	see sequence details	UNP P39077
g	408	ARG	-	see sequence details	UNP P39077
g	409	PHE	-	see sequence details	UNP P39077

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
g	410	LYS	-	see sequence details	UNP P39077
g	411	LYS	-	see sequence details	UNP P39077
g	412	ILE	-	see sequence details	UNP P39077
g	413	SER	-	see sequence details	UNP P39077
g	414	SER	-	see sequence details	UNP P39077
g	415	SER	-	see sequence details	UNP P39077
g	416	GLY	-	see sequence details	UNP P39077
g	417	ALA	-	see sequence details	UNP P39077
g	418	LEU	-	see sequence details	UNP P39077
g	419	GLY	-	see sequence details	UNP P39077
g	420	SER	-	see sequence details	UNP P39077
g	421	GLY	-	see sequence details	UNP P39077
g	422	HIS	-	see sequence details	UNP P39077
g	423	HIS	-	see sequence details	UNP P39077
g	424	HIS	-	see sequence details	UNP P39077
g	425	HIS	-	see sequence details	UNP P39077
g	426	HIS	-	see sequence details	UNP P39077
g	427	HIS	-	see sequence details	UNP P39077
g	428	HIS	-	see sequence details	UNP P39077
g	429	HIS	-	see sequence details	UNP P39077
g	430	GLY	-	see sequence details	UNP P39077
g	431	SER	-	see sequence details	UNP P39077
g	432	GLY	-	see sequence details	UNP P39077
g	433	LEU	-	see sequence details	UNP P39077
g	434	GLN	-	see sequence details	UNP P39077
G	375	LEU	-	see sequence details	UNP P39077
G	376	GLU	-	see sequence details	UNP P39077
G	377	GLY	-	see sequence details	UNP P39077
G	378	SER	-	see sequence details	UNP P39077
G	379	GLY	-	see sequence details	UNP P39077
G	380	SER	-	see sequence details	UNP P39077
G	381	GLY	-	see sequence details	UNP P39077
G	382	TRP	-	see sequence details	UNP P39077
G	383	SER	-	see sequence details	UNP P39077
G	384	HIS	-	see sequence details	UNP P39077
G	385	PRO	-	see sequence details	UNP P39077
G	386	GLN	-	see sequence details	UNP P39077
G	387	PHE	-	see sequence details	UNP P39077
G	388	GLU	-	see sequence details	UNP P39077
G	389	LYS	-	see sequence details	UNP P39077
G	390	GLY	-	see sequence details	UNP P39077
G	391	SER	-	see sequence details	UNP P39077

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
G	392	GLY	-	see sequence details	UNP P39077
G	393	LYS	-	see sequence details	UNP P39077
G	394	ARG	-	see sequence details	UNP P39077
G	395	ARG	-	see sequence details	UNP P39077
G	396	TRP	-	see sequence details	UNP P39077
G	397	LYS	-	see sequence details	UNP P39077
G	398	LYS	-	see sequence details	UNP P39077
G	399	ASN	-	see sequence details	UNP P39077
G	400	PHE	-	see sequence details	UNP P39077
G	401	ILE	-	see sequence details	UNP P39077
G	402	ALA	-	see sequence details	UNP P39077
G	403	VAL	-	see sequence details	UNP P39077
G	404	SER	-	see sequence details	UNP P39077
G	405	ALA	-	see sequence details	UNP P39077
G	406	ALA	-	see sequence details	UNP P39077
G	407	ASN	-	see sequence details	UNP P39077
G	408	ARG	-	see sequence details	UNP P39077
G	409	PHE	-	see sequence details	UNP P39077
G	410	LYS	-	see sequence details	UNP P39077
G	411	LYS	-	see sequence details	UNP P39077
G	412	ILE	-	see sequence details	UNP P39077
G	413	SER	-	see sequence details	UNP P39077
G	414	SER	-	see sequence details	UNP P39077
G	415	SER	-	see sequence details	UNP P39077
G	416	GLY	-	see sequence details	UNP P39077
G	417	ALA	-	see sequence details	UNP P39077
G	418	LEU	-	see sequence details	UNP P39077
G	419	GLY	-	see sequence details	UNP P39077
G	420	SER	-	see sequence details	UNP P39077
G	421	GLY	-	see sequence details	UNP P39077
G	422	HIS	-	see sequence details	UNP P39077
G	423	HIS	-	see sequence details	UNP P39077
G	424	HIS	-	see sequence details	UNP P39077
G	425	HIS	-	see sequence details	UNP P39077
G	426	HIS	-	see sequence details	UNP P39077
G	427	HIS	-	see sequence details	UNP P39077
G	428	HIS	-	see sequence details	UNP P39077
G	429	HIS	-	see sequence details	UNP P39077
G	430	GLY	-	see sequence details	UNP P39077
G	431	SER	-	see sequence details	UNP P39077
G	432	GLY	-	see sequence details	UNP P39077
G	433	LEU	-	see sequence details	UNP P39077

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
G	434	GLN	-	see sequence details	UNP P39077

- Molecule 6 is a protein called T-complex protein 1 subunit eta.

Mol	Chain	Residues	Atoms					AltConf	Trace
6	h	507	Total	C	N	O	S	0	0
			3882	2447	664	752	19		

Mol	Chain	Residues	Atoms					AltConf	Trace
6	H	507	Total	C	N	O	S	0	0
			3882	2447	664	752	19		

- Molecule 7 is a protein called T-complex protein 1 subunit theta.

Mol	Chain	Residues	Atoms					AltConf	Trace
7	q	523	Total	C	N	O	S	0	0
			3974	2506	676	766	26		

Mol	Chain	Residues	Atoms					AltConf	Trace
7	Q	524	Total	C	N	O	S	0	0
			3978	2508	677	767	26		

- Molecule 8 is a protein called T-complex protein 1 subunit zeta.

Mol	Chain	Residues	Atoms					AltConf	Trace
8	z	531	Total	C	N	O	S	0	0
			4086	2566	708	795	17		

Mol	Chain	Residues	Atoms					AltConf	Trace
8	Z	529	Total	C	N	O	S	0	0
			4070	2555	705	793	17		


3 Residue-property plots


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: T-complex protein 1 subunit alpha




- Molecule 1: T-complex protein 1 subunit alpha







- Molecule 2: T-complex protein 1 subunit beta



- Molecule 3: T-complex protein 1 subunit delta






- Molecule 4: T-complex protein 1 subunit epsilon

A horizontal bar chart illustrating the percentage of Chain e in the total. The x-axis represents the percentage from 0% to 100%. A single red bar spans the entire width of the chart, labeled with its value at 41%.

Chain e (%)
41%







- Molecule 5: fusion protein of T-complex protein 1 subunit gamma, rep-His-CBP and T-complex protein 1 subunit gamma




- Molecule 5: fusion protein of T-complex protein 1 subunit gamma, rep-His-CBP and T-complex protein 1 subunit gamma





- Molecule 6: T-complex protein 1 subunit eta


Chain h: 39% 92% 8%




- Molecule 6: T-complex protein 1 subunit eta


Chain H: 89%

A horizontal progress bar consisting of a red segment followed by a green segment. The red segment is labeled '50%' above it and '92%' below it. The green segment is labeled '89%' at its right end.






- Molecule 7: T-complex protein 1 subunit theta






- Molecule 8: T-complex protein 1 subunit zeta

Chain z:



- Molecule 8: T-complex protein 1 subunit zeta

Chain Z:



4 Experimental information (i)

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	53539	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	NONE	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	38	Depositor
Minimum defocus (nm)	Not provided	
Maximum defocus (nm)	Not provided	
Magnification	Not provided	
Image detector	GATAN K2 SUMMIT (4k x 4k)	Depositor
Maximum map value	3.268	Depositor
Minimum map value	-1.235	Depositor
Average map value	0.021	Depositor
Map value standard deviation	0.143	Depositor
Recommended contour level	0.85	Depositor
Map size (Å)	337.408, 337.408, 337.408	wwPDB
Map dimensions	256, 256, 256	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	1.318, 1.318, 1.318	Depositor

5 Model quality i

5.1 Standard geometry i

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.23	0/3891	0.40	0/5247
1	a	0.23	0/3941	0.40	0/5316
2	B	0.23	0/3743	0.38	0/5043
2	b	0.23	0/3849	0.39	0/5186
3	D	0.23	0/3687	0.38	0/4967
3	d	0.23	0/3851	0.38	0/5190
4	E	0.23	0/3893	0.39	0/5240
4	e	0.23	0/4030	0.39	0/5426
5	G	0.22	0/3751	0.39	0/5065
5	g	0.23	0/3817	0.39	0/5152
6	H	0.23	0/3931	0.38	0/5304
6	h	0.23	0/3931	0.39	0/5304
7	Q	0.23	0/4024	0.40	0/5431
7	q	0.26	2/4020 (0.0%)	0.40	0/5426
8	Z	0.23	0/4121	0.40	0/5568
8	z	0.23	0/4138	0.39	0/5590
All	All	0.23	2/62618 (0.0%)	0.39	0/84455

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
7	q	231	GLU	C-N	5.33	1.44	1.34
7	q	346	ALA	C-N	5.02	1.43	1.34

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts i

Due to software issues we are unable to calculate clashes - this section is therefore empty.

5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	507/559 (91%)	482 (95%)	24 (5%)	1 (0%)	47 81
1	a	515/559 (92%)	478 (93%)	36 (7%)	1 (0%)	47 81
2	B	485/527 (92%)	463 (96%)	21 (4%)	1 (0%)	47 81
2	b	500/527 (95%)	477 (95%)	23 (5%)	0	100 100
3	D	474/528 (90%)	452 (95%)	22 (5%)	0	100 100
3	d	495/528 (94%)	472 (95%)	22 (4%)	1 (0%)	47 81
4	E	498/562 (89%)	475 (95%)	23 (5%)	0	100 100
4	e	516/562 (92%)	492 (95%)	24 (5%)	0	100 100
5	G	479/594 (81%)	459 (96%)	20 (4%)	0	100 100
5	g	487/594 (82%)	466 (96%)	21 (4%)	0	100 100
6	H	505/550 (92%)	483 (96%)	22 (4%)	0	100 100
6	h	505/550 (92%)	485 (96%)	20 (4%)	0	100 100
7	Q	522/568 (92%)	505 (97%)	17 (3%)	0	100 100
7	q	521/568 (92%)	497 (95%)	24 (5%)	0	100 100
8	Z	527/546 (96%)	505 (96%)	22 (4%)	0	100 100
8	z	529/546 (97%)	514 (97%)	15 (3%)	0	100 100
All	All	8065/8868 (91%)	7705 (96%)	356 (4%)	4 (0%)	100 100

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	B	467	ILE
1	a	203	VAL
1	A	203	VAL
3	d	213	VAL

5.3.2 Protein sidechains [\(i\)](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	428/471 (91%)	428 (100%)	0	100 100
1	a	433/471 (92%)	433 (100%)	0	100 100
2	B	408/441 (92%)	408 (100%)	0	100 100
2	b	420/441 (95%)	420 (100%)	0	100 100
3	D	409/453 (90%)	409 (100%)	0	100 100
3	d	428/453 (94%)	428 (100%)	0	100 100
4	E	429/483 (89%)	429 (100%)	0	100 100
4	e	445/483 (92%)	445 (100%)	0	100 100
5	G	410/501 (82%)	410 (100%)	0	100 100
5	g	417/501 (83%)	417 (100%)	0	100 100
6	H	422/454 (93%)	422 (100%)	0	100 100
6	h	422/454 (93%)	422 (100%)	0	100 100
7	Q	439/473 (93%)	439 (100%)	0	100 100
7	q	439/473 (93%)	439 (100%)	0	100 100
8	Z	446/463 (96%)	445 (100%)	1 (0%)	93 96
8	z	448/463 (97%)	448 (100%)	0	100 100
All	All	6843/7478 (92%)	6842 (100%)	1 (0%)	100 100

All (1) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
8	Z	56	THR

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (39) such sidechains are listed below:

Mol	Chain	Res	Type
1	a	90	GLN
1	A	190	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	403	HIS
1	A	465	ASN
1	A	499	ASN
2	b	192	HIS
2	B	84	GLN
2	B	192	HIS
3	d	284	ASN
3	d	289	GLN
3	d	473	HIS
3	d	475	ASN
3	D	125	GLN
3	D	284	ASN
3	D	395	HIS
4	e	111	GLN
4	e	397	GLN
4	e	432	ASN
4	E	93	GLN
5	g	85	GLN
5	g	188	GLN
5	g	286	GLN
5	g	539	ASN
5	G	188	GLN
5	G	498	GLN
6	h	172	HIS
6	H	90	GLN
6	H	172	HIS
6	H	231	GLN
7	q	66	ASN
7	q	92	GLN
7	Q	66	ASN
7	Q	91	GLN
7	Q	311	HIS
7	Q	446	GLN
8	z	69	GLN
8	z	230	ASN
8	z	356	GLN
8	z	430	ASN

5.3.3 RNA [\(i\)](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [\(i\)](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [\(i\)](#)

There are no ligands in this entry.

5.7 Other polymers [\(i\)](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [\(i\)](#)

There are no chain breaks in this entry.


6 Map visualisation (i)

This section contains visualisations of the EMDB entry EMD-0760. These allow visual inspection of the internal detail of the map and identification of artifacts.


No raw map or half-maps were deposited for this entry and therefore no images, graphs, etc. pertaining to the raw map can be shown.

6.1 Orthogonal projections (i)


6.1.1 Primary map



X



Y



Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices (i)


6.2.1 Primary map



X Index: 128



Y Index: 128



Z Index: 128


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [\(i\)](#)

6.3.1 Primary map



X Index: 168



Y Index: 91




Z Index: 126


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [\(i\)](#)


6.4.1 Primary map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

6.5 Orthogonal surface views [\(i\)](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.85. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.


6.6 Mask visualisation [\(i\)](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis (i)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution (i)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate (i)



The volume at the recommended contour level is 369 nm^3 ; this corresponds to an approximate mass of 333 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum [\(i\)](#)



*Reported resolution corresponds to spatial frequency of 0.213 \AA^{-1}


8 Fourier-Shell correlation

This section was not generated. No FSC curve or half-maps provided.

9 Map-model fit (i)


This section contains information regarding the fit between EMDB map EMD-0760 and PDB model 6KS8. Per-residue inclusion information can be found in section 3 on page 9.

9.1 Map-model overlay (i)




The images above show the 3D surface view of the map at the recommended contour level 0.85 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [\(i\)](#)




The images above show the model with each residue coloured according its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [\(i\)](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.85).

9.4 Atom inclusion [\(i\)](#)



At the recommended contour level, 60% of all backbone atoms, 40% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary

The table lists the average atom inclusion at the recommended contour level (0.85) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	0.4010	0.1340
A	0.3540	0.1310
B	0.3390	0.1300
D	0.2860	0.1030
E	0.3710	0.1140
G	0.3900	0.1390
H	0.3660	0.1270
Q	0.4040	0.1360
Z	0.4720	0.1730
a	0.4020	0.1280
b	0.4390	0.1390
d	0.3550	0.1160
e	0.4220	0.1170
g	0.4500	0.1440
h	0.4550	0.1360
q	0.4120	0.1340
z	0.4790	0.1750

