



Full wwPDB X-ray Structure Validation Report ⓘ

Oct 2, 2023 – 04:08 AM EDT

PDB ID : 6NHP
Title : Crystal structure of the A/Hong Kong/1/1968 (H3N2) influenza virus hemagglutinin HA2 I45T mutant
Authors : Wu, N.C.; Wilson, I.A.
Deposited on : 2018-12-23
Resolution : 2.25 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : **FAILED**
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtrriage (Phenix) : 1.13
EDS : **FAILED**
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.35.1

1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.25 Å.

There are no overall percentile quality scores available for this entry.

MolProbity and EDS failed to run properly - the sequence quality summary graphics cannot be shown.

2 Entry composition

There are 8 unique types of molecules in this entry. The entry contains 12515 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Hemagglutinin HA1 chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	321	Total	C	N	O	S	0	0	0
			2479	1552	438	476	13			
1	C	317	Total	C	N	O	S	0	0	0
			2443	1531	429	470	13			
1	E	317	Total	C	N	O	S	0	0	0
			2443	1531	429	470	13			

There are 12 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	9	PRO	-	expression tag	UNP H9XC94
A	10	GLY	-	expression tag	UNP H9XC94
A	145	SER	UNK	variant	UNP H9XC94
A	226	LEU	MET	conflict	UNP H9XC94
C	9	PRO	-	expression tag	UNP H9XC94
C	10	GLY	-	expression tag	UNP H9XC94
C	145	SER	UNK	variant	UNP H9XC94
C	226	LEU	MET	conflict	UNP H9XC94
E	9	PRO	-	expression tag	UNP H9XC94
E	10	GLY	-	expression tag	UNP H9XC94
E	145	SER	UNK	variant	UNP H9XC94
E	226	LEU	MET	conflict	UNP H9XC94

- Molecule 2 is a protein called Hemagglutinin HA2 chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	B	172	Total	C	N	O	S	0	0	0
			1390	861	243	280	6			
2	D	171	Total	C	N	O	S	0	0	0
			1381	856	241	278	6			
2	F	171	Total	C	N	O	S	0	0	0
			1381	856	241	278	6			

There are 6 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
B	45	THR	ILE	engineered mutation	UNP Q91MA7
B	123	GLY	ARG	conflict	UNP Q91MA7
D	45	THR	ILE	engineered mutation	UNP Q91MA7
D	123	GLY	ARG	conflict	UNP Q91MA7
F	45	THR	ILE	engineered mutation	UNP Q91MA7
F	123	GLY	ARG	conflict	UNP Q91MA7

- Molecule 3 is an oligosaccharide called beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
3	G	3	Total	C	N	O	0	0	0
			39	22	2	15			
3	H	3	Total	C	N	O	0	0	0
			39	22	2	15			

- Molecule 4 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
4	I	2	Total	C	N	O	0	0	0
			28	16	2	10			
4	K	2	Total	C	N	O	0	0	0
			28	16	2	10			

- Molecule 5 is an oligosaccharide called alpha-D-mannopyranose-(1-6)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
5	J	4	Total	C	N	O	0	0	0
			50	28	2	20			

- Molecule 6 is an oligosaccharide called alpha-D-mannopyranose-(1-3)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
6	L	4	Total	C	N	O	0	0	0
			50	28	2	20			

- Molecule 7 is 2-acetamido-2-deoxy-beta-D-glucopyranose (three-letter code: NAG) (formula: $C_8H_{15}NO_6$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
			Total	C	N	O		
7	A	1	Total 14	C 8	N 1	O 5	0	0
7	C	1	Total 14	C 8	N 1	O 5	0	0
7	C	1	Total 14	C 8	N 1	O 5	0	0
7	D	1	Total 14	C 8	N 1	O 5	0	0
7	E	1	Total 14	C 8	N 1	O 5	0	0
7	E	1	Total 14	C 8	N 1	O 5	0	0
7	E	1	Total 14	C 8	N 1	O 5	0	0

- Molecule 8 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
			Total	O		
8	A	123	Total 123	O 123	0	0
8	B	80	Total 80	O 80	0	0
8	C	142	Total 142	O 142	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
8	D	74	Total 74	O 74	0	0
8	E	179	Total 179	O 179	0	0
8	F	68	Total 68	O 68	0	0

MolProbity and EDS failed to run properly - this section is therefore empty.

3 Data and refinement statistics

EDS failed to run properly - this section is therefore incomplete.

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	209.21Å 131.15Å 72.18Å 90.00° 98.15° 90.00°	Depositor
Resolution (Å)	50.00 – 2.25	Depositor
% Data completeness (in resolution range)	97.4 (50.00-2.25)	Depositor
R_{merge}	(Not available)	Depositor
R_{sym}	0.09	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.69 (at 2.24Å)	Xtrriage
Refinement program	REFMAC 5.8.0155	Depositor
R, R_{free}	0.182 , 0.208	Depositor
Wilson B-factor (Å ²)	39.0	Xtrriage
Anisotropy	0.157	Xtrriage
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
Total number of atoms	12515	wwPDB-VP
Average B, all atoms (Å ²)	50.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.54% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

4 Model quality [i](#)

4.1 Standard geometry [i](#)

MolProbity failed to run properly - this section is therefore empty.

4.2 Too-close contacts [i](#)

MolProbity failed to run properly - this section is therefore empty.

4.3 Torsion angles [i](#)

4.3.1 Protein backbone [i](#)

MolProbity failed to run properly - this section is therefore empty.

4.3.2 Protein sidechains [i](#)

MolProbity failed to run properly - this section is therefore empty.

4.3.3 RNA [i](#)

MolProbity failed to run properly - this section is therefore empty.

4.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

4.5 Carbohydrates [i](#)

18 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	NAG	G	1	1,3	14,14,15	0.43	0	17,19,21	0.67	0
3	NAG	G	2	3	14,14,15	0.53	0	17,19,21	2.32	4 (23%)
3	BMA	G	3	3	11,11,12	0.40	0	15,15,17	0.59	0
3	NAG	H	1	1,3	14,14,15	0.52	0	17,19,21	1.51	3 (17%)
3	NAG	H	2	3	14,14,15	0.51	0	17,19,21	0.95	0
3	BMA	H	3	3	11,11,12	0.70	0	15,15,17	1.48	3 (20%)
4	NAG	I	1	1,4	14,14,15	0.72	0	17,19,21	1.48	4 (23%)
4	NAG	I	2	4	14,14,15	0.71	1 (7%)	17,19,21	1.60	4 (23%)
5	NAG	J	1	5,1	14,14,15	0.51	0	17,19,21	0.64	0
5	NAG	J	2	5	14,14,15	0.41	0	17,19,21	1.16	1 (5%)
5	BMA	J	3	5	11,11,12	0.84	0	15,15,17	1.94	3 (20%)
5	MAN	J	4	5	11,11,12	0.61	0	15,15,17	2.63	3 (20%)
4	NAG	K	1	1,4	14,14,15	0.41	0	17,19,21	1.09	1 (5%)
4	NAG	K	2	4	14,14,15	0.58	0	17,19,21	1.91	1 (5%)
6	NAG	L	1	6,1	14,14,15	0.32	0	17,19,21	1.46	3 (17%)
6	NAG	L	2	6	14,14,15	0.41	0	17,19,21	1.44	2 (11%)
6	BMA	L	3	6	11,11,12	0.57	0	15,15,17	1.67	4 (26%)
6	MAN	L	4	6	11,11,12	0.58	0	15,15,17	1.23	1 (6%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	NAG	G	1	1,3	-	2/6/23/26	0/1/1/1
3	NAG	G	2	3	-	2/6/23/26	0/1/1/1
3	BMA	G	3	3	-	2/2/19/22	0/1/1/1
3	NAG	H	1	1,3	-	1/6/23/26	0/1/1/1
3	NAG	H	2	3	-	0/6/23/26	0/1/1/1
3	BMA	H	3	3	-	0/2/19/22	0/1/1/1
4	NAG	I	1	1,4	-	2/6/23/26	0/1/1/1
4	NAG	I	2	4	-	2/6/23/26	0/1/1/1
5	NAG	J	1	5,1	-	0/6/23/26	0/1/1/1
5	NAG	J	2	5	-	2/6/23/26	0/1/1/1
5	BMA	J	3	5	-	2/2/19/22	0/1/1/1
5	MAN	J	4	5	-	0/2/19/22	0/1/1/1
4	NAG	K	1	1,4	-	0/6/23/26	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	NAG	K	2	4	-	1/6/23/26	0/1/1/1
6	NAG	L	1	6,1	-	0/6/23/26	0/1/1/1
6	NAG	L	2	6	-	0/6/23/26	0/1/1/1
6	BMA	L	3	6	-	0/2/19/22	0/1/1/1
6	MAN	L	4	6	-	2/2/19/22	0/1/1/1

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	I	2	NAG	C1-C2	2.04	1.55	1.52

All (37) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	G	2	NAG	C1-O5-C5	8.01	123.05	112.19
5	J	4	MAN	C1-O5-C5	7.13	121.85	112.19
4	K	2	NAG	C1-O5-C5	6.88	121.52	112.19
5	J	4	MAN	O5-C1-C2	4.75	118.11	110.77
6	L	2	NAG	C1-O5-C5	4.60	118.42	112.19
5	J	4	MAN	C1-C2-C3	4.54	115.25	109.67
5	J	3	BMA	C1-C2-C3	4.50	115.20	109.67
6	L	1	NAG	C1-O5-C5	4.42	118.18	112.19
3	H	1	NAG	C1-O5-C5	4.41	118.17	112.19
6	L	4	MAN	C1-O5-C5	4.23	117.92	112.19
3	H	3	BMA	C1-C2-C3	4.11	114.71	109.67
4	I	1	NAG	O4-C4-C5	3.59	118.20	109.30
6	L	3	BMA	C3-C4-C5	3.35	116.21	110.24
6	L	3	BMA	C1-C2-C3	3.17	113.56	109.67
5	J	3	BMA	O5-C1-C2	3.09	115.54	110.77
6	L	3	BMA	C1-O5-C5	2.95	116.19	112.19
4	I	2	NAG	O5-C1-C2	2.93	115.91	111.29
3	G	2	NAG	O5-C5-C4	2.78	117.58	110.83
5	J	3	BMA	O5-C5-C4	-2.70	104.25	110.83
3	G	2	NAG	C1-C2-N2	2.69	115.08	110.49
4	I	1	NAG	C6-C5-C4	2.67	119.26	113.00
4	I	2	NAG	O5-C5-C6	2.55	111.19	107.20
4	I	1	NAG	O4-C4-C3	-2.48	104.62	110.35
4	I	2	NAG	C1-C2-N2	-2.42	106.36	110.49
3	H	3	BMA	C1-O5-C5	2.38	115.42	112.19
3	H	1	NAG	C1-C2-N2	2.36	114.52	110.49
3	H	1	NAG	O5-C1-C2	-2.30	107.66	111.29
4	I	1	NAG	C3-C4-C5	-2.30	106.14	110.24

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	K	1	NAG	C1-C2-N2	2.24	114.32	110.49
6	L	2	NAG	C1-C2-N2	2.20	114.25	110.49
6	L	1	NAG	O4-C4-C3	-2.17	105.33	110.35
4	I	2	NAG	O5-C5-C4	-2.13	105.66	110.83
3	G	2	NAG	C3-C4-C5	2.11	114.01	110.24
6	L	1	NAG	C3-C4-C5	2.07	113.94	110.24
3	H	3	BMA	O5-C5-C6	2.05	110.42	107.20
6	L	3	BMA	C2-C3-C4	2.03	114.42	110.89
5	J	2	NAG	C3-C4-C5	-2.00	106.67	110.24

There are no chirality outliers.



All (18) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
6	L	4	MAN	O5-C5-C6-O6
4	I	2	NAG	O5-C5-C6-O6
6	L	4	MAN	C4-C5-C6-O6
5	J	3	BMA	C4-C5-C6-O6
5	J	2	NAG	O5-C5-C6-O6
3	G	2	NAG	C4-C5-C6-O6
5	J	2	NAG	C4-C5-C6-O6
5	J	3	BMA	O5-C5-C6-O6
3	G	1	NAG	C4-C5-C6-O6
3	G	3	BMA	O5-C5-C6-O6
4	I	2	NAG	C4-C5-C6-O6
4	I	1	NAG	C4-C5-C6-O6
3	G	1	NAG	O5-C5-C6-O6
4	I	1	NAG	O5-C5-C6-O6
3	G	3	BMA	C4-C5-C6-O6
4	K	2	NAG	O5-C5-C6-O6
3	G	2	NAG	O5-C5-C6-O6
3	H	1	NAG	C4-C5-C6-O6


There are no ring outliers.


No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.









4.6 Ligand geometry [i](#)

7 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
7	NAG	C	501	1	14,14,15	0.68	0	17,19,21	2.01	1 (5%)
7	NAG	A	404	1	14,14,15	0.90	0	17,19,21	1.77	3 (17%)
7	NAG	E	506	1	14,14,15	0.85	0	17,19,21	1.58	5 (29%)
7	NAG	E	507	1	14,14,15	0.84	0	17,19,21	1.43	3 (17%)
7	NAG	E	501	1	14,14,15	0.46	0	17,19,21	0.93	1 (5%)
7	NAG	D	201	2	14,14,15	0.80	1 (7%)	17,19,21	1.93	4 (23%)
7	NAG	C	502	1	14,14,15	0.83	0	17,19,21	2.27	4 (23%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
7	NAG	C	501	1	-	1/6/23/26	0/1/1/1
7	NAG	A	404	1	-	2/6/23/26	0/1/1/1
7	NAG	E	506	1	-	2/6/23/26	0/1/1/1
7	NAG	E	507	1	-	1/6/23/26	0/1/1/1
7	NAG	E	501	1	-	0/6/23/26	0/1/1/1
7	NAG	D	201	2	-	1/6/23/26	0/1/1/1
7	NAG	C	502	1	-	2/6/23/26	0/1/1/1

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
7	D	201	NAG	C1-C2	2.15	1.55	1.52

All (21) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
7	C	502	NAG	C1-O5-C5	7.59	122.48	112.19
7	C	501	NAG	C1-O5-C5	6.83	121.45	112.19

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
7	A	404	NAG	C1-O5-C5	3.93	117.52	112.19
7	D	201	NAG	C2-N2-C7	3.79	128.30	122.90
7	E	507	NAG	C1-O5-C5	3.67	117.17	112.19
7	A	404	NAG	O5-C5-C6	3.62	112.87	107.20
7	D	201	NAG	O5-C1-C2	3.59	116.95	111.29
7	E	506	NAG	C1-C2-N2	3.51	116.48	110.49
7	D	201	NAG	C1-O5-C5	3.36	116.74	112.19
7	C	502	NAG	C3-C4-C5	3.23	116.01	110.24
7	A	404	NAG	O5-C1-C2	-3.12	106.36	111.29
7	E	507	NAG	O5-C5-C6	2.73	111.48	107.20
7	E	501	NAG	C1-O5-C5	2.72	115.87	112.19
7	E	506	NAG	C1-O5-C5	2.67	115.80	112.19
7	C	502	NAG	C1-C2-N2	2.66	115.03	110.49
7	E	506	NAG	O4-C4-C5	2.53	115.57	109.30
7	D	201	NAG	C3-C4-C5	-2.39	105.98	110.24
7	E	507	NAG	O4-C4-C5	2.26	114.92	109.30
7	E	506	NAG	O5-C5-C6	2.14	110.56	107.20
7	E	506	NAG	C3-C4-C5	-2.06	106.57	110.24
7	C	502	NAG	O5-C5-C6	2.02	110.37	107.20

There are no chirality outliers.

All (9) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
7	D	201	NAG	C3-C2-N2-C7
7	A	404	NAG	O5-C5-C6-O6
7	C	502	NAG	C4-C5-C6-O6
7	A	404	NAG	C4-C5-C6-O6
7	C	502	NAG	O5-C5-C6-O6
7	C	501	NAG	C4-C5-C6-O6
7	E	507	NAG	C4-C5-C6-O6
7	E	506	NAG	C4-C5-C6-O6
7	E	506	NAG	O5-C5-C6-O6

There are no ring outliers.

No monomer is involved in short contacts.

4.7 Other polymers [i](#)

There are no such residues in this entry.

4.8 Polymer linkage issues

There are no chain breaks in this entry.

5 Fit of model and data

5.1 Protein, DNA and RNA chains

EDS failed to run properly - this section is therefore empty.

5.2 Non-standard residues in protein, DNA, RNA chains

EDS failed to run properly - this section is therefore empty.

5.3 Carbohydrates

EDS failed to run properly - this section is therefore empty.

5.4 Ligands

EDS failed to run properly - this section is therefore empty.

5.5 Other polymers

EDS failed to run properly - this section is therefore empty.